

Applicable Trauma Diagnosis Codes for NQF 0052 - Use of Imaging Studies for Low Back Pain

Code	Description	Code System
800.00	Closed fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD9
800.01	Closed fracture of vault of skull without mention of intracranial injury, with no loss of consciousness	ICD9
800.02	Closed fracture of vault of skull without mention of intracranial injury, with brief [less than one hour] loss of consciousness	ICD9
800.03	Closed fracture of vault of skull without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness	ICD9
800.04	Closed fracture of vault of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.05	Closed fracture of vault of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
800.06	Closed fracture of vault of skull without mention of intracranial injury, with loss of consciousness of unspecified duration	ICD9
800.09	Closed fracture of vault of skull without mention of intracranial injury, with concussion, unspecified	ICD9
800.10	Closed fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD9
800.11	Closed fracture of vault of skull with cerebral laceration and contusion, with no loss of consciousness	ICD9
800.12	Closed fracture of vault of skull with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness	ICD9
800.13	Closed fracture of vault of skull with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness	ICD9
800.14	Closed fracture of vault of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.15	Closed fracture of vault of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
800.16	Closed fracture of vault of skull with cerebral laceration and contusion, with loss of consciousness of unspecified duration	ICD9
800.19	Closed fracture of vault of skull with cerebral laceration and contusion, with concussion, unspecified	ICD9
800.20	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD9
800.21	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness	ICD9
800.22	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
800.23	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
800.24	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.25	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9

800.26	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration	ICD9
800.29	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with concussion, unspecified	ICD9
800.30	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD9
800.31	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with no loss of consciousness	ICD9
800.32	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
800.33	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
800.34	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.35	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
800.36	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration	ICD9
800.39	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with concussion, unspecified	ICD9
800.40	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD9
800.41	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with no loss of consciousness	ICD9
800.42	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness	ICD9
800.43	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness	ICD9
800.44	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.45	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
800.46	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration	ICD9
800.49	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with concussion, unspecified	ICD9
800.50	Open fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD9
800.51	Open fracture of vault of skull without mention of intracranial injury, with no loss of consciousness	ICD9
800.52	Open fracture of vault of skull without mention of intracranial injury, with brief [less than one hour] loss of consciousness	ICD9
800.53	Open fracture of vault of skull without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness	ICD9
800.54	Open fracture of vault of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.55	Open fracture of vault of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9

800.56	Open fracture of vault of skull without mention of intracranial injury, with loss of consciousness of unspecified duration	ICD9
800.59	Open fracture of vault of skull without mention of intracranial injury, with concussion, unspecified	ICD9
800.60	Open fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD9
800.61	Open fracture of vault of skull with cerebral laceration and contusion, with no loss of consciousness	ICD9
800.62	Open fracture of vault of skull with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness	ICD9
800.63	Open fracture of vault of skull with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness	ICD9
800.64	Open fracture of vault of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.65	Open fracture of vault of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
800.66	Open fracture of vault of skull with cerebral laceration and contusion, with loss of consciousness of unspecified duration	ICD9
800.69	Open fracture of vault of skull with cerebral laceration and contusion, with concussion, unspecified	ICD9
800.70	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD9
800.71	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness	ICD9
800.72	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
800.73	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
800.74	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.75	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
800.76	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration	ICD9
800.79	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, with concussion, unspecified	ICD9
800.80	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD9
800.81	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with no loss of consciousness	ICD9
800.82	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
800.83	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
800.84	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.85	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9

800.86	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration	ICD9
800.89	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, with concussion, unspecified	ICD9
800.90	Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD9
800.91	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with no loss of consciousness	ICD9
800.92	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness	ICD9
800.93	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness	ICD9
800.94	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
800.95	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
800.96	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration	ICD9
800.99	Open fracture of vault of skull with intracranial injury of other and unspecified nature, with concussion, unspecified	ICD9
801.00	Closed fracture of base of skull without mention of intra cranial injury, unspecified state of consciousness	ICD9
801.01	Closed fracture of base of skull without mention of intra cranial injury, with no loss of consciousness	ICD9
801.02	Closed fracture of base of skull without mention of intra cranial injury, with brief [less than one hour] loss of consciousness	ICD9
801.03	Closed fracture of base of skull without mention of intra cranial injury, with moderate [1-24 hours] loss of consciousness	ICD9
801.04	Closed fracture of base of skull without mention of intra cranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.05	Closed fracture of base of skull without mention of intra cranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.06	Closed fracture of base of skull without mention of intra cranial injury, with loss of consciousness of unspecified duration	ICD9
801.09	Closed fracture of base of skull without mention of intra cranial injury, with concussion, unspecified	ICD9
801.10	Closed fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD9
801.11	Closed fracture of base of skull with cerebral laceration and contusion, with no loss of consciousness	ICD9
801.12	Closed fracture of base of skull with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness	ICD9
801.13	Closed fracture of base of skull with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness	ICD9
801.14	Closed fracture of base of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.15	Closed fracture of base of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.16	Closed fracture of base of skull with cerebral laceration and contusion, with loss of consciousness of unspecified duration	ICD9

801.19	Closed fracture of base of skull with cerebral laceration and contusion, with concussion, unspecified	ICD9
801.20	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD9
801.21	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness	ICD9
801.22	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
801.23	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
801.24	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.25	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.26	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration	ICD9
801.29	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with concussion, unspecified	ICD9
801.30	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD9
801.31	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with no loss of consciousness	ICD9
801.32	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
801.33	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
801.34	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.35	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.36	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration	ICD9
801.39	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, with concussion, unspecified	ICD9
801.40	Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD9
801.41	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with no loss of consciousness	ICD9
801.42	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness	ICD9
801.43	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness	ICD9
801.44	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.45	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.46	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration	ICD9

801.49	Closed fracture of base of skull with intracranial injury of other and unspecified nature, with concussion, unspecified	ICD9
801.50	Open fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD9
801.51	Open fracture of base of skull without mention of intracranial injury, with no loss of consciousness	ICD9
801.52	Open fracture of base of skull without mention of intracranial injury, with brief [less than one hour] loss of consciousness	ICD9
801.53	Open fracture of base of skull without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness	ICD9
801.54	Open fracture of base of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.55	Open fracture of base of skull without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.56	Open fracture of base of skull without mention of intracranial injury, with loss of consciousness of unspecified duration	ICD9
801.59	Open fracture of base of skull without mention of intracranial injury, with concussion, unspecified	ICD9
801.60	Open fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD9
801.61	Open fracture of base of skull with cerebral laceration and contusion, with no loss of consciousness	ICD9
801.62	Open fracture of base of skull with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness	ICD9
801.63	Open fracture of base of skull with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness	ICD9
801.64	Open fracture of base of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.65	Open fracture of base of skull with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.66	Open fracture of base of skull with cerebral laceration and contusion, with loss of consciousness of unspecified duration	ICD9
801.69	Open fracture of base of skull with cerebral laceration and contusion, with concussion, unspecified	ICD9
801.70	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD9
801.71	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness	ICD9
801.72	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
801.73	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
801.74	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.75	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.76	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration	ICD9
801.79	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, with concussion, unspecified	ICD9

801.80	Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD9
801.81	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with no loss of consciousness	ICD9
801.82	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
801.83	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
801.84	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.85	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.86	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration	ICD9
801.89	Open fracture of base of skull with other and unspecified intracranial hemorrhage, with concussion, unspecified	ICD9
801.90	Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD9
801.91	Open fracture of base of skull with intracranial injury of other and unspecified nature, with no loss of consciousness	ICD9
801.92	Open fracture of base of skull with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness	ICD9
801.93	Open fracture of base of skull with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness	ICD9
801.94	Open fracture of base of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
801.95	Open fracture of base of skull with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
801.96	Open fracture of base of skull with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration	ICD9
801.99	Open fracture of base of skull with intracranial injury of other and unspecified nature, with concussion, unspecified	ICD9
802.0	Closed fracture of nasal bones	ICD9
802.1	Open fracture of nasal bones	ICD9
802.20	Closed fracture of mandible, unspecified site	ICD9
802.21	Closed fracture of mandible, condylar process	ICD9
802.22	Closed fracture of mandible, subcondylar	ICD9
802.23	Closed fracture of mandible, coronoid process	ICD9
802.24	Closed fracture of mandible, ramus, unspecified	ICD9
802.25	Closed fracture of mandible, angle of jaw	ICD9
802.26	Closed fracture of mandible, symphysis of body	ICD9
802.27	Closed fracture of mandible, alveolar border of body	ICD9
802.28	Closed fracture of mandible, body, other and unspecified	ICD9
802.29	Closed fracture of mandible, multiple sites	ICD9
802.30	Open fracture of mandible, unspecified site	ICD9
802.31	Open fracture of mandible, condylar process	ICD9
802.32	Open fracture of mandible, subcondylar	ICD9
802.33	Open fracture of mandible, coronoid process	ICD9
802.34	Open fracture of mandible, ramus, unspecified	ICD9

802.35	Open fracture of mandible, angle of jaw	ICD9
802.36	Open fracture of mandible, symphysis of body	ICD9
802.37	Open fracture of mandible, alveolar border of body	ICD9
802.38	Open fracture of mandible, body, other and unspecified	ICD9
802.39	Open fracture of mandible, multiple sites	ICD9
802.4	Closed fracture of malar and maxillary bones	ICD9
802.5	Open fracture of malar and maxillary bones	ICD9
802.6	Closed fracture of orbital floor (blow-out)	ICD9
802.7	Open fracture of orbital floor (blow-out)	ICD9
802.8	Closed fracture of other facial bones	ICD9
802.9	Open fracture of other facial bones	ICD9
803.00	Other closed skull fracture without mention of intracranial injury, unspecified state of consciousness	ICD9
803.01	Other closed skull fracture without mention of intracranial injury, with no loss of consciousness	ICD9
803.02	Other closed skull fracture without mention of intracranial injury, with brief [less than one hour] loss of consciousness	ICD9
803.03	Other closed skull fracture without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness	ICD9
803.04	Other closed skull fracture without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.05	Other closed skull fracture without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.06	Other closed skull fracture without mention of intracranial injury, with loss of consciousness of unspecified duration	ICD9
803.09	Other closed skull fracture without mention of intracranial injury, with concussion, unspecified	ICD9
803.10	Other closed skull fracture with cerebral laceration and contusion, unspecified state of consciousness	ICD9
803.11	Other closed skull fracture with cerebral laceration and contusion, with no loss of consciousness	ICD9
803.12	Other closed skull fracture with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness	ICD9
803.13	Other closed skull fracture with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness	ICD9
803.14	Other closed skull fracture with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.15	Other closed skull fracture with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.16	Other closed skull fracture with cerebral laceration and contusion, with loss of consciousness of unspecified duration	ICD9
803.19	Other closed skull fracture with cerebral laceration and contusion, with concussion, unspecified	ICD9
803.20	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD9
803.21	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness	ICD9
803.22	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
803.23	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
803.24	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9

803.25	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.26	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration	ICD9
803.29	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, with concussion, unspecified	ICD9
803.30	Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified state of unconsciousness	ICD9
803.31	Other closed skull fracture with other and unspecified intracranial hemorrhage, with no loss of consciousness	ICD9
803.32	Other closed skull fracture with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
803.33	Other closed skull fracture with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
803.34	Other closed skull fracture with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.35	Other closed skull fracture with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.36	Other closed skull fracture with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration	ICD9
803.39	Other closed skull fracture with other and unspecified intracranial hemorrhage, with concussion, unspecified	ICD9
803.40	Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD9
803.41	Other closed skull fracture with intracranial injury of other and unspecified nature, with no loss of consciousness	ICD9
803.42	Other closed skull fracture with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness	ICD9
803.43	Other closed skull fracture with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness	ICD9
803.44	Other closed skull fracture with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.45	Other closed skull fracture with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.46	Other closed skull fracture with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration	ICD9
803.49	Other closed skull fracture with intracranial injury of other and unspecified nature, with concussion, unspecified	ICD9
803.50	Other open skull fracture without mention of injury, unspecified state of consciousness	ICD9
803.51	Other open skull fracture without mention of intracranial injury, with no loss of consciousness	ICD9
803.52	Other open skull fracture without mention of intracranial injury, with brief [less than one hour] loss of consciousness	ICD9
803.53	Other open skull fracture without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness	ICD9
803.54	Other open skull fracture without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.55	Other open skull fracture without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9

803.56	Other open skull fracture without mention of intracranial injury, with loss of consciousness of unspecified duration	ICD9
803.59	Other open skull fracture without mention of intracranial injury, with concussion, unspecified	ICD9
803.60	Other open skull fracture with cerebral laceration and contusion, unspecified state of consciousness	ICD9
803.61	Other open skull fracture with cerebral laceration and contusion, with no loss of consciousness	ICD9
803.62	Other open skull fracture with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness	ICD9
803.63	Other open skull fracture with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness	ICD9
803.64	Other open skull fracture with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.65	Other open skull fracture with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.66	Other open skull fracture with cerebral laceration and contusion, with loss of consciousness of unspecified duration	ICD9
803.69	Other open skull fracture with cerebral laceration and contusion, with concussion, unspecified	ICD9
803.70	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD9
803.71	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness	ICD9
803.72	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
803.73	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
803.74	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.75	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.76	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration	ICD9
803.79	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, with concussion, unspecified	ICD9
803.80	Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD9
803.81	Other open skull fracture with other and unspecified intracranial hemorrhage, with no loss of consciousness	ICD9
803.82	Other open skull fracture with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
803.83	Other open skull fracture with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
803.84	Other open skull fracture with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.85	Other open skull fracture with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.86	Other open skull fracture with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration	ICD9
803.89	Other open skull fracture with other and unspecified intracranial hemorrhage, with concussion, unspecified	ICD9

803.90	Other open skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD9
803.91	Other open skull fracture with intracranial injury of other and unspecified nature, with no loss of consciousness	ICD9
803.92	Other open skull fracture with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness	ICD9
803.93	Other open skull fracture with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness	ICD9
803.94	Other open skull fracture with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
803.95	Other open skull fracture with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
803.96	Other open skull fracture with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration	ICD9
803.99	Other open skull fracture with intracranial injury of other and unspecified nature, with concussion, unspecified	ICD9
804.00	Closed fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD9
804.01	Closed fractures involving skull or face with other bones, without mention of intracranial injury, with no loss of consciousness	ICD9
804.02	Closed fractures involving skull or face with other bones, without mention of intracranial injury, with brief [less than one hour] loss of consciousness	ICD9
804.03	Closed fractures involving skull or face with other bones, without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness	ICD9
804.04	Closed fractures involving skull or face with other bones, without mention or intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.05	Closed fractures involving skull of face with other bones, without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
804.06	Closed fractures involving skull of face with other bones, without mention of intracranial injury, with loss of consciousness of unspecified duration	ICD9
804.09	Closed fractures involving skull of face with other bones, without mention of intracranial injury, with concussion, unspecified	ICD9
804.10	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness	ICD9
804.11	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with no loss of consciousness	ICD9
804.12	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness	ICD9
804.13	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness	ICD9
804.14	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.15	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
804.16	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with loss of consciousness of unspecified duration	ICD9

804.19	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, with concussion, unspecified	ICD9
804.20	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD9
804.21	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness	ICD9
804.22	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
804.23	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
804.24	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.25	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
804.26	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration	ICD9
804.29	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with concussion, unspecified	ICD9
804.30	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD9
804.31	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with no loss of consciousness	ICD9
804.32	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
804.33	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
804.34	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.35	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
804.36	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration	ICD9
804.39	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with concussion, unspecified	ICD9
804.40	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD9
804.41	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with no loss of consciousness	ICD9
804.42	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness	ICD9
804.43	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness	ICD9
804.44	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9

804.45	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
804.46	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration	ICD9
804.49	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with concussion, unspecified	ICD9
804.50	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD9
804.51	Open fractures involving skull or face with other bones, without mention of intracranial injury, with no loss of consciousness	ICD9
804.52	Open fractures involving skull or face with other bones, without mention of intracranial injury, with brief [less than one hour] loss of consciousness	ICD9
804.53	Open fractures involving skull or face with other bones, without mention of intracranial injury, with moderate [1-24 hours] loss of consciousness	ICD9
804.54	Open fractures involving skull or face with other bones, without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.55	Open fractures involving skull or face with other bones, without mention of intracranial injury, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
804.56	Open fractures involving skull or face with other bones, without mention of intracranial injury, with loss of consciousness of unspecified duration	ICD9
804.59	Open fractures involving skull or face with other bones, without mention of intracranial injury, with concussion, unspecified	ICD9
804.60	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness	ICD9
804.61	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with no loss of consciousness	ICD9
804.62	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with brief [less than one hour] loss of consciousness	ICD9
804.63	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with moderate [1-24 hours] loss of consciousness	ICD9
804.64	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.65	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
804.66	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with loss of consciousness of unspecified duration	ICD9
804.69	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, with concussion, unspecified	ICD9
804.70	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD9
804.71	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with no loss of consciousness	ICD9
804.72	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
804.73	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9

804.74	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.75	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with prolonged [more than 24 hours] loss of consciousness, without return to pre-existing conscious level	ICD9
804.76	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with loss of consciousness of unspecified duration	ICD9
804.79	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, with concussion, unspecified	ICD9
804.80	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD9
804.81	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with no loss of consciousness	ICD9
804.82	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with brief [less than one hour] loss of consciousness	ICD9
804.83	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with moderate [1-24 hours] loss of consciousness	ICD9
804.84	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.85	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with prolonged [more than 24 hours] loss consciousness, without return to pre-existing conscious level	ICD9
804.86	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration	ICD9
804.89	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, with concussion, unspecified	ICD9
804.90	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD9
804.91	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with no loss of consciousness	ICD9
804.92	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with brief [less than one hour] loss of consciousness	ICD9
804.93	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with moderate [1-24 hours] loss of consciousness	ICD9
804.94	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
804.95	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
804.96	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with loss of consciousness of unspecified duration	ICD9
804.99	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, with concussion, unspecified	ICD9
805.00	Closed fracture of cervical vertebra, unspecified level	ICD9
805.01	Closed fracture of first cervical vertebra	ICD9
805.02	Closed fracture of second cervical vertebra	ICD9
805.03	Closed fracture of third cervical vertebra	ICD9
805.04	Closed fracture of fourth cervical vertebra	ICD9

805.05	Closed fracture of fifth cervical vertebra	ICD9
805.06	Closed fracture of sixth cervical vertebra	ICD9
805.07	Closed fracture of seventh cervical vertebra	ICD9
805.08	Closed fracture of multiple cervical vertebrae	ICD9
805.10	Open fracture of cervical vertebra, unspecified level	ICD9
805.11	Open fracture of first cervical vertebra	ICD9
805.12	Open fracture of second cervical vertebra	ICD9
805.13	Open fracture of third cervical vertebra	ICD9
805.14	Open fracture of fourth cervical vertebra	ICD9
805.15	Open fracture of fifth cervical vertebra	ICD9
805.16	Open fracture of sixth cervical vertebra	ICD9
805.17	Open fracture of seventh cervical vertebra	ICD9
805.18	Open fracture of multiple cervical vertebrae	ICD9
805.2	Closed fracture of dorsal [thoracic] vertebra without mention of spinal cord injury	ICD9
805.3	Open fracture of dorsal [thoracic] vertebra without mention of spinal cord injury	ICD9
805.4	Closed fracture of lumbar vertebra without mention of spinal cord injury	ICD9
805.5	Open fracture of lumbar vertebra without mention of spinal cord injury	ICD9
805.6	Closed fracture of sacrum and coccyx without mention of spinal cord injury	ICD9
805.7	Open fracture of sacrum and coccyx without mention of spinal cord injury	ICD9
805.8	Closed fracture of unspecified vertebral column without mention of spinal cord injury	ICD9
805.9	Open fracture of unspecified vertebral column without mention of spinal cord injury	ICD9
806.00	Closed fracture of C1-C4 level with unspecified spinal cord injury	ICD9
806.01	Closed fracture of C1-C4 level with complete lesion of cord	ICD9
806.02	Closed fracture of C1-C4 level with anterior cord syndrome	ICD9
806.03	Closed fracture of C1-C4 level with central cord syndrome	ICD9
806.04	Closed fracture of C1-C4 level with other specified spinal cord injury	ICD9
806.05	Closed fracture of C5-C7 level with unspecified spinal cord injury	ICD9
806.06	Closed fracture of C5-C7 level with complete lesion of cord	ICD9
806.07	Closed fracture of C5-C7 level with anterior cord syndrome	ICD9
806.08	Closed fracture of C5-C7 level with central cord syndrome	ICD9
806.09	Closed fracture of C5-C7 level with other specified spinal cord injury	ICD9
806.10	Open fracture of C1-C4 level with unspecified spinal cord injury	ICD9
806.11	Open fracture of C1-C4 level with complete lesion of cord	ICD9
806.12	Open fracture of C1-C4 level with anterior cord syndrome	ICD9
806.13	Open fracture of C1-C4 level with central cord syndrome	ICD9
806.14	Open fracture of C1-C4 level with other specified spinal cord injury	ICD9
806.15	Open fracture of C5-C7 level with unspecified spinal cord injury	ICD9
806.16	Open fracture of C5-C7 level with complete lesion of cord	ICD9
806.17	Open fracture of C5-C7 level with anterior cord syndrome	ICD9
806.18	Open fracture of C5-C7 level with central cord syndrome	ICD9
806.19	Open fracture of C5-C7 level with other specified spinal cord injury	ICD9
806.20	Closed fracture of T1-T6 level with unspecified spinal cord injury	ICD9
806.21	Closed fracture of T1-T6 level with complete lesion of cord	ICD9
806.22	Closed fracture of T1-T6 level with anterior cord syndrome	ICD9
806.23	Closed fracture of T1-T6 level with central cord syndrome	ICD9
806.24	Closed fracture of T1-T6 level with other specified spinal cord injury	ICD9
806.25	Closed fracture of T7-T12 level with unspecified spinal cord injury	ICD9
806.26	Closed fracture of T7-T12 level with complete lesion of cord	ICD9
806.27	Closed fracture of T7-T12 level with anterior cord syndrome	ICD9
806.28	Closed fracture of T7-T12 level with central cord syndrome	ICD9
806.29	Closed fracture of T7-T12 level with other specified spinal cord injury	ICD9

806.30	Open fracture of T1-T6 level with unspecified spinal cord injury	ICD9
806.31	Open fracture of T1-T6 level with complete lesion of cord	ICD9
806.32	Open fracture of T1-T6 level with anterior cord syndrome	ICD9
806.33	Open fracture of T1-T6 level with central cord syndrome	ICD9
806.34	Open fracture of T1-T6 level with other specified spinal cord injury	ICD9
806.35	Open fracture of T7-T12 level with unspecified spinal cord injury	ICD9
806.36	Open fracture of T7-T12 level with complete lesion of cord	ICD9
806.37	Open fracture of T7-T12 level with anterior cord syndrome	ICD9
806.38	Open fracture of T7-T12 level with central cord syndrome	ICD9
806.39	Open fracture of T7-T12 level with other specified spinal cord injury	ICD9
806.4	Closed fracture of lumbar spine with spinal cord injury	ICD9
806.5	Open fracture of lumbar spine with spinal cord injury	ICD9
806.60	Closed fracture of sacrum and coccyx with unspecified spinal cord injury	ICD9
806.61	Closed fracture of sacrum and coccyx with complete cauda equina lesion	ICD9
806.62	Closed fracture of sacrum and coccyx with other cauda equina injury	ICD9
806.69	Closed fracture of sacrum and coccyx with other spinal cord injury	ICD9
806.70	Open fracture of sacrum and coccyx with unspecified spinal cord injury	ICD9
806.71	Open fracture of sacrum and coccyx with complete cauda equina lesion	ICD9
806.72	Open fracture of sacrum and coccyx with other cauda equina injury	ICD9
806.79	Open fracture of sacrum and coccyx with other spinal cord injury	ICD9
806.8	Closed fracture of unspecified vertebral column with spinal cord injury	ICD9
806.9	Open fracture of unspecified vertebral column with spinal cord injury	ICD9
807.00	Closed fracture of rib(s), unspecified	ICD9
807.01	Closed fracture of one rib	ICD9
807.02	Closed fracture of two ribs	ICD9
807.03	Closed fracture of three ribs	ICD9
807.04	Closed fracture of four ribs	ICD9
807.05	Closed fracture of five ribs	ICD9
807.06	Closed fracture of six ribs	ICD9
807.07	Closed fracture of seven ribs	ICD9
807.08	Closed fracture of eight or more ribs	ICD9
807.09	Closed fracture of multiple ribs, unspecified	ICD9
807.10	Open fracture of rib(s), unspecified	ICD9
807.11	Open fracture of one rib	ICD9
807.12	Open fracture of two ribs	ICD9
807.13	Open fracture of three ribs	ICD9
807.14	Open fracture of four ribs	ICD9
807.15	Open fracture of five ribs	ICD9
807.16	Open fracture of six ribs	ICD9
807.17	Open fracture of seven ribs	ICD9
807.18	Open fracture of eight or more ribs	ICD9
807.19	Open fracture of multiple ribs, unspecified	ICD9
807.2	Closed fracture of sternum	ICD9
807.3	Open fracture of sternum	ICD9
807.4	Flail chest	ICD9
807.5	Closed fracture of larynx and trachea	ICD9
807.6	Open fracture of larynx and trachea	ICD9
808.0	Closed fracture of acetabulum	ICD9
808.1	Open fracture of acetabulum	ICD9
808.2	Closed fracture of pubis	ICD9
808.3	Open fracture of pubis	ICD9

808.41	Closed fracture of ilium	ICD9
808.42	Closed fracture of ischium	ICD9
808.43	Multiple closed pelvic fractures with disruption of pelvic circle	ICD9
808.49	Closed fracture of other specified part of pelvis	ICD9
808.51	Open fracture of ilium	ICD9
808.52	Open fracture of ischium	ICD9
808.53	Multiple open pelvic fractures with disruption of pelvic circle	ICD9
808.59	Open fracture of other specified part of pelvis	ICD9
808.8	Closed unspecified fracture of pelvis	ICD9
808.9	Open unspecified fracture of pelvis	ICD9
809.0	Fracture of bones of trunk, closed	ICD9
809.1	Fracture of bones of trunk, open	ICD9
810.00	Closed fracture of clavicle, unspecified part	ICD9
810.01	Closed fracture of sternal end of clavicle	ICD9
810.02	Closed fracture of shaft of clavicle	ICD9
810.03	Closed fracture of acromial end of clavicle	ICD9
810.10	Open fracture of clavicle, unspecified part	ICD9
810.11	Open fracture of sternal end of clavicle	ICD9
810.12	Open fracture of shaft of clavicle	ICD9
810.13	Open fracture of acromial end of clavicle	ICD9
811.00	Closed fracture of scapula, unspecified part	ICD9
811.01	Closed fracture of acromial process of scapula	ICD9
811.02	Closed fracture of coracoid process of scapula	ICD9
811.03	Closed fracture of glenoid cavity and neck of scapula	ICD9
811.09	Closed fracture of scapula, other	ICD9
811.10	Open fracture of scapula, unspecified part	ICD9
811.11	Open fracture of acromial process of scapula	ICD9
811.12	Open fracture of coracoid process	ICD9
811.13	Open fracture of glenoid cavity and neck of scapula	ICD9
811.19	Open fracture of scapula, other	ICD9
812.00	Closed fracture of unspecified part of upper end of humerus	ICD9
812.01	Closed fracture of surgical neck of humerus	ICD9
812.02	Closed fracture of anatomical neck of humerus	ICD9
812.03	Closed fracture of greater tuberosity of humerus	ICD9
812.09	Other closed fracture of upper end of humerus	ICD9
812.10	Open fracture of unspecified part of upper end of humerus	ICD9
812.11	Open fracture of surgical neck of humerus	ICD9
812.12	Open fracture of anatomical neck of humerus	ICD9
812.13	Open fracture of greater tuberosity of humerus	ICD9
812.19	Other open fracture of upper end of humerus	ICD9
812.20	Closed fracture of unspecified part of humerus	ICD9
812.21	Closed fracture of shaft of humerus	ICD9
812.30	Open fracture of unspecified part of humerus	ICD9
812.31	Open fracture of shaft of humerus	ICD9
812.40	Closed fracture of unspecified part of lower end of humerus	ICD9
812.41	Closed supracondylar fracture of humerus	ICD9
812.42	Closed fracture of lateral condyle of humerus	ICD9
812.43	Closed fracture of medial condyle of humerus	ICD9
812.44	Closed fracture of unspecified condyle(s) of humerus	ICD9
812.49	Other closed fracture of lower end of humerus	ICD9
812.50	Open fracture of unspecified part of lower end of humerus	ICD9

812.51	Open supracondylar fracture of humerus	ICD9
812.52	Open fracture of lateral condyle of humerus	ICD9
812.53	Open fracture of medial condyle of humerus	ICD9
812.54	Open fracture of unspecified condyle(s) of humerus	ICD9
812.59	Other open fracture of lower end of humerus	ICD9
813.00	Closed fracture of upper end of forearm, unspecified	ICD9
813.01	Closed fracture of olecranon process of ulna	ICD9
813.02	Closed fracture of coronoid process of ulna	ICD9
813.03	Closed Monteggia's fracture	ICD9
813.04	Other and unspecified closed fractures of proximal end of ulna (alone)	ICD9
813.05	Closed fracture of head of radius	ICD9
813.06	Closed fracture of neck of radius	ICD9
813.07	Other and unspecified closed fractures of proximal end of radius (alone)	ICD9
813.08	Closed fracture of radius with ulna, upper end [any part]	ICD9
813.10	Open fracture of upper end of forearm, unspecified	ICD9
813.11	Open fracture of olecranon process of ulna	ICD9
813.12	Open fracture of coronoid process of ulna	ICD9
813.13	Open Monteggia's fracture	ICD9
813.14	Other and unspecified open fractures of proximal end of ulna (alone)	ICD9
813.15	Open fracture of head of radius	ICD9
813.16	Open fracture of neck of radius	ICD9
813.17	Other and unspecified open fractures of proximal end of radius (alone)	ICD9
813.18	Open fracture of radius with ulna, upper end (any part)	ICD9
813.20	Closed fracture of shaft of radius or ulna, unspecified	ICD9
813.21	Closed fracture of shaft of radius (alone)	ICD9
813.22	Closed fracture of shaft of ulna (alone)	ICD9
813.23	Closed fracture of shaft of radius with ulna	ICD9
813.30	Open fracture of shaft of radius or ulna, unspecified	ICD9
813.31	Open fracture of shaft of radius (alone)	ICD9
813.32	Open fracture of shaft of ulna (alone)	ICD9
813.33	Open fracture of shaft of radius with ulna	ICD9
813.40	Closed fracture of lower end of forearm, unspecified	ICD9
813.41	Closed Colles' fracture	ICD9
813.42	Other closed fractures of distal end of radius (alone)	ICD9
813.43	Closed fracture of distal end of ulna (alone)	ICD9
813.44	Closed fracture of lower end of radius with ulna	ICD9
813.45	Torus fracture of radius (alone)	ICD9
813.46	Torus fracture of ulna (alone)	ICD9
813.47	Torus fracture of radius and ulna	ICD9
813.50	Open fracture of lower end of forearm, unspecified	ICD9
813.51	Open Colles' fracture	ICD9
813.52	Other open fractures of distal end of radius (alone)	ICD9
813.53	Open fracture of distal end of ulna (alone)	ICD9
813.54	Open fracture of lower end of radius with ulna	ICD9
813.80	Closed fracture of unspecified part of forearm	ICD9
813.81	Closed fracture of unspecified part of radius (alone)	ICD9
813.82	Closed fracture of unspecified part of ulna (alone)	ICD9
813.83	Closed fracture of unspecified part of radius with ulna	ICD9
813.90	Open fracture of unspecified part of forearm	ICD9
813.91	Open fracture of unspecified part of radius (alone)	ICD9
813.92	Open fracture of unspecified part of ulna (alone)	ICD9

813.93	Open fracture of unspecified part of radius with ulna	ICD9
814.00	Closed fracture of carpal bone, unspecified	ICD9
814.01	Closed fracture of navicular [scaphoid] bone of wrist	ICD9
814.02	Closed fracture of lunate [semilunar] bone of wrist	ICD9
814.03	Closed fracture of triquetral [cuneiform] bone of wrist	ICD9
814.04	Closed fracture of pisiform bone of wrist	ICD9
814.05	Closed fracture of trapezium bone [larger multangular] of wrist	ICD9
814.06	Closed fracture of trapezoid bone [smaller multangular] of wrist	ICD9
814.07	Closed fracture of capitate bone [os magnum] of wrist	ICD9
814.08	Closed fracture of hamate [unciform] bone of wrist	ICD9
814.09	Closed fracture of other bone of wrist	ICD9
814.10	Open fracture of carpal bone, unspecified	ICD9
814.11	Open fracture of navicular [scaphoid] bone of wrist	ICD9
814.12	Open fracture of lunate [semilunar] bone of wrist	ICD9
814.13	Open fracture of triquetral [cuneiform] bone of wrist	ICD9
814.14	Open fracture of pisiform bone of wrist	ICD9
814.15	Open fracture of trapezium bone [larger multangular] of wrist	ICD9
814.16	Open fracture of trapezoid bone [smaller multangular] of wrist	ICD9
814.17	Open fracture of capitate bone [os magnum] of wrist	ICD9
814.18	Open fracture of hamate [unciform] bone of wrist	ICD9
814.19	Open fracture of other bone of wrist	ICD9
815.00	Closed fracture of metacarpal bone(s), site unspecified	ICD9
815.01	Closed fracture of base of thumb [first] metacarpal	ICD9
815.02	Closed fracture of base of other metacarpal bone(s)	ICD9
815.03	Closed fracture of shaft of metacarpal bone(s)	ICD9
815.04	Closed fracture of neck of metacarpal bone(s)	ICD9
815.09	Closed fracture of multiple sites of metacarpus	ICD9
815.10	Open fracture of metacarpal bone(s), site unspecified	ICD9
815.11	Open fracture of base of thumb [first] metacarpal	ICD9
815.12	Open fracture of base of other metacarpal bone(s)	ICD9
815.13	Open fracture of shaft of metacarpal bone(s)	ICD9
815.14	Open fracture of neck of metacarpal bone(s)	ICD9
815.19	Open fracture of multiple sites of metacarpus	ICD9
816.00	Closed fracture of phalanx or phalanges of hand, unspecified	ICD9
816.01	Closed fracture of middle or proximal phalanx or phalanges of hand	ICD9
816.02	Closed fracture of distal phalanx or phalanges of hand	ICD9
816.03	Closed fracture of multiple sites of phalanx or phalanges of hand	ICD9
816.10	Open fracture of phalanx or phalanges of hand, unspecified	ICD9
816.11	Open fracture of middle or proximal phalanx or phalanges of hand	ICD9
816.12	Open fracture of distal phalanx or phalanges of hand	ICD9
816.13	Open fracture of multiple sites of phalanx or phalanges of hand	ICD9
817.0	Multiple closed fractures of hand bones	ICD9
817.1	Multiple open fractures of hand bones	ICD9
818.0	Ill-defined closed fractures of upper limb	ICD9
818.1	Ill-defined open fractures of upper limb	ICD9
819.0	Multiple closed fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD9
819.1	Multiple open fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD9
820.00	Closed fracture of intracapsular section of neck of femur, unspecified	ICD9
820.01	Closed fracture of epiphysis (separation) (upper) of neck of femur	ICD9
820.02	Closed fracture of midcervical section of neck of femur	ICD9
820.03	Closed fracture of base of neck of femur	ICD9

820.09	Other closed transcervical fracture of neck of femur	ICD9
820.10	Open fracture of intracapsular section of neck of femur, unspecified	ICD9
820.11	Open fracture of epiphysis (separation) (upper) of neck of femur	ICD9
820.12	Open fracture of midcervical section of neck of femur	ICD9
820.13	Open fracture of base of neck of femur	ICD9
820.19	Other open transcervical fracture of neck of femur	ICD9
820.20	Closed fracture of trochanteric section of neck of femur	ICD9
820.21	Closed fracture of intertrochanteric section of neck of femur	ICD9
820.22	Closed fracture of subtrochanteric section of neck of femur	ICD9
820.30	Open fracture of trochanteric section of neck of femur, unspecified	ICD9
820.31	Open fracture of intertrochanteric section of neck of femur	ICD9
820.32	Open fracture of subtrochanteric section of neck of femur	ICD9
820.8	Closed fracture of unspecified part of neck of femur	ICD9
820.9	Open fracture of unspecified part of neck of femur	ICD9
821.00	Closed fracture of unspecified part of femur	ICD9
821.01	Closed fracture of shaft of femur	ICD9
821.10	Open fracture of unspecified part of femur	ICD9
821.11	Open fracture of shaft of femur	ICD9
821.20	Closed fracture of lower end of femur, unspecified part	ICD9
821.21	Closed fracture of condyle, femoral	ICD9
821.22	Closed fracture of epiphysis, lower (separation) of femur	ICD9
821.23	Closed supracondylar fracture of femur	ICD9
821.29	Other closed fracture of lower end of femur	ICD9
821.30	Open fracture of lower end of femur, unspecified part	ICD9
821.31	Open fracture of condyle, femoral	ICD9
821.32	Open fracture of epiphysis. Lower (separation) of femur	ICD9
821.33	Open supracondylar fracture of femur	ICD9
821.39	Other open fracture of lower end of femur	ICD9
822.0	Closed fracture of patella	ICD9
822.1	Open fracture of patella	ICD9
823.00	Closed fracture of upper end of tibia alone	ICD9
823.01	Closed fracture of upper end of fibula alone	ICD9
823.02	Closed fracture of upper end of fibula with tibia	ICD9
823.10	Open fracture of upper end of tibia alone	ICD9
823.11	Open fracture of upper end of fibula alone	ICD9
823.12	Open fracture of upper end of fibula with tibia	ICD9
823.20	Closed fracture of shaft of tibia alone	ICD9
823.21	Closed fracture of shaft of fibula alone	ICD9
823.22	Closed fracture of shaft of fibula with tibia	ICD9
823.30	Open fracture of shaft of tibia alone	ICD9
823.31	Open fracture of shaft of fibula alone	ICD9
823.32	Open fracture of shaft of fibula with tibia	ICD9
823.40	Torus fracture, tibia alone	ICD9
823.41	Torus fracture, fibula alone	ICD9
823.42	Torus fracture, fibula with tibia	ICD9
823.80	Closed fracture of unspecified part of tibia alone	ICD9
823.81	Closed fracture of unspecified part of fibula alone	ICD9
823.82	Closed fracture of unspecified part of fibula with tibia	ICD9
823.90	Open fracture of unspecified part of tibia alone	ICD9
823.91	Open fracture of unspecified part of fibula alone	ICD9
823.92	Open fracture of unspecified part of fibula with tibia	ICD9

824.0	Fracture of medial malleolus, closed	ICD9
824.1	Fracture of medial malleolus, open	ICD9
824.2	Fracture of lateral malleolus, closed	ICD9
824.3	Fracture of lateral malleolus, open	ICD9
824.4	Bimalleolar fracture, closed	ICD9
824.5	Bimalleolar fracture, open	ICD9
824.6	Trimalleolar fracture, closed	ICD9
824.7	Trimalleolar fracture, open	ICD9
824.8	Unspecified fracture of ankle, closed	ICD9
824.9	Unspecified fracture of ankle, open	ICD9
825.0	Fracture of calcaneus, closed	ICD9
825.1	Fracture of calcaneus, open	ICD9
825.20	Closed fracture of unspecified bone(s) of foot [except toes]	ICD9
825.21	Closed fracture of astragalus	ICD9
825.22	Closed fracture of navicular [scaphoid], foot	ICD9
825.23	Closed fracture of cuboid	ICD9
825.24	Closed fracture of cuneiform, foot	ICD9
825.25	Closed fracture of metatarsal bone(s)	ICD9
825.29	Other closed fracture of tarsal and metatarsal bones	ICD9
825.30	Open fracture of unspecified bone(s) of foot [except toes]	ICD9
825.31	Open fracture of astragalus	ICD9
825.32	Open fracture of navicular [scaphoid], foot	ICD9
825.33	Open fracture of cuboid	ICD9
825.34	Open fracture of cuneiform, foot	ICD9
825.35	Open fracture of metatarsal bone(s)	ICD9
825.39	Other open fracture of tarsal and metatarsal bones	ICD9
826.0	Closed fracture of one or more phalanges of foot	ICD9
826.1	Open fracture of one or more phalanges of foot	ICD9
827.0	Other, multiple and ill-defined fractures of lower limb, closed	ICD9
827.1	Other, multiple and ill-defined fractures of lower limb, open	ICD9
828.0	Closed multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD9
	Open multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	
828.1		ICD9
829.0	Fracture of unspecified bone, closed	ICD9
829.1	Fracture of unspecified bone, open	ICD9
830.0	Closed dislocation of jaw	ICD9
830.1	Open dislocation of jaw	ICD9
831.00	Closed dislocation of shoulder, unspecified	ICD9
831.01	Closed anterior dislocation of humerus	ICD9
831.02	Closed posterior dislocation of humerus	ICD9
831.03	Closed inferior dislocation of humerus	ICD9
831.04	Closed dislocation of acromioclavicular (joint)	ICD9
831.09	Closed dislocation of shoulder, other	ICD9
831.10	Open dislocation of shoulder, unspecified	ICD9
831.11	Open anterior dislocation of humerus	ICD9
831.12	Open posterior dislocation of humerus	ICD9
831.13	Open inferior dislocation of humerus	ICD9
831.14	Open dislocation of acromioclavicular (joint)	ICD9
831.19	Open dislocation of shoulder, other	ICD9
832.00	Closed dislocation of elbow, unspecified	ICD9

832.01	Closed anterior dislocation of elbow	ICD9
832.02	Closed posterior dislocation of elbow	ICD9
832.03	Closed medial dislocation of elbow	ICD9
832.04	Closed lateral dislocation of elbow	ICD9
832.09	Closed dislocation of elbow, other	ICD9
832.10	Open dislocation of elbow, unspecified	ICD9
832.11	Open anterior dislocation of elbow	ICD9
832.12	Open posterior dislocation of elbow	ICD9
832.13	Open medial dislocation of elbow	ICD9
832.14	Open lateral dislocation of elbow	ICD9
832.19	Open dislocation of elbow, other	ICD9
832.2	Nursemaid's elbow	ICD9
833.00	Closed dislocation of wrist, unspecified part	ICD9
833.01	Closed dislocation of radioulnar (joint), distal	ICD9
833.02	Closed dislocation of radiocarpal (joint)	ICD9
833.03	Closed dislocation of midcarpal (joint)	ICD9
833.04	Closed dislocation of carpometacarpal (joint)	ICD9
833.05	Closed dislocation of metacarpal (bone), proximal end	ICD9
833.09	Closed dislocation of wrist, other	ICD9
833.10	Open dislocation of wrist, unspecified part	ICD9
833.11	Open dislocation of radioulnar (joint), distal	ICD9
833.12	Open dislocation of radiocarpal (joint)	ICD9
833.13	Open dislocation of midcarpal (joint)	ICD9
833.14	Open dislocation of carpometacarpal (joint)	ICD9
833.15	Open dislocation of metacarpal (bone), proximal end	ICD9
833.19	Open dislocation of wrist, other	ICD9
834.00	Closed dislocation of finger, unspecified part	ICD9
834.01	Closed dislocation of metacarpophalangeal (joint)	ICD9
834.02	Closed dislocation of interphalangeal (joint), hand	ICD9
834.10	Open dislocation of finger, unspecified part	ICD9
834.11	Open dislocation of metacarpophalangeal (joint)	ICD9
834.12	Open dislocation interphalangeal (joint), hand	ICD9
835.00	Closed dislocation of hip, unspecified site	ICD9
835.01	Closed posterior dislocation of hip	ICD9
835.02	Closed obturator dislocation of hip	ICD9
835.03	Other closed anterior dislocation of hip	ICD9
835.10	Open dislocation of hip, unspecified site	ICD9
835.11	Open posterior dislocation of hip	ICD9
835.12	Open obturator dislocation of hip	ICD9
835.13	Other open anterior dislocation of hip	ICD9
836.0	Tear of medial cartilage or meniscus of knee, current	ICD9
836.1	Tear of lateral cartilage or meniscus of knee, current	ICD9
836.2	Other tear of cartilage or meniscus of knee, current	ICD9
836.3	Dislocation of patella, closed	ICD9
836.4	Dislocation of patella, open	ICD9
836.50	Dislocation of knee, unspecified, closed	ICD9
836.51	Anterior dislocation of tibia, proximal end, closed	ICD9
836.52	Posterior dislocation of tibia, proximal end, closed	ICD9
836.53	Medial dislocation of tibia, proximal end, closed	ICD9
836.54	Lateral dislocation of tibia, proximal end, closed	ICD9
836.59	Other dislocation of knee, closed	ICD9

836.60	Dislocation of knee, unspecified, open	ICD9
836.61	Anterior dislocation of tibia, proximal end, open	ICD9
836.62	Posterior dislocation of tibia, proximal end, open	ICD9
836.63	Medial dislocation of tibia, proximal end, open	ICD9
836.64	Lateral dislocation of tibia, proximal end, open	ICD9
836.69	Other dislocation of knee, open	ICD9
837.0	Closed dislocation of ankle	ICD9
837.1	Open dislocation of ankle	ICD9
838.00	Closed dislocation of foot, unspecified	ICD9
838.01	Closed dislocation of tarsal (bone), joint unspecified	ICD9
838.02	Closed dislocation of midtarsal (joint)	ICD9
838.03	Closed dislocation of tarsometatarsal (joint)	ICD9
838.04	Closed dislocation of metatarsal (bone), joint unspecified	ICD9
838.05	Closed dislocation of metatarsophalangeal (joint)	ICD9
838.06	Closed dislocation of interphalangeal (joint), foot	ICD9
838.09	Closed dislocation of foot, other	ICD9
838.10	Open dislocation of foot, unspecified	ICD9
838.11	Open dislocation of tarsal (bone), joint unspecified	ICD9
838.12	Open dislocation of midtarsal (joint)	ICD9
838.13	Open dislocation of tarsometatarsal (joint)	ICD9
838.14	Open dislocation of metatarsal (bone), joint unspecified	ICD9
838.15	Open dislocation of metatarsophalangeal (joint)	ICD9
838.16	Open dislocation of interphalangeal (joint), foot	ICD9
838.19	Open dislocation of foot, other	ICD9
839.00	Closed dislocation, cervical vertebra, unspecified	ICD9
839.01	Closed dislocation, first cervical vertebra	ICD9
839.02	Closed dislocation, second cervical vertebra	ICD9
839.03	Closed dislocation, third cervical vertebra	ICD9
839.04	Closed dislocation, fourth cervical vertebra	ICD9
839.05	Closed dislocation, fifth cervical vertebra	ICD9
839.06	Closed dislocation, sixth cervical vertebra	ICD9
839.07	Closed dislocation, seventh cervical vertebra	ICD9
839.08	Closed dislocation, multiple cervical vertebrae	ICD9
839.10	Open dislocation, cervical vertebra, unspecified	ICD9
839.11	Open dislocation, first cervical vertebra	ICD9
839.12	Open dislocation, second cervical vertebra	ICD9
839.13	Open dislocation, third cervical vertebra	ICD9
839.14	Open dislocation, fourth cervical vertebra	ICD9
839.15	Open dislocation, fifth cervical vertebra	ICD9
839.16	Open dislocation, sixth cervical vertebra	ICD9
839.17	Open dislocation, seventh cervical vertebra	ICD9
839.18	Open dislocation, multiple cervical vertebrae	ICD9
839.20	Closed dislocation, lumbar vertebra	ICD9
839.21	Closed dislocation, thoracic vertebra	ICD9
839.30	Open dislocation, lumbar vertebra	ICD9
839.31	Open dislocation, thoracic vertebra	ICD9
839.40	Closed dislocation, vertebra, unspecified site	ICD9
839.41	Closed dislocation, coccyx	ICD9
839.42	Closed dislocation, sacrum	ICD9
839.49	Closed dislocation, vertebra, other	ICD9
839.50	Open dislocation, vertebra, unspecified site	ICD9

839.51	Open dislocation, coccyx	ICD9
839.52	Open dislocation, sacrum	ICD9
839.59	Open dislocation, vertebra, other	ICD9
839.61	Closed dislocation, sternum	ICD9
839.69	Closed dislocation, other location	ICD9
839.71	Open dislocation, sternum	ICD9
839.79	Open dislocation, other location	ICD9
839.8	Closed dislocation, multiple and ill-defined sites	ICD9
839.9	Open dislocation, multiple and ill-defined sites	ICD9
850.0	Concussion with no loss of consciousness	ICD9
850.11	Concussion, with loss of consciousness of 30 minutes or less	ICD9
850.12	Concussion, with loss of consciousness from 31 to 59 minutes	ICD9
850.2	Concussion with moderate loss of consciousness	ICD9
850.3	Concussion with prolonged loss of consciousness and return to pre-existing conscious level	ICD9
850.4	Concussion with prolonged loss of consciousness, without return to pre-existing conscious level	ICD9
850.5	Concussion with loss of consciousness of unspecified duration	ICD9
850.9	Concussion, unspecified	ICD9
851.00	Cortex (cerebral) contusion without mention of open intracranial wound, unspecified state of consciousness	ICD9
851.01	Cortex (cerebral) contusion without mention of open intracranial wound, with no loss of consciousness	ICD9
851.02	Cortex (cerebral) contusion without mention of open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.03	Cortex (cerebral) contusion without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.04	Cortex (cerebral) contusion without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
851.05	Cortex (cerebral) contusion without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.06	Cortex (cerebral) contusion without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.09	Cortex (cerebral) contusion without mention of open intracranial wound, with concussion, unspecified	ICD9
851.10	Cortex (cerebral) contusion with open intracranial wound, unspecified state of consciousness	ICD9
851.11	Cortex (cerebral) contusion with open intracranial wound, with no loss of consciousness	ICD9
851.12	Cortex (cerebral) contusion with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.13	Cortex (cerebral) contusion with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.14	Cortex (cerebral) contusion with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
851.15	Cortex (cerebral) contusion with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.16	Cortex (cerebral) contusion with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.19	Cortex (cerebral) contusion with open intracranial wound, with concussion, unspecified	ICD9
851.20	Cortex (cerebral) laceration without mention of open intracranial wound, unspecified state of consciousness	ICD9
851.21	Cortex (cerebral) laceration without mention of open intracranial wound, with no loss of consciousness	ICD9

851.22	Cortex (cerebral) laceration without mention of open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.23	Cortex (cerebral) laceration without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.24	Cortex (cerebral) laceration without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
851.25	Cortex (cerebral) laceration without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.26	Cortex (cerebral) laceration without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.29	Cortex (cerebral) laceration without mention of open intracranial wound, with concussion, unspecified	ICD9
851.30	Cortex (cerebral) laceration with open intracranial wound, unspecified state of consciousness	ICD9
851.31	Cortex (cerebral) laceration with open intracranial wound, with no loss of consciousness	ICD9
851.32	Cortex (cerebral) laceration with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.33	Cortex (cerebral) laceration with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.34	Cortex (cerebral) laceration with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
851.35	Cortex (cerebral) laceration with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.36	Cortex (cerebral) laceration with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.39	Cortex (cerebral) laceration with open intracranial wound, with concussion, unspecified	ICD9
851.40	Cerebellar or brain stem contusion without mention of open intracranial wound, unspecified state of consciousness	ICD9
851.41	Cerebellar or brain stem contusion without mention of open intracranial wound, with no loss of consciousness	ICD9
851.42	Cerebellar or brain stem contusion without mention of open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.43	Cerebellar or brain stem contusion without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.44	Cerebellar or brain stem contusion without mention of open intracranial wound, with prolonged [more than 24 hours] loss consciousness and return to pre-existing conscious level	ICD9
851.45	Cerebellar or brain stem contusion without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.46	Cerebellar or brain stem contusion without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.49	Cerebellar or brain stem contusion without mention of open intracranial wound, with concussion, unspecified	ICD9
851.50	Cerebellar or brain stem contusion with open intracranial wound, unspecified state of consciousness	ICD9
851.51	Cerebellar or brain stem contusion with open intracranial wound, with no loss of consciousness	ICD9
851.52	Cerebellar or brain stem contusion with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.53	Cerebellar or brain stem contusion with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.54	Cerebellar or brain stem contusion with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9

851.55	Cerebellar or brain stem contusion with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.56	Cerebellar or brain stem contusion with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.59	Cerebellar or brain stem contusion with open intracranial wound, with concussion, unspecified	ICD9
851.60	Cerebellar or brain stem laceration without mention of open intracranial wound, unspecified state of consciousness	ICD9
851.61	Cerebellar or brain stem laceration without mention of open intracranial wound, with no loss of consciousness	ICD9
851.62	Cerebellar or brain stem laceration without mention of open intracranial wound, with brief [less than 1 hour] loss of consciousness	ICD9
851.63	Cerebellar or brain stem laceration without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.64	Cerebellar or brain stem laceration without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
851.65	Cerebellar or brain stem laceration without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.66	Cerebellar or brain stem laceration without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.69	Cerebellar or brain stem laceration without mention of open intracranial wound, with concussion, unspecified	ICD9
851.70	Cerebellar or brain stem laceration with open intracranial wound, unspecified state of consciousness	ICD9
851.71	Cerebellar or brain stem laceration with open intracranial wound, with no loss of consciousness	ICD9
851.72	Cerebellar or brain stem laceration with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.73	Cerebellar or brain stem laceration with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.74	Cerebellar or brain stem laceration with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
851.75	Cerebellar or brain stem laceration with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.76	Cerebellar or brain stem laceration with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.79	Cerebellar or brain stem laceration with open intracranial wound, with concussion, unspecified	ICD9
851.80	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, unspecified state of consciousness	ICD9
851.81	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with no loss of consciousness	ICD9
851.82	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.83	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.84	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
851.85	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.86	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9

851.89	Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound, with concussion, unspecified	ICD9
851.90	Other and unspecified cerebral laceration and contusion, with open intracranial wound, unspecified state of consciousness	ICD9
851.91	Other and unspecified cerebral laceration and contusion, with open intracranial wound, with no loss of consciousness	ICD9
851.92	Other and unspecified cerebral laceration and contusion, with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
851.93	Other and unspecified cerebral laceration and contusion, with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
851.94	Other and unspecified cerebral laceration and contusion, with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
851.95	Other and unspecified cerebral laceration and contusion, with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
851.96	Other and unspecified cerebral laceration and contusion, with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
851.99	Other and unspecified cerebral laceration and contusion, with open intracranial wound, with concussion, unspecified	ICD9
852.00	Subarachnoid hemorrhage following injury without mention of open intracranial wound, unspecified state of consciousness	ICD9
852.01	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with no loss of consciousness	ICD9
852.02	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
852.03	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
852.04	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
852.05	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
852.06	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9
852.09	Subarachnoid hemorrhage following injury without mention of open intracranial wound, with concussion, unspecified	ICD9
852.10	Subarachnoid hemorrhage following injury with open intracranial wound, unspecified state of consciousness	ICD9
852.11	Subarachnoid hemorrhage following injury with open intracranial wound, with no loss of consciousness	ICD9
852.12	Subarachnoid hemorrhage following injury with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
852.13	Subarachnoid hemorrhage following injury with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
852.14	Subarachnoid hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
852.15	Subarachnoid hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
852.16	Subarachnoid hemorrhage following injury with open intracranial wound, with loss of consciousness of unspecified duration	ICD9

852.19	Subarachnoid hemorrhage following injury with open intracranial wound, with concussion, unspecified	ICD9
852.20	Subdural hemorrhage following injury without mention of open intracranial wound, unspecified state of consciousness	ICD9
852.21	Subdural hemorrhage following injury without mention of open intracranial wound, with no loss of consciousness	ICD9
852.22	Subdural hemorrhage following injury without mention of open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
852.23	Subdural hemorrhage following injury without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
852.24	Subdural hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
852.25	Subdural hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
852.26	Subdural hemorrhage following injury without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9
852.29	Subdural hemorrhage following injury without mention of open intracranial wound, with concussion, unspecified	ICD9
852.30	Subdural hemorrhage following injury with open intracranial wound, unspecified state of consciousness	ICD9
852.31	Subdural hemorrhage following injury with open intracranial wound, with no loss of consciousness	ICD9
852.32	Subdural hemorrhage following injury with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
852.33	Subdural hemorrhage following injury with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
852.34	Subdural hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
852.35	Subdural hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
852.36	Subdural hemorrhage following injury with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
852.39	Subdural hemorrhage following injury with open intracranial wound, with concussion, unspecified	ICD9
852.40	Extradural hemorrhage following injury without mention of open intracranial wound, unspecified state of consciousness	ICD9
852.41	Extradural hemorrhage following injury without mention of open intracranial wound, with no loss of consciousness	ICD9
852.42	Extradural hemorrhage following injury without mention of open intracranial wound, with brief [less than 1 hour] loss of consciousness	ICD9
852.43	Extradural hemorrhage following injury without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
852.44	Extradural hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
852.45	Extradural hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
852.46	Extradural hemorrhage following injury without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9

852.49	Extradural hemorrhage following injury without mention of open intracranial wound, with concussion, unspecified	ICD9
852.50	Extradural hemorrhage following injury with open intracranial wound, unspecified state of consciousness	ICD9
852.51	Extradural hemorrhage following injury with open intracranial wound, with no loss of consciousness	ICD9
852.52	Extradural hemorrhage following injury with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
852.53	Extradural hemorrhage following injury with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
852.54	Extradural hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
852.55	Extradural hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
852.56	Extradural hemorrhage following injury with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
852.59	Extradural hemorrhage following injury with open intracranial wound, with concussion, unspecified	ICD9
853.00	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, unspecified state of consciousness	ICD9
853.01	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with no loss of consciousness	ICD9
853.02	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
853.03	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
853.04	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
853.05	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
853.06	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9
853.09	Other and unspecified intracranial hemorrhage following injury without mention of open intracranial wound, with concussion, unspecified	ICD9
853.10	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, unspecified state of consciousness	ICD9
853.11	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with no loss of consciousness	ICD9
853.12	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
853.13	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
853.14	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
853.15	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9

853.16	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
853.19	Other and unspecified intracranial hemorrhage following injury with open intracranial wound, with concussion, unspecified	ICD9
854.00	Intracranial injury of other and unspecified nature without mention of open intracranial wound, unspecified state of consciousness	ICD9
854.01	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with no loss of consciousness	ICD9
854.02	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
854.03	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
854.04	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
854.05	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
854.06	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with loss of consciousness of unspecified duration	ICD9
854.09	Intracranial injury of other and unspecified nature without mention of open intracranial wound, with concussion, unspecified	ICD9
854.10	Intracranial injury of other and unspecified nature with open intracranial wound, unspecified state of consciousness	ICD9
854.11	Intracranial injury of other and unspecified nature with open intracranial wound, with no loss of consciousness	ICD9
854.12	Intracranial injury of other and unspecified nature with open intracranial wound, with brief [less than one hour] loss of consciousness	ICD9
854.13	Intracranial injury of other and unspecified nature with open intracranial wound, with moderate [1-24 hours] loss of consciousness	ICD9
854.14	Intracranial injury of other and unspecified nature with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness and return to pre-existing conscious level	ICD9
854.15	Intracranial injury of other and unspecified nature with open intracranial wound, with prolonged [more than 24 hours] loss of consciousness without return to pre-existing conscious level	ICD9
854.16	Intracranial injury of other and unspecified nature with open intracranial wound, with loss of consciousness of unspecified duration	ICD9
854.19	Intracranial injury of other and unspecified nature with open intracranial wound, with concussion, unspecified	ICD9
860.0	Traumatic pneumothorax without mention of open wound into thorax	ICD9
860.1	Traumatic pneumothorax with open wound into thorax	ICD9
860.2	Traumatic hemothorax without mention of open wound into thorax	ICD9
860.3	Traumatic hemothorax with open wound into thorax	ICD9
860.4	Traumatic pneumohemothorax without mention of open wound into thorax	ICD9
860.5	Traumatic pneumohemothorax with open wound into thorax	ICD9
861.00	Unspecified injury of heart without mention of open wound into thorax	ICD9
861.01	Contusion of heart without mention of open wound into thorax	ICD9
861.02	Laceration of heart without penetration of heart chambers or without mention of open wound into thorax	ICD9
861.03	Laceration of heart with penetration of heart chambers without mention of open wound into thorax	ICD9
861.10	Unspecified injury of heart with open wound into thorax	ICD9

861.11	Contusion of heart with open wound into thorax	ICD9
861.12	Laceration of heart without penetration of heart chambers, with open wound into thorax	ICD9
861.13	Laceration of heart with penetration of heart chambers with open wound into thorax	ICD9
861.20	Unspecified injury of lung without mention of open wound into thorax	ICD9
861.21	Contusion of lung without mention of open wound into thorax	ICD9
861.22	Laceration of lung without mention of open wound into thorax	ICD9
861.30	Unspecified injury of lung with open wound into thorax	ICD9
861.31	Contusion of lung with open wound into thorax	ICD9
861.32	Laceration of lung with open wound into thorax	ICD9
862.0	Injury to diaphragm, without mention of open wound into cavity	ICD9
862.1	Injury to diaphragm, with open wound into cavity	ICD9
862.21	Injury to bronchus without mention of open wound into cavity	ICD9
862.22	Injury to esophagus without mention of open wound into cavity	ICD9
862.29	Injury to other specified intrathoracic organs without mention of open wound into cavity	ICD9
862.31	Injury to bronchus with open wound into cavity	ICD9
862.32	Injury to esophagus with open wound into cavity	ICD9
862.39	Injury to other specified intrathoracic organs with open wound into cavity	ICD9
862.8	Injury to multiple and unspecified intrathoracic organs, without mention of open wound into cavity	ICD9
862.9	Injury to multiple and unspecified intrathoracic organs, with open wound into cavity	ICD9
863.0	Injury to stomach, without mention of open wound into cavity	ICD9
863.1	Injury to stomach, with open wound into cavity	ICD9
863.20	Injury to small intestine, unspecified site, without open wound into cavity	ICD9
863.21	Injury to duodenum, without open wound into cavity	ICD9
863.29	Other injury to small intestine, without mention of open wound into cavity	ICD9
863.30	Injury to small intestine, unspecified site, with open wound into cavity	ICD9
863.31	Injury to duodenum, with open wound into cavity	ICD9
863.39	Other injury to small intestine, with open wound into cavity	ICD9
863.40	Injury to colon, unspecified site, without mention of open wound into cavity	ICD9
863.41	Injury to ascending [right] colon, without mention of open wound into cavity	ICD9
863.42	Injury to transverse colon, without mention of open wound into cavity	ICD9
863.43	Injury to descending [left] colon, without mention of open wound into cavity	ICD9
863.44	Injury to sigmoid colon, without mention of open wound into cavity	ICD9
863.45	Injury to rectum, without mention of open wound into cavity	ICD9
863.46	Injury to multiple sites in colon and rectum, without mention of open wound into cavity	ICD9
863.49	Other injury to colon or rectum, without mention of open wound into cavity	ICD9
863.50	Injury to colon, unspecified site, with open wound into cavity	ICD9
863.51	Injury to ascending [right] colon, with open wound into cavity	ICD9
863.52	Injury to transverse colon, with open wound into cavity	ICD9
863.53	Injury to descending [left] colon, with open wound into cavity	ICD9
863.54	Injury to sigmoid colon, with open wound into cavity	ICD9
863.55	Injury to rectum, with open wound into cavity	ICD9
863.56	Injury to multiple sites in colon and rectum, with open wound into cavity	ICD9
863.59	Other injury to colon or rectum, with open wound into cavity	ICD9
863.80	Injury to gastrointestinal tract, unspecified site, without mention of open wound into cavity	ICD9
863.81	Injury to pancreas, head, without mention of open wound into cavity	ICD9
863.82	Injury to pancreas, body, without mention of open wound into cavity	ICD9
863.83	Injury to pancreas, tail, without mention of open wound into cavity	ICD9
863.84	Injury to pancreas, multiple and unspecified sites, without mention of open wound into cavity	ICD9
863.85	Injury to appendix, without mention of open wound into cavity	ICD9
863.89	Injury to other gastrointestinal sites, without mention of open wound into cavity	ICD9

863.90	Injury to gastrointestinal tract, unspecified site, with open wound into cavity	ICD9
863.91	Injury to pancreas, head, with open wound into cavity	ICD9
863.92	Injury to pancreas, body, with open wound into cavity	ICD9
863.93	Injury to pancreas, tail, with open wound into cavity	ICD9
863.94	Injury to pancreas, multiple and unspecified sites, with open wound into cavity	ICD9
863.95	Injury to appendix, with open wound into cavity	ICD9
863.99	Injury to other gastrointestinal sites, with open wound into cavity	ICD9
864.00	Injury to liver without mention of open wound into cavity, unspecified injury	ICD9
864.01	Injury to liver without mention of open wound into cavity, hematoma and contusion	ICD9
864.02	Injury to liver without mention of open wound into cavity, laceration, minor	ICD9
864.03	Injury to liver without mention of open wound into cavity, laceration, moderate	ICD9
864.04	Injury to liver without mention of open wound into cavity, laceration, major	ICD9
864.05	Injury to liver without mention of open wound into cavity laceration, unspecified	ICD9
864.09	Other injury to liver without mention of open wound into cavity	ICD9
864.10	Injury to liver with open wound into cavity, unspecified injury	ICD9
864.11	Injury to liver with open wound into cavity, hematoma and contusion	ICD9
864.12	Injury to liver with open wound into cavity, laceration, minor	ICD9
864.13	Injury to liver with open wound into cavity, laceration, moderate	ICD9
864.14	Injury to liver with open wound into cavity, laceration, major	ICD9
864.15	Injury to liver with open wound into cavity, laceration, unspecified	ICD9
864.19	Other injury to liver with open wound into cavity	ICD9
865.00	Injury to spleen without mention of open wound into cavity, unspecified injury	ICD9
865.01	Injury to spleen without mention of open wound into cavity, hematoma without rupture of capsule	ICD9
865.02	Injury to spleen without mention of open wound into cavity, capsular tears, without major disruption of parenchyma	ICD9
865.03	Injury to spleen without mention of open wound into cavity, laceration extending into parenchyma	ICD9
865.04	Injury to spleen without mention of open wound into cavity, massive parenchymal disruption	ICD9
865.09	Other injury into spleen without mention of open wound into cavity	ICD9
865.10	Injury to spleen with open wound into cavity, unspecified injury	ICD9
865.11	Injury to spleen with open wound into cavity, hematoma without rupture of capsule	ICD9
865.12	Injury to spleen with open wound into cavity, capsular tears, without major disruption of parenchyma	ICD9
865.13	Injury to spleen with open wound into cavity, laceration extending into parenchyma	ICD9
865.14	Injury to spleen with open wound into cavity, massive parenchyma disruption	ICD9
865.19	Other injury to spleen with open wound into cavity	ICD9
866.00	Injury to kidney without mention of open wound into cavity, unspecified injury	ICD9
866.01	Injury to kidney without mention of open wound into cavity, hematoma without rupture of capsule	ICD9
866.02	Injury to kidney without mention of open wound into cavity, laceration	ICD9
866.03	Injury to kidney without mention of open wound into cavity, complete disruption of kidney parenchyma	ICD9
866.10	Injury to kidney with open wound into cavity, unspecified injury	ICD9
866.11	Injury to kidney with open wound into cavity, hematoma without rupture of capsule	ICD9
866.12	Injury to kidney with open wound into cavity, laceration	ICD9
866.13	Injury to kidney with open wound into cavity, complete disruption of kidney parenchyma	ICD9
867.0	Injury to bladder and urethra, without mention of open wound into cavity	ICD9
867.1	Injury to bladder and urethra, with open wound into cavity	ICD9
867.2	Injury to ureter, without mention of open wound into cavity	ICD9
867.3	Injury to ureter, with open wound into cavity	ICD9

867.4	Injury to uterus, without mention of open wound into cavity	ICD9
867.5	Injury to uterus, with open wound into cavity	ICD9
867.6	Injury to other specified pelvic organs, without mention of open wound into cavity	ICD9
867.7	Injury to other specified pelvic organs, with open wound into cavity	ICD9
867.8	Injury to unspecified pelvic organ, without mention of open wound into cavity	ICD9
867.9	Injury to unspecified pelvic organ, with open wound into cavity	ICD9
868.00	Injury to other intra-abdominal organs without mention of open wound into cavity, unspecified intra-abdominal organ	ICD9
868.01	Injury to other intra-abdominal organs without mention of open wound into cavity, adrenal gland	ICD9
868.02	Injury to other intra-abdominal organs without mention of open wound into cavity, bile duct and gallbladder	ICD9
868.03	Injury to other intra-abdominal organs without mention of open wound into cavity, peritoneum	ICD9
868.04	Injury to other intra-abdominal organs without mention of open wound into cavity, retroperitoneum	ICD9
868.09	Injury to other and multiple intra-abdominal organs without mention of open wound into cavity	ICD9
868.10	Injury to other intra-abdominal organs with open wound into cavity, unspecified intra-abdominal organ	ICD9
868.11	Injury to other intra-abdominal organs with open wound into cavity, adrenal gland	ICD9
868.12	Injury to other intra-abdominal organs with open wound into cavity, bile duct and gallbladder	ICD9
868.13	Injury to other intra-abdominal organs with open wound into cavity, peritoneum	ICD9
868.14	Injury to other intra-abdominal organs with open wound into cavity, retroperitoneum	ICD9
868.19	Injury to other and multiple intra-abdominal organs, with open wound into cavity	ICD9
869.0	Internal injury to unspecified or ill-defined organs without mention of open wound into cavity	ICD9
869.1	Internal injury to unspecified or ill-defined organs with open wound into cavity	ICD9
905.0	Late effect of fracture of skull and face bones	ICD9
905.1	Late effect of fracture of spine and trunk without mention of spinal cord lesion	ICD9
905.2	Late effect of fracture of upper extremities	ICD9
905.3	Late effect of fracture of neck of femur	ICD9
905.4	Late effect of fracture of lower extremities	ICD9
905.5	Late effect of fracture of multiple and unspecified bones	ICD9
905.6	Late effect of dislocation	ICD9
905.7	Late effect of sprain and strain without mention of tendon injury	ICD9
905.8	Late effect of tendon injury	ICD9
905.9	Late effect of traumatic amputation	ICD9
906.0	Late effect of open wound of head, neck, and trunk	ICD9
906.1	Late effect of open wound of extremities without mention of tendon injury	ICD9
906.2	Late effect of superficial injury	ICD9
906.3	Late effect of contusion	ICD9
906.4	Late effect of crushing	ICD9
906.5	Late effect of burn of eye, face, head, and neck	ICD9
906.6	Late effect of burn of wrist and hand	ICD9
906.7	Late effect of burn of other extremities	ICD9
906.8	Late effect of burns of other specified sites	ICD9
906.9	Late effect of burn of unspecified site	ICD9
907.0	Late effect of intracranial injury without mention of skull fracture	ICD9
907.1	Late effect of injury to cranial nerve	ICD9
907.2	Late effect of spinal cord injury	ICD9
907.3	Late effect of injury to nerve root(s), spinal plexus(es), and other nerves of trunk	ICD9
907.4	Late effect of injury to peripheral nerve of shoulder girdle and upper limb	ICD9
907.5	Late effect of injury to peripheral nerve of pelvic girdle and lower limb	ICD9

907.9	Late effect of injury to other and unspecified nerve	ICD9
908.0	Late effect of internal injury to chest	ICD9
908.1	Late effect of internal injury to intra-abdominal organs	ICD9
908.2	Late effect of internal injury to other internal organs	ICD9
908.3	Late effect of injury to blood vessel of head, neck, and extremities	ICD9
908.4	Late effect of injury to blood vessel of thorax, abdomen, and pelvis	ICD9
908.5	Late effect of foreign body in orifice	ICD9
908.6	Late effect of certain complications of trauma	ICD9
908.9	Late effect of unspecified injury	ICD9
909.0	Late effect of poisoning due to drug, medicinal or biological substance	ICD9
909.1	Late effect of toxic effects of nonmedical substances	ICD9
909.2	Late effect of radiation	ICD9
909.3	Late effect of complications of surgical and medical care	ICD9
909.4	Late effect of certain other external causes	ICD9
909.5	Late effect of adverse effect of drug, medicinal or biological substance	ICD9
909.9	Late effect of other and unspecified external causes	ICD9
926.11	Crushing injury of back	ICD9
926.12	Crushing injury of buttock	ICD9
929.0	Crushing injury of multiple sites, not elsewhere classified	ICD9
929.9	Crushing injury of unspecified site	ICD9
952.00	C1-C4 level with unspecified spinal cord injury	ICD9
952.01	C1-C4 level with complete lesion of spinal cord	ICD9
952.03	C1-C4 level with central cord syndrome	ICD9
952.04	C1-C4 level with other specified spinal cord injury	ICD9
952.05	C5-C7 level with unspecified spinal cord injury	ICD9
952.06	C5-C7 level with complete lesion of spinal cord	ICD9
952.07	C5-C7 level with anterior cord syndrome	ICD9
952.08	C5-C7 level with central cord syndrome	ICD9
952.09	C5-C7 level with other specified spinal cord injury	ICD9
952.10	T1-T6 level with unspecified spinal cord injury	ICD9
952.11	T1-T6 level with complete lesion of spinal cord	ICD9
952.12	T1-T6 level with anterior cord syndrome	ICD9
952.13	T1-T6 level with central cord syndrome	ICD9
952.14	T1-T6 level with other specified spinal cord injury	ICD9
952.15	T7-T12 level with unspecified spinal cord injury	ICD9
952.16	T7-T12 level with complete lesion of spinal cord	ICD9
952.17	T7-T12 level with anterior cord syndrome	ICD9
952.18	T7-T12 level with central cord syndrome	ICD9
952.19	T7-T12 level with other specified spinal cord injury	ICD9
952.2	Lumbar spinal cord injury without evidence of spinal bone injury	ICD9
952.3	Sacral spinal cord injury without evidence of spinal bone injury	ICD9
952.4	Cauda equina spinal cord injury without evidence of spinal bone injury	ICD9
952.8	Multiple sites of spinal cord injury without evidence of spinal bone injury	ICD9
952.9	Unspecified site of spinal cord injury without evidence of spinal bone injury	ICD9
958.0	Air embolism	ICD9
958.1	Fat embolism	ICD9
958.2	Secondary and recurrent hemorrhage	ICD9
958.3	Posttraumatic wound infection not elsewhere classified	ICD9
958.4	Traumatic shock	ICD9
958.5	Traumatic anuria	ICD9
958.6	Volkmann's ischemic contracture	ICD9

958.7	Traumatic subcutaneous emphysema	ICD9
958.8	Other early complications of trauma	ICD9
958.90	Compartment syndrome, unspecified	ICD9
958.91	Traumatic compartment syndrome of upper extremity	ICD9
958.92	Traumatic compartment syndrome of lower extremity	ICD9
958.93	Traumatic compartment syndrome of abdomen	ICD9
958.99	Traumatic compartment syndrome of other sites	ICD9
959.01	Head injury, unspecified	ICD9
959.09	Injury of face and neck	ICD9
959.11	Other injury of chest wall	ICD9
959.12	Other injury of abdomen	ICD9
959.13	Fracture of corpus cavernosum penis	ICD9
959.14	Other injury of external genitals	ICD9
959.19	Other injury of other sites of trunk	ICD9
959.2	Shoulder and upper arm injury	ICD9
959.3	Elbow, forearm, and wrist injury	ICD9
959.4	Hand, except finger injury	ICD9
959.5	Finger injury	ICD9
959.6	Hip and thigh injury	ICD9
959.7	Knee, leg, ankle, and foot injury	ICD9
959.8	Other specified sites, including multiple injury	ICD9
959.9	Unspecified site injury	ICD9
S02.0XXA	Fracture of vault of skull, initial encounter for closed fracture	ICD10
S02.0XXB	Fracture of vault of skull, initial encounter for open fracture	ICD10
S02.0XXD	Fracture of vault of skull, subsequent encounter for fracture with routine healing	ICD10
S02.0XXG	Fracture of vault of skull, subsequent encounter for fracture with delayed healing	ICD10
S02.0XXK	Fracture of vault of skull, subsequent encounter for fracture with nonunion	ICD10
S02.0XXS	Fracture of vault of skull, sequela	ICD10
S02.10XA	Unspecified fracture of base of skull, initial encounter for closed fracture	ICD10
S02.10XB	Unspecified fracture of base of skull, initial encounter for open fracture	ICD10
S02.10XD	Unspecified fracture of base of skull, subsequent encounter for fracture with routine healing	ICD10
S02.10XG	Unspecified fracture of base of skull, subsequent encounter for fracture with delayed healing	ICD10
S02.10XK	Unspecified fracture of base of skull, subsequent encounter for fracture with nonunion	ICD10
S02.10XS	Unspecified fracture of base of skull, sequela	ICD10
S02.110A	Type I occipital condyle fracture, initial encounter for closed fracture	ICD10
S02.110B	Type I occipital condyle fracture, initial encounter for open fracture	ICD10
S02.110D	Type I occipital condyle fracture, subsequent encounter for fracture with routine healing	ICD10
S02.110G	Type I occipital condyle fracture, subsequent encounter for fracture with delayed healing	ICD10
S02.110K	Type I occipital condyle fracture, subsequent encounter for fracture with nonunion	ICD10
S02.110S	Type I occipital condyle fracture, sequela	ICD10
S02.111A	Type II occipital condyle fracture, initial encounter for closed fracture	ICD10
S02.111B	Type II occipital condyle fracture, initial encounter for open fracture	ICD10
S02.111D	Type II occipital condyle fracture, subsequent encounter for fracture with routine healing	ICD10
S02.111G	Type II occipital condyle fracture, subsequent encounter for fracture with delayed healing	ICD10
S02.111K	Type II occipital condyle fracture, subsequent encounter for fracture with nonunion	ICD10
S02.111S	Type II occipital condyle fracture, sequela	ICD10
S02.112A	Type III occipital condyle fracture, initial encounter for closed fracture	ICD10
S02.112B	Type III occipital condyle fracture, initial encounter for open fracture	ICD10
S02.112D	Type III occipital condyle fracture, subsequent encounter for fracture with routine healing	ICD10
S02.112G	Type III occipital condyle fracture, subsequent encounter for fracture with delayed healing	ICD10
S02.112K	Type III occipital condyle fracture, subsequent encounter for fracture with nonunion	ICD10

S02.112S	Type III occipital condyle fracture, sequela	ICD10
S02.113A	Unspecified occipital condyle fracture, initial encounter for closed fracture	ICD10
S02.113B	Unspecified occipital condyle fracture, initial encounter for open fracture	ICD10
S02.113D	Unspecified occipital condyle fracture, subsequent encounter for fracture with routine healing	ICD10
S02.113G	Unspecified occipital condyle fracture, subsequent encounter for fracture with delayed healing	ICD10
S02.113K	Unspecified occipital condyle fracture, subsequent encounter for fracture with nonunion	ICD10
S02.113S	Unspecified occipital condyle fracture, sequela	ICD10
S02.118A	Other fracture of occiput, initial encounter for closed fracture	ICD10
S02.118B	Other fracture of occiput, initial encounter for open fracture	ICD10
S02.118D	Other fracture of occiput, subsequent encounter for fracture with routine healing	ICD10
S02.118G	Other fracture of occiput, subsequent encounter for fracture with delayed healing	ICD10
S02.118K	Other fracture of occiput, subsequent encounter for fracture with nonunion	ICD10
S02.118S	Other fracture of occiput, sequela	ICD10
S02.119A	Unspecified fracture of occiput, initial encounter for closed fracture	ICD10
S02.119B	Unspecified fracture of occiput, initial encounter for open fracture	ICD10
S02.119D	Unspecified fracture of occiput, subsequent encounter for fracture with routine healing	ICD10
S02.119G	Unspecified fracture of occiput, subsequent encounter for fracture with delayed healing	ICD10
S02.119K	Unspecified fracture of occiput, subsequent encounter for fracture with nonunion	ICD10
S02.119S	Unspecified fracture of occiput, sequela	ICD10
S02.19XA	Other fracture of base of skull, initial encounter for closed fracture	ICD10
S02.19XB	Other fracture of base of skull, initial encounter for open fracture	ICD10
S02.19XD	Other fracture of base of skull, subsequent encounter for fracture with routine healing	ICD10
S02.19XG	Other fracture of base of skull, subsequent encounter for fracture with delayed healing	ICD10
S02.19XK	Other fracture of base of skull, subsequent encounter for fracture with nonunion	ICD10
S02.19XS	Other fracture of base of skull, sequela	ICD10
S02.2XXA	Fracture of nasal bones, initial encounter for closed fracture	ICD10
S02.2XXB	Fracture of nasal bones, initial encounter for open fracture	ICD10
S02.2XXD	Fracture of nasal bones, subsequent encounter for fracture with routine healing	ICD10
S02.2XXG	Fracture of nasal bones, subsequent encounter for fracture with delayed healing	ICD10
S02.2XXK	Fracture of nasal bones, subsequent encounter for fracture with nonunion	ICD10
S02.2XXS	Fracture of nasal bones, sequela	ICD10
S02.3XXA	Fracture of orbital floor, initial encounter for closed fracture	ICD10
S02.3XXB	Fracture of orbital floor, initial encounter for open fracture	ICD10
S02.3XXD	Fracture of orbital floor, subsequent encounter for fracture with routine healing	ICD10
S02.3XXG	Fracture of orbital floor, subsequent encounter for fracture with delayed healing	ICD10
S02.3XXK	Fracture of orbital floor, subsequent encounter for fracture with nonunion	ICD10
S02.3XXS	Fracture of orbital floor, sequela	ICD10
S02.400A	Malar fracture unspecified, initial encounter for closed fracture	ICD10
S02.400B	Malar fracture unspecified, initial encounter for open fracture	ICD10
S02.400D	Malar fracture unspecified, subsequent encounter for fracture with routine healing	ICD10
S02.400G	Malar fracture unspecified, subsequent encounter for fracture with delayed healing	ICD10
S02.400K	Malar fracture unspecified, subsequent encounter for fracture with nonunion	ICD10
S02.400S	Malar fracture unspecified, sequela	ICD10
S02.401A	Maxillary fracture, unspecified, initial encounter for closed fracture	ICD10
S02.401B	Maxillary fracture, unspecified, initial encounter for open fracture	ICD10
S02.401D	Maxillary fracture, unspecified, subsequent encounter for fracture with routine healing	ICD10
S02.401G	Maxillary fracture, unspecified, subsequent encounter for fracture with delayed healing	ICD10
S02.401K	Maxillary fracture, unspecified, subsequent encounter for fracture with nonunion	ICD10
S02.401S	Maxillary fracture, unspecified, sequela	ICD10
S02.402A	Zygomatic fracture, unspecified, initial encounter for closed fracture	ICD10
S02.402B	Zygomatic fracture, unspecified, initial encounter for open fracture	ICD10

S02.402D	Zygomatic fracture, unspecified, subsequent encounter for fracture with routine healing	ICD10
S02.402G	Zygomatic fracture, unspecified, subsequent encounter for fracture with delayed healing	ICD10
S02.402K	Zygomatic fracture, unspecified, subsequent encounter for fracture with nonunion	ICD10
S02.402S	Zygomatic fracture, unspecified, sequela	ICD10
S02.411A	LeFort I fracture, initial encounter for closed fracture	ICD10
S02.411B	LeFort I fracture, initial encounter for open fracture	ICD10
S02.411D	LeFort I fracture, subsequent encounter for fracture with routine healing	ICD10
S02.411G	LeFort I fracture, subsequent encounter for fracture with delayed healing	ICD10
S02.411K	LeFort I fracture, subsequent encounter for fracture with nonunion	ICD10
S02.411S	LeFort I fracture, sequela	ICD10
S02.412A	LeFort II fracture, initial encounter for closed fracture	ICD10
S02.412B	LeFort II fracture, initial encounter for open fracture	ICD10
S02.412D	LeFort II fracture, subsequent encounter for fracture with routine healing	ICD10
S02.412G	LeFort II fracture, subsequent encounter for fracture with delayed healing	ICD10
S02.412K	LeFort II fracture, subsequent encounter for fracture with nonunion	ICD10
S02.412S	LeFort II fracture, sequela	ICD10
S02.413A	LeFort III fracture, initial encounter for closed fracture	ICD10
S02.413B	LeFort III fracture, initial encounter for open fracture	ICD10
S02.413D	LeFort III fracture, subsequent encounter for fracture with routine healing	ICD10
S02.413G	LeFort III fracture, subsequent encounter for fracture with delayed healing	ICD10
S02.413K	LeFort III fracture, subsequent encounter for fracture with nonunion	ICD10
S02.413S	LeFort III fracture, sequela	ICD10
S02.42XA	Fracture of alveolus of maxilla, initial encounter for closed fracture	ICD10
S02.42XB	Fracture of alveolus of maxilla, initial encounter for open fracture	ICD10
S02.42XD	Fracture of alveolus of maxilla, subsequent encounter for fracture with routine healing	ICD10
S02.42XG	Fracture of alveolus of maxilla, subsequent encounter for fracture with delayed healing	ICD10
S02.42XK	Fracture of alveolus of maxilla, subsequent encounter for fracture with nonunion	ICD10
S02.42XS	Fracture of alveolus of maxilla, sequela	ICD10
S02.600A	Fracture of unspecified part of body of mandible, initial encounter for closed fracture	ICD10
S02.600B	Fracture of unspecified part of body of mandible, initial encounter for open fracture	ICD10
S02.600D	Fracture of unspecified part of body of mandible, subsequent encounter for fracture with routine healing	ICD10
S02.600G	Fracture of unspecified part of body of mandible, subsequent encounter for fracture with delayed healing	ICD10
S02.600K	Fracture of unspecified part of body of mandible, subsequent encounter for fracture with nonunion	ICD10
S02.600S	Fracture of unspecified part of body of mandible, sequela	ICD10
S02.609A	Fracture of mandible, unspecified, initial encounter for closed fracture	ICD10
S02.609B	Fracture of mandible, unspecified, initial encounter for open fracture	ICD10
S02.609D	Fracture of mandible, unspecified, subsequent encounter for fracture with routine healing	ICD10
S02.609G	Fracture of mandible, unspecified, subsequent encounter for fracture with delayed healing	ICD10
S02.609K	Fracture of mandible, unspecified, subsequent encounter for fracture with nonunion	ICD10
S02.609S	Fracture of mandible, unspecified, sequela	ICD10
S02.61XA	Fracture of condylar process of mandible, initial encounter for closed fracture	ICD10
S02.61XB	Fracture of condylar process of mandible, initial encounter for open fracture	ICD10
S02.61XD	Fracture of condylar process of mandible, subsequent encounter for fracture with routine healing	ICD10
S02.61XG	Fracture of condylar process of mandible, subsequent encounter for fracture with delayed healing	ICD10
S02.61XK	Fracture of condylar process of mandible, subsequent encounter for fracture with nonunion	ICD10
S02.61XS	Fracture of condylar process of mandible, sequela	ICD10

S02.62XA	Fracture of subcondylar process of mandible, initial encounter for closed fracture	ICD10
S02.62XB	Fracture of subcondylar process of mandible, initial encounter for open fracture	ICD10
S02.62XD	Fracture of subcondylar process of mandible, subsequent encounter for fracture with routine healing	ICD10
S02.62XG	Fracture of subcondylar process of mandible, subsequent encounter for fracture with delayed healing	ICD10
S02.62XK	Fracture of subcondylar process of mandible, subsequent encounter for fracture with nonunion	ICD10
S02.62XS	Fracture of subcondylar process of mandible, sequela	ICD10
S02.63XA	Fracture of coronoid process of mandible, initial encounter for closed fracture	ICD10
S02.63XB	Fracture of coronoid process of mandible, initial encounter for open fracture	ICD10
S02.63XD	Fracture of coronoid process of mandible, subsequent encounter for fracture with routine healing	ICD10
S02.63XG	Fracture of coronoid process of mandible, subsequent encounter for fracture with delayed healing	ICD10
S02.63XK	Fracture of coronoid process of mandible, subsequent encounter for fracture with nonunion	ICD10
S02.63XS	Fracture of coronoid process of mandible, sequela	ICD10
S02.64XA	Fracture of ramus of mandible, initial encounter for closed fracture	ICD10
S02.64XB	Fracture of ramus of mandible, initial encounter for open fracture	ICD10
S02.64XD	Fracture of ramus of mandible, subsequent encounter for fracture with routine healing	ICD10
S02.64XG	Fracture of ramus of mandible, subsequent encounter for fracture with delayed healing	ICD10
S02.64XK	Fracture of ramus of mandible, subsequent encounter for fracture with nonunion	ICD10
S02.64XS	Fracture of ramus of mandible, sequela	ICD10
S02.65XA	Fracture of angle of mandible, initial encounter for closed fracture	ICD10
S02.65XB	Fracture of angle of mandible, initial encounter for open fracture	ICD10
S02.65XD	Fracture of angle of mandible, subsequent encounter for fracture with routine healing	ICD10
S02.65XG	Fracture of angle of mandible, subsequent encounter for fracture with delayed healing	ICD10
S02.65XK	Fracture of angle of mandible, subsequent encounter for fracture with nonunion	ICD10
S02.65XS	Fracture of angle of mandible, sequela	ICD10
S02.66XA	Fracture of symphysis of mandible, initial encounter for closed fracture	ICD10
S02.66XB	Fracture of symphysis of mandible, initial encounter for open fracture	ICD10
S02.66XD	Fracture of symphysis of mandible, subsequent encounter for fracture with routine healing	ICD10
S02.66XG	Fracture of symphysis of mandible, subsequent encounter for fracture with delayed healing	ICD10
S02.66XK	Fracture of symphysis of mandible, subsequent encounter for fracture with nonunion	ICD10
S02.66XS	Fracture of symphysis of mandible, sequela	ICD10
S02.67XA	Fracture of alveolus of mandible, initial encounter for closed fracture	ICD10
S02.67XB	Fracture of alveolus of mandible, initial encounter for open fracture	ICD10
S02.67XD	Fracture of alveolus of mandible, subsequent encounter for fracture with routine healing	ICD10
S02.67XG	Fracture of alveolus of mandible, subsequent encounter for fracture with delayed healing	ICD10
S02.67XK	Fracture of alveolus of mandible, subsequent encounter for fracture with nonunion	ICD10
S02.67XS	Fracture of alveolus of mandible, sequela	ICD10
S02.69XA	Fracture of mandible of other specified site, initial encounter for closed fracture	ICD10
S02.69XB	Fracture of mandible of other specified site, initial encounter for open fracture	ICD10
S02.69XD	Fracture of mandible of other specified site, subsequent encounter for fracture with routine healing	ICD10
S02.69XG	Fracture of mandible of other specified site, subsequent encounter for fracture with delayed healing	ICD10
S02.69XK	Fracture of mandible of other specified site, subsequent encounter for fracture with nonunion	ICD10
S02.69XS	Fracture of mandible of other specified site, sequela	ICD10
S02.8XXA	Fractures of other specified skull and facial bones, initial encounter for closed fracture	ICD10
S02.8XXB	Fractures of other specified skull and facial bones, initial encounter for open fracture	ICD10

S02.8XXD	Fractures of other specified skull and facial bones, subsequent encounter for fracture with routine healing	ICD10
S02.8XXG	Fractures of other specified skull and facial bones, subsequent encounter for fracture with delayed healing	ICD10
S02.8XXK	Fractures of other specified skull and facial bones, subsequent encounter for fracture with nonunion	ICD10
S02.8XXS	Fractures of other specified skull and facial bones, sequela	ICD10
S02.91XA	Unspecified fracture of skull, initial encounter for closed fracture	ICD10
S02.91XB	Unspecified fracture of skull, initial encounter for open fracture	ICD10
S02.91XD	Unspecified fracture of skull, subsequent encounter for fracture with routine healing	ICD10
S02.91XG	Unspecified fracture of skull, subsequent encounter for fracture with delayed healing	ICD10
S02.91XK	Unspecified fracture of skull, subsequent encounter for fracture with nonunion	ICD10
S02.91XS	Unspecified fracture of skull, sequela	ICD10
S02.92XA	Unspecified fracture of facial bones, initial encounter for closed fracture	ICD10
S02.92XB	Unspecified fracture of facial bones, initial encounter for open fracture	ICD10
S02.92XD	Unspecified fracture of facial bones, subsequent encounter for fracture with routine healing	ICD10
S02.92XG	Unspecified fracture of facial bones, subsequent encounter for fracture with delayed healing	ICD10
S02.92XK	Unspecified fracture of facial bones, subsequent encounter for fracture with nonunion	ICD10
S02.92XS	Unspecified fracture of facial bones, sequela	ICD10
S03.0XXA	Dislocation of jaw, initial encounter	ICD10
S03.0XXD	Dislocation of jaw, subsequent encounter	ICD10
S03.0XXS	Dislocation of jaw, sequela	ICD10
S03.1XXA	Dislocation of septal cartilage of nose, initial encounter	ICD10
S03.1XXD	Dislocation of septal cartilage of nose, subsequent encounter	ICD10
S03.1XXS	Dislocation of septal cartilage of nose, sequela	ICD10
S06.0X0A	Concussion without loss of consciousness, initial encounter	ICD10
S06.0X0D	Concussion without loss of consciousness, subsequent encounter	ICD10
S06.0X0S	Concussion without loss of consciousness, sequela	ICD10
S06.0X1A	Concussion with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.0X1D	Concussion with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.0X1S	Concussion with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.0X2A	Concussion with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.0X2D	Concussion with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.0X2S	Concussion with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.0X3A	Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.0X3D	Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.0X3S	Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.0X4A	Concussion with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.0X4D	Concussion with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.0X4S	Concussion with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.0X5A	Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.0X5D	Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.0X5S	Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.0X6A	Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.0X6D	Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10

S06.0X6S	Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.0X7A	Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.0X7D	Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.0X7S	Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.0X8A	Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.0X8D	Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.0X8S	Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.0X9A	Concussion with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.0X9D	Concussion with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.0X9S	Concussion with loss of consciousness of unspecified duration, sequela	ICD10
S06.1X0A	Traumatic cerebral edema without loss of consciousness, initial encounter	ICD10
S06.1X0D	Traumatic cerebral edema without loss of consciousness, subsequent encounter	ICD10
S06.1X0S	Traumatic cerebral edema without loss of consciousness, sequela	ICD10
S06.1X1A	Traumatic cerebral edema with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.1X1D	Traumatic cerebral edema with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.1X1S	Traumatic cerebral edema with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.1X2A	Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.1X2D	Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.1X2S	Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.1X3A	Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.1X3D	Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.1X3S	Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.1X4A	Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.1X4D	Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.1X4S	Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.1X5A	Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.1X5D	Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.1X5S	Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.1X6A	Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.1X6D	Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.1X6S	Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10

S06.1X7A	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.1X7D	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.1X7S	Traumatic cerebral edema with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.1X8A	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.1X8D	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.1X8S	Traumatic cerebral edema with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.1X9A	Traumatic cerebral edema with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.1X9D	Traumatic cerebral edema with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.1X9S	Traumatic cerebral edema with loss of consciousness of unspecified duration, sequela	ICD10
S06.2X0A	Diffuse traumatic brain injury without loss of consciousness, initial encounter	ICD10
S06.2X0D	Diffuse traumatic brain injury without loss of consciousness, subsequent encounter	ICD10
S06.2X0S	Diffuse traumatic brain injury without loss of consciousness, sequela	ICD10
S06.2X1A	Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.2X1D	Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.2X1S	Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.2X2A	Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.2X2D	Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.2X2S	Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.2X3A	Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.2X3D	Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.2X3S	Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.2X4A	Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.2X4D	Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.2X4S	Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.2X5A	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, initial encounter	ICD10
S06.2X5D	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, subsequent encounter	ICD10
S06.2X5S	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, sequela	ICD10
S06.2X6A	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.2X6D	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.2X6S	Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.2X7A	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10

S06.2X7D	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.2X7S	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.2X8A	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.2X8D	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.2X8S	Diffuse traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.2X9A	Diffuse traumatic brain injury with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.2X9D	Diffuse traumatic brain injury with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.2X9S	Diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela	ICD10
S06.300A	Unspecified focal traumatic brain injury without loss of consciousness, initial encounter	ICD10
S06.300D	Unspecified focal traumatic brain injury without loss of consciousness, subsequent encounter	ICD10
S06.300S	Unspecified focal traumatic brain injury without loss of consciousness, sequela	ICD10
S06.301A	Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.301D	Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.301S	Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.302A	Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.302D	Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.302S	Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.303A	Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.303D	Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.303S	Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.304A	Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.304D	Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.304S	Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.305A	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.305D	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.305S	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.306A	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.306D	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10

S06.306S	Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.307A	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.307D	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.307S	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.308A	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.308D	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.308S	Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.309A	Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.309D	Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.309S	Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, sequela	ICD10
S06.310A	Contusion and laceration of right cerebrum without loss of consciousness, initial encounter	ICD10
S06.310D	Contusion and laceration of right cerebrum without loss of consciousness, subsequent encounter	ICD10
S06.310S	Contusion and laceration of right cerebrum without loss of consciousness, sequela	ICD10
S06.311A	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.311D	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.311S	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.312A	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.312D	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.312S	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.313A	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.313D	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.313S	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.314A	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.314D	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.314S	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.315A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10

S06.315D	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.315S	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.316A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.316D	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.316S	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.317A	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.317D	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.317S	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.318A	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.318D	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.318S	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.319A	Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.319D	Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.319S	Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, sequela	ICD10
S06.320A	Contusion and laceration of left cerebrum without loss of consciousness, initial encounter	ICD10
S06.320D	Contusion and laceration of left cerebrum without loss of consciousness, subsequent encounter	ICD10
S06.320S	Contusion and laceration of left cerebrum without loss of consciousness, sequela	ICD10
S06.321A	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.321D	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.321S	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.322A	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.322D	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.322S	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.323A	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.323D	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.323S	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.324A	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10

S06.324D	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.324S	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.325A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.325D	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.325S	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.326A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.326D	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.326S	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.327A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.327D	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.327S	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.328A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.328D	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.328S	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.329A	Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.329D	Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.329S	Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, sequela	ICD10
S06.330A	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, initial encounter	ICD10
S06.330D	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, subsequent encounter	ICD10
S06.330S	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, sequela	ICD10
S06.331A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.331D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.331S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.332A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.332D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.332S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10

S06.333A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.333D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.333S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.334A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.334D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.334S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.335A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.335D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.335S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.336A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.336D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.336S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.337A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.337D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.337S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.338A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.338D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.338S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.339A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.339D	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.339S	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela	ICD10
S06.340A	Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter	ICD10
S06.340D	Traumatic hemorrhage of right cerebrum without loss of consciousness, subsequent encounter	ICD10
S06.340S	Traumatic hemorrhage of right cerebrum without loss of consciousness, sequela	ICD10
S06.341A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.341D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10

S06.341S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.342A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.342D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.342S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.343A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	ICD10
S06.343D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter	ICD10
S06.343S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	ICD10
S06.344A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.344D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.344S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.345A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.345D	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.345S	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.346A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.346D	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.346S	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.347A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.347D	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.347S	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.348A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.348D	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.348S	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.349A	Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.349D	Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.349S	Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, sequela	ICD10
S06.350A	Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter	ICD10

S06.350D	Traumatic hemorrhage of left cerebrum without loss of consciousness, subsequent encounter	ICD10
S06.350S	Traumatic hemorrhage of left cerebrum without loss of consciousness, sequela	ICD10
S06.351A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.351D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.351S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.352A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.352D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.352S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.353A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	ICD10
S06.353D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter	ICD10
S06.353S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	ICD10
S06.354A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.354D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.354S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.355A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.355D	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.355S	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.356A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.356D	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.356S	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.357A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.357D	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.357S	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.358A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.358D	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.358S	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.359A	Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, initial encounter	ICD10

S06.359D	Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.359S	Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, sequela	ICD10
S06.360A	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter	ICD10
S06.360D	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, subsequent encounter	ICD10
S06.360S	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, sequela	ICD10
S06.361A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.361D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.361S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.362A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.362D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.362S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.363A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	ICD10
S06.363D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter	ICD10
S06.363S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela	ICD10
S06.364A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.364D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.364S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.365A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.365D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.365S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.366A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.366D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.366S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.367A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.367D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10

S06.367S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.368A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.368D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.368S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.369A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.369D	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.369S	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela	ICD10
S06.370A	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, initial encounter	ICD10
S06.370D	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, subsequent encounter	ICD10
S06.370S	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, sequela	ICD10
S06.371A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.371D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.371S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.372A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.372D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.372S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.373A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.373D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.373S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.374A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.374D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.374S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.375A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.375D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.375S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.376A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10

S06.376D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.376S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.377A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.377D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.377S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.378A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.378D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.378S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.379A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.379D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.379S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, sequela	ICD10
S06.380A	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, initial encounter	ICD10
S06.380D	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, subsequent encounter	ICD10
S06.380S	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, sequela	ICD10
S06.381A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.381D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.381S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.382A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.382D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.382S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.383A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.383D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.383S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.384A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.384D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10

S06.384S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.385A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.385D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.385S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.386A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.386D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.386S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.387A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.387D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.387S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.388A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.388D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.388S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.389A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.389D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.389S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, sequela	ICD10
S06.4X0A	Epidural hemorrhage without loss of consciousness, initial encounter	ICD10
S06.4X0D	Epidural hemorrhage without loss of consciousness, subsequent encounter	ICD10
S06.4X0S	Epidural hemorrhage without loss of consciousness, sequela	ICD10
S06.4X1A	Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.4X1D	Epidural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.4X1S	Epidural hemorrhage with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.4X2A	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.4X2D	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.4X2S	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.4X3A	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.4X3D	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.4X3S	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.4X4A	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.4X4D	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.4X4S	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	ICD10

S06.4X5A	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.4X5D	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.4X5S	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.4X6A	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.4X6D	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.4X6S	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.4X7A	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.4X7D	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.4X7S	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.4X8A	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter	ICD10
S06.4X8D	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, subsequent encounter	ICD10
S06.4X8S	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, sequela	ICD10
S06.4X9A	Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.4X9D	Epidural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.4X9S	Epidural hemorrhage with loss of consciousness of unspecified duration, sequela	ICD10
S06.5X0A	Traumatic subdural hemorrhage without loss of consciousness, initial encounter	ICD10
S06.5X0D	Traumatic subdural hemorrhage without loss of consciousness, subsequent encounter	ICD10
S06.5X0S	Traumatic subdural hemorrhage without loss of consciousness, sequela	ICD10
S06.5X1A	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.5X1D	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.5X1S	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.5X2A	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.5X2D	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.5X2S	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.5X3A	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.5X3D	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.5X3S	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.5X4A	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.5X4D	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.5X4S	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	ICD10

S06.5X5A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.5X5D	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.5X5S	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.5X6A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.5X6D	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.5X6S	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.5X7A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter	ICD10
S06.5X7D	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, subsequent encounter	ICD10
S06.5X7S	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, sequela	ICD10
S06.5X8A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter	ICD10
S06.5X8D	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, subsequent encounter	ICD10
S06.5X8S	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, sequela	ICD10
S06.5X9A	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.5X9D	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.5X9S	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, sequela	ICD10
S06.6X0A	Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter	ICD10
S06.6X0D	Traumatic subarachnoid hemorrhage without loss of consciousness, subsequent encounter	ICD10
S06.6X0S	Traumatic subarachnoid hemorrhage without loss of consciousness, sequela	ICD10
S06.6X1A	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.6X1D	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.6X1S	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.6X2A	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.6X2D	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.6X2S	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.6X3A	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.6X3D	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.6X3S	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.6X4A	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10

S06.6X4D	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.6X4S	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.6X5A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.6X5D	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.6X5S	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.6X6A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.6X6D	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.6X6S	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.6X7A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.6X7D	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.6X7S	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.6X8A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.6X8D	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.6X8S	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.6X9A	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.6X9D	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.6X9S	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, sequela	ICD10
S06.810A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, initial encounter	ICD10
S06.810D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, subsequent encounter	ICD10
S06.810S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela	ICD10
S06.811A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.811D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.811S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.812A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.812D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.812S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10

S06.813A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.813D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.813S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.814A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.814D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.814S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.815A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.815D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.815S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.816A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.816D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.816S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.817A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.817D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.817S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.818A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.818D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.818S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.819A	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.819D	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, subsequent encounter	ICD10

S06.819S	Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela	ICD10
S06.820A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, initial encounter	ICD10
S06.820D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, subsequent encounter	ICD10
S06.820S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela	ICD10
S06.821A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.821D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.821S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.822A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.822D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.822S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.823A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.823D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.823S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.824A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.824D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.824S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.825A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.825D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.825S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.826A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.826D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.826S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10

S06.827A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.827D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.827S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.828A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.828D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.828S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.829A	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.829D	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.829S	Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela	ICD10
S06.890A	Other specified intracranial injury without loss of consciousness, initial encounter	ICD10
S06.890D	Other specified intracranial injury without loss of consciousness, subsequent encounter	ICD10
S06.890S	Other specified intracranial injury without loss of consciousness, sequela	ICD10
S06.891A	Other specified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.891D	Other specified intracranial injury with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.891S	Other specified intracranial injury with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.892A	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.892D	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.892S	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.893A	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.893D	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.893S	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.894A	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.894D	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.894S	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela	ICD10
S06.895A	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10

S06.895D	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.895S	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.896A	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.896D	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.896S	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.897A	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.897D	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.897S	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.898A	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.898D	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.898S	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.899A	Other specified intracranial injury with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.899D	Other specified intracranial injury with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.899S	Other specified intracranial injury with loss of consciousness of unspecified duration, sequela	ICD10
S06.9X0A	Unspecified intracranial injury without loss of consciousness, initial encounter	ICD10
S06.9X0D	Unspecified intracranial injury without loss of consciousness, subsequent encounter	ICD10
S06.9X0S	Unspecified intracranial injury without loss of consciousness, sequela	ICD10
S06.9X1A	Unspecified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	ICD10
S06.9X1D	Unspecified intracranial injury with loss of consciousness of 30 minutes or less, subsequent encounter	ICD10
S06.9X1S	Unspecified intracranial injury with loss of consciousness of 30 minutes or less, sequela	ICD10
S06.9X2A	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD10
S06.9X2D	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter	ICD10
S06.9X2S	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela	ICD10
S06.9X3A	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD10
S06.9X3D	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter	ICD10
S06.9X3S	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela	ICD10
S06.9X4A	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD10
S06.9X4D	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, subsequent encounter	ICD10
S06.9X4S	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela	ICD10

S06.9X5A	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD10
S06.9X5D	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter	ICD10
S06.9X5S	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela	ICD10
S06.9X6A	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD10
S06.9X6D	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter	ICD10
S06.9X6S	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela	ICD10
S06.9X7A	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD10
S06.9X7D	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter	ICD10
S06.9X7S	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela	ICD10
S06.9X8A	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD10
S06.9X8D	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter	ICD10
S06.9X8S	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela	ICD10
S06.9X9A	Unspecified intracranial injury with loss of consciousness of unspecified duration, initial encounter	ICD10
S06.9X9D	Unspecified intracranial injury with loss of consciousness of unspecified duration, subsequent encounter	ICD10
S06.9X9S	Unspecified intracranial injury with loss of consciousness of unspecified duration, sequela	ICD10
S09.10XA	Unspecified injury of muscle and tendon of head, initial encounter	ICD10
S09.10XD	Unspecified injury of muscle and tendon of head, subsequent encounter	ICD10
S09.10XS	Unspecified injury of muscle and tendon of head, sequela	ICD10
S09.301A	Unspecified injury of right middle and inner ear, initial encounter	ICD10
S09.301D	Unspecified injury of right middle and inner ear, subsequent encounter	ICD10
S09.301S	Unspecified injury of right middle and inner ear, sequela	ICD10
S09.302A	Unspecified injury of left middle and inner ear, initial encounter	ICD10
S09.302D	Unspecified injury of left middle and inner ear, subsequent encounter	ICD10
S09.302S	Unspecified injury of left middle and inner ear, sequela	ICD10
S09.309A	Unspecified injury of unspecified middle and inner ear, initial encounter	ICD10
S09.309D	Unspecified injury of unspecified middle and inner ear, subsequent encounter	ICD10
S09.309S	Unspecified injury of unspecified middle and inner ear, sequela	ICD10
S09.391A	Other specified injury of right middle and inner ear, initial encounter	ICD10
S09.391D	Other specified injury of right middle and inner ear, subsequent encounter	ICD10
S09.391S	Other specified injury of right middle and inner ear, sequela	ICD10
S09.392A	Other specified injury of left middle and inner ear, initial encounter	ICD10
S09.392D	Other specified injury of left middle and inner ear, subsequent encounter	ICD10
S09.392S	Other specified injury of left middle and inner ear, sequela	ICD10
S09.399A	Other specified injury of unspecified middle and inner ear, initial encounter	ICD10
S09.399D	Other specified injury of unspecified middle and inner ear, subsequent encounter	ICD10
S09.399S	Other specified injury of unspecified middle and inner ear, sequela	ICD10
S09.8XXA	Other specified injuries of head, initial encounter	ICD10

S09.8XXD	Other specified injuries of head, subsequent encounter	ICD10
S09.8XXS	Other specified injuries of head, sequela	ICD10
S09.90XA	Unspecified injury of head, initial encounter	ICD10
S09.90XD	Unspecified injury of head, subsequent encounter	ICD10
S09.90XS	Unspecified injury of head, sequela	ICD10
S09.91XA	Unspecified injury of ear, initial encounter	ICD10
S09.91XD	Unspecified injury of ear, subsequent encounter	ICD10
S09.91XS	Unspecified injury of ear, sequela	ICD10
S09.92XA	Unspecified injury of nose, initial encounter	ICD10
S09.92XD	Unspecified injury of nose, subsequent encounter	ICD10
S09.92XS	Unspecified injury of nose, sequela	ICD10
S09.93XA	Unspecified injury of face, initial encounter	ICD10
S09.93XD	Unspecified injury of face, subsequent encounter	ICD10
S09.93XS	Unspecified injury of face, sequela	ICD10
S12.000A	Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.000B	Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD10
S12.000D	Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
	Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.000G	Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.000K	Unspecified displaced fracture of first cervical vertebra, sequela	ICD10
S12.000S	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.001A	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD10
S12.001D	Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
	Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.001G	Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.001K	Unspecified nondisplaced fracture of first cervical vertebra, sequela	ICD10
S12.01XA	Stable burst fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.01XB	Stable burst fracture of first cervical vertebra, initial encounter for open fracture	ICD10
S12.01XD	Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.01XG	Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.01XK	Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.01XS	Stable burst fracture of first cervical vertebra, sequela	ICD10
S12.02XA	Unstable burst fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.02XB	Unstable burst fracture of first cervical vertebra, initial encounter for open fracture	ICD10
	Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.02XD	Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.02XG	Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.02XK	Unstable burst fracture of first cervical vertebra, sequela	ICD10
S12.030A	Displaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.030B	Displaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	ICD10

S12.030D	Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.030G	Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.030K	Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.030S	Displaced posterior arch fracture of first cervical vertebra, sequela	ICD10
S12.031A	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.031B	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	ICD10
S12.031D	Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.031G	Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.031K	Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.031S	Nondisplaced posterior arch fracture of first cervical vertebra, sequela	ICD10
S12.040A	Displaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.040B	Displaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	ICD10
S12.040D	Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.040G	Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.040K	Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.040S	Displaced lateral mass fracture of first cervical vertebra, sequela	ICD10
S12.041A	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.041B	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	ICD10
S12.041D	Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.041G	Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.041K	Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.041S	Nondisplaced lateral mass fracture of first cervical vertebra, sequela	ICD10
S12.090A	Other displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.090B	Other displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD10
S12.090D	Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.090G	Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.090K	Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.090S	Other displaced fracture of first cervical vertebra, sequela	ICD10
S12.091A	Other nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD10
S12.091B	Other nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD10
S12.091D	Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.091G	Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10

S12.091K	Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.091S	Other nondisplaced fracture of first cervical vertebra, sequela	ICD10
S12.100A	Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD10
S12.100B	Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD10
S12.100D	Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.100G	Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.100K	Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.100S	Unspecified displaced fracture of second cervical vertebra, sequela	ICD10
S12.101A	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD10
S12.101B	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD10
S12.101D	Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.101G	Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.101K	Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.101S	Unspecified nondisplaced fracture of second cervical vertebra, sequela	ICD10
S12.110A	Anterior displaced Type II dens fracture, initial encounter for closed fracture	ICD10
S12.110B	Anterior displaced Type II dens fracture, initial encounter for open fracture	ICD10
S12.110D	Anterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing	ICD10
S12.110G	Anterior displaced Type II dens fracture, subsequent encounter for fracture with delayed healing	ICD10
S12.110K	Anterior displaced Type II dens fracture, subsequent encounter for fracture with nonunion	ICD10
S12.110S	Anterior displaced Type II dens fracture, sequela	ICD10
S12.111A	Posterior displaced Type II dens fracture, initial encounter for closed fracture	ICD10
S12.111B	Posterior displaced Type II dens fracture, initial encounter for open fracture	ICD10
S12.111D	Posterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing	ICD10
S12.111G	Posterior displaced Type II dens fracture, subsequent encounter for fracture with delayed healing	ICD10
S12.111K	Posterior displaced Type II dens fracture, subsequent encounter for fracture with nonunion	ICD10
S12.111S	Posterior displaced Type II dens fracture, sequela	ICD10
S12.112A	Nondisplaced Type II dens fracture, initial encounter for closed fracture	ICD10
S12.112B	Nondisplaced Type II dens fracture, initial encounter for open fracture	ICD10
S12.112D	Nondisplaced Type II dens fracture, subsequent encounter for fracture with routine healing	ICD10
S12.112G	Nondisplaced Type II dens fracture, subsequent encounter for fracture with delayed healing	ICD10
S12.112K	Nondisplaced Type II dens fracture, subsequent encounter for fracture with nonunion	ICD10
S12.112S	Nondisplaced Type II dens fracture, sequela	ICD10
S12.120A	Other displaced dens fracture, initial encounter for closed fracture	ICD10
S12.120B	Other displaced dens fracture, initial encounter for open fracture	ICD10
S12.120D	Other displaced dens fracture, subsequent encounter for fracture with routine healing	ICD10
S12.120G	Other displaced dens fracture, subsequent encounter for fracture with delayed healing	ICD10
S12.120K	Other displaced dens fracture, subsequent encounter for fracture with nonunion	ICD10
S12.120S	Other displaced dens fracture, sequela	ICD10
S12.121A	Other nondisplaced dens fracture, initial encounter for closed fracture	ICD10

S12.121B	Other nondisplaced dens fracture, initial encounter for open fracture	ICD10
S12.121D	Other nondisplaced dens fracture, subsequent encounter for fracture with routine healing	ICD10
S12.121G	Other nondisplaced dens fracture, subsequent encounter for fracture with delayed healing	ICD10
S12.121K	Other nondisplaced dens fracture, subsequent encounter for fracture with nonunion	ICD10
S12.121S	Other nondisplaced dens fracture, sequela	ICD10
S12.130A	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD10
S12.130B	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD10
S12.130D	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.130G	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.130K	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.130S	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, sequela	ICD10
S12.131A	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD10
S12.131B	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD10
S12.131D	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.131G	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.131K	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.131S	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, sequela	ICD10
S12.14XA	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD10
S12.14XB	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD10
S12.14XD	Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.14XG	Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.14XK	Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.14XS	Type III traumatic spondylolisthesis of second cervical vertebra, sequela	ICD10
S12.150A	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD10
S12.150B	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD10
S12.150D	Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.150G	Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.150K	Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.150S	Other traumatic displaced spondylolisthesis of second cervical vertebra, sequela	ICD10
S12.151A	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD10

S12.151B	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD10
S12.151D	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.151G	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.151K	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.151S	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, sequela	ICD10
S12.190A	Other displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD10
S12.190B	Other displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD10
S12.190D	Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.190G	Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.190K	Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.190S	Other displaced fracture of second cervical vertebra, sequela	ICD10
S12.191A	Other nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD10
S12.191B	Other nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD10
S12.191D	Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.191G	Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.191K	Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.191S	Other nondisplaced fracture of second cervical vertebra, sequela	ICD10
S12.200A	Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.200B	Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD10
S12.200D	Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.200G	Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.200K	Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.200S	Unspecified displaced fracture of third cervical vertebra, sequela	ICD10
S12.201A	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.201B	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD10
S12.201D	Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.201G	Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.201K	Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.201S	Unspecified nondisplaced fracture of third cervical vertebra, sequela	ICD10
S12.230A	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.230B	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD10
S12.230D	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10

S12.230G	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.230K	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.230S	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, sequela	ICD10
S12.231A	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.231B	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD10
S12.231D	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.231G	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.231K	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.231S	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, sequela	ICD10
S12.24XA	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.24XB	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD10
S12.24XD	Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.24XG	Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.24XK	Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.24XS	Type III traumatic spondylolisthesis of third cervical vertebra, sequela	ICD10
S12.250A	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.250B	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD10
S12.250D	Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.250G	Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.250K	Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.250S	Other traumatic displaced spondylolisthesis of third cervical vertebra, sequela	ICD10
S12.251A	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.251B	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD10
S12.251D	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.251G	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.251K	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.251S	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, sequela	ICD10
S12.290A	Other displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.290B	Other displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD10

S12.290D	Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.290G	Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.290K	Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.290S	Other displaced fracture of third cervical vertebra, sequela	ICD10
S12.291A	Other nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD10
S12.291B	Other nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD10
S12.291D	Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.291G	Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.291K	Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.291S	Other nondisplaced fracture of third cervical vertebra, sequela	ICD10
S12.300A	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.300B	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD10
S12.300D	Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.300G	Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.300K	Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.300S	Unspecified displaced fracture of fourth cervical vertebra, sequela	ICD10
S12.301A	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.301B	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD10
S12.301D	Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.301G	Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.301K	Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.301S	Unspecified nondisplaced fracture of fourth cervical vertebra, sequela	ICD10
S12.330A	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.330B	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD10
S12.330D	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.330G	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.330K	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.330S	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, sequela	ICD10
S12.331A	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.331B	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD10

S12.331D	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.331G	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.331K	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.331S	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, sequela	ICD10
S12.34XA	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.34XB	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD10
S12.34XD	Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.34XG	Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.34XK	Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.34XS	Type III traumatic spondylolisthesis of fourth cervical vertebra, sequela	ICD10
S12.350A	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.350B	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD10
S12.350D	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.350G	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.350K	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.350S	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, sequela	ICD10
S12.351A	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.351B	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD10
S12.351D	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.351G	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.351K	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.351S	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, sequela	ICD10
S12.390A	Other displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.390B	Other displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD10
S12.390D	Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.390G	Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.390K	Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.390S	Other displaced fracture of fourth cervical vertebra, sequela	ICD10
S12.391A	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD10
S12.391B	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD10

S12.391D	Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.391G	Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.391K	Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.391S	Other nondisplaced fracture of fourth cervical vertebra, sequela	ICD10
S12.400A	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.400B	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD10
S12.400D	Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.400G	Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.400K	Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.400S	Unspecified displaced fracture of fifth cervical vertebra, sequela	ICD10
S12.401A	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.401B	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD10
S12.401D	Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.401G	Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.401K	Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.401S	Unspecified nondisplaced fracture of fifth cervical vertebra, sequela	ICD10
S12.430A	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.430B	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD10
S12.430D	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.430G	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.430K	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.430S	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, sequela	ICD10
S12.431A	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.431B	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD10
S12.431D	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.431G	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.431K	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.431S	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, sequela	ICD10
S12.44XA	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.44XB	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD10

S12.44XD	Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.44XG	Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.44XK	Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.44XS	Type III traumatic spondylolisthesis of fifth cervical vertebra, sequela	ICD10
S12.450A	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.450B	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD10
S12.450D	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.450G	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.450K	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.450S	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, sequela	ICD10
S12.451A	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.451B	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD10
S12.451D	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.451G	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.451K	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.451S	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, sequela	ICD10
S12.490A	Other displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.490B	Other displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD10
S12.490D	Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.490G	Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.490K	Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.490S	Other displaced fracture of fifth cervical vertebra, sequela	ICD10
S12.491A	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD10
S12.491B	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD10
S12.491D	Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.491G	Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.491K	Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.491S	Other nondisplaced fracture of fifth cervical vertebra, sequela	ICD10
S12.500A	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.500B	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD10
S12.500D	Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10

S12.500G	Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.500K	Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.500S	Unspecified displaced fracture of sixth cervical vertebra, sequela	ICD10
S12.501A	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.501B	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD10
S12.501D	Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.501G	Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.501K	Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.501S	Unspecified nondisplaced fracture of sixth cervical vertebra, sequela	ICD10
S12.530A	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.530B	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD10
S12.530D	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.530G	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.530K	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.530S	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, sequela	ICD10
S12.531A	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.531B	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD10
S12.531D	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.531G	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.531K	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.531S	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, sequela	ICD10
S12.54XA	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.54XB	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD10
S12.54XD	Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.54XG	Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.54XK	Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.54XS	Type III traumatic spondylolisthesis of sixth cervical vertebra, sequela	ICD10
S12.550A	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.550B	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD10

S12.550D	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.550G	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.550K	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.550S	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, sequela	ICD10
S12.551A	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.551B	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD10
S12.551D	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.551G	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.551K	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.551S	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, sequela	ICD10
S12.590A	Other displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.590B	Other displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD10
S12.590D	Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.590G	Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.590K	Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.590S	Other displaced fracture of sixth cervical vertebra, sequela	ICD10
S12.591A	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD10
S12.591B	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD10
S12.591D	Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.591G	Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.591K	Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.591S	Other nondisplaced fracture of sixth cervical vertebra, sequela	ICD10
S12.600A	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD10
S12.600B	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.600D	Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.600G	Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.600K	Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.600S	Unspecified displaced fracture of seventh cervical vertebra, sequela	ICD10
S12.601A	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD10
S12.601B	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.601D	Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10

S12.601G	Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.601K	Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.601S	Unspecified nondisplaced fracture of seventh cervical vertebra, sequela	ICD10
S12.630A	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD10
S12.630B	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.630D	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.630G	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.630K	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.630S	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, sequela	ICD10
S12.631A	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD10
S12.631B	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.631D	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.631G	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.631K	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.631S	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, sequela	ICD10
S12.64XA	Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD10
S12.64XB	Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.64XD	Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.64XG	Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.64XK	Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.64XS	Type III traumatic spondylolisthesis of seventh cervical vertebra, sequela	ICD10
S12.650A	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD10
S12.650B	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.650D	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.650G	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.650K	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.650S	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, sequela	ICD10
S12.651A	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD10

S12.651B	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.651D	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.651G	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.651K	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.651S	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, sequela	ICD10
S12.690A	Other displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD10
S12.690B	Other displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.690D	Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.690G	Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.690K	Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.690S	Other displaced fracture of seventh cervical vertebra, sequela	ICD10
S12.691A	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD10
S12.691B	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD10
S12.691D	Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD10
S12.691G	Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD10
S12.691K	Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD10
S12.691S	Other nondisplaced fracture of seventh cervical vertebra, sequela	ICD10
S12.8XXA	Fracture of other parts of neck, initial encounter	ICD10
S12.8XXD	Fracture of other parts of neck, subsequent encounter	ICD10
S12.8XXS	Fracture of other parts of neck, sequela	ICD10
S12.9XXA	Fracture of neck, unspecified, initial encounter	ICD10
S12.9XXD	Fracture of neck, unspecified, subsequent encounter	ICD10
S12.9XXS	Fracture of neck, unspecified, sequela	ICD10
S13.0XXA	Traumatic rupture of cervical intervertebral disc, initial encounter	ICD10
S13.0XXD	Traumatic rupture of cervical intervertebral disc, subsequent encounter	ICD10
S13.0XXS	Traumatic rupture of cervical intervertebral disc, sequela	ICD10
S13.100A	Subluxation of unspecified cervical vertebrae, initial encounter	ICD10
S13.100D	Subluxation of unspecified cervical vertebrae, subsequent encounter	ICD10
S13.100S	Subluxation of unspecified cervical vertebrae, sequela	ICD10
S13.101A	Dislocation of unspecified cervical vertebrae, initial encounter	ICD10
S13.101D	Dislocation of unspecified cervical vertebrae, subsequent encounter	ICD10
S13.101S	Dislocation of unspecified cervical vertebrae, sequela	ICD10
S13.110A	Subluxation of C0/C1 cervical vertebrae, initial encounter	ICD10
S13.110D	Subluxation of C0/C1 cervical vertebrae, subsequent encounter	ICD10
S13.110S	Subluxation of C0/C1 cervical vertebrae, sequela	ICD10
S13.111A	Dislocation of C0/C1 cervical vertebrae, initial encounter	ICD10
S13.111D	Dislocation of C0/C1 cervical vertebrae, subsequent encounter	ICD10
S13.111S	Dislocation of C0/C1 cervical vertebrae, sequela	ICD10
S13.120A	Subluxation of C1/C2 cervical vertebrae, initial encounter	ICD10
S13.120D	Subluxation of C1/C2 cervical vertebrae, subsequent encounter	ICD10
S13.120S	Subluxation of C1/C2 cervical vertebrae, sequela	ICD10

S13.121A	Dislocation of C1/C2 cervical vertebrae, initial encounter	ICD10
S13.121D	Dislocation of C1/C2 cervical vertebrae, subsequent encounter	ICD10
S13.121S	Dislocation of C1/C2 cervical vertebrae, sequela	ICD10
S13.130A	Subluxation of C2/C3 cervical vertebrae, initial encounter	ICD10
S13.130D	Subluxation of C2/C3 cervical vertebrae, subsequent encounter	ICD10
S13.130S	Subluxation of C2/C3 cervical vertebrae, sequela	ICD10
S13.131A	Dislocation of C2/C3 cervical vertebrae, initial encounter	ICD10
S13.131D	Dislocation of C2/C3 cervical vertebrae, subsequent encounter	ICD10
S13.131S	Dislocation of C2/C3 cervical vertebrae, sequela	ICD10
S13.140A	Subluxation of C3/C4 cervical vertebrae, initial encounter	ICD10
S13.140D	Subluxation of C3/C4 cervical vertebrae, subsequent encounter	ICD10
S13.140S	Subluxation of C3/C4 cervical vertebrae, sequela	ICD10
S13.141A	Dislocation of C3/C4 cervical vertebrae, initial encounter	ICD10
S13.141D	Dislocation of C3/C4 cervical vertebrae, subsequent encounter	ICD10
S13.141S	Dislocation of C3/C4 cervical vertebrae, sequela	ICD10
S13.150A	Subluxation of C4/C5 cervical vertebrae, initial encounter	ICD10
S13.150D	Subluxation of C4/C5 cervical vertebrae, subsequent encounter	ICD10
S13.150S	Subluxation of C4/C5 cervical vertebrae, sequela	ICD10
S13.151A	Dislocation of C4/C5 cervical vertebrae, initial encounter	ICD10
S13.151D	Dislocation of C4/C5 cervical vertebrae, subsequent encounter	ICD10
S13.151S	Dislocation of C4/C5 cervical vertebrae, sequela	ICD10
S13.160A	Subluxation of C5/C6 cervical vertebrae, initial encounter	ICD10
S13.160D	Subluxation of C5/C6 cervical vertebrae, subsequent encounter	ICD10
S13.160S	Subluxation of C5/C6 cervical vertebrae, sequela	ICD10
S13.161A	Dislocation of C5/C6 cervical vertebrae, initial encounter	ICD10
S13.161D	Dislocation of C5/C6 cervical vertebrae, subsequent encounter	ICD10
S13.161S	Dislocation of C5/C6 cervical vertebrae, sequela	ICD10
S13.170A	Subluxation of C6/C7 cervical vertebrae, initial encounter	ICD10
S13.170D	Subluxation of C6/C7 cervical vertebrae, subsequent encounter	ICD10
S13.170S	Subluxation of C6/C7 cervical vertebrae, sequela	ICD10
S13.171A	Dislocation of C6/C7 cervical vertebrae, initial encounter	ICD10
S13.171D	Dislocation of C6/C7 cervical vertebrae, subsequent encounter	ICD10
S13.171S	Dislocation of C6/C7 cervical vertebrae, sequela	ICD10
S13.180A	Subluxation of C7/T1 cervical vertebrae, initial encounter	ICD10
S13.180D	Subluxation of C7/T1 cervical vertebrae, subsequent encounter	ICD10
S13.180S	Subluxation of C7/T1 cervical vertebrae, sequela	ICD10
S13.181A	Dislocation of C7/T1 cervical vertebrae, initial encounter	ICD10
S13.181D	Dislocation of C7/T1 cervical vertebrae, subsequent encounter	ICD10
S13.181S	Dislocation of C7/T1 cervical vertebrae, sequela	ICD10
S13.20XA	Dislocation of unspecified parts of neck, initial encounter	ICD10
S13.20XD	Dislocation of unspecified parts of neck, subsequent encounter	ICD10
S13.20XS	Dislocation of unspecified parts of neck, sequela	ICD10
S13.29XA	Dislocation of other parts of neck, initial encounter	ICD10
S13.29XD	Dislocation of other parts of neck, subsequent encounter	ICD10
S13.29XS	Dislocation of other parts of neck, sequela	ICD10
S14.0XXA	Concussion and edema of cervical spinal cord, initial encounter	ICD10
S14.0XXD	Concussion and edema of cervical spinal cord, subsequent encounter	ICD10
S14.0XXS	Concussion and edema of cervical spinal cord, sequela	ICD10
S14.101A	Unspecified injury at C1 level of cervical spinal cord, initial encounter	ICD10
S14.101D	Unspecified injury at C1 level of cervical spinal cord, subsequent encounter	ICD10
S14.101S	Unspecified injury at C1 level of cervical spinal cord, sequela	ICD10

S14.102A	Unspecified injury at C2 level of cervical spinal cord, initial encounter	ICD10
S14.102D	Unspecified injury at C2 level of cervical spinal cord, subsequent encounter	ICD10
S14.102S	Unspecified injury at C2 level of cervical spinal cord, sequela	ICD10
S14.103A	Unspecified injury at C3 level of cervical spinal cord, initial encounter	ICD10
S14.103D	Unspecified injury at C3 level of cervical spinal cord, subsequent encounter	ICD10
S14.103S	Unspecified injury at C3 level of cervical spinal cord, sequela	ICD10
S14.104A	Unspecified injury at C4 level of cervical spinal cord, initial encounter	ICD10
S14.104D	Unspecified injury at C4 level of cervical spinal cord, subsequent encounter	ICD10
S14.104S	Unspecified injury at C4 level of cervical spinal cord, sequela	ICD10
S14.105A	Unspecified injury at C5 level of cervical spinal cord, initial encounter	ICD10
S14.105D	Unspecified injury at C5 level of cervical spinal cord, subsequent encounter	ICD10
S14.105S	Unspecified injury at C5 level of cervical spinal cord, sequela	ICD10
S14.106A	Unspecified injury at C6 level of cervical spinal cord, initial encounter	ICD10
S14.106D	Unspecified injury at C6 level of cervical spinal cord, subsequent encounter	ICD10
S14.106S	Unspecified injury at C6 level of cervical spinal cord, sequela	ICD10
S14.107A	Unspecified injury at C7 level of cervical spinal cord, initial encounter	ICD10
S14.107D	Unspecified injury at C7 level of cervical spinal cord, subsequent encounter	ICD10
S14.107S	Unspecified injury at C7 level of cervical spinal cord, sequela	ICD10
S14.108A	Unspecified injury at C8 level of cervical spinal cord, initial encounter	ICD10
S14.108D	Unspecified injury at C8 level of cervical spinal cord, subsequent encounter	ICD10
S14.108S	Unspecified injury at C8 level of cervical spinal cord, sequela	ICD10
S14.109A	Unspecified injury at unspecified level of cervical spinal cord, initial encounter	ICD10
S14.109D	Unspecified injury at unspecified level of cervical spinal cord, subsequent encounter	ICD10
S14.109S	Unspecified injury at unspecified level of cervical spinal cord, sequela	ICD10
S14.111A	Complete lesion at C1 level of cervical spinal cord, initial encounter	ICD10
S14.111D	Complete lesion at C1 level of cervical spinal cord, subsequent encounter	ICD10
S14.111S	Complete lesion at C1 level of cervical spinal cord, sequela	ICD10
S14.112A	Complete lesion at C2 level of cervical spinal cord, initial encounter	ICD10
S14.112D	Complete lesion at C2 level of cervical spinal cord, subsequent encounter	ICD10
S14.112S	Complete lesion at C2 level of cervical spinal cord, sequela	ICD10
S14.113A	Complete lesion at C3 level of cervical spinal cord, initial encounter	ICD10
S14.113D	Complete lesion at C3 level of cervical spinal cord, subsequent encounter	ICD10
S14.113S	Complete lesion at C3 level of cervical spinal cord, sequela	ICD10
S14.114A	Complete lesion at C4 level of cervical spinal cord, initial encounter	ICD10
S14.114D	Complete lesion at C4 level of cervical spinal cord, subsequent encounter	ICD10
S14.114S	Complete lesion at C4 level of cervical spinal cord, sequela	ICD10
S14.115A	Complete lesion at C5 level of cervical spinal cord, initial encounter	ICD10
S14.115D	Complete lesion at C5 level of cervical spinal cord, subsequent encounter	ICD10
S14.115S	Complete lesion at C5 level of cervical spinal cord, sequela	ICD10
S14.116A	Complete lesion at C6 level of cervical spinal cord, initial encounter	ICD10
S14.116D	Complete lesion at C6 level of cervical spinal cord, subsequent encounter	ICD10
S14.116S	Complete lesion at C6 level of cervical spinal cord, sequela	ICD10
S14.117A	Complete lesion at C7 level of cervical spinal cord, initial encounter	ICD10
S14.117D	Complete lesion at C7 level of cervical spinal cord, subsequent encounter	ICD10
S14.117S	Complete lesion at C7 level of cervical spinal cord, sequela	ICD10
S14.118A	Complete lesion at C8 level of cervical spinal cord, initial encounter	ICD10
S14.118D	Complete lesion at C8 level of cervical spinal cord, subsequent encounter	ICD10
S14.118S	Complete lesion at C8 level of cervical spinal cord, sequela	ICD10
S14.119A	Complete lesion at unspecified level of cervical spinal cord, initial encounter	ICD10
S14.119D	Complete lesion at unspecified level of cervical spinal cord, subsequent encounter	ICD10
S14.119S	Complete lesion at unspecified level of cervical spinal cord, sequela	ICD10

S14.121A	Central cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD10
S14.121D	Central cord syndrome at C1 level of cervical spinal cord, subsequent encounter	ICD10
S14.121S	Central cord syndrome at C1 level of cervical spinal cord, sequela	ICD10
S14.122A	Central cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD10
S14.122D	Central cord syndrome at C2 level of cervical spinal cord, subsequent encounter	ICD10
S14.122S	Central cord syndrome at C2 level of cervical spinal cord, sequela	ICD10
S14.123A	Central cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD10
S14.123D	Central cord syndrome at C3 level of cervical spinal cord, subsequent encounter	ICD10
S14.123S	Central cord syndrome at C3 level of cervical spinal cord, sequela	ICD10
S14.124A	Central cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD10
S14.124D	Central cord syndrome at C4 level of cervical spinal cord, subsequent encounter	ICD10
S14.124S	Central cord syndrome at C4 level of cervical spinal cord, sequela	ICD10
S14.125A	Central cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD10
S14.125D	Central cord syndrome at C5 level of cervical spinal cord, subsequent encounter	ICD10
S14.125S	Central cord syndrome at C5 level of cervical spinal cord, sequela	ICD10
S14.126A	Central cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD10
S14.126D	Central cord syndrome at C6 level of cervical spinal cord, subsequent encounter	ICD10
S14.126S	Central cord syndrome at C6 level of cervical spinal cord, sequela	ICD10
S14.127A	Central cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD10
S14.127D	Central cord syndrome at C7 level of cervical spinal cord, subsequent encounter	ICD10
S14.127S	Central cord syndrome at C7 level of cervical spinal cord, sequela	ICD10
S14.128A	Central cord syndrome at C8 level of cervical spinal cord, initial encounter	ICD10
S14.128D	Central cord syndrome at C8 level of cervical spinal cord, subsequent encounter	ICD10
S14.128S	Central cord syndrome at C8 level of cervical spinal cord, sequela	ICD10
S14.129A	Central cord syndrome at unspecified level of cervical spinal cord, initial encounter	ICD10
S14.129D	Central cord syndrome at unspecified level of cervical spinal cord, subsequent encounter	ICD10
S14.129S	Central cord syndrome at unspecified level of cervical spinal cord, sequela	ICD10
S14.131A	Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD10
S14.131D	Anterior cord syndrome at C1 level of cervical spinal cord, subsequent encounter	ICD10
S14.131S	Anterior cord syndrome at C1 level of cervical spinal cord, sequela	ICD10
S14.132A	Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD10
S14.132D	Anterior cord syndrome at C2 level of cervical spinal cord, subsequent encounter	ICD10
S14.132S	Anterior cord syndrome at C2 level of cervical spinal cord, sequela	ICD10
S14.133A	Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD10
S14.133D	Anterior cord syndrome at C3 level of cervical spinal cord, subsequent encounter	ICD10
S14.133S	Anterior cord syndrome at C3 level of cervical spinal cord, sequela	ICD10
S14.134A	Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD10
S14.134D	Anterior cord syndrome at C4 level of cervical spinal cord, subsequent encounter	ICD10
S14.134S	Anterior cord syndrome at C4 level of cervical spinal cord, sequela	ICD10
S14.135A	Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD10
S14.135D	Anterior cord syndrome at C5 level of cervical spinal cord, subsequent encounter	ICD10
S14.135S	Anterior cord syndrome at C5 level of cervical spinal cord, sequela	ICD10
S14.136A	Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD10
S14.136D	Anterior cord syndrome at C6 level of cervical spinal cord, subsequent encounter	ICD10
S14.136S	Anterior cord syndrome at C6 level of cervical spinal cord, sequela	ICD10
S14.137A	Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD10
S14.137D	Anterior cord syndrome at C7 level of cervical spinal cord, subsequent encounter	ICD10
S14.137S	Anterior cord syndrome at C7 level of cervical spinal cord, sequela	ICD10
S14.138A	Anterior cord syndrome at C8 level of cervical spinal cord, initial encounter	ICD10
S14.138D	Anterior cord syndrome at C8 level of cervical spinal cord, subsequent encounter	ICD10
S14.138S	Anterior cord syndrome at C8 level of cervical spinal cord, sequela	ICD10

S14.139A	Anterior cord syndrome at unspecified level of cervical spinal cord, initial encounter	ICD10
S14.139D	Anterior cord syndrome at unspecified level of cervical spinal cord, subsequent encounter	ICD10
S14.139S	Anterior cord syndrome at unspecified level of cervical spinal cord, sequela	ICD10
S14.141A	Brown-Sequard syndrome at C1 level of cervical spinal cord, initial encounter	ICD10
S14.141D	Brown-Sequard syndrome at C1 level of cervical spinal cord, subsequent encounter	ICD10
S14.141S	Brown-Sequard syndrome at C1 level of cervical spinal cord, sequela	ICD10
S14.142A	Brown-Sequard syndrome at C2 level of cervical spinal cord, initial encounter	ICD10
S14.142D	Brown-Sequard syndrome at C2 level of cervical spinal cord, subsequent encounter	ICD10
S14.142S	Brown-Sequard syndrome at C2 level of cervical spinal cord, sequela	ICD10
S14.143A	Brown-Sequard syndrome at C3 level of cervical spinal cord, initial encounter	ICD10
S14.143D	Brown-Sequard syndrome at C3 level of cervical spinal cord, subsequent encounter	ICD10
S14.143S	Brown-Sequard syndrome at C3 level of cervical spinal cord, sequela	ICD10
S14.144A	Brown-Sequard syndrome at C4 level of cervical spinal cord, initial encounter	ICD10
S14.144D	Brown-Sequard syndrome at C4 level of cervical spinal cord, subsequent encounter	ICD10
S14.144S	Brown-Sequard syndrome at C4 level of cervical spinal cord, sequela	ICD10
S14.145A	Brown-Sequard syndrome at C5 level of cervical spinal cord, initial encounter	ICD10
S14.145D	Brown-Sequard syndrome at C5 level of cervical spinal cord, subsequent encounter	ICD10
S14.145S	Brown-Sequard syndrome at C5 level of cervical spinal cord, sequela	ICD10
S14.146A	Brown-Sequard syndrome at C6 level of cervical spinal cord, initial encounter	ICD10
S14.146D	Brown-Sequard syndrome at C6 level of cervical spinal cord, subsequent encounter	ICD10
S14.146S	Brown-Sequard syndrome at C6 level of cervical spinal cord, sequela	ICD10
S14.147A	Brown-Sequard syndrome at C7 level of cervical spinal cord, initial encounter	ICD10
S14.147D	Brown-Sequard syndrome at C7 level of cervical spinal cord, subsequent encounter	ICD10
S14.147S	Brown-Sequard syndrome at C7 level of cervical spinal cord, sequela	ICD10
S14.148A	Brown-Sequard syndrome at C8 level of cervical spinal cord, initial encounter	ICD10
S14.148D	Brown-Sequard syndrome at C8 level of cervical spinal cord, subsequent encounter	ICD10
S14.148S	Brown-Sequard syndrome at C8 level of cervical spinal cord, sequela	ICD10
S14.149A	Brown-Sequard syndrome at unspecified level of cervical spinal cord, initial encounter	ICD10
S14.149D	Brown-Sequard syndrome at unspecified level of cervical spinal cord, subsequent encounter	ICD10
S14.149S	Brown-Sequard syndrome at unspecified level of cervical spinal cord, sequela	ICD10
S14.151A	Other incomplete lesion at C1 level of cervical spinal cord, initial encounter	ICD10
S14.151D	Other incomplete lesion at C1 level of cervical spinal cord, subsequent encounter	ICD10
S14.151S	Other incomplete lesion at C1 level of cervical spinal cord, sequela	ICD10
S14.152A	Other incomplete lesion at C2 level of cervical spinal cord, initial encounter	ICD10
S14.152D	Other incomplete lesion at C2 level of cervical spinal cord, subsequent encounter	ICD10
S14.152S	Other incomplete lesion at C2 level of cervical spinal cord, sequela	ICD10
S14.153A	Other incomplete lesion at C3 level of cervical spinal cord, initial encounter	ICD10
S14.153D	Other incomplete lesion at C3 level of cervical spinal cord, subsequent encounter	ICD10
S14.153S	Other incomplete lesion at C3 level of cervical spinal cord, sequela	ICD10
S14.154A	Other incomplete lesion at C4 level of cervical spinal cord, initial encounter	ICD10
S14.154D	Other incomplete lesion at C4 level of cervical spinal cord, subsequent encounter	ICD10
S14.154S	Other incomplete lesion at C4 level of cervical spinal cord, sequela	ICD10
S14.155A	Other incomplete lesion at C5 level of cervical spinal cord, initial encounter	ICD10
S14.155D	Other incomplete lesion at C5 level of cervical spinal cord, subsequent encounter	ICD10
S14.155S	Other incomplete lesion at C5 level of cervical spinal cord, sequela	ICD10
S14.156A	Other incomplete lesion at C6 level of cervical spinal cord, initial encounter	ICD10
S14.156D	Other incomplete lesion at C6 level of cervical spinal cord, subsequent encounter	ICD10
S14.156S	Other incomplete lesion at C6 level of cervical spinal cord, sequela	ICD10
S14.157A	Other incomplete lesion at C7 level of cervical spinal cord, initial encounter	ICD10
S14.157D	Other incomplete lesion at C7 level of cervical spinal cord, subsequent encounter	ICD10
S14.157S	Other incomplete lesion at C7 level of cervical spinal cord, sequela	ICD10

S14.158A	Other incomplete lesion at C8 level of cervical spinal cord, initial encounter	ICD10
S14.158D	Other incomplete lesion at C8 level of cervical spinal cord, subsequent encounter	ICD10
S14.158S	Other incomplete lesion at C8 level of cervical spinal cord, sequela	ICD10
S14.159A	Other incomplete lesion at unspecified level of cervical spinal cord, initial encounter	ICD10
S14.159D	Other incomplete lesion at unspecified level of cervical spinal cord, subsequent encounter	ICD10
S14.159S	Other incomplete lesion at unspecified level of cervical spinal cord, sequela	ICD10
S14.2XXA	Injury of nerve root of cervical spine, initial encounter	ICD10
S14.2XXD	Injury of nerve root of cervical spine, subsequent encounter	ICD10
S14.2XXS	Injury of nerve root of cervical spine, sequela	ICD10
S14.3XXA	Injury of brachial plexus, initial encounter	ICD10
S14.3XXD	Injury of brachial plexus, subsequent encounter	ICD10
S14.3XXS	Injury of brachial plexus, sequela	ICD10
S19.85XA	Other specified injuries of pharynx and cervical esophagus, initial encounter	ICD10
S19.85XD	Other specified injuries of pharynx and cervical esophagus, subsequent encounter	ICD10
S19.85XS	Other specified injuries of pharynx and cervical esophagus, sequela	ICD10
S19.89XA	Other specified injuries of other specified part of neck, initial encounter	ICD10
S19.89XD	Other specified injuries of other specified part of neck, subsequent encounter	ICD10
S19.89XS	Other specified injuries of other specified part of neck, sequela	ICD10
S19.9XXA	Unspecified injury of neck, initial encounter	ICD10
S19.9XXD	Unspecified injury of neck, subsequent encounter	ICD10
S19.9XXS	Unspecified injury of neck, sequela	ICD10
S22.000A	Wedge compression fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD10
S22.000B	Wedge compression fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD10
S22.000D	Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.000G	Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.000K	Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.000S	Wedge compression fracture of unspecified thoracic vertebra, sequela	ICD10
S22.001A	Stable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD10
S22.001B	Stable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD10
S22.001D	Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.001G	Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.001K	Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.001S	Stable burst fracture of unspecified thoracic vertebra, sequela	ICD10
S22.002A	Unstable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD10
S22.002B	Unstable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD10
S22.002D	Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.002G	Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.002K	Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.002S	Unstable burst fracture of unspecified thoracic vertebra, sequela	ICD10
S22.008A	Other fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD10

S22.008B	Other fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD10
S22.008D	Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.008G	Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.008K	Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.008S	Other fracture of unspecified thoracic vertebra, sequela	ICD10
S22.009A	Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD10
S22.009B	Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD10
S22.009D	Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.009G	Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.009K	Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.009S	Unspecified fracture of unspecified thoracic vertebra, sequela	ICD10
S22.010A	Wedge compression fracture of first thoracic vertebra, initial encounter for closed fracture	ICD10
S22.010B	Wedge compression fracture of first thoracic vertebra, initial encounter for open fracture	ICD10
S22.010D	Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.010G	Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.010K	Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.010S	Wedge compression fracture of first thoracic vertebra, sequela	ICD10
S22.011A	Stable burst fracture of first thoracic vertebra, initial encounter for closed fracture	ICD10
S22.011B	Stable burst fracture of first thoracic vertebra, initial encounter for open fracture	ICD10
S22.011D	Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.011G	Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.011K	Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.011S	Stable burst fracture of first thoracic vertebra, sequela	ICD10
S22.012A	Unstable burst fracture of first thoracic vertebra, initial encounter for closed fracture	ICD10
S22.012B	Unstable burst fracture of first thoracic vertebra, initial encounter for open fracture	ICD10
S22.012D	Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.012G	Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.012K	Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.012S	Unstable burst fracture of first thoracic vertebra, sequela	ICD10
S22.018A	Other fracture of first thoracic vertebra, initial encounter for closed fracture	ICD10
S22.018B	Other fracture of first thoracic vertebra, initial encounter for open fracture	ICD10
S22.018D	Other fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.018G	Other fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.018K	Other fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.018S	Other fracture of first thoracic vertebra, sequela	ICD10
S22.019A	Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture	ICD10
S22.019B	Unspecified fracture of first thoracic vertebra, initial encounter for open fracture	ICD10

S22.019D	Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.019G	Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.019K	Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.019S	Unspecified fracture of first thoracic vertebra, sequela	ICD10
S22.020A	Wedge compression fracture of second thoracic vertebra, initial encounter for closed fracture	ICD10
S22.020B	Wedge compression fracture of second thoracic vertebra, initial encounter for open fracture	ICD10
S22.020D	Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.020G	Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.020K	Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.020S	Wedge compression fracture of second thoracic vertebra, sequela	ICD10
S22.021A	Stable burst fracture of second thoracic vertebra, initial encounter for closed fracture	ICD10
S22.021B	Stable burst fracture of second thoracic vertebra, initial encounter for open fracture	ICD10
S22.021D	Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.021G	Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.021K	Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.021S	Stable burst fracture of second thoracic vertebra, sequela	ICD10
S22.022A	Unstable burst fracture of second thoracic vertebra, initial encounter for closed fracture	ICD10
S22.022B	Unstable burst fracture of second thoracic vertebra, initial encounter for open fracture	ICD10
S22.022D	Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.022G	Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.022K	Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.022S	Unstable burst fracture of second thoracic vertebra, sequela	ICD10
S22.028A	Other fracture of second thoracic vertebra, initial encounter for closed fracture	ICD10
S22.028B	Other fracture of second thoracic vertebra, initial encounter for open fracture	ICD10
S22.028D	Other fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.028G	Other fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.028K	Other fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.028S	Other fracture of second thoracic vertebra, sequela	ICD10
S22.029A	Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture	ICD10
S22.029B	Unspecified fracture of second thoracic vertebra, initial encounter for open fracture	ICD10
S22.029D	Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.029G	Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.029K	Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.029S	Unspecified fracture of second thoracic vertebra, sequela	ICD10
S22.030A	Wedge compression fracture of third thoracic vertebra, initial encounter for closed fracture	ICD10

S22.030B	Wedge compression fracture of third thoracic vertebra, initial encounter for open fracture	ICD10
S22.030D	Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.030G	Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.030K	Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.030S	Wedge compression fracture of third thoracic vertebra, sequela	ICD10
S22.031A	Stable burst fracture of third thoracic vertebra, initial encounter for closed fracture	ICD10
S22.031B	Stable burst fracture of third thoracic vertebra, initial encounter for open fracture	ICD10
S22.031D	Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.031G	Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.031K	Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.031S	Stable burst fracture of third thoracic vertebra, sequela	ICD10
S22.032A	Unstable burst fracture of third thoracic vertebra, initial encounter for closed fracture	ICD10
S22.032B	Unstable burst fracture of third thoracic vertebra, initial encounter for open fracture	ICD10
S22.032D	Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.032G	Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.032K	Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.032S	Unstable burst fracture of third thoracic vertebra, sequela	ICD10
S22.038A	Other fracture of third thoracic vertebra, initial encounter for closed fracture	ICD10
S22.038B	Other fracture of third thoracic vertebra, initial encounter for open fracture	ICD10
S22.038D	Other fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.038G	Other fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.038K	Other fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.038S	Other fracture of third thoracic vertebra, sequela	ICD10
S22.039A	Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture	ICD10
S22.039B	Unspecified fracture of third thoracic vertebra, initial encounter for open fracture	ICD10
S22.039D	Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.039G	Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.039K	Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.039S	Unspecified fracture of third thoracic vertebra, sequela	ICD10
S22.040A	Wedge compression fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD10
S22.040B	Wedge compression fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD10
S22.040D	Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.040G	Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.040K	Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.040S	Wedge compression fracture of fourth thoracic vertebra, sequela	ICD10

S22.041A	Stable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD10
S22.041B	Stable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD10
S22.041D	Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.041G	Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.041K	Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.041S	Stable burst fracture of fourth thoracic vertebra, sequela	ICD10
S22.042A	Unstable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD10
S22.042B	Unstable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD10
S22.042D	Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.042G	Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.042K	Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.042S	Unstable burst fracture of fourth thoracic vertebra, sequela	ICD10
S22.048A	Other fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD10
S22.048B	Other fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD10
S22.048D	Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.048G	Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.048K	Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.048S	Other fracture of fourth thoracic vertebra, sequela	ICD10
S22.049A	Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD10
S22.049B	Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD10
S22.049D	Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.049G	Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.049K	Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.049S	Unspecified fracture of fourth thoracic vertebra, sequela	ICD10
S22.050A	Wedge compression fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD10
S22.050B	Wedge compression fracture of T5-T6 vertebra, initial encounter for open fracture	ICD10
S22.050D	Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.050G	Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.050K	Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.050S	Wedge compression fracture of T5-T6 vertebra, sequela	ICD10
S22.051A	Stable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD10
S22.051B	Stable burst fracture of T5-T6 vertebra, initial encounter for open fracture	ICD10
S22.051D	Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.051G	Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.051K	Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.051S	Stable burst fracture of T5-T6 vertebra, sequela	ICD10
S22.052A	Unstable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD10

S22.052B	Unstable burst fracture of T5-T6 vertebra, initial encounter for open fracture	ICD10
S22.052D	Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.052G	Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.052K	Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.052S	Unstable burst fracture of T5-T6 vertebra, sequela	ICD10
S22.058A	Other fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD10
S22.058B	Other fracture of T5-T6 vertebra, initial encounter for open fracture	ICD10
S22.058D	Other fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.058G	Other fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.058K	Other fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.058S	Other fracture of T5-T6 vertebra, sequela	ICD10
S22.059A	Unspecified fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD10
S22.059B	Unspecified fracture of T5-T6 vertebra, initial encounter for open fracture	ICD10
S22.059D	Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.059G	Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.059K	Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.059S	Unspecified fracture of T5-T6 vertebra, sequela	ICD10
S22.060A	Wedge compression fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD10
S22.060B	Wedge compression fracture of T7-T8 vertebra, initial encounter for open fracture	ICD10
S22.060D	Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.060G	Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.060K	Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.060S	Wedge compression fracture of T7-T8 vertebra, sequela	ICD10
S22.061A	Stable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD10
S22.061B	Stable burst fracture of T7-T8 vertebra, initial encounter for open fracture	ICD10
S22.061D	Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.061G	Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.061K	Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.061S	Stable burst fracture of T7-T8 vertebra, sequela	ICD10
S22.062A	Unstable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD10
S22.062B	Unstable burst fracture of T7-T8 vertebra, initial encounter for open fracture	ICD10
S22.062D	Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.062G	Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.062K	Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.062S	Unstable burst fracture of T7-T8 vertebra, sequela	ICD10
S22.068A	Other fracture of T7-T8 thoracic vertebra, initial encounter for closed fracture	ICD10
S22.068B	Other fracture of T7-T8 thoracic vertebra, initial encounter for open fracture	ICD10
S22.068D	Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.068G	Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.068K	Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.068S	Other fracture of T7-T8 thoracic vertebra, sequela	ICD10
S22.069A	Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD10

S22.069B	Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture	ICD10
S22.069D	Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.069G	Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.069K	Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.069S	Unspecified fracture of T7-T8 vertebra, sequela	ICD10
S22.070A	Wedge compression fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD10
S22.070B	Wedge compression fracture of T9-T10 vertebra, initial encounter for open fracture	ICD10
S22.070D	Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.070G	Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.070K	Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.070S	Wedge compression fracture of T9-T10 vertebra, sequela	ICD10
S22.071A	Stable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD10
S22.071B	Stable burst fracture of T9-T10 vertebra, initial encounter for open fracture	ICD10
S22.071D	Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.071G	Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.071K	Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.071S	Stable burst fracture of T9-T10 vertebra, sequela	ICD10
S22.072A	Unstable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD10
S22.072B	Unstable burst fracture of T9-T10 vertebra, initial encounter for open fracture	ICD10
S22.072D	Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.072G	Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.072K	Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.072S	Unstable burst fracture of T9-T10 vertebra, sequela	ICD10
S22.078A	Other fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD10
S22.078B	Other fracture of T9-T10 vertebra, initial encounter for open fracture	ICD10
S22.078D	Other fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.078G	Other fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.078K	Other fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.078S	Other fracture of T9-T10 vertebra, sequela	ICD10
S22.079A	Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD10
S22.079B	Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture	ICD10
S22.079D	Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.079G	Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.079K	Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.079S	Unspecified fracture of T9-T10 vertebra, sequela	ICD10
S22.080A	Wedge compression fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD10
S22.080B	Wedge compression fracture of T11-T12 vertebra, initial encounter for open fracture	ICD10
S22.080D	Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.080G	Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.080K	Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.080S	Wedge compression fracture of T11-T12 vertebra, sequela	ICD10
S22.081A	Stable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD10
S22.081B	Stable burst fracture of T11-T12 vertebra, initial encounter for open fracture	ICD10

S22.081D	Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.081G	Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.081K	Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.081S	Stable burst fracture of T11-T12 vertebra, sequela	ICD10
S22.082A	Unstable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD10
S22.082B	Unstable burst fracture of T11-T12 vertebra, initial encounter for open fracture	ICD10
S22.082D	Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.082G	Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.082K	Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.082S	Unstable burst fracture of T11-T12 vertebra, sequela	ICD10
S22.088A	Other fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD10
S22.088B	Other fracture of T11-T12 vertebra, initial encounter for open fracture	ICD10
S22.088D	Other fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.088G	Other fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.088K	Other fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.088S	Other fracture of T11-T12 vertebra, sequela	ICD10
S22.089A	Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD10
S22.089B	Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture	ICD10
S22.089D	Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD10
S22.089G	Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD10
S22.089K	Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD10
S22.089S	Unspecified fracture of T11-T12 vertebra, sequela	ICD10
S22.20XA	Unspecified fracture of sternum, initial encounter for closed fracture	ICD10
S22.20XB	Unspecified fracture of sternum, initial encounter for open fracture	ICD10
S22.20XD	Unspecified fracture of sternum, subsequent encounter for fracture with routine healing	ICD10
S22.20XG	Unspecified fracture of sternum, subsequent encounter for fracture with delayed healing	ICD10
S22.20XK	Unspecified fracture of sternum, subsequent encounter for fracture with nonunion	ICD10
S22.20XS	Unspecified fracture of sternum, sequela	ICD10
S22.21XA	Fracture of manubrium, initial encounter for closed fracture	ICD10
S22.21XB	Fracture of manubrium, initial encounter for open fracture	ICD10
S22.21XD	Fracture of manubrium, subsequent encounter for fracture with routine healing	ICD10
S22.21XG	Fracture of manubrium, subsequent encounter for fracture with delayed healing	ICD10
S22.21XK	Fracture of manubrium, subsequent encounter for fracture with nonunion	ICD10
S22.21XS	Fracture of manubrium, sequela	ICD10
S22.22XA	Fracture of body of sternum, initial encounter for closed fracture	ICD10
S22.22XB	Fracture of body of sternum, initial encounter for open fracture	ICD10
S22.22XD	Fracture of body of sternum, subsequent encounter for fracture with routine healing	ICD10
S22.22XG	Fracture of body of sternum, subsequent encounter for fracture with delayed healing	ICD10
S22.22XK	Fracture of body of sternum, subsequent encounter for fracture with nonunion	ICD10
S22.22XS	Fracture of body of sternum, sequela	ICD10
S22.23XA	Sternal manubrial dissociation, initial encounter for closed fracture	ICD10
S22.23XB	Sternal manubrial dissociation, initial encounter for open fracture	ICD10
S22.23XD	Sternal manubrial dissociation, subsequent encounter for fracture with routine healing	ICD10
S22.23XG	Sternal manubrial dissociation, subsequent encounter for fracture with delayed healing	ICD10
S22.23XK	Sternal manubrial dissociation, subsequent encounter for fracture with nonunion	ICD10

S22.23XS	Sternal manubrial dissociation, sequela	ICD10
S22.24XA	Fracture of xiphoid process, initial encounter for closed fracture	ICD10
S22.24XB	Fracture of xiphoid process, initial encounter for open fracture	ICD10
S22.24XD	Fracture of xiphoid process, subsequent encounter for fracture with routine healing	ICD10
S22.24XG	Fracture of xiphoid process, subsequent encounter for fracture with delayed healing	ICD10
S22.24XK	Fracture of xiphoid process, subsequent encounter for fracture with nonunion	ICD10
S22.24XS	Fracture of xiphoid process, sequela	ICD10
S22.31XA	Fracture of one rib, right side, initial encounter for closed fracture	ICD10
S22.31XB	Fracture of one rib, right side, initial encounter for open fracture	ICD10
S22.31XD	Fracture of one rib, right side, subsequent encounter for fracture with routine healing	ICD10
S22.31XG	Fracture of one rib, right side, subsequent encounter for fracture with delayed healing	ICD10
S22.31XK	Fracture of one rib, right side, subsequent encounter for fracture with nonunion	ICD10
S22.31XS	Fracture of one rib, right side, sequela	ICD10
S22.32XA	Fracture of one rib, left side, initial encounter for closed fracture	ICD10
S22.32XB	Fracture of one rib, left side, initial encounter for open fracture	ICD10
S22.32XD	Fracture of one rib, left side, subsequent encounter for fracture with routine healing	ICD10
S22.32XG	Fracture of one rib, left side, subsequent encounter for fracture with delayed healing	ICD10
S22.32XK	Fracture of one rib, left side, subsequent encounter for fracture with nonunion	ICD10
S22.32XS	Fracture of one rib, left side, sequela	ICD10
S22.39XA	Fracture of one rib, unspecified side, initial encounter for closed fracture	ICD10
S22.39XB	Fracture of one rib, unspecified side, initial encounter for open fracture	ICD10
S22.39XD	Fracture of one rib, unspecified side, subsequent encounter for fracture with routine healing	ICD10
S22.39XG	Fracture of one rib, unspecified side, subsequent encounter for fracture with delayed healing	ICD10
S22.39XK	Fracture of one rib, unspecified side, subsequent encounter for fracture with nonunion	ICD10
S22.39XS	Fracture of one rib, unspecified side, sequela	ICD10
S22.41XA	Multiple fractures of ribs, right side, initial encounter for closed fracture	ICD10
S22.41XB	Multiple fractures of ribs, right side, initial encounter for open fracture	ICD10
S22.41XD	Multiple fractures of ribs, right side, subsequent encounter for fracture with routine healing	ICD10
S22.41XG	Multiple fractures of ribs, right side, subsequent encounter for fracture with delayed healing	ICD10
S22.41XK	Multiple fractures of ribs, right side, subsequent encounter for fracture with nonunion	ICD10
S22.41XS	Multiple fractures of ribs, right side, sequela	ICD10
S22.42XA	Multiple fractures of ribs, left side, initial encounter for closed fracture	ICD10
S22.42XB	Multiple fractures of ribs, left side, initial encounter for open fracture	ICD10
S22.42XD	Multiple fractures of ribs, left side, subsequent encounter for fracture with routine healing	ICD10
S22.42XG	Multiple fractures of ribs, left side, subsequent encounter for fracture with delayed healing	ICD10
S22.42XK	Multiple fractures of ribs, left side, subsequent encounter for fracture with nonunion	ICD10
S22.42XS	Multiple fractures of ribs, left side, sequela	ICD10
S22.43XA	Multiple fractures of ribs, bilateral, initial encounter for closed fracture	ICD10
S22.43XB	Multiple fractures of ribs, bilateral, initial encounter for open fracture	ICD10
S22.43XD	Multiple fractures of ribs, bilateral, subsequent encounter for fracture with routine healing	ICD10
S22.43XG	Multiple fractures of ribs, bilateral, subsequent encounter for fracture with delayed healing	ICD10
S22.43XK	Multiple fractures of ribs, bilateral, subsequent encounter for fracture with nonunion	ICD10
S22.43XS	Multiple fractures of ribs, bilateral, sequela	ICD10
S22.49XA	Multiple fractures of ribs, unspecified side, initial encounter for closed fracture	ICD10
S22.49XB	Multiple fractures of ribs, unspecified side, initial encounter for open fracture	ICD10
S22.49XD	Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with routine healing	ICD10
S22.49XG	Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with delayed healing	ICD10
S22.49XK	Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with nonunion	ICD10
S22.49XS	Multiple fractures of ribs, unspecified side, sequela	ICD10

S22.5XXA	Flail chest, initial encounter for closed fracture	ICD10
S22.5XXB	Flail chest, initial encounter for open fracture	ICD10
S22.5XXD	Flail chest, subsequent encounter for fracture with routine healing	ICD10
S22.5XXG	Flail chest, subsequent encounter for fracture with delayed healing	ICD10
S22.5XXK	Flail chest, subsequent encounter for fracture with nonunion	ICD10
S22.5XXS	Flail chest, sequela	ICD10
S22.9XXA	Fracture of bony thorax, part unspecified, initial encounter for closed fracture	ICD10
S22.9XXB	Fracture of bony thorax, part unspecified, initial encounter for open fracture	ICD10
S22.9XXD	Fracture of bony thorax, part unspecified, subsequent encounter for fracture with routine healing	ICD10
S22.9XXG	Fracture of bony thorax, part unspecified, subsequent encounter for fracture with delayed healing	ICD10
S22.9XXK	Fracture of bony thorax, part unspecified, subsequent encounter for fracture with nonunion	ICD10
S22.9XXS	Fracture of bony thorax, part unspecified, sequela	ICD10
S23.0XXA	Traumatic rupture of thoracic intervertebral disc, initial encounter	ICD10
S23.0XXD	Traumatic rupture of thoracic intervertebral disc, subsequent encounter	ICD10
S23.0XXS	Traumatic rupture of thoracic intervertebral disc, sequela	ICD10
S23.100A	Subluxation of unspecified thoracic vertebra, initial encounter	ICD10
S23.100D	Subluxation of unspecified thoracic vertebra, subsequent encounter	ICD10
S23.100S	Subluxation of unspecified thoracic vertebra, sequela	ICD10
S23.101A	Dislocation of unspecified thoracic vertebra, initial encounter	ICD10
S23.101D	Dislocation of unspecified thoracic vertebra, subsequent encounter	ICD10
S23.101S	Dislocation of unspecified thoracic vertebra, sequela	ICD10
S23.110A	Subluxation of T1/T2 thoracic vertebra, initial encounter	ICD10
S23.110D	Subluxation of T1/T2 thoracic vertebra, subsequent encounter	ICD10
S23.110S	Subluxation of T1/T2 thoracic vertebra, sequela	ICD10
S23.111A	Dislocation of T1/T2 thoracic vertebra, initial encounter	ICD10
S23.111D	Dislocation of T1/T2 thoracic vertebra, subsequent encounter	ICD10
S23.111S	Dislocation of T1/T2 thoracic vertebra, sequela	ICD10
S23.120A	Subluxation of T2/T3 thoracic vertebra, initial encounter	ICD10
S23.120D	Subluxation of T2/T3 thoracic vertebra, subsequent encounter	ICD10
S23.120S	Subluxation of T2/T3 thoracic vertebra, sequela	ICD10
S23.121A	Dislocation of T2/T3 thoracic vertebra, initial encounter	ICD10
S23.121D	Dislocation of T2/T3 thoracic vertebra, subsequent encounter	ICD10
S23.121S	Dislocation of T2/T3 thoracic vertebra, sequela	ICD10
S23.122A	Subluxation of T3/T4 thoracic vertebra, initial encounter	ICD10
S23.122D	Subluxation of T3/T4 thoracic vertebra, subsequent encounter	ICD10
S23.122S	Subluxation of T3/T4 thoracic vertebra, sequela	ICD10
S23.123A	Dislocation of T3/T4 thoracic vertebra, initial encounter	ICD10
S23.123D	Dislocation of T3/T4 thoracic vertebra, subsequent encounter	ICD10
S23.123S	Dislocation of T3/T4 thoracic vertebra, sequela	ICD10
S23.130A	Subluxation of T4/T5 thoracic vertebra, initial encounter	ICD10
S23.130D	Subluxation of T4/T5 thoracic vertebra, subsequent encounter	ICD10
S23.130S	Subluxation of T4/T5 thoracic vertebra, sequela	ICD10
S23.131A	Dislocation of T4/T5 thoracic vertebra, initial encounter	ICD10
S23.131D	Dislocation of T4/T5 thoracic vertebra, subsequent encounter	ICD10
S23.131S	Dislocation of T4/T5 thoracic vertebra, sequela	ICD10
S23.132A	Subluxation of T5/T6 thoracic vertebra, initial encounter	ICD10
S23.132D	Subluxation of T5/T6 thoracic vertebra, subsequent encounter	ICD10
S23.132S	Subluxation of T5/T6 thoracic vertebra, sequela	ICD10
S23.133A	Dislocation of T5/T6 thoracic vertebra, initial encounter	ICD10

S23.133D	Dislocation of T5/T6 thoracic vertebra, subsequent encounter	ICD10
S23.133S	Dislocation of T5/T6 thoracic vertebra, sequela	ICD10
S23.140A	Subluxation of T6/T7 thoracic vertebra, initial encounter	ICD10
S23.140D	Subluxation of T6/T7 thoracic vertebra, subsequent encounter	ICD10
S23.140S	Subluxation of T6/T7 thoracic vertebra, sequela	ICD10
S23.141A	Dislocation of T6/T7 thoracic vertebra, initial encounter	ICD10
S23.141D	Dislocation of T6/T7 thoracic vertebra, subsequent encounter	ICD10
S23.141S	Dislocation of T6/T7 thoracic vertebra, sequela	ICD10
S23.142A	Subluxation of T7/T8 thoracic vertebra, initial encounter	ICD10
S23.142D	Subluxation of T7/T8 thoracic vertebra, subsequent encounter	ICD10
S23.142S	Subluxation of T7/T8 thoracic vertebra, sequela	ICD10
S23.143A	Dislocation of T7/T8 thoracic vertebra, initial encounter	ICD10
S23.143D	Dislocation of T7/T8 thoracic vertebra, subsequent encounter	ICD10
S23.143S	Dislocation of T7/T8 thoracic vertebra, sequela	ICD10
S23.150A	Subluxation of T8/T9 thoracic vertebra, initial encounter	ICD10
S23.150D	Subluxation of T8/T9 thoracic vertebra, subsequent encounter	ICD10
S23.150S	Subluxation of T8/T9 thoracic vertebra, sequela	ICD10
S23.151A	Dislocation of T8/T9 thoracic vertebra, initial encounter	ICD10
S23.151D	Dislocation of T8/T9 thoracic vertebra, subsequent encounter	ICD10
S23.151S	Dislocation of T8/T9 thoracic vertebra, sequela	ICD10
S23.152A	Subluxation of T9/T10 thoracic vertebra, initial encounter	ICD10
S23.152D	Subluxation of T9/T10 thoracic vertebra, subsequent encounter	ICD10
S23.152S	Subluxation of T9/T10 thoracic vertebra, sequela	ICD10
S23.153A	Dislocation of T9/T10 thoracic vertebra, initial encounter	ICD10
S23.153D	Dislocation of T9/T10 thoracic vertebra, subsequent encounter	ICD10
S23.153S	Dislocation of T9/T10 thoracic vertebra, sequela	ICD10
S23.160A	Subluxation of T10/T11 thoracic vertebra, initial encounter	ICD10
S23.160D	Subluxation of T10/T11 thoracic vertebra, subsequent encounter	ICD10
S23.160S	Subluxation of T10/T11 thoracic vertebra, sequela	ICD10
S23.161A	Dislocation of T10/T11 thoracic vertebra, initial encounter	ICD10
S23.161D	Dislocation of T10/T11 thoracic vertebra, subsequent encounter	ICD10
S23.161S	Dislocation of T10/T11 thoracic vertebra, sequela	ICD10
S23.162A	Subluxation of T11/T12 thoracic vertebra, initial encounter	ICD10
S23.162D	Subluxation of T11/T12 thoracic vertebra, subsequent encounter	ICD10
S23.162S	Subluxation of T11/T12 thoracic vertebra, sequela	ICD10
S23.163A	Dislocation of T11/T12 thoracic vertebra, initial encounter	ICD10
S23.163D	Dislocation of T11/T12 thoracic vertebra, subsequent encounter	ICD10
S23.163S	Dislocation of T11/T12 thoracic vertebra, sequela	ICD10
S23.170A	Subluxation of T12/L1 thoracic vertebra, initial encounter	ICD10
S23.170D	Subluxation of T12/L1 thoracic vertebra, subsequent encounter	ICD10
S23.170S	Subluxation of T12/L1 thoracic vertebra, sequela	ICD10
S23.171A	Dislocation of T12/L1 thoracic vertebra, initial encounter	ICD10
S23.171D	Dislocation of T12/L1 thoracic vertebra, subsequent encounter	ICD10
S23.171S	Dislocation of T12/L1 thoracic vertebra, sequela	ICD10
S23.20XA	Dislocation of unspecified part of thorax, initial encounter	ICD10
S23.20XD	Dislocation of unspecified part of thorax, subsequent encounter	ICD10
S23.20XS	Dislocation of unspecified part of thorax, sequela	ICD10
S23.29XA	Dislocation of other parts of thorax, initial encounter	ICD10
S23.29XD	Dislocation of other parts of thorax, subsequent encounter	ICD10
S23.29XS	Dislocation of other parts of thorax, sequela	ICD10
S24.0XXA	Concussion and edema of thoracic spinal cord, initial encounter	ICD10

S24.0XXD	Concussion and edema of thoracic spinal cord, subsequent encounter	ICD10
S24.0XXS	Concussion and edema of thoracic spinal cord, sequela	ICD10
S24.101A	Unspecified injury at T1 level of thoracic spinal cord, initial encounter	ICD10
S24.101D	Unspecified injury at T1 level of thoracic spinal cord, subsequent encounter	ICD10
S24.101S	Unspecified injury at T1 level of thoracic spinal cord, sequela	ICD10
S24.102A	Unspecified injury at T2-T6 level of thoracic spinal cord, initial encounter	ICD10
S24.102D	Unspecified injury at T2-T6 level of thoracic spinal cord, subsequent encounter	ICD10
S24.102S	Unspecified injury at T2-T6 level of thoracic spinal cord, sequela	ICD10
S24.103A	Unspecified injury at T7-T10 level of thoracic spinal cord, initial encounter	ICD10
S24.103D	Unspecified injury at T7-T10 level of thoracic spinal cord, subsequent encounter	ICD10
S24.103S	Unspecified injury at T7-T10 level of thoracic spinal cord, sequela	ICD10
S24.104A	Unspecified injury at T11-T12 level of thoracic spinal cord, initial encounter	ICD10
S24.104D	Unspecified injury at T11-T12 level of thoracic spinal cord, subsequent encounter	ICD10
S24.104S	Unspecified injury at T11-T12 level of thoracic spinal cord, sequela	ICD10
S24.109A	Unspecified injury at unspecified level of thoracic spinal cord, initial encounter	ICD10
S24.109D	Unspecified injury at unspecified level of thoracic spinal cord, subsequent encounter	ICD10
S24.109S	Unspecified injury at unspecified level of thoracic spinal cord, sequela	ICD10
S24.111A	Complete lesion at T1 level of thoracic spinal cord, initial encounter	ICD10
S24.111D	Complete lesion at T1 level of thoracic spinal cord, subsequent encounter	ICD10
S24.111S	Complete lesion at T1 level of thoracic spinal cord, sequela	ICD10
S24.112A	Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD10
S24.112D	Complete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter	ICD10
S24.112S	Complete lesion at T2-T6 level of thoracic spinal cord, sequela	ICD10
S24.113A	Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD10
S24.113D	Complete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter	ICD10
S24.113S	Complete lesion at T7-T10 level of thoracic spinal cord, sequela	ICD10
S24.114A	Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD10
S24.114D	Complete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter	ICD10
S24.114S	Complete lesion at T11-T12 level of thoracic spinal cord, sequela	ICD10
S24.119A	Complete lesion at unspecified level of thoracic spinal cord, initial encounter	ICD10
S24.119D	Complete lesion at unspecified level of thoracic spinal cord, subsequent encounter	ICD10
S24.119S	Complete lesion at unspecified level of thoracic spinal cord, sequela	ICD10
S24.131A	Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter	ICD10
S24.131D	Anterior cord syndrome at T1 level of thoracic spinal cord, subsequent encounter	ICD10
S24.131S	Anterior cord syndrome at T1 level of thoracic spinal cord, sequela	ICD10
S24.132A	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter	ICD10
S24.132D	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter	ICD10
S24.132S	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, sequela	ICD10
S24.133A	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter	ICD10
S24.133D	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter	ICD10
S24.133S	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, sequela	ICD10
S24.134A	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter	ICD10
S24.134D	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter	ICD10
S24.134S	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, sequela	ICD10
S24.139A	Anterior cord syndrome at unspecified level of thoracic spinal cord, initial encounter	ICD10
S24.139D	Anterior cord syndrome at unspecified level of thoracic spinal cord, subsequent encounter	ICD10
S24.139S	Anterior cord syndrome at unspecified level of thoracic spinal cord, sequela	ICD10
S24.141A	Brown-Sequard syndrome at T1 level of thoracic spinal cord, initial encounter	ICD10
S24.141D	Brown-Sequard syndrome at T1 level of thoracic spinal cord, subsequent encounter	ICD10
S24.141S	Brown-Sequard syndrome at T1 level of thoracic spinal cord, sequela	ICD10
S24.142A	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, initial encounter	ICD10

S24.142D	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter	ICD10
S24.142S	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, sequela	ICD10
S24.143A	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, initial encounter	ICD10
S24.143D	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter	ICD10
S24.143S	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, sequela	ICD10
S24.144A	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, initial encounter	ICD10
S24.144D	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter	ICD10
S24.144S	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, sequela	ICD10
S24.149A	Brown-Sequard syndrome at unspecified level of thoracic spinal cord, initial encounter	ICD10
S24.149D	Brown-Sequard syndrome at unspecified level of thoracic spinal cord, subsequent encounter	ICD10
S24.149S	Brown-Sequard syndrome at unspecified level of thoracic spinal cord, sequela	ICD10
S24.151A	Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter	ICD10
S24.151D	Other incomplete lesion at T1 level of thoracic spinal cord, subsequent encounter	ICD10
S24.151S	Other incomplete lesion at T1 level of thoracic spinal cord, sequela	ICD10
S24.152A	Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD10
S24.152D	Other incomplete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter	ICD10
S24.152S	Other incomplete lesion at T2-T6 level of thoracic spinal cord, sequela	ICD10
S24.153A	Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD10
S24.153D	Other incomplete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter	ICD10
S24.153S	Other incomplete lesion at T7-T10 level of thoracic spinal cord, sequela	ICD10
S24.154A	Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD10
S24.154D	Other incomplete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter	ICD10
S24.154S	Other incomplete lesion at T11-T12 level of thoracic spinal cord, sequela	ICD10
S24.159A	Other incomplete lesion at unspecified level of thoracic spinal cord, initial encounter	ICD10
S24.159D	Other incomplete lesion at unspecified level of thoracic spinal cord, subsequent encounter	ICD10
S24.159S	Other incomplete lesion at unspecified level of thoracic spinal cord, sequela	ICD10
S24.2XXA	Injury of nerve root of thoracic spine, initial encounter	ICD10
S24.2XXD	Injury of nerve root of thoracic spine, subsequent encounter	ICD10
S24.2XXS	Injury of nerve root of thoracic spine, sequela	ICD10
S24.3XXA	Injury of peripheral nerves of thorax, initial encounter	ICD10
S24.3XXD	Injury of peripheral nerves of thorax, subsequent encounter	ICD10
S24.3XXS	Injury of peripheral nerves of thorax, sequela	ICD10
S24.4XXA	Injury of thoracic sympathetic nervous system, initial encounter	ICD10
S24.4XXD	Injury of thoracic sympathetic nervous system, subsequent encounter	ICD10
S24.4XXS	Injury of thoracic sympathetic nervous system, sequela	ICD10
S24.8XXA	Injury of other specified nerves of thorax, initial encounter	ICD10
S24.8XXD	Injury of other specified nerves of thorax, subsequent encounter	ICD10
S24.8XXS	Injury of other specified nerves of thorax, sequela	ICD10
S24.9XXA	Injury of unspecified nerve of thorax, initial encounter	ICD10
S24.9XXD	Injury of unspecified nerve of thorax, subsequent encounter	ICD10
S24.9XXS	Injury of unspecified nerve of thorax, sequela	ICD10
S26.00XA	Unspecified injury of heart with hemopericardium, initial encounter	ICD10
S26.00XD	Unspecified injury of heart with hemopericardium, subsequent encounter	ICD10
S26.00XS	Unspecified injury of heart with hemopericardium, sequela	ICD10
S26.01XA	Contusion of heart with hemopericardium, initial encounter	ICD10
S26.01XD	Contusion of heart with hemopericardium, subsequent encounter	ICD10
S26.01XS	Contusion of heart with hemopericardium, sequela	ICD10
S26.020A	Mild laceration of heart with hemopericardium, initial encounter	ICD10
S26.020D	Mild laceration of heart with hemopericardium, subsequent encounter	ICD10
S26.020S	Mild laceration of heart with hemopericardium, sequela	ICD10
S26.021A	Moderate laceration of heart with hemopericardium, initial encounter	ICD10

S26.021D	Moderate laceration of heart with hemopericardium, subsequent encounter	ICD10
S26.021S	Moderate laceration of heart with hemopericardium, sequela	ICD10
S26.022A	Major laceration of heart with hemopericardium, initial encounter	ICD10
S26.022D	Major laceration of heart with hemopericardium, subsequent encounter	ICD10
S26.022S	Major laceration of heart with hemopericardium, sequela	ICD10
S26.09XA	Other injury of heart with hemopericardium, initial encounter	ICD10
S26.09XD	Other injury of heart with hemopericardium, subsequent encounter	ICD10
S26.09XS	Other injury of heart with hemopericardium, sequela	ICD10
S26.10XA	Unspecified injury of heart without hemopericardium, initial encounter	ICD10
S26.10XD	Unspecified injury of heart without hemopericardium, subsequent encounter	ICD10
S26.10XS	Unspecified injury of heart without hemopericardium, sequela	ICD10
S26.11XA	Contusion of heart without hemopericardium, initial encounter	ICD10
S26.11XD	Contusion of heart without hemopericardium, subsequent encounter	ICD10
S26.11XS	Contusion of heart without hemopericardium, sequela	ICD10
S26.12XA	Laceration of heart without hemopericardium, initial encounter	ICD10
S26.12XD	Laceration of heart without hemopericardium, subsequent encounter	ICD10
S26.12XS	Laceration of heart without hemopericardium, sequela	ICD10
S26.19XA	Other injury of heart without hemopericardium, initial encounter	ICD10
S26.19XD	Other injury of heart without hemopericardium, subsequent encounter	ICD10
S26.19XS	Other injury of heart without hemopericardium, sequela	ICD10
S26.90XA	Unspecified injury of heart, unspecified with or without hemopericardium, initial encounter	ICD10
S26.90XD	Unspecified injury of heart, unspecified with or without hemopericardium, subsequent encounter	ICD10
S26.90XS	Unspecified injury of heart, unspecified with or without hemopericardium, sequela	ICD10
S26.91XA	Contusion of heart, unspecified with or without hemopericardium, initial encounter	ICD10
S26.91XD	Contusion of heart, unspecified with or without hemopericardium, subsequent encounter	ICD10
S26.91XS	Contusion of heart, unspecified with or without hemopericardium, sequela	ICD10
S26.92XA	Laceration of heart, unspecified with or without hemopericardium, initial encounter	ICD10
S26.92XD	Laceration of heart, unspecified with or without hemopericardium, subsequent encounter	ICD10
S26.92XS	Laceration of heart, unspecified with or without hemopericardium, sequela	ICD10
S26.99XA	Other injury of heart, unspecified with or without hemopericardium, initial encounter	ICD10
S26.99XD	Other injury of heart, unspecified with or without hemopericardium, subsequent encounter	ICD10
S26.99XS	Other injury of heart, unspecified with or without hemopericardium, sequela	ICD10
S27.0XXA	Traumatic pneumothorax, initial encounter	ICD10
S27.0XXD	Traumatic pneumothorax, subsequent encounter	ICD10
S27.0XXS	Traumatic pneumothorax, sequela	ICD10
S27.1XXA	Traumatic hemothorax, initial encounter	ICD10
S27.1XXD	Traumatic hemothorax, subsequent encounter	ICD10
S27.1XXS	Traumatic hemothorax, sequela	ICD10
S27.2XXA	Traumatic hemopneumothorax, initial encounter	ICD10
S27.2XXD	Traumatic hemopneumothorax, subsequent encounter	ICD10
S27.2XXS	Traumatic hemopneumothorax, sequela	ICD10
S27.301A	Unspecified injury of lung, unilateral, initial encounter	ICD10
S27.301D	Unspecified injury of lung, unilateral, subsequent encounter	ICD10
S27.301S	Unspecified injury of lung, unilateral, sequela	ICD10
S27.302A	Unspecified injury of lung, bilateral, initial encounter	ICD10
S27.302D	Unspecified injury of lung, bilateral, subsequent encounter	ICD10
S27.302S	Unspecified injury of lung, bilateral, sequela	ICD10
S27.309A	Unspecified injury of lung, unspecified, initial encounter	ICD10
S27.309D	Unspecified injury of lung, unspecified, subsequent encounter	ICD10
S27.309S	Unspecified injury of lung, unspecified, sequela	ICD10

S27.311A	Primary blast injury of lung, unilateral, initial encounter	ICD10
S27.311D	Primary blast injury of lung, unilateral, subsequent encounter	ICD10
S27.311S	Primary blast injury of lung, unilateral, sequela	ICD10
S27.312A	Primary blast injury of lung, bilateral, initial encounter	ICD10
S27.312D	Primary blast injury of lung, bilateral, subsequent encounter	ICD10
S27.312S	Primary blast injury of lung, bilateral, sequela	ICD10
S27.319A	Primary blast injury of lung, unspecified, initial encounter	ICD10
S27.319D	Primary blast injury of lung, unspecified, subsequent encounter	ICD10
S27.319S	Primary blast injury of lung, unspecified, sequela	ICD10
S27.321A	Contusion of lung, unilateral, initial encounter	ICD10
S27.321D	Contusion of lung, unilateral, subsequent encounter	ICD10
S27.321S	Contusion of lung, unilateral, sequela	ICD10
S27.322A	Contusion of lung, bilateral, initial encounter	ICD10
S27.322D	Contusion of lung, bilateral, subsequent encounter	ICD10
S27.322S	Contusion of lung, bilateral, sequela	ICD10
S27.329A	Contusion of lung, unspecified, initial encounter	ICD10
S27.329D	Contusion of lung, unspecified, subsequent encounter	ICD10
S27.329S	Contusion of lung, unspecified, sequela	ICD10
S27.331A	Laceration of lung, unilateral, initial encounter	ICD10
S27.331D	Laceration of lung, unilateral, subsequent encounter	ICD10
S27.331S	Laceration of lung, unilateral, sequela	ICD10
S27.332A	Laceration of lung, bilateral, initial encounter	ICD10
S27.332D	Laceration of lung, bilateral, subsequent encounter	ICD10
S27.332S	Laceration of lung, bilateral, sequela	ICD10
S27.339A	Laceration of lung, unspecified, initial encounter	ICD10
S27.339D	Laceration of lung, unspecified, subsequent encounter	ICD10
S27.339S	Laceration of lung, unspecified, sequela	ICD10
S27.391A	Other injuries of lung, unilateral, initial encounter	ICD10
S27.391D	Other injuries of lung, unilateral, subsequent encounter	ICD10
S27.391S	Other injuries of lung, unilateral, sequela	ICD10
S27.392A	Other injuries of lung, bilateral, initial encounter	ICD10
S27.392D	Other injuries of lung, bilateral, subsequent encounter	ICD10
S27.392S	Other injuries of lung, bilateral, sequela	ICD10
S27.399A	Other injuries of lung, unspecified, initial encounter	ICD10
S27.399D	Other injuries of lung, unspecified, subsequent encounter	ICD10
S27.399S	Other injuries of lung, unspecified, sequela	ICD10
S27.401A	Unspecified injury of bronchus, unilateral, initial encounter	ICD10
S27.401D	Unspecified injury of bronchus, unilateral, subsequent encounter	ICD10
S27.401S	Unspecified injury of bronchus, unilateral, sequela	ICD10
S27.402A	Unspecified injury of bronchus, bilateral, initial encounter	ICD10
S27.402D	Unspecified injury of bronchus, bilateral, subsequent encounter	ICD10
S27.402S	Unspecified injury of bronchus, bilateral, sequela	ICD10
S27.409A	Unspecified injury of bronchus, unspecified, initial encounter	ICD10
S27.409D	Unspecified injury of bronchus, unspecified, subsequent encounter	ICD10
S27.409S	Unspecified injury of bronchus, unspecified, sequela	ICD10
S27.411A	Primary blast injury of bronchus, unilateral, initial encounter	ICD10
S27.411D	Primary blast injury of bronchus, unilateral, subsequent encounter	ICD10
S27.411S	Primary blast injury of bronchus, unilateral, sequela	ICD10
S27.412A	Primary blast injury of bronchus, bilateral, initial encounter	ICD10
S27.412D	Primary blast injury of bronchus, bilateral, subsequent encounter	ICD10
S27.412S	Primary blast injury of bronchus, bilateral, sequela	ICD10

S27.419A	Primary blast injury of bronchus, unspecified, initial encounter	ICD10
S27.419D	Primary blast injury of bronchus, unspecified, subsequent encounter	ICD10
S27.419S	Primary blast injury of bronchus, unspecified, sequela	ICD10
S27.421A	Contusion of bronchus, unilateral, initial encounter	ICD10
S27.421D	Contusion of bronchus, unilateral, subsequent encounter	ICD10
S27.421S	Contusion of bronchus, unilateral, sequela	ICD10
S27.422A	Contusion of bronchus, bilateral, initial encounter	ICD10
S27.422D	Contusion of bronchus, bilateral, subsequent encounter	ICD10
S27.422S	Contusion of bronchus, bilateral, sequela	ICD10
S27.429A	Contusion of bronchus, unspecified, initial encounter	ICD10
S27.429D	Contusion of bronchus, unspecified, subsequent encounter	ICD10
S27.429S	Contusion of bronchus, unspecified, sequela	ICD10
S27.431A	Laceration of bronchus, unilateral, initial encounter	ICD10
S27.431D	Laceration of bronchus, unilateral, subsequent encounter	ICD10
S27.431S	Laceration of bronchus, unilateral, sequela	ICD10
S27.432A	Laceration of bronchus, bilateral, initial encounter	ICD10
S27.432D	Laceration of bronchus, bilateral, subsequent encounter	ICD10
S27.432S	Laceration of bronchus, bilateral, sequela	ICD10
S27.439A	Laceration of bronchus, unspecified, initial encounter	ICD10
S27.439D	Laceration of bronchus, unspecified, subsequent encounter	ICD10
S27.439S	Laceration of bronchus, unspecified, sequela	ICD10
S27.491A	Other injury of bronchus, unilateral, initial encounter	ICD10
S27.491D	Other injury of bronchus, unilateral, subsequent encounter	ICD10
S27.491S	Other injury of bronchus, unilateral, sequela	ICD10
S27.492A	Other injury of bronchus, bilateral, initial encounter	ICD10
S27.492D	Other injury of bronchus, bilateral, subsequent encounter	ICD10
S27.492S	Other injury of bronchus, bilateral, sequela	ICD10
S27.499A	Other injury of bronchus, unspecified, initial encounter	ICD10
S27.499D	Other injury of bronchus, unspecified, subsequent encounter	ICD10
S27.499S	Other injury of bronchus, unspecified, sequela	ICD10
S27.50XA	Unspecified injury of thoracic trachea, initial encounter	ICD10
S27.50XD	Unspecified injury of thoracic trachea, subsequent encounter	ICD10
S27.50XS	Unspecified injury of thoracic trachea, sequela	ICD10
S27.51XA	Primary blast injury of thoracic trachea, initial encounter	ICD10
S27.51XD	Primary blast injury of thoracic trachea, subsequent encounter	ICD10
S27.51XS	Primary blast injury of thoracic trachea, sequela	ICD10
S27.52XA	Contusion of thoracic trachea, initial encounter	ICD10
S27.52XD	Contusion of thoracic trachea, subsequent encounter	ICD10
S27.52XS	Contusion of thoracic trachea, sequela	ICD10
S27.53XA	Laceration of thoracic trachea, initial encounter	ICD10
S27.53XD	Laceration of thoracic trachea, subsequent encounter	ICD10
S27.53XS	Laceration of thoracic trachea, sequela	ICD10
S27.59XA	Other injury of thoracic trachea, initial encounter	ICD10
S27.59XD	Other injury of thoracic trachea, subsequent encounter	ICD10
S27.59XS	Other injury of thoracic trachea, sequela	ICD10
S27.60XA	Unspecified injury of pleura, initial encounter	ICD10
S27.60XD	Unspecified injury of pleura, subsequent encounter	ICD10
S27.60XS	Unspecified injury of pleura, sequela	ICD10
S27.63XA	Laceration of pleura, initial encounter	ICD10
S27.63XD	Laceration of pleura, subsequent encounter	ICD10
S27.63XS	Laceration of pleura, sequela	ICD10

S27.69XA	Other injury of pleura, initial encounter	ICD10
S27.69XD	Other injury of pleura, subsequent encounter	ICD10
S27.69XS	Other injury of pleura, sequela	ICD10
S27.802A	Contusion of diaphragm, initial encounter	ICD10
S27.802D	Contusion of diaphragm, subsequent encounter	ICD10
S27.802S	Contusion of diaphragm, sequela	ICD10
S27.803A	Laceration of diaphragm, initial encounter	ICD10
S27.803D	Laceration of diaphragm, subsequent encounter	ICD10
S27.803S	Laceration of diaphragm, sequela	ICD10
S27.808A	Other injury of diaphragm, initial encounter	ICD10
S27.808D	Other injury of diaphragm, subsequent encounter	ICD10
S27.808S	Other injury of diaphragm, sequela	ICD10
S27.809A	Unspecified injury of diaphragm, initial encounter	ICD10
S27.809D	Unspecified injury of diaphragm, subsequent encounter	ICD10
S27.809S	Unspecified injury of diaphragm, sequela	ICD10
S27.812A	Contusion of esophagus (thoracic part), initial encounter	ICD10
S27.812D	Contusion of esophagus (thoracic part), subsequent encounter	ICD10
S27.812S	Contusion of esophagus (thoracic part), sequela	ICD10
S27.813A	Laceration of esophagus (thoracic part), initial encounter	ICD10
S27.813D	Laceration of esophagus (thoracic part), subsequent encounter	ICD10
S27.813S	Laceration of esophagus (thoracic part), sequela	ICD10
S27.818A	Other injury of esophagus (thoracic part), initial encounter	ICD10
S27.818D	Other injury of esophagus (thoracic part), subsequent encounter	ICD10
S27.818S	Other injury of esophagus (thoracic part), sequela	ICD10
S27.819A	Unspecified injury of esophagus (thoracic part), initial encounter	ICD10
S27.819D	Unspecified injury of esophagus (thoracic part), subsequent encounter	ICD10
S27.819S	Unspecified injury of esophagus (thoracic part), sequela	ICD10
S27.892A	Contusion of other specified intrathoracic organs, initial encounter	ICD10
S27.892D	Contusion of other specified intrathoracic organs, subsequent encounter	ICD10
S27.892S	Contusion of other specified intrathoracic organs, sequela	ICD10
S27.893A	Laceration of other specified intrathoracic organs, initial encounter	ICD10
S27.893D	Laceration of other specified intrathoracic organs, subsequent encounter	ICD10
S27.893S	Laceration of other specified intrathoracic organs, sequela	ICD10
S27.898A	Other injury of other specified intrathoracic organs, initial encounter	ICD10
S27.898D	Other injury of other specified intrathoracic organs, subsequent encounter	ICD10
S27.898S	Other injury of other specified intrathoracic organs, sequela	ICD10
S27.899A	Unspecified injury of other specified intrathoracic organs, initial encounter	ICD10
S27.899D	Unspecified injury of other specified intrathoracic organs, subsequent encounter	ICD10
S27.899S	Unspecified injury of other specified intrathoracic organs, sequela	ICD10
S27.9XXA	Injury of unspecified intrathoracic organ, initial encounter	ICD10
S27.9XXD	Injury of unspecified intrathoracic organ, subsequent encounter	ICD10
S27.9XXS	Injury of unspecified intrathoracic organ, sequela	ICD10
S29.8XXA	Other specified injuries of thorax, initial encounter	ICD10
S29.8XXD	Other specified injuries of thorax, subsequent encounter	ICD10
S29.8XXS	Other specified injuries of thorax, sequela	ICD10
S29.9XXA	Unspecified injury of thorax, initial encounter	ICD10
S29.9XXD	Unspecified injury of thorax, subsequent encounter	ICD10
S29.9XXS	Unspecified injury of thorax, sequela	ICD10
S31.001A	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD10

S31.001D	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD10
S31.001S	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, sequela	ICD10
S31.011A	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD10
S31.011D	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD10
S31.011S	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela	ICD10
S31.021A	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD10
S31.021D	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD10
S31.021S	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela	ICD10
S31.031A	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD10
S31.031D	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD10
S31.031S	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela	ICD10
S31.041A	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD10
S31.041D	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD10
S31.041S	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela	ICD10
S31.051A	Open bite of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD10
S31.051D	Open bite of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD10
S31.051S	Open bite of lower back and pelvis with penetration into retroperitoneum, sequela	ICD10
S31.600A	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.600D	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.600S	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.601A	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.601D	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.601S	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.602A	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD10
S31.602D	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.602S	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD10

S31.603A	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.603D	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.603S	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.604A	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.604D	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.604S	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.605A	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD10
S31.605D	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.605S	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD10
S31.609A	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.609D	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.609S	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.610A	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.610D	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.610S	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.611A	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.611D	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.611S	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.612A	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD10
S31.612D	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.612S	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD10
S31.613A	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.613D	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.613S	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.614A	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10

S31.614D	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.614S	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.615A	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD10
S31.615D	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.615S	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD10
S31.619A	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.619D	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.619S	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.620A	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.620D	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.620S	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.621A	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.621D	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.621S	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.622A	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD10
S31.622D	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.622S	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD10
S31.623A	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.623D	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.623S	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.624A	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.624D	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.624S	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.625A	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD10
S31.625D	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD10

S31.625S	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD10
S31.629A	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.629D	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.629S	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.630A	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.630D	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.630S	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.631A	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.631D	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.631S	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.632A	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD10
S31.632D	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.632S	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD10
S31.633A	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.633D	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.633S	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.634A	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.634D	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.634S	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.635A	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD10
S31.635D	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.635S	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD10
S31.639A	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.639D	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.639S	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD10

S31.640A	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.640D	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.640S	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.641A	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.641D	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.641S	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.642A	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD10
S31.642D	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.642S	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD10
S31.643A	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.643D	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.643S	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.644A	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.644D	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.644S	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.645A	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD10
S31.645D	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.645S	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD10
S31.649A	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.649D	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.649S	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.650A	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.650D	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.650S	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.651A	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD10

S31.651D	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.651S	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.652A	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD10
S31.652D	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.652S	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD10
S31.653A	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.653D	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.653S	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.654A	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.654D	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.654S	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD10
S31.655A	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD10
S31.655D	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.655S	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD10
S31.659A	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD10
S31.659D	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD10
S31.659S	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD10
S32.000A	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD10
S32.000B	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD10
S32.000D	Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.000G	Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.000K	Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.000S	Wedge compression fracture of unspecified lumbar vertebra, sequela	ICD10
S32.001A	Stable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD10
S32.001B	Stable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD10
S32.001D	Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.001G	Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.001K	Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10

S32.001S	Stable burst fracture of unspecified lumbar vertebra, sequela	ICD10
S32.002A	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD10
S32.002B	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD10
S32.002D	Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.002G	Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.002K	Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.002S	Unstable burst fracture of unspecified lumbar vertebra, sequela	ICD10
S32.008A	Other fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD10
S32.008B	Other fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD10
S32.008D	Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.008G	Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.008K	Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.008S	Other fracture of unspecified lumbar vertebra, sequela	ICD10
S32.009A	Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD10
S32.009B	Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD10
S32.009D	Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.009G	Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.009K	Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.009S	Unspecified fracture of unspecified lumbar vertebra, sequela	ICD10
S32.010A	Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture	ICD10
S32.010B	Wedge compression fracture of first lumbar vertebra, initial encounter for open fracture	ICD10
S32.010D	Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.010G	Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.010K	Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.010S	Wedge compression fracture of first lumbar vertebra, sequela	ICD10
S32.011A	Stable burst fracture of first lumbar vertebra, initial encounter for closed fracture	ICD10
S32.011B	Stable burst fracture of first lumbar vertebra, initial encounter for open fracture	ICD10
S32.011D	Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.011G	Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.011K	Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.011S	Stable burst fracture of first lumbar vertebra, sequela	ICD10
S32.012A	Unstable burst fracture of first lumbar vertebra, initial encounter for closed fracture	ICD10
S32.012B	Unstable burst fracture of first lumbar vertebra, initial encounter for open fracture	ICD10
S32.012D	Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.012G	Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10

S32.012K	Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.012S	Unstable burst fracture of first lumbar vertebra, sequela	ICD10
S32.018A	Other fracture of first lumbar vertebra, initial encounter for closed fracture	ICD10
S32.018B	Other fracture of first lumbar vertebra, initial encounter for open fracture	ICD10
S32.018D	Other fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.018G	Other fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.018K	Other fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.018S	Other fracture of first lumbar vertebra, sequela	ICD10
S32.019A	Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture	ICD10
S32.019B	Unspecified fracture of first lumbar vertebra, initial encounter for open fracture	ICD10
S32.019D	Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.019G	Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.019K	Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.019S	Unspecified fracture of first lumbar vertebra, sequela	ICD10
S32.020A	Wedge compression fracture of second lumbar vertebra, initial encounter for closed fracture	ICD10
S32.020B	Wedge compression fracture of second lumbar vertebra, initial encounter for open fracture	ICD10
S32.020D	Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.020G	Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.020K	Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.020S	Wedge compression fracture of second lumbar vertebra, sequela	ICD10
S32.021A	Stable burst fracture of second lumbar vertebra, initial encounter for closed fracture	ICD10
S32.021B	Stable burst fracture of second lumbar vertebra, initial encounter for open fracture	ICD10
S32.021D	Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.021G	Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.021K	Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.021S	Stable burst fracture of second lumbar vertebra, sequela	ICD10
S32.022A	Unstable burst fracture of second lumbar vertebra, initial encounter for closed fracture	ICD10
S32.022B	Unstable burst fracture of second lumbar vertebra, initial encounter for open fracture	ICD10
S32.022D	Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.022G	Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.022K	Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.022S	Unstable burst fracture of second lumbar vertebra, sequela	ICD10
S32.028A	Other fracture of second lumbar vertebra, initial encounter for closed fracture	ICD10
S32.028B	Other fracture of second lumbar vertebra, initial encounter for open fracture	ICD10
S32.028D	Other fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.028G	Other fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.028K	Other fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10

S32.028S	Other fracture of second lumbar vertebra, sequela	ICD10
S32.029A	Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture	ICD10
S32.029B	Unspecified fracture of second lumbar vertebra, initial encounter for open fracture	ICD10
S32.029D	Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.029G	Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.029K	Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.029S	Unspecified fracture of second lumbar vertebra, sequela	ICD10
S32.030A	Wedge compression fracture of third lumbar vertebra, initial encounter for closed fracture	ICD10
S32.030B	Wedge compression fracture of third lumbar vertebra, initial encounter for open fracture	ICD10
S32.030D	Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.030G	Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.030K	Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.030S	Wedge compression fracture of third lumbar vertebra, sequela	ICD10
S32.031A	Stable burst fracture of third lumbar vertebra, initial encounter for closed fracture	ICD10
S32.031B	Stable burst fracture of third lumbar vertebra, initial encounter for open fracture	ICD10
S32.031D	Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.031G	Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.031K	Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.031S	Stable burst fracture of third lumbar vertebra, sequela	ICD10
S32.032A	Unstable burst fracture of third lumbar vertebra, initial encounter for closed fracture	ICD10
S32.032B	Unstable burst fracture of third lumbar vertebra, initial encounter for open fracture	ICD10
S32.032D	Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.032G	Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.032K	Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.032S	Unstable burst fracture of third lumbar vertebra, sequela	ICD10
S32.038A	Other fracture of third lumbar vertebra, initial encounter for closed fracture	ICD10
S32.038B	Other fracture of third lumbar vertebra, initial encounter for open fracture	ICD10
S32.038D	Other fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.038G	Other fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.038K	Other fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.038S	Other fracture of third lumbar vertebra, sequela	ICD10
S32.039A	Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture	ICD10
S32.039B	Unspecified fracture of third lumbar vertebra, initial encounter for open fracture	ICD10
S32.039D	Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.039G	Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.039K	Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.039S	Unspecified fracture of third lumbar vertebra, sequela	ICD10
S32.040A	Wedge compression fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD10

S32.040B	Wedge compression fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD10
S32.040D	Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.040G	Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.040K	Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.040S	Wedge compression fracture of fourth lumbar vertebra, sequela	ICD10
S32.041A	Stable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.041B	Stable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD10
S32.041D	Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.041G	Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.041K	Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.041S	Stable burst fracture of fourth lumbar vertebra, sequela	ICD10
S32.042A	Unstable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.042B	Unstable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD10
S32.042D	Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.042G	Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.042K	Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.042S	Unstable burst fracture of fourth lumbar vertebra, sequela	ICD10
S32.048A	Other fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.048B	Other fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD10
S32.048D	Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.048G	Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.048K	Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.048S	Other fracture of fourth lumbar vertebra, sequela	ICD10
S32.049A	Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.049B	Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD10
S32.049D	Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.049G	Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.049K	Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.049S	Unspecified fracture of fourth lumbar vertebra, sequela	ICD10
S32.050A	Wedge compression fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.050B	Wedge compression fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD10
S32.050D	Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.050G	Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.050K	Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10

S32.050S	Wedge compression fracture of fifth lumbar vertebra, sequela	ICD10
S32.051A	Stable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.051B	Stable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD10
S32.051D	Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.051G	Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.051K	Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.051S	Stable burst fracture of fifth lumbar vertebra, sequela	ICD10
S32.052A	Unstable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.052B	Unstable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD10
S32.052D	Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.052G	Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.052K	Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.052S	Unstable burst fracture of fifth lumbar vertebra, sequela	ICD10
S32.058A	Other fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.058B	Other fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD10
S32.058D	Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.058G	Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.058K	Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.058S	Other fracture of fifth lumbar vertebra, sequela	ICD10
S32.059A	Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD10
S32.059B	Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD10
S32.059D	Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD10
S32.059G	Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD10
S32.059K	Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD10
S32.059S	Unspecified fracture of fifth lumbar vertebra, sequela	ICD10
S32.10XA	Unspecified fracture of sacrum, initial encounter for closed fracture	ICD10
S32.10XB	Unspecified fracture of sacrum, initial encounter for open fracture	ICD10
S32.10XD	Unspecified fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.10XG	Unspecified fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.10XK	Unspecified fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.10XS	Unspecified fracture of sacrum, sequela	ICD10
S32.110A	Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD10
S32.110B	Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture	ICD10
S32.110D	Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.110G	Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.110K	Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.110S	Nondisplaced Zone I fracture of sacrum, sequela	ICD10
S32.111A	Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD10
S32.111B	Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture	ICD10
S32.111D	Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.111G	Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.111K	Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10

S32.111S	Minimally displaced Zone I fracture of sacrum, sequela	ICD10
S32.112A	Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD10
S32.112B	Severely displaced Zone I fracture of sacrum, initial encounter for open fracture	ICD10
S32.112D	Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.112G	Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.112K	Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.112S	Severely displaced Zone I fracture of sacrum, sequela	ICD10
S32.119A	Unspecified Zone I fracture of sacrum, initial encounter for closed fracture	ICD10
S32.119B	Unspecified Zone I fracture of sacrum, initial encounter for open fracture	ICD10
S32.119D	Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.119G	Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.119K	Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.119S	Unspecified Zone I fracture of sacrum, sequela	ICD10
S32.120A	Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD10
S32.120B	Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture	ICD10
S32.120D	Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.120G	Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.120K	Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.120S	Nondisplaced Zone II fracture of sacrum, sequela	ICD10
S32.121A	Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD10
S32.121B	Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture	ICD10
S32.121D	Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.121G	Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.121K	Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.121S	Minimally displaced Zone II fracture of sacrum, sequela	ICD10
S32.122A	Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD10
S32.122B	Severely displaced Zone II fracture of sacrum, initial encounter for open fracture	ICD10
S32.122D	Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.122G	Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.122K	Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.122S	Severely displaced Zone II fracture of sacrum, sequela	ICD10
S32.129A	Unspecified Zone II fracture of sacrum, initial encounter for closed fracture	ICD10
S32.129B	Unspecified Zone II fracture of sacrum, initial encounter for open fracture	ICD10
S32.129D	Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.129G	Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.129K	Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.129S	Unspecified Zone II fracture of sacrum, sequela	ICD10
S32.130A	Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD10
S32.130B	Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture	ICD10
S32.130D	Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.130G	Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10

S32.130K	Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.130S	Nondisplaced Zone III fracture of sacrum, sequela	ICD10
S32.131A	Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD10
S32.131B	Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture	ICD10
S32.131D	Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.131G	Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.131K	Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.131S	Minimally displaced Zone III fracture of sacrum, sequela	ICD10
S32.132A	Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD10
S32.132B	Severely displaced Zone III fracture of sacrum, initial encounter for open fracture	ICD10
S32.132D	Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.132G	Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.132K	Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.132S	Severely displaced Zone III fracture of sacrum, sequela	ICD10
S32.139A	Unspecified Zone III fracture of sacrum, initial encounter for closed fracture	ICD10
S32.139B	Unspecified Zone III fracture of sacrum, initial encounter for open fracture	ICD10
S32.139D	Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.139G	Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.139K	Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.139S	Unspecified Zone III fracture of sacrum, sequela	ICD10
S32.14XA	Type 1 fracture of sacrum, initial encounter for closed fracture	ICD10
S32.14XB	Type 1 fracture of sacrum, initial encounter for open fracture	ICD10
S32.14XD	Type 1 fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.14XG	Type 1 fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.14XK	Type 1 fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.14XS	Type 1 fracture of sacrum, sequela	ICD10
S32.15XA	Type 2 fracture of sacrum, initial encounter for closed fracture	ICD10
S32.15XB	Type 2 fracture of sacrum, initial encounter for open fracture	ICD10
S32.15XD	Type 2 fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.15XG	Type 2 fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.15XK	Type 2 fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.15XS	Type 2 fracture of sacrum, sequela	ICD10
S32.16XA	Type 3 fracture of sacrum, initial encounter for closed fracture	ICD10
S32.16XB	Type 3 fracture of sacrum, initial encounter for open fracture	ICD10
S32.16XD	Type 3 fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.16XG	Type 3 fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.16XK	Type 3 fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.16XS	Type 3 fracture of sacrum, sequela	ICD10
S32.17XA	Type 4 fracture of sacrum, initial encounter for closed fracture	ICD10
S32.17XB	Type 4 fracture of sacrum, initial encounter for open fracture	ICD10
S32.17XD	Type 4 fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.17XG	Type 4 fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.17XK	Type 4 fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.17XS	Type 4 fracture of sacrum, sequela	ICD10
S32.19XA	Other fracture of sacrum, initial encounter for closed fracture	ICD10
S32.19XB	Other fracture of sacrum, initial encounter for open fracture	ICD10

S32.19XD	Other fracture of sacrum, subsequent encounter for fracture with routine healing	ICD10
S32.19XG	Other fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD10
S32.19XK	Other fracture of sacrum, subsequent encounter for fracture with nonunion	ICD10
S32.19XS	Other fracture of sacrum, sequela	ICD10
S32.2XXA	Fracture of coccyx, initial encounter for closed fracture	ICD10
S32.2XXB	Fracture of coccyx, initial encounter for open fracture	ICD10
S32.2XXD	Fracture of coccyx, subsequent encounter for fracture with routine healing	ICD10
S32.2XXG	Fracture of coccyx, subsequent encounter for fracture with delayed healing	ICD10
S32.2XXK	Fracture of coccyx, subsequent encounter for fracture with nonunion	ICD10
S32.2XXS	Fracture of coccyx, sequela	ICD10
S32.301A	Unspecified fracture of right ilium, initial encounter for closed fracture	ICD10
S32.301B	Unspecified fracture of right ilium, initial encounter for open fracture	ICD10
S32.301D	Unspecified fracture of right ilium, subsequent encounter for fracture with routine healing	ICD10
S32.301G	Unspecified fracture of right ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.301K	Unspecified fracture of right ilium, subsequent encounter for fracture with nonunion	ICD10
S32.301S	Unspecified fracture of right ilium, sequela	ICD10
S32.302A	Unspecified fracture of left ilium, initial encounter for closed fracture	ICD10
S32.302B	Unspecified fracture of left ilium, initial encounter for open fracture	ICD10
S32.302D	Unspecified fracture of left ilium, subsequent encounter for fracture with routine healing	ICD10
S32.302G	Unspecified fracture of left ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.302K	Unspecified fracture of left ilium, subsequent encounter for fracture with nonunion	ICD10
S32.302S	Unspecified fracture of left ilium, sequela	ICD10
S32.309A	Unspecified fracture of unspecified ilium, initial encounter for closed fracture	ICD10
S32.309B	Unspecified fracture of unspecified ilium, initial encounter for open fracture	ICD10
S32.309D	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with routine healing	ICD10
S32.309G	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.309K	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with nonunion	ICD10
S32.309S	Unspecified fracture of unspecified ilium, sequela	ICD10
S32.311A	Displaced avulsion fracture of right ilium, initial encounter for closed fracture	ICD10
S32.311B	Displaced avulsion fracture of right ilium, initial encounter for open fracture	ICD10
S32.311D	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing	ICD10
S32.311G	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.311K	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion	ICD10
S32.311S	Displaced avulsion fracture of right ilium, sequela	ICD10
S32.312A	Displaced avulsion fracture of left ilium, initial encounter for closed fracture	ICD10
S32.312B	Displaced avulsion fracture of left ilium, initial encounter for open fracture	ICD10
S32.312D	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing	ICD10
S32.312G	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.312K	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion	ICD10
S32.312S	Displaced avulsion fracture of left ilium, sequela	ICD10
S32.313A	Displaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	ICD10
S32.313B	Displaced avulsion fracture of unspecified ilium, initial encounter for open fracture	ICD10
S32.313D	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing	ICD10
S32.313G	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing	ICD10

S32.313K	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with nonunion	ICD10
S32.313S	Displaced avulsion fracture of unspecified ilium, sequela	ICD10
S32.314A	Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture	ICD10
S32.314B	Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture	ICD10
S32.314D	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing	ICD10
S32.314G	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.314K	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion	ICD10
S32.314S	Nondisplaced avulsion fracture of right ilium, sequela	ICD10
S32.315A	Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture	ICD10
S32.315B	Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture	ICD10
S32.315D	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing	ICD10
S32.315G	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.315K	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion	ICD10
S32.315S	Nondisplaced avulsion fracture of left ilium, sequela	ICD10
S32.316A	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	ICD10
S32.316B	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for open fracture	ICD10
S32.316D	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing	ICD10
S32.316G	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.316K	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with nonunion	ICD10
S32.316S	Nondisplaced avulsion fracture of unspecified ilium, sequela	ICD10
S32.391A	Other fracture of right ilium, initial encounter for closed fracture	ICD10
S32.391B	Other fracture of right ilium, initial encounter for open fracture	ICD10
S32.391D	Other fracture of right ilium, subsequent encounter for fracture with routine healing	ICD10
S32.391G	Other fracture of right ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.391K	Other fracture of right ilium, subsequent encounter for fracture with nonunion	ICD10
S32.391S	Other fracture of right ilium, sequela	ICD10
S32.392A	Other fracture of left ilium, initial encounter for closed fracture	ICD10
S32.392B	Other fracture of left ilium, initial encounter for open fracture	ICD10
S32.392D	Other fracture of left ilium, subsequent encounter for fracture with routine healing	ICD10
S32.392G	Other fracture of left ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.392K	Other fracture of left ilium, subsequent encounter for fracture with nonunion	ICD10
S32.392S	Other fracture of left ilium, sequela	ICD10
S32.399A	Other fracture of unspecified ilium, initial encounter for closed fracture	ICD10
S32.399B	Other fracture of unspecified ilium, initial encounter for open fracture	ICD10
S32.399D	Other fracture of unspecified ilium, subsequent encounter for fracture with routine healing	ICD10
S32.399G	Other fracture of unspecified ilium, subsequent encounter for fracture with delayed healing	ICD10
S32.399K	Other fracture of unspecified ilium, subsequent encounter for fracture with nonunion	ICD10
S32.399S	Other fracture of unspecified ilium, sequela	ICD10
S32.401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture	ICD10
S32.401B	Unspecified fracture of right acetabulum, initial encounter for open fracture	ICD10
S32.401D	Unspecified fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD10

S32.401G	Unspecified fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.401K	Unspecified fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.401S	Unspecified fracture of right acetabulum, sequela	ICD10
S32.402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture	ICD10
S32.402B	Unspecified fracture of left acetabulum, initial encounter for open fracture	ICD10
S32.402D	Unspecified fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.402G	Unspecified fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.402K	Unspecified fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.402S	Unspecified fracture of left acetabulum, sequela	ICD10
S32.409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.409D	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.409G	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.409K	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.409S	Unspecified fracture of unspecified acetabulum, sequela	ICD10
S32.411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	ICD10
S32.411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	ICD10
S32.411D	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.411G	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.411K	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.411S	Displaced fracture of anterior wall of right acetabulum, sequela	ICD10
S32.412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	ICD10
S32.412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	ICD10
S32.412D	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.412G	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.412K	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.412S	Displaced fracture of anterior wall of left acetabulum, sequela	ICD10
S32.413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.413D	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.413G	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.413K	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.413S	Displaced fracture of anterior wall of unspecified acetabulum, sequela	ICD10
S32.414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	ICD10
S32.414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	ICD10

S32.414D	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.414G	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.414K	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.414S	Nondisplaced fracture of anterior wall of right acetabulum, sequela	ICD10
S32.415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	ICD10
S32.415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	ICD10
S32.415D	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.415G	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.415K	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.415S	Nondisplaced fracture of anterior wall of left acetabulum, sequela	ICD10
S32.416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.416D	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.416G	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.416K	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.416S	Nondisplaced fracture of anterior wall of unspecified acetabulum, sequela	ICD10
S32.421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	ICD10
S32.421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	ICD10
S32.421D	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.421G	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.421K	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.421S	Displaced fracture of posterior wall of right acetabulum, sequela	ICD10
S32.422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	ICD10
S32.422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	ICD10
S32.422D	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.422G	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.422K	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.422S	Displaced fracture of posterior wall of left acetabulum, sequela	ICD10
S32.423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.423D	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10

S32.423G	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.423K	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.423S	Displaced fracture of posterior wall of unspecified acetabulum, sequela	ICD10
S32.424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	ICD10
S32.424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	ICD10
S32.424D	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.424G	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.424K	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.424S	Nondisplaced fracture of posterior wall of right acetabulum, sequela	ICD10
S32.425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	ICD10
S32.425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	ICD10
S32.425D	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.425G	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.425K	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.425S	Nondisplaced fracture of posterior wall of left acetabulum, sequela	ICD10
S32.426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.426D	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.426G	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.426K	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.426S	Nondisplaced fracture of posterior wall of unspecified acetabulum, sequela	ICD10
S32.431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	ICD10
S32.431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	ICD10
S32.431D	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.431G	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.431K	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.431S	Displaced fracture of anterior column [iliopubic] of right acetabulum, sequela	ICD10
S32.432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	ICD10
S32.432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	ICD10
S32.432D	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing	ICD10

S32.432G	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.432K	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.432S	Displaced fracture of anterior column [iliopubic] of left acetabulum, sequela	ICD10
S32.433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.433D	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.433G	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.433K	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.433S	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela	ICD10
S32.434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	ICD10
S32.434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	ICD10
S32.434D	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.434G	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.434K	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.434S	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, sequela	ICD10
S32.435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	ICD10
S32.435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	ICD10
S32.435D	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.435G	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.435K	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.435S	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, sequela	ICD10
S32.436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.436D	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.436G	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.436K	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.436S	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela	ICD10
S32.441A	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	ICD10

S32.441B	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	ICD10
S32.441D	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.441G	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.441K	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.441S	Displaced fracture of posterior column [ilioischial] of right acetabulum, sequela	ICD10
S32.442A	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	ICD10
S32.442B	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	ICD10
S32.442D	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.442G	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.442K	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.442S	Displaced fracture of posterior column [ilioischial] of left acetabulum, sequela	ICD10
S32.443A	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.443B	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.443D	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.443G	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.443K	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.443S	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela	ICD10
S32.444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	ICD10
S32.444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	ICD10
S32.444D	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.444G	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.444K	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.444S	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, sequela	ICD10
S32.445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	ICD10
S32.445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	ICD10
S32.445D	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.445G	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10

S32.445K	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.445S	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, sequela	ICD10
S32.446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.446D	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.446G	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.446K	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.446S	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela	ICD10
S32.451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture	ICD10
S32.451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture	ICD10
S32.451D	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.451G	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.451K	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.451S	Displaced transverse fracture of right acetabulum, sequela	ICD10
S32.452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture	ICD10
S32.452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture	ICD10
S32.452D	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.452G	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.452K	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.452S	Displaced transverse fracture of left acetabulum, sequela	ICD10
S32.453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.453D	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.453G	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.453K	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.453S	Displaced transverse fracture of unspecified acetabulum, sequela	ICD10
S32.454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture	ICD10
S32.454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture	ICD10
S32.454D	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.454G	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.454K	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.454S	Nondisplaced transverse fracture of right acetabulum, sequela	ICD10
S32.455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture	ICD10

S32.455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture	ICD10
S32.455D	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.455G	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.455K	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.455S	Nondisplaced transverse fracture of left acetabulum, sequela	ICD10
S32.456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.456D	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.456G	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.456K	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.456S	Nondisplaced transverse fracture of unspecified acetabulum, sequela	ICD10
S32.461A	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	ICD10
S32.461B	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	ICD10
S32.461D	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.461G	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.461K	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.461S	Displaced associated transverse-posterior fracture of right acetabulum, sequela	ICD10
S32.462A	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	ICD10
S32.462B	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	ICD10
S32.462D	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.462G	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.462K	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.462S	Displaced associated transverse-posterior fracture of left acetabulum, sequela	ICD10
S32.463A	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.463B	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.463D	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.463G	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.463K	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.463S	Displaced associated transverse-posterior fracture of unspecified acetabulum, sequela	ICD10

S32.464A	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	ICD10
S32.464B	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	ICD10
S32.464D	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.464G	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.464K	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.464S	Nondisplaced associated transverse-posterior fracture of right acetabulum, sequela	ICD10
S32.465A	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	ICD10
S32.465B	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	ICD10
S32.465D	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.465G	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.465K	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.465S	Nondisplaced associated transverse-posterior fracture of left acetabulum, sequela	ICD10
S32.466A	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.466B	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.466D	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.466G	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.466K	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.466S	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, sequela	ICD10
S32.471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	ICD10
S32.471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture	ICD10
S32.471D	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.471G	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.471K	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.471S	Displaced fracture of medial wall of right acetabulum, sequela	ICD10
S32.472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	ICD10
S32.472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture	ICD10
S32.472D	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.472G	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.472K	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.472S	Displaced fracture of medial wall of left acetabulum, sequela	ICD10

S32.473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.473D	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.473G	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.473K	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.473S	Displaced fracture of medial wall of unspecified acetabulum, sequela	ICD10
S32.474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	ICD10
S32.474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture	ICD10
S32.474D	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.474G	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.474K	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.474S	Nondisplaced fracture of medial wall of right acetabulum, sequela	ICD10
S32.475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	ICD10
S32.475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture	ICD10
S32.475D	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.475G	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.475K	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.475S	Nondisplaced fracture of medial wall of left acetabulum, sequela	ICD10
S32.476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.476D	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.476G	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.476K	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.476S	Nondisplaced fracture of medial wall of unspecified acetabulum, sequela	ICD10
S32.481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture	ICD10
S32.481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture	ICD10
S32.481D	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.481G	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.481K	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.481S	Displaced dome fracture of right acetabulum, sequela	ICD10
S32.482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture	ICD10
S32.482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture	ICD10
S32.482D	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD10

S32.482G	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.482K	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.482S	Displaced dome fracture of left acetabulum, sequela	ICD10
S32.483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.483D	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.483G	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.483K	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.483S	Displaced dome fracture of unspecified acetabulum, sequela	ICD10
S32.484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture	ICD10
S32.484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture	ICD10
S32.484D	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.484G	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.484K	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.484S	Nondisplaced dome fracture of right acetabulum, sequela	ICD10
S32.485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture	ICD10
S32.485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture	ICD10
S32.485D	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.485G	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.485K	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.485S	Nondisplaced dome fracture of left acetabulum, sequela	ICD10
S32.486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.486D	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.486G	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.486K	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.486S	Nondisplaced dome fracture of unspecified acetabulum, sequela	ICD10
S32.491A	Other specified fracture of right acetabulum, initial encounter for closed fracture	ICD10
S32.491B	Other specified fracture of right acetabulum, initial encounter for open fracture	ICD10
S32.491D	Other specified fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.491G	Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.491K	Other specified fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.491S	Other specified fracture of right acetabulum, sequela	ICD10
S32.492A	Other specified fracture of left acetabulum, initial encounter for closed fracture	ICD10
S32.492B	Other specified fracture of left acetabulum, initial encounter for open fracture	ICD10

S32.492D	Other specified fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.492G	Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.492K	Other specified fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.492S	Other specified fracture of left acetabulum, sequela	ICD10
S32.499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture	ICD10
S32.499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture	ICD10
S32.499D	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD10
S32.499G	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD10
S32.499K	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD10
S32.499S	Other specified fracture of unspecified acetabulum, sequela	ICD10
S32.501A	Unspecified fracture of right pubis, initial encounter for closed fracture	ICD10
S32.501B	Unspecified fracture of right pubis, initial encounter for open fracture	ICD10
S32.501D	Unspecified fracture of right pubis, subsequent encounter for fracture with routine healing	ICD10
S32.501G	Unspecified fracture of right pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.501K	Unspecified fracture of right pubis, subsequent encounter for fracture with nonunion	ICD10
S32.501S	Unspecified fracture of right pubis, sequela	ICD10
S32.502A	Unspecified fracture of left pubis, initial encounter for closed fracture	ICD10
S32.502B	Unspecified fracture of left pubis, initial encounter for open fracture	ICD10
S32.502D	Unspecified fracture of left pubis, subsequent encounter for fracture with routine healing	ICD10
S32.502G	Unspecified fracture of left pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.502K	Unspecified fracture of left pubis, subsequent encounter for fracture with nonunion	ICD10
S32.502S	Unspecified fracture of left pubis, sequela	ICD10
S32.509A	Unspecified fracture of unspecified pubis, initial encounter for closed fracture	ICD10
S32.509B	Unspecified fracture of unspecified pubis, initial encounter for open fracture	ICD10
S32.509D	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with routine healing	ICD10
S32.509G	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.509K	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with nonunion	ICD10
S32.509S	Unspecified fracture of unspecified pubis, sequela	ICD10
S32.511A	Fracture of superior rim of right pubis, initial encounter for closed fracture	ICD10
S32.511B	Fracture of superior rim of right pubis, initial encounter for open fracture	ICD10
S32.511D	Fracture of superior rim of right pubis, subsequent encounter for fracture with routine healing	ICD10
S32.511G	Fracture of superior rim of right pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.511K	Fracture of superior rim of right pubis, subsequent encounter for fracture with nonunion	ICD10
S32.511S	Fracture of superior rim of right pubis, sequela	ICD10
S32.512A	Fracture of superior rim of left pubis, initial encounter for closed fracture	ICD10
S32.512B	Fracture of superior rim of left pubis, initial encounter for open fracture	ICD10
S32.512D	Fracture of superior rim of left pubis, subsequent encounter for fracture with routine healing	ICD10
S32.512G	Fracture of superior rim of left pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.512K	Fracture of superior rim of left pubis, subsequent encounter for fracture with nonunion	ICD10
S32.512S	Fracture of superior rim of left pubis, sequela	ICD10
S32.519A	Fracture of superior rim of unspecified pubis, initial encounter for closed fracture	ICD10
S32.519B	Fracture of superior rim of unspecified pubis, initial encounter for open fracture	ICD10
S32.519D	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with routine healing	ICD10

S32.519G	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.519K	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with nonunion	ICD10
S32.519S	Fracture of superior rim of unspecified pubis, sequela	ICD10
S32.591A	Other specified fracture of right pubis, initial encounter for closed fracture	ICD10
S32.591B	Other specified fracture of right pubis, initial encounter for open fracture	ICD10
S32.591D	Other specified fracture of right pubis, subsequent encounter for fracture with routine healing	ICD10
S32.591G	Other specified fracture of right pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.591K	Other specified fracture of right pubis, subsequent encounter for fracture with nonunion	ICD10
S32.591S	Other specified fracture of right pubis, sequela	ICD10
S32.592A	Other specified fracture of left pubis, initial encounter for closed fracture	ICD10
S32.592B	Other specified fracture of left pubis, initial encounter for open fracture	ICD10
S32.592D	Other specified fracture of left pubis, subsequent encounter for fracture with routine healing	ICD10
S32.592G	Other specified fracture of left pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.592K	Other specified fracture of left pubis, subsequent encounter for fracture with nonunion	ICD10
S32.592S	Other specified fracture of left pubis, sequela	ICD10
S32.599A	Other specified fracture of unspecified pubis, initial encounter for closed fracture	ICD10
S32.599B	Other specified fracture of unspecified pubis, initial encounter for open fracture	ICD10
S32.599D	Other specified fracture of unspecified pubis, subsequent encounter for fracture with routine healing	ICD10
S32.599G	Other specified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing	ICD10
S32.599K	Other specified fracture of unspecified pubis, subsequent encounter for fracture with nonunion	ICD10
S32.599S	Other specified fracture of unspecified pubis, sequela	ICD10
S32.601A	Unspecified fracture of right ischium, initial encounter for closed fracture	ICD10
S32.601B	Unspecified fracture of right ischium, initial encounter for open fracture	ICD10
S32.601D	Unspecified fracture of right ischium, subsequent encounter for fracture with routine healing	ICD10
S32.601G	Unspecified fracture of right ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.601K	Unspecified fracture of right ischium, subsequent encounter for fracture with nonunion	ICD10
S32.601S	Unspecified fracture of right ischium, sequela	ICD10
S32.602A	Unspecified fracture of left ischium, initial encounter for closed fracture	ICD10
S32.602B	Unspecified fracture of left ischium, initial encounter for open fracture	ICD10
S32.602D	Unspecified fracture of left ischium, subsequent encounter for fracture with routine healing	ICD10
S32.602G	Unspecified fracture of left ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.602K	Unspecified fracture of left ischium, subsequent encounter for fracture with nonunion	ICD10
S32.602S	Unspecified fracture of left ischium, sequela	ICD10
S32.609A	Unspecified fracture of unspecified ischium, initial encounter for closed fracture	ICD10
S32.609B	Unspecified fracture of unspecified ischium, initial encounter for open fracture	ICD10
S32.609D	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with routine healing	ICD10
S32.609G	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.609K	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with nonunion	ICD10
S32.609S	Unspecified fracture of unspecified ischium, sequela	ICD10
S32.611A	Displaced avulsion fracture of right ischium, initial encounter for closed fracture	ICD10
S32.611B	Displaced avulsion fracture of right ischium, initial encounter for open fracture	ICD10
S32.611D	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing	ICD10
S32.611G	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.611K	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion	ICD10

S32.611S	Displaced avulsion fracture of right ischium, sequela	ICD10
S32.612A	Displaced avulsion fracture of left ischium, initial encounter for closed fracture	ICD10
S32.612B	Displaced avulsion fracture of left ischium, initial encounter for open fracture	ICD10
S32.612D	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing	ICD10
S32.612G	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.612K	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion	ICD10
S32.612S	Displaced avulsion fracture of left ischium, sequela	ICD10
S32.613A	Displaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	ICD10
S32.613B	Displaced avulsion fracture of unspecified ischium, initial encounter for open fracture	ICD10
S32.613D	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing	ICD10
S32.613G	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.613K	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with nonunion	ICD10
S32.613S	Displaced avulsion fracture of unspecified ischium, sequela	ICD10
S32.614A	Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture	ICD10
S32.614B	Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture	ICD10
S32.614D	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing	ICD10
S32.614G	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.614K	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion	ICD10
S32.614S	Nondisplaced avulsion fracture of right ischium, sequela	ICD10
S32.615A	Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture	ICD10
S32.615B	Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture	ICD10
S32.615D	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing	ICD10
S32.615G	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.615K	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion	ICD10
S32.615S	Nondisplaced avulsion fracture of left ischium, sequela	ICD10
S32.616A	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	ICD10
S32.616B	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for open fracture	ICD10
S32.616D	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing	ICD10
S32.616G	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.616K	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with nonunion	ICD10
S32.616S	Nondisplaced avulsion fracture of unspecified ischium, sequela	ICD10
S32.691A	Other specified fracture of right ischium, initial encounter for closed fracture	ICD10
S32.691B	Other specified fracture of right ischium, initial encounter for open fracture	ICD10
S32.691D	Other specified fracture of right ischium, subsequent encounter for fracture with routine healing	ICD10
S32.691G	Other specified fracture of right ischium, subsequent encounter for fracture with delayed healing	ICD10

S32.691K	Other specified fracture of right ischium, subsequent encounter for fracture with nonunion	ICD10
S32.691S	Other specified fracture of right ischium, sequela	ICD10
S32.692A	Other specified fracture of left ischium, initial encounter for closed fracture	ICD10
S32.692B	Other specified fracture of left ischium, initial encounter for open fracture	ICD10
S32.692D	Other specified fracture of left ischium, subsequent encounter for fracture with routine healing	ICD10
S32.692G	Other specified fracture of left ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.692K	Other specified fracture of left ischium, subsequent encounter for fracture with nonunion	ICD10
S32.692S	Other specified fracture of left ischium, sequela	ICD10
S32.699A	Other specified fracture of unspecified ischium, initial encounter for closed fracture	ICD10
S32.699B	Other specified fracture of unspecified ischium, initial encounter for open fracture	ICD10
S32.699D	Other specified fracture of unspecified ischium, subsequent encounter for fracture with routine healing	ICD10
S32.699G	Other specified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing	ICD10
S32.699K	Other specified fracture of unspecified ischium, subsequent encounter for fracture with nonunion	ICD10
S32.699S	Other specified fracture of unspecified ischium, sequela	ICD10
S32.810A	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for closed fracture	ICD10
S32.810B	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture	ICD10
S32.810D	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with routine healing	ICD10
S32.810G	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with delayed healing	ICD10
S32.810K	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with nonunion	ICD10
S32.810S	Multiple fractures of pelvis with stable disruption of pelvic ring, sequela	ICD10
S32.811A	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture	ICD10
S32.811B	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture	ICD10
S32.811D	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with routine healing	ICD10
S32.811G	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with delayed healing	ICD10
S32.811K	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with nonunion	ICD10
S32.811S	Multiple fractures of pelvis with unstable disruption of pelvic ring, sequela	ICD10
S32.89XA	Fracture of other parts of pelvis, initial encounter for closed fracture	ICD10
S32.89XB	Fracture of other parts of pelvis, initial encounter for open fracture	ICD10
S32.89XD	Fracture of other parts of pelvis, subsequent encounter for fracture with routine healing	ICD10
S32.89XG	Fracture of other parts of pelvis, subsequent encounter for fracture with delayed healing	ICD10
S32.89XK	Fracture of other parts of pelvis, subsequent encounter for fracture with nonunion	ICD10
S32.89XS	Fracture of other parts of pelvis, sequela	ICD10
S32.9XXA	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture	ICD10
S32.9XXB	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture	ICD10
S32.9XXD	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with routine healing	ICD10

S32.9XXG	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with delayed healing	ICD10
S32.9XXK	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with nonunion	ICD10
S32.9XXS	Fracture of unspecified parts of lumbosacral spine and pelvis, sequela	ICD10
S33.0XXA	Traumatic rupture of lumbar intervertebral disc, initial encounter	ICD10
S33.0XXD	Traumatic rupture of lumbar intervertebral disc, subsequent encounter	ICD10
S33.0XXS	Traumatic rupture of lumbar intervertebral disc, sequela	ICD10
S33.100A	Subluxation of unspecified lumbar vertebra, initial encounter	ICD10
S33.100D	Subluxation of unspecified lumbar vertebra, subsequent encounter	ICD10
S33.100S	Subluxation of unspecified lumbar vertebra, sequela	ICD10
S33.101A	Dislocation of unspecified lumbar vertebra, initial encounter	ICD10
S33.101D	Dislocation of unspecified lumbar vertebra, subsequent encounter	ICD10
S33.101S	Dislocation of unspecified lumbar vertebra, sequela	ICD10
S33.110A	Subluxation of L1/L2 lumbar vertebra, initial encounter	ICD10
S33.110D	Subluxation of L1/L2 lumbar vertebra, subsequent encounter	ICD10
S33.110S	Subluxation of L1/L2 lumbar vertebra, sequela	ICD10
S33.111A	Dislocation of L1/L2 lumbar vertebra, initial encounter	ICD10
S33.111D	Dislocation of L1/L2 lumbar vertebra, subsequent encounter	ICD10
S33.111S	Dislocation of L1/L2 lumbar vertebra, sequela	ICD10
S33.120A	Subluxation of L2/L3 lumbar vertebra, initial encounter	ICD10
S33.120D	Subluxation of L2/L3 lumbar vertebra, subsequent encounter	ICD10
S33.120S	Subluxation of L2/L3 lumbar vertebra, sequela	ICD10
S33.121A	Dislocation of L2/L3 lumbar vertebra, initial encounter	ICD10
S33.121D	Dislocation of L2/L3 lumbar vertebra, subsequent encounter	ICD10
S33.121S	Dislocation of L2/L3 lumbar vertebra, sequela	ICD10
S33.130A	Subluxation of L3/L4 lumbar vertebra, initial encounter	ICD10
S33.130D	Subluxation of L3/L4 lumbar vertebra, subsequent encounter	ICD10
S33.130S	Subluxation of L3/L4 lumbar vertebra, sequela	ICD10
S33.131A	Dislocation of L3/L4 lumbar vertebra, initial encounter	ICD10
S33.131D	Dislocation of L3/L4 lumbar vertebra, subsequent encounter	ICD10
S33.131S	Dislocation of L3/L4 lumbar vertebra, sequela	ICD10
S33.140A	Subluxation of L4/L5 lumbar vertebra, initial encounter	ICD10
S33.140D	Subluxation of L4/L5 lumbar vertebra, subsequent encounter	ICD10
S33.140S	Subluxation of L4/L5 lumbar vertebra, sequela	ICD10
S33.141A	Dislocation of L4/L5 lumbar vertebra, initial encounter	ICD10
S33.141D	Dislocation of L4/L5 lumbar vertebra, subsequent encounter	ICD10
S33.141S	Dislocation of L4/L5 lumbar vertebra, sequela	ICD10
S33.2XXA	Dislocation of sacroiliac and sacrococcygeal joint, initial encounter	ICD10
S33.2XXD	Dislocation of sacroiliac and sacrococcygeal joint, subsequent encounter	ICD10
S33.2XXS	Dislocation of sacroiliac and sacrococcygeal joint, sequela	ICD10
S33.30XA	Dislocation of unspecified parts of lumbar spine and pelvis, initial encounter	ICD10
S33.30XD	Dislocation of unspecified parts of lumbar spine and pelvis, subsequent encounter	ICD10
S33.30XS	Dislocation of unspecified parts of lumbar spine and pelvis, sequela	ICD10
S33.39XA	Dislocation of other parts of lumbar spine and pelvis, initial encounter	ICD10
S33.39XD	Dislocation of other parts of lumbar spine and pelvis, subsequent encounter	ICD10
S33.39XS	Dislocation of other parts of lumbar spine and pelvis, sequela	ICD10
S34.01XA	Concussion and edema of lumbar spinal cord, initial encounter	ICD10
S34.01XD	Concussion and edema of lumbar spinal cord, subsequent encounter	ICD10
S34.01XS	Concussion and edema of lumbar spinal cord, sequela	ICD10
S34.02XA	Concussion and edema of sacral spinal cord, initial encounter	ICD10

S34.02XD	Concussion and edema of sacral spinal cord, subsequent encounter	ICD10
S34.02XS	Concussion and edema of sacral spinal cord, sequela	ICD10
S34.101A	Unspecified injury to L1 level of lumbar spinal cord, initial encounter	ICD10
S34.101D	Unspecified injury to L1 level of lumbar spinal cord, subsequent encounter	ICD10
S34.101S	Unspecified injury to L1 level of lumbar spinal cord, sequela	ICD10
S34.102A	Unspecified injury to L2 level of lumbar spinal cord, initial encounter	ICD10
S34.102D	Unspecified injury to L2 level of lumbar spinal cord, subsequent encounter	ICD10
S34.102S	Unspecified injury to L2 level of lumbar spinal cord, sequela	ICD10
S34.103A	Unspecified injury to L3 level of lumbar spinal cord, initial encounter	ICD10
S34.103D	Unspecified injury to L3 level of lumbar spinal cord, subsequent encounter	ICD10
S34.103S	Unspecified injury to L3 level of lumbar spinal cord, sequela	ICD10
S34.104A	Unspecified injury to L4 level of lumbar spinal cord, initial encounter	ICD10
S34.104D	Unspecified injury to L4 level of lumbar spinal cord, subsequent encounter	ICD10
S34.104S	Unspecified injury to L4 level of lumbar spinal cord, sequela	ICD10
S34.105A	Unspecified injury to L5 level of lumbar spinal cord, initial encounter	ICD10
S34.105D	Unspecified injury to L5 level of lumbar spinal cord, subsequent encounter	ICD10
S34.105S	Unspecified injury to L5 level of lumbar spinal cord, sequela	ICD10
S34.109A	Unspecified injury to unspecified level of lumbar spinal cord, initial encounter	ICD10
S34.109D	Unspecified injury to unspecified level of lumbar spinal cord, subsequent encounter	ICD10
S34.109S	Unspecified injury to unspecified level of lumbar spinal cord, sequela	ICD10
S34.111A	Complete lesion of L1 level of lumbar spinal cord, initial encounter	ICD10
S34.111D	Complete lesion of L1 level of lumbar spinal cord, subsequent encounter	ICD10
S34.111S	Complete lesion of L1 level of lumbar spinal cord, sequela	ICD10
S34.112A	Complete lesion of L2 level of lumbar spinal cord, initial encounter	ICD10
S34.112D	Complete lesion of L2 level of lumbar spinal cord, subsequent encounter	ICD10
S34.112S	Complete lesion of L2 level of lumbar spinal cord, sequela	ICD10
S34.113A	Complete lesion of L3 level of lumbar spinal cord, initial encounter	ICD10
S34.113D	Complete lesion of L3 level of lumbar spinal cord, subsequent encounter	ICD10
S34.113S	Complete lesion of L3 level of lumbar spinal cord, sequela	ICD10
S34.114A	Complete lesion of L4 level of lumbar spinal cord, initial encounter	ICD10
S34.114D	Complete lesion of L4 level of lumbar spinal cord, subsequent encounter	ICD10
S34.114S	Complete lesion of L4 level of lumbar spinal cord, sequela	ICD10
S34.115A	Complete lesion of L5 level of lumbar spinal cord, initial encounter	ICD10
S34.115D	Complete lesion of L5 level of lumbar spinal cord, subsequent encounter	ICD10
S34.115S	Complete lesion of L5 level of lumbar spinal cord, sequela	ICD10
S34.119A	Complete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD10
S34.119D	Complete lesion of unspecified level of lumbar spinal cord, subsequent encounter	ICD10
S34.119S	Complete lesion of unspecified level of lumbar spinal cord, sequela	ICD10
S34.121A	Incomplete lesion of L1 level of lumbar spinal cord, initial encounter	ICD10
S34.121D	Incomplete lesion of L1 level of lumbar spinal cord, subsequent encounter	ICD10
S34.121S	Incomplete lesion of L1 level of lumbar spinal cord, sequela	ICD10
S34.122A	Incomplete lesion of L2 level of lumbar spinal cord, initial encounter	ICD10
S34.122D	Incomplete lesion of L2 level of lumbar spinal cord, subsequent encounter	ICD10
S34.122S	Incomplete lesion of L2 level of lumbar spinal cord, sequela	ICD10
S34.123A	Incomplete lesion of L3 level of lumbar spinal cord, initial encounter	ICD10
S34.123D	Incomplete lesion of L3 level of lumbar spinal cord, subsequent encounter	ICD10
S34.123S	Incomplete lesion of L3 level of lumbar spinal cord, sequela	ICD10
S34.124A	Incomplete lesion of L4 level of lumbar spinal cord, initial encounter	ICD10
S34.124D	Incomplete lesion of L4 level of lumbar spinal cord, subsequent encounter	ICD10
S34.124S	Incomplete lesion of L4 level of lumbar spinal cord, sequela	ICD10
S34.125A	Incomplete lesion of L5 level of lumbar spinal cord, initial encounter	ICD10

S34.125D	Incomplete lesion of L5 level of lumbar spinal cord, subsequent encounter	ICD10
S34.125S	Incomplete lesion of L5 level of lumbar spinal cord, sequela	ICD10
S34.129A	Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD10
S34.129D	Incomplete lesion of unspecified level of lumbar spinal cord, subsequent encounter	ICD10
S34.129S	Incomplete lesion of unspecified level of lumbar spinal cord, sequela	ICD10
S34.131A	Complete lesion of sacral spinal cord, initial encounter	ICD10
S34.131D	Complete lesion of sacral spinal cord, subsequent encounter	ICD10
S34.131S	Complete lesion of sacral spinal cord, sequela	ICD10
S34.132A	Incomplete lesion of sacral spinal cord, initial encounter	ICD10
S34.132D	Incomplete lesion of sacral spinal cord, subsequent encounter	ICD10
S34.132S	Incomplete lesion of sacral spinal cord, sequela	ICD10
S34.139A	Unspecified injury to sacral spinal cord, initial encounter	ICD10
S34.139D	Unspecified injury to sacral spinal cord, subsequent encounter	ICD10
S34.139S	Unspecified injury to sacral spinal cord, sequela	ICD10
S34.3XXA	Injury of cauda equina, initial encounter	ICD10
S34.3XXD	Injury of cauda equina, subsequent encounter	ICD10
S34.3XXS	Injury of cauda equina, sequela	ICD10
S36.00XA	Unspecified injury of spleen, initial encounter	ICD10
S36.00XD	Unspecified injury of spleen, subsequent encounter	ICD10
S36.00XS	Unspecified injury of spleen, sequela	ICD10
S36.020A	Minor contusion of spleen, initial encounter	ICD10
S36.020D	Minor contusion of spleen, subsequent encounter	ICD10
S36.020S	Minor contusion of spleen, sequela	ICD10
S36.021A	Major contusion of spleen, initial encounter	ICD10
S36.021D	Major contusion of spleen, subsequent encounter	ICD10
S36.021S	Major contusion of spleen, sequela	ICD10
S36.029A	Unspecified contusion of spleen, initial encounter	ICD10
S36.029D	Unspecified contusion of spleen, subsequent encounter	ICD10
S36.029S	Unspecified contusion of spleen, sequela	ICD10
S36.030A	Superficial (capsular) laceration of spleen, initial encounter	ICD10
S36.030D	Superficial (capsular) laceration of spleen, subsequent encounter	ICD10
S36.030S	Superficial (capsular) laceration of spleen, sequela	ICD10
S36.031A	Moderate laceration of spleen, initial encounter	ICD10
S36.031D	Moderate laceration of spleen, subsequent encounter	ICD10
S36.031S	Moderate laceration of spleen, sequela	ICD10
S36.032A	Major laceration of spleen, initial encounter	ICD10
S36.032D	Major laceration of spleen, subsequent encounter	ICD10
S36.032S	Major laceration of spleen, sequela	ICD10
S36.039A	Unspecified laceration of spleen, initial encounter	ICD10
S36.039D	Unspecified laceration of spleen, subsequent encounter	ICD10
S36.039S	Unspecified laceration of spleen, sequela	ICD10
S36.09XA	Other injury of spleen, initial encounter	ICD10
S36.09XD	Other injury of spleen, subsequent encounter	ICD10
S36.09XS	Other injury of spleen, sequela	ICD10
S36.112A	Contusion of liver, initial encounter	ICD10
S36.112D	Contusion of liver, subsequent encounter	ICD10
S36.112S	Contusion of liver, sequela	ICD10
S36.113A	Laceration of liver, unspecified degree, initial encounter	ICD10
S36.113D	Laceration of liver, unspecified degree, subsequent encounter	ICD10
S36.113S	Laceration of liver, unspecified degree, sequela	ICD10
S36.114A	Minor laceration of liver, initial encounter	ICD10

S36.114D	Minor laceration of liver, subsequent encounter	ICD10
S36.114S	Minor laceration of liver, sequela	ICD10
S36.115A	Moderate laceration of liver, initial encounter	ICD10
S36.115D	Moderate laceration of liver, subsequent encounter	ICD10
S36.115S	Moderate laceration of liver, sequela	ICD10
S36.116A	Major laceration of liver, initial encounter	ICD10
S36.116D	Major laceration of liver, subsequent encounter	ICD10
S36.116S	Major laceration of liver, sequela	ICD10
S36.118A	Other injury of liver, initial encounter	ICD10
S36.118D	Other injury of liver, subsequent encounter	ICD10
S36.118S	Other injury of liver, sequela	ICD10
S36.119A	Unspecified injury of liver, initial encounter	ICD10
S36.119D	Unspecified injury of liver, subsequent encounter	ICD10
S36.119S	Unspecified injury of liver, sequela	ICD10
S36.122A	Contusion of gallbladder, initial encounter	ICD10
S36.122D	Contusion of gallbladder, subsequent encounter	ICD10
S36.122S	Contusion of gallbladder, sequela	ICD10
S36.123A	Laceration of gallbladder, initial encounter	ICD10
S36.123D	Laceration of gallbladder, subsequent encounter	ICD10
S36.123S	Laceration of gallbladder, sequela	ICD10
S36.128A	Other injury of gallbladder, initial encounter	ICD10
S36.128D	Other injury of gallbladder, subsequent encounter	ICD10
S36.128S	Other injury of gallbladder, sequela	ICD10
S36.129A	Unspecified injury of gallbladder, initial encounter	ICD10
S36.129D	Unspecified injury of gallbladder, subsequent encounter	ICD10
S36.129S	Unspecified injury of gallbladder, sequela	ICD10
S36.13XA	Injury of bile duct, initial encounter	ICD10
S36.13XD	Injury of bile duct, subsequent encounter	ICD10
S36.13XS	Injury of bile duct, sequela	ICD10
S36.200A	Unspecified injury of head of pancreas, initial encounter	ICD10
S36.200D	Unspecified injury of head of pancreas, subsequent encounter	ICD10
S36.200S	Unspecified injury of head of pancreas, sequela	ICD10
S36.201A	Unspecified injury of body of pancreas, initial encounter	ICD10
S36.201D	Unspecified injury of body of pancreas, subsequent encounter	ICD10
S36.201S	Unspecified injury of body of pancreas, sequela	ICD10
S36.202A	Unspecified injury of tail of pancreas, initial encounter	ICD10
S36.202D	Unspecified injury of tail of pancreas, subsequent encounter	ICD10
S36.202S	Unspecified injury of tail of pancreas, sequela	ICD10
S36.209A	Unspecified injury of unspecified part of pancreas, initial encounter	ICD10
S36.209D	Unspecified injury of unspecified part of pancreas, subsequent encounter	ICD10
S36.209S	Unspecified injury of unspecified part of pancreas, sequela	ICD10
S36.220A	Contusion of head of pancreas, initial encounter	ICD10
S36.220D	Contusion of head of pancreas, subsequent encounter	ICD10
S36.220S	Contusion of head of pancreas, sequela	ICD10
S36.221A	Contusion of body of pancreas, initial encounter	ICD10
S36.221D	Contusion of body of pancreas, subsequent encounter	ICD10
S36.221S	Contusion of body of pancreas, sequela	ICD10
S36.222A	Contusion of tail of pancreas, initial encounter	ICD10
S36.222D	Contusion of tail of pancreas, subsequent encounter	ICD10
S36.222S	Contusion of tail of pancreas, sequela	ICD10
S36.229A	Contusion of unspecified part of pancreas, initial encounter	ICD10

S36.229D	Contusion of unspecified part of pancreas, subsequent encounter	ICD10
S36.229S	Contusion of unspecified part of pancreas, sequela	ICD10
S36.230A	Laceration of head of pancreas, unspecified degree, initial encounter	ICD10
S36.230D	Laceration of head of pancreas, unspecified degree, subsequent encounter	ICD10
S36.230S	Laceration of head of pancreas, unspecified degree, sequela	ICD10
S36.231A	Laceration of body of pancreas, unspecified degree, initial encounter	ICD10
S36.231D	Laceration of body of pancreas, unspecified degree, subsequent encounter	ICD10
S36.231S	Laceration of body of pancreas, unspecified degree, sequela	ICD10
S36.232A	Laceration of tail of pancreas, unspecified degree, initial encounter	ICD10
S36.232D	Laceration of tail of pancreas, unspecified degree, subsequent encounter	ICD10
S36.232S	Laceration of tail of pancreas, unspecified degree, sequela	ICD10
S36.239A	Laceration of unspecified part of pancreas, unspecified degree, initial encounter	ICD10
S36.239D	Laceration of unspecified part of pancreas, unspecified degree, subsequent encounter	ICD10
S36.239S	Laceration of unspecified part of pancreas, unspecified degree, sequela	ICD10
S36.240A	Minor laceration of head of pancreas, initial encounter	ICD10
S36.240D	Minor laceration of head of pancreas, subsequent encounter	ICD10
S36.240S	Minor laceration of head of pancreas, sequela	ICD10
S36.241A	Minor laceration of body of pancreas, initial encounter	ICD10
S36.241D	Minor laceration of body of pancreas, subsequent encounter	ICD10
S36.241S	Minor laceration of body of pancreas, sequela	ICD10
S36.242A	Minor laceration of tail of pancreas, initial encounter	ICD10
S36.242D	Minor laceration of tail of pancreas, subsequent encounter	ICD10
S36.242S	Minor laceration of tail of pancreas, sequela	ICD10
S36.249A	Minor laceration of unspecified part of pancreas, initial encounter	ICD10
S36.249D	Minor laceration of unspecified part of pancreas, subsequent encounter	ICD10
S36.249S	Minor laceration of unspecified part of pancreas, sequela	ICD10
S36.250A	Moderate laceration of head of pancreas, initial encounter	ICD10
S36.250D	Moderate laceration of head of pancreas, subsequent encounter	ICD10
S36.250S	Moderate laceration of head of pancreas, sequela	ICD10
S36.251A	Moderate laceration of body of pancreas, initial encounter	ICD10
S36.251D	Moderate laceration of body of pancreas, subsequent encounter	ICD10
S36.251S	Moderate laceration of body of pancreas, sequela	ICD10
S36.252A	Moderate laceration of tail of pancreas, initial encounter	ICD10
S36.252D	Moderate laceration of tail of pancreas, subsequent encounter	ICD10
S36.252S	Moderate laceration of tail of pancreas, sequela	ICD10
S36.259A	Moderate laceration of unspecified part of pancreas, initial encounter	ICD10
S36.259D	Moderate laceration of unspecified part of pancreas, subsequent encounter	ICD10
S36.259S	Moderate laceration of unspecified part of pancreas, sequela	ICD10
S36.260A	Major laceration of head of pancreas, initial encounter	ICD10
S36.260D	Major laceration of head of pancreas, subsequent encounter	ICD10
S36.260S	Major laceration of head of pancreas, sequela	ICD10
S36.261A	Major laceration of body of pancreas, initial encounter	ICD10
S36.261D	Major laceration of body of pancreas, subsequent encounter	ICD10
S36.261S	Major laceration of body of pancreas, sequela	ICD10
S36.262A	Major laceration of tail of pancreas, initial encounter	ICD10
S36.262D	Major laceration of tail of pancreas, subsequent encounter	ICD10
S36.262S	Major laceration of tail of pancreas, sequela	ICD10
S36.269A	Major laceration of unspecified part of pancreas, initial encounter	ICD10
S36.269D	Major laceration of unspecified part of pancreas, subsequent encounter	ICD10
S36.269S	Major laceration of unspecified part of pancreas, sequela	ICD10
S36.290A	Other injury of head of pancreas, initial encounter	ICD10

S36.290D	Other injury of head of pancreas, subsequent encounter	ICD10
S36.290S	Other injury of head of pancreas, sequela	ICD10
S36.291A	Other injury of body of pancreas, initial encounter	ICD10
S36.291D	Other injury of body of pancreas, subsequent encounter	ICD10
S36.291S	Other injury of body of pancreas, sequela	ICD10
S36.292A	Other injury of tail of pancreas, initial encounter	ICD10
S36.292D	Other injury of tail of pancreas, subsequent encounter	ICD10
S36.292S	Other injury of tail of pancreas, sequela	ICD10
S36.299A	Other injury of unspecified part of pancreas, initial encounter	ICD10
S36.299D	Other injury of unspecified part of pancreas, subsequent encounter	ICD10
S36.299S	Other injury of unspecified part of pancreas, sequela	ICD10
S36.30XA	Unspecified injury of stomach, initial encounter	ICD10
S36.30XD	Unspecified injury of stomach, subsequent encounter	ICD10
S36.30XS	Unspecified injury of stomach, sequela	ICD10
S36.32XA	Contusion of stomach, initial encounter	ICD10
S36.32XD	Contusion of stomach, subsequent encounter	ICD10
S36.32XS	Contusion of stomach, sequela	ICD10
S36.33XA	Laceration of stomach, initial encounter	ICD10
S36.33XD	Laceration of stomach, subsequent encounter	ICD10
S36.33XS	Laceration of stomach, sequela	ICD10
S36.39XA	Other injury of stomach, initial encounter	ICD10
S36.39XD	Other injury of stomach, subsequent encounter	ICD10
S36.39XS	Other injury of stomach, sequela	ICD10
S36.400A	Unspecified injury of duodenum, initial encounter	ICD10
S36.400D	Unspecified injury of duodenum, subsequent encounter	ICD10
S36.400S	Unspecified injury of duodenum, sequela	ICD10
S36.408A	Unspecified injury of other part of small intestine, initial encounter	ICD10
S36.408D	Unspecified injury of other part of small intestine, subsequent encounter	ICD10
S36.408S	Unspecified injury of other part of small intestine, sequela	ICD10
S36.409A	Unspecified injury of unspecified part of small intestine, initial encounter	ICD10
S36.409D	Unspecified injury of unspecified part of small intestine, subsequent encounter	ICD10
S36.409S	Unspecified injury of unspecified part of small intestine, sequela	ICD10
S36.410A	Primary blast injury of duodenum, initial encounter	ICD10
S36.410D	Primary blast injury of duodenum, subsequent encounter	ICD10
S36.410S	Primary blast injury of duodenum, sequela	ICD10
S36.418A	Primary blast injury of other part of small intestine, initial encounter	ICD10
S36.418D	Primary blast injury of other part of small intestine, subsequent encounter	ICD10
S36.418S	Primary blast injury of other part of small intestine, sequela	ICD10
S36.419A	Primary blast injury of unspecified part of small intestine, initial encounter	ICD10
S36.419D	Primary blast injury of unspecified part of small intestine, subsequent encounter	ICD10
S36.419S	Primary blast injury of unspecified part of small intestine, sequela	ICD10
S36.420A	Contusion of duodenum, initial encounter	ICD10
S36.420D	Contusion of duodenum, subsequent encounter	ICD10
S36.420S	Contusion of duodenum, sequela	ICD10
S36.428A	Contusion of other part of small intestine, initial encounter	ICD10
S36.428D	Contusion of other part of small intestine, subsequent encounter	ICD10
S36.428S	Contusion of other part of small intestine, sequela	ICD10
S36.429A	Contusion of unspecified part of small intestine, initial encounter	ICD10
S36.429D	Contusion of unspecified part of small intestine, subsequent encounter	ICD10
S36.429S	Contusion of unspecified part of small intestine, sequela	ICD10
S36.430A	Laceration of duodenum, initial encounter	ICD10

S36.430D	Laceration of duodenum, subsequent encounter	ICD10
S36.430S	Laceration of duodenum, sequela	ICD10
S36.438A	Laceration of other part of small intestine, initial encounter	ICD10
S36.438D	Laceration of other part of small intestine, subsequent encounter	ICD10
S36.438S	Laceration of other part of small intestine, sequela	ICD10
S36.439A	Laceration of unspecified part of small intestine, initial encounter	ICD10
S36.439D	Laceration of unspecified part of small intestine, subsequent encounter	ICD10
S36.439S	Laceration of unspecified part of small intestine, sequela	ICD10
S36.490A	Other injury of duodenum, initial encounter	ICD10
S36.490D	Other injury of duodenum, subsequent encounter	ICD10
S36.490S	Other injury of duodenum, sequela	ICD10
S36.498A	Other injury of other part of small intestine, initial encounter	ICD10
S36.498D	Other injury of other part of small intestine, subsequent encounter	ICD10
S36.498S	Other injury of other part of small intestine, sequela	ICD10
S36.499A	Other injury of unspecified part of small intestine, initial encounter	ICD10
S36.499D	Other injury of unspecified part of small intestine, subsequent encounter	ICD10
S36.499S	Other injury of unspecified part of small intestine, sequela	ICD10
S36.500A	Unspecified injury of ascending [right] colon, initial encounter	ICD10
S36.500D	Unspecified injury of ascending [right] colon, subsequent encounter	ICD10
S36.500S	Unspecified injury of ascending [right] colon, sequela	ICD10
S36.501A	Unspecified injury of transverse colon, initial encounter	ICD10
S36.501D	Unspecified injury of transverse colon, subsequent encounter	ICD10
S36.501S	Unspecified injury of transverse colon, sequela	ICD10
S36.502A	Unspecified injury of descending [left] colon, initial encounter	ICD10
S36.502D	Unspecified injury of descending [left] colon, subsequent encounter	ICD10
S36.502S	Unspecified injury of descending [left] colon, sequela	ICD10
S36.503A	Unspecified injury of sigmoid colon, initial encounter	ICD10
S36.503D	Unspecified injury of sigmoid colon, subsequent encounter	ICD10
S36.503S	Unspecified injury of sigmoid colon, sequela	ICD10
S36.508A	Unspecified injury of other part of colon, initial encounter	ICD10
S36.508D	Unspecified injury of other part of colon, subsequent encounter	ICD10
S36.508S	Unspecified injury of other part of colon, sequela	ICD10
S36.509A	Unspecified injury of unspecified part of colon, initial encounter	ICD10
S36.509D	Unspecified injury of unspecified part of colon, subsequent encounter	ICD10
S36.509S	Unspecified injury of unspecified part of colon, sequela	ICD10
S36.510A	Primary blast injury of ascending [right] colon, initial encounter	ICD10
S36.510D	Primary blast injury of ascending [right] colon, subsequent encounter	ICD10
S36.510S	Primary blast injury of ascending [right] colon, sequela	ICD10
S36.511A	Primary blast injury of transverse colon, initial encounter	ICD10
S36.511D	Primary blast injury of transverse colon, subsequent encounter	ICD10
S36.511S	Primary blast injury of transverse colon, sequela	ICD10
S36.512A	Primary blast injury of descending [left] colon, initial encounter	ICD10
S36.512D	Primary blast injury of descending [left] colon, subsequent encounter	ICD10
S36.512S	Primary blast injury of descending [left] colon, sequela	ICD10
S36.513A	Primary blast injury of sigmoid colon, initial encounter	ICD10
S36.513D	Primary blast injury of sigmoid colon, subsequent encounter	ICD10
S36.513S	Primary blast injury of sigmoid colon, sequela	ICD10
S36.518A	Primary blast injury of other part of colon, initial encounter	ICD10
S36.518D	Primary blast injury of other part of colon, subsequent encounter	ICD10
S36.518S	Primary blast injury of other part of colon, sequela	ICD10
S36.519A	Primary blast injury of unspecified part of colon, initial encounter	ICD10

S36.519D	Primary blast injury of unspecified part of colon, subsequent encounter	ICD10
S36.519S	Primary blast injury of unspecified part of colon, sequela	ICD10
S36.520A	Contusion of ascending [right] colon, initial encounter	ICD10
S36.520D	Contusion of ascending [right] colon, subsequent encounter	ICD10
S36.520S	Contusion of ascending [right] colon, sequela	ICD10
S36.521A	Contusion of transverse colon, initial encounter	ICD10
S36.521D	Contusion of transverse colon, subsequent encounter	ICD10
S36.521S	Contusion of transverse colon, sequela	ICD10
S36.522A	Contusion of descending [left] colon, initial encounter	ICD10
S36.522D	Contusion of descending [left] colon, subsequent encounter	ICD10
S36.522S	Contusion of descending [left] colon, sequela	ICD10
S36.523A	Contusion of sigmoid colon, initial encounter	ICD10
S36.523D	Contusion of sigmoid colon, subsequent encounter	ICD10
S36.523S	Contusion of sigmoid colon, sequela	ICD10
S36.528A	Contusion of other part of colon, initial encounter	ICD10
S36.528D	Contusion of other part of colon, subsequent encounter	ICD10
S36.528S	Contusion of other part of colon, sequela	ICD10
S36.529A	Contusion of unspecified part of colon, initial encounter	ICD10
S36.529D	Contusion of unspecified part of colon, subsequent encounter	ICD10
S36.529S	Contusion of unspecified part of colon, sequela	ICD10
S36.530A	Laceration of ascending [right] colon, initial encounter	ICD10
S36.530D	Laceration of ascending [right] colon, subsequent encounter	ICD10
S36.530S	Laceration of ascending [right] colon, sequela	ICD10
S36.531A	Laceration of transverse colon, initial encounter	ICD10
S36.531D	Laceration of transverse colon, subsequent encounter	ICD10
S36.531S	Laceration of transverse colon, sequela	ICD10
S36.532A	Laceration of descending [left] colon, initial encounter	ICD10
S36.532D	Laceration of descending [left] colon, subsequent encounter	ICD10
S36.532S	Laceration of descending [left] colon, sequela	ICD10
S36.533A	Laceration of sigmoid colon, initial encounter	ICD10
S36.533D	Laceration of sigmoid colon, subsequent encounter	ICD10
S36.533S	Laceration of sigmoid colon, sequela	ICD10
S36.538A	Laceration of other part of colon, initial encounter	ICD10
S36.538D	Laceration of other part of colon, subsequent encounter	ICD10
S36.538S	Laceration of other part of colon, sequela	ICD10
S36.539A	Laceration of unspecified part of colon, initial encounter	ICD10
S36.539D	Laceration of unspecified part of colon, subsequent encounter	ICD10
S36.539S	Laceration of unspecified part of colon, sequela	ICD10
S36.590A	Other injury of ascending [right] colon, initial encounter	ICD10
S36.590D	Other injury of ascending [right] colon, subsequent encounter	ICD10
S36.590S	Other injury of ascending [right] colon, sequela	ICD10
S36.591A	Other injury of transverse colon, initial encounter	ICD10
S36.591D	Other injury of transverse colon, subsequent encounter	ICD10
S36.591S	Other injury of transverse colon, sequela	ICD10
S36.592A	Other injury of descending [left] colon, initial encounter	ICD10
S36.592D	Other injury of descending [left] colon, subsequent encounter	ICD10
S36.592S	Other injury of descending [left] colon, sequela	ICD10
S36.593A	Other injury of sigmoid colon, initial encounter	ICD10
S36.593D	Other injury of sigmoid colon, subsequent encounter	ICD10
S36.593S	Other injury of sigmoid colon, sequela	ICD10
S36.598A	Other injury of other part of colon, initial encounter	ICD10

S36.598D	Other injury of other part of colon, subsequent encounter	ICD10
S36.598S	Other injury of other part of colon, sequela	ICD10
S36.599A	Other injury of unspecified part of colon, initial encounter	ICD10
S36.599D	Other injury of unspecified part of colon, subsequent encounter	ICD10
S36.599S	Other injury of unspecified part of colon, sequela	ICD10
S36.60XA	Unspecified injury of rectum, initial encounter	ICD10
S36.60XD	Unspecified injury of rectum, subsequent encounter	ICD10
S36.60XS	Unspecified injury of rectum, sequela	ICD10
S36.61XA	Primary blast injury of rectum, initial encounter	ICD10
S36.61XD	Primary blast injury of rectum, subsequent encounter	ICD10
S36.61XS	Primary blast injury of rectum, sequela	ICD10
S36.62XA	Contusion of rectum, initial encounter	ICD10
S36.62XD	Contusion of rectum, subsequent encounter	ICD10
S36.62XS	Contusion of rectum, sequela	ICD10
S36.63XA	Laceration of rectum, initial encounter	ICD10
S36.63XD	Laceration of rectum, subsequent encounter	ICD10
S36.63XS	Laceration of rectum, sequela	ICD10
S36.69XA	Other injury of rectum, initial encounter	ICD10
S36.69XD	Other injury of rectum, subsequent encounter	ICD10
S36.69XS	Other injury of rectum, sequela	ICD10
S36.81XA	Injury of peritoneum, initial encounter	ICD10
S36.81XD	Injury of peritoneum, subsequent encounter	ICD10
S36.81XS	Injury of peritoneum, sequela	ICD10
S36.892A	Contusion of other intra-abdominal organs, initial encounter	ICD10
S36.892D	Contusion of other intra-abdominal organs, subsequent encounter	ICD10
S36.892S	Contusion of other intra-abdominal organs, sequela	ICD10
S36.893A	Laceration of other intra-abdominal organs, initial encounter	ICD10
S36.893D	Laceration of other intra-abdominal organs, subsequent encounter	ICD10
S36.893S	Laceration of other intra-abdominal organs, sequela	ICD10
S36.898A	Other injury of other intra-abdominal organs, initial encounter	ICD10
S36.898D	Other injury of other intra-abdominal organs, subsequent encounter	ICD10
S36.898S	Other injury of other intra-abdominal organs, sequela	ICD10
S36.899A	Unspecified injury of other intra-abdominal organs, initial encounter	ICD10
S36.899D	Unspecified injury of other intra-abdominal organs, subsequent encounter	ICD10
S36.899S	Unspecified injury of other intra-abdominal organs, sequela	ICD10
S36.90XA	Unspecified injury of unspecified intra-abdominal organ, initial encounter	ICD10
S36.90XD	Unspecified injury of unspecified intra-abdominal organ, subsequent encounter	ICD10
S36.90XS	Unspecified injury of unspecified intra-abdominal organ, sequela	ICD10
S36.92XA	Contusion of unspecified intra-abdominal organ, initial encounter	ICD10
S36.92XD	Contusion of unspecified intra-abdominal organ, subsequent encounter	ICD10
S36.92XS	Contusion of unspecified intra-abdominal organ, sequela	ICD10
S36.93XA	Laceration of unspecified intra-abdominal organ, initial encounter	ICD10
S36.93XD	Laceration of unspecified intra-abdominal organ, subsequent encounter	ICD10
S36.93XS	Laceration of unspecified intra-abdominal organ, sequela	ICD10
S36.99XA	Other injury of unspecified intra-abdominal organ, initial encounter	ICD10
S36.99XD	Other injury of unspecified intra-abdominal organ, subsequent encounter	ICD10
S36.99XS	Other injury of unspecified intra-abdominal organ, sequela	ICD10
S37.001A	Unspecified injury of right kidney, initial encounter	ICD10
S37.001D	Unspecified injury of right kidney, subsequent encounter	ICD10
S37.001S	Unspecified injury of right kidney, sequela	ICD10
S37.002A	Unspecified injury of left kidney, initial encounter	ICD10

S37.002D	Unspecified injury of left kidney, subsequent encounter	ICD10
S37.002S	Unspecified injury of left kidney, sequela	ICD10
S37.009A	Unspecified injury of unspecified kidney, initial encounter	ICD10
S37.009D	Unspecified injury of unspecified kidney, subsequent encounter	ICD10
S37.009S	Unspecified injury of unspecified kidney, sequela	ICD10
S37.011A	Minor contusion of right kidney, initial encounter	ICD10
S37.011D	Minor contusion of right kidney, subsequent encounter	ICD10
S37.011S	Minor contusion of right kidney, sequela	ICD10
S37.012A	Minor contusion of left kidney, initial encounter	ICD10
S37.012D	Minor contusion of left kidney, subsequent encounter	ICD10
S37.012S	Minor contusion of left kidney, sequela	ICD10
S37.019A	Minor contusion of unspecified kidney, initial encounter	ICD10
S37.019D	Minor contusion of unspecified kidney, subsequent encounter	ICD10
S37.019S	Minor contusion of unspecified kidney, sequela	ICD10
S37.021A	Major contusion of right kidney, initial encounter	ICD10
S37.021D	Major contusion of right kidney, subsequent encounter	ICD10
S37.021S	Major contusion of right kidney, sequela	ICD10
S37.022A	Major contusion of left kidney, initial encounter	ICD10
S37.022D	Major contusion of left kidney, subsequent encounter	ICD10
S37.022S	Major contusion of left kidney, sequela	ICD10
S37.029A	Major contusion of unspecified kidney, initial encounter	ICD10
S37.029D	Major contusion of unspecified kidney, subsequent encounter	ICD10
S37.029S	Major contusion of unspecified kidney, sequela	ICD10
S37.031A	Laceration of right kidney, unspecified degree, initial encounter	ICD10
S37.031D	Laceration of right kidney, unspecified degree, subsequent encounter	ICD10
S37.031S	Laceration of right kidney, unspecified degree, sequela	ICD10
S37.032A	Laceration of left kidney, unspecified degree, initial encounter	ICD10
S37.032D	Laceration of left kidney, unspecified degree, subsequent encounter	ICD10
S37.032S	Laceration of left kidney, unspecified degree, sequela	ICD10
S37.039A	Laceration of unspecified kidney, unspecified degree, initial encounter	ICD10
S37.039D	Laceration of unspecified kidney, unspecified degree, subsequent encounter	ICD10
S37.039S	Laceration of unspecified kidney, unspecified degree, sequela	ICD10
S37.041A	Minor laceration of right kidney, initial encounter	ICD10
S37.041D	Minor laceration of right kidney, subsequent encounter	ICD10
S37.041S	Minor laceration of right kidney, sequela	ICD10
S37.042A	Minor laceration of left kidney, initial encounter	ICD10
S37.042D	Minor laceration of left kidney, subsequent encounter	ICD10
S37.042S	Minor laceration of left kidney, sequela	ICD10
S37.049A	Minor laceration of unspecified kidney, initial encounter	ICD10
S37.049D	Minor laceration of unspecified kidney, subsequent encounter	ICD10
S37.049S	Minor laceration of unspecified kidney, sequela	ICD10
S37.051A	Moderate laceration of right kidney, initial encounter	ICD10
S37.051D	Moderate laceration of right kidney, subsequent encounter	ICD10
S37.051S	Moderate laceration of right kidney, sequela	ICD10
S37.052A	Moderate laceration of left kidney, initial encounter	ICD10
S37.052D	Moderate laceration of left kidney, subsequent encounter	ICD10
S37.052S	Moderate laceration of left kidney, sequela	ICD10
S37.059A	Moderate laceration of unspecified kidney, initial encounter	ICD10
S37.059D	Moderate laceration of unspecified kidney, subsequent encounter	ICD10
S37.059S	Moderate laceration of unspecified kidney, sequela	ICD10
S37.061A	Major laceration of right kidney, initial encounter	ICD10

S37.061D	Major laceration of right kidney, subsequent encounter	ICD10
S37.061S	Major laceration of right kidney, sequela	ICD10
S37.062A	Major laceration of left kidney, initial encounter	ICD10
S37.062D	Major laceration of left kidney, subsequent encounter	ICD10
S37.062S	Major laceration of left kidney, sequela	ICD10
S37.069A	Major laceration of unspecified kidney, initial encounter	ICD10
S37.069D	Major laceration of unspecified kidney, subsequent encounter	ICD10
S37.069S	Major laceration of unspecified kidney, sequela	ICD10
S37.091A	Other injury of right kidney, initial encounter	ICD10
S37.091D	Other injury of right kidney, subsequent encounter	ICD10
S37.091S	Other injury of right kidney, sequela	ICD10
S37.092A	Other injury of left kidney, initial encounter	ICD10
S37.092D	Other injury of left kidney, subsequent encounter	ICD10
S37.092S	Other injury of left kidney, sequela	ICD10
S37.099A	Other injury of unspecified kidney, initial encounter	ICD10
S37.099D	Other injury of unspecified kidney, subsequent encounter	ICD10
S37.099S	Other injury of unspecified kidney, sequela	ICD10
S37.10XA	Unspecified injury of ureter, initial encounter	ICD10
S37.10XD	Unspecified injury of ureter, subsequent encounter	ICD10
S37.10XS	Unspecified injury of ureter, sequela	ICD10
S37.12XA	Contusion of ureter, initial encounter	ICD10
S37.12XD	Contusion of ureter, subsequent encounter	ICD10
S37.12XS	Contusion of ureter, sequela	ICD10
S37.13XA	Laceration of ureter, initial encounter	ICD10
S37.13XD	Laceration of ureter, subsequent encounter	ICD10
S37.13XS	Laceration of ureter, sequela	ICD10
S37.19XA	Other injury of ureter, initial encounter	ICD10
S37.19XD	Other injury of ureter, subsequent encounter	ICD10
S37.19XS	Other injury of ureter, sequela	ICD10
S37.20XA	Unspecified injury of bladder, initial encounter	ICD10
S37.20XD	Unspecified injury of bladder, subsequent encounter	ICD10
S37.20XS	Unspecified injury of bladder, sequela	ICD10
S37.22XA	Contusion of bladder, initial encounter	ICD10
S37.22XD	Contusion of bladder, subsequent encounter	ICD10
S37.22XS	Contusion of bladder, sequela	ICD10
S37.23XA	Laceration of bladder, initial encounter	ICD10
S37.23XD	Laceration of bladder, subsequent encounter	ICD10
S37.23XS	Laceration of bladder, sequela	ICD10
S37.29XA	Other injury of bladder, initial encounter	ICD10
S37.29XD	Other injury of bladder, subsequent encounter	ICD10
S37.29XS	Other injury of bladder, sequela	ICD10
S37.30XA	Unspecified injury of urethra, initial encounter	ICD10
S37.30XD	Unspecified injury of urethra, subsequent encounter	ICD10
S37.30XS	Unspecified injury of urethra, sequela	ICD10
S37.32XA	Contusion of urethra, initial encounter	ICD10
S37.32XD	Contusion of urethra, subsequent encounter	ICD10
S37.32XS	Contusion of urethra, sequela	ICD10
S37.33XA	Laceration of urethra, initial encounter	ICD10
S37.33XD	Laceration of urethra, subsequent encounter	ICD10
S37.33XS	Laceration of urethra, sequela	ICD10
S37.39XA	Other injury of urethra, initial encounter	ICD10

S37.39XD	Other injury of urethra, subsequent encounter	ICD10
S37.39XS	Other injury of urethra, sequela	ICD10
S37.401A	Unspecified injury of ovary, unilateral, initial encounter	ICD10
S37.401D	Unspecified injury of ovary, unilateral, subsequent encounter	ICD10
S37.401S	Unspecified injury of ovary, unilateral, sequela	ICD10
S37.402A	Unspecified injury of ovary, bilateral, initial encounter	ICD10
S37.402D	Unspecified injury of ovary, bilateral, subsequent encounter	ICD10
S37.402S	Unspecified injury of ovary, bilateral, sequela	ICD10
S37.409A	Unspecified injury of ovary, unspecified, initial encounter	ICD10
S37.409D	Unspecified injury of ovary, unspecified, subsequent encounter	ICD10
S37.409S	Unspecified injury of ovary, unspecified, sequela	ICD10
S37.421A	Contusion of ovary, unilateral, initial encounter	ICD10
S37.421D	Contusion of ovary, unilateral, subsequent encounter	ICD10
S37.421S	Contusion of ovary, unilateral, sequela	ICD10
S37.422A	Contusion of ovary, bilateral, initial encounter	ICD10
S37.422D	Contusion of ovary, bilateral, subsequent encounter	ICD10
S37.422S	Contusion of ovary, bilateral, sequela	ICD10
S37.429A	Contusion of ovary, unspecified, initial encounter	ICD10
S37.429D	Contusion of ovary, unspecified, subsequent encounter	ICD10
S37.429S	Contusion of ovary, unspecified, sequela	ICD10
S37.431A	Laceration of ovary, unilateral, initial encounter	ICD10
S37.431D	Laceration of ovary, unilateral, subsequent encounter	ICD10
S37.431S	Laceration of ovary, unilateral, sequela	ICD10
S37.432A	Laceration of ovary, bilateral, initial encounter	ICD10
S37.432D	Laceration of ovary, bilateral, subsequent encounter	ICD10
S37.432S	Laceration of ovary, bilateral, sequela	ICD10
S37.439A	Laceration of ovary, unspecified, initial encounter	ICD10
S37.439D	Laceration of ovary, unspecified, subsequent encounter	ICD10
S37.439S	Laceration of ovary, unspecified, sequela	ICD10
S37.491A	Other injury of ovary, unilateral, initial encounter	ICD10
S37.491D	Other injury of ovary, unilateral, subsequent encounter	ICD10
S37.491S	Other injury of ovary, unilateral, sequela	ICD10
S37.492A	Other injury of ovary, bilateral, initial encounter	ICD10
S37.492D	Other injury of ovary, bilateral, subsequent encounter	ICD10
S37.492S	Other injury of ovary, bilateral, sequela	ICD10
S37.499A	Other injury of ovary, unspecified, initial encounter	ICD10
S37.499D	Other injury of ovary, unspecified, subsequent encounter	ICD10
S37.499S	Other injury of ovary, unspecified, sequela	ICD10
S37.501A	Unspecified injury of fallopian tube, unilateral, initial encounter	ICD10
S37.501D	Unspecified injury of fallopian tube, unilateral, subsequent encounter	ICD10
S37.501S	Unspecified injury of fallopian tube, unilateral, sequela	ICD10
S37.502A	Unspecified injury of fallopian tube, bilateral, initial encounter	ICD10
S37.502D	Unspecified injury of fallopian tube, bilateral, subsequent encounter	ICD10
S37.502S	Unspecified injury of fallopian tube, bilateral, sequela	ICD10
S37.509A	Unspecified injury of fallopian tube, unspecified, initial encounter	ICD10
S37.509D	Unspecified injury of fallopian tube, unspecified, subsequent encounter	ICD10
S37.509S	Unspecified injury of fallopian tube, unspecified, sequela	ICD10
S37.511A	Primary blast injury of fallopian tube, unilateral, initial encounter	ICD10
S37.511D	Primary blast injury of fallopian tube, unilateral, subsequent encounter	ICD10
S37.511S	Primary blast injury of fallopian tube, unilateral, sequela	ICD10
S37.512A	Primary blast injury of fallopian tube, bilateral, initial encounter	ICD10

S37.512D	Primary blast injury of fallopian tube, bilateral, subsequent encounter	ICD10
S37.512S	Primary blast injury of fallopian tube, bilateral, sequela	ICD10
S37.519A	Primary blast injury of fallopian tube, unspecified, initial encounter	ICD10
S37.519D	Primary blast injury of fallopian tube, unspecified, subsequent encounter	ICD10
S37.519S	Primary blast injury of fallopian tube, unspecified, sequela	ICD10
S37.521A	Contusion of fallopian tube, unilateral, initial encounter	ICD10
S37.521D	Contusion of fallopian tube, unilateral, subsequent encounter	ICD10
S37.521S	Contusion of fallopian tube, unilateral, sequela	ICD10
S37.522A	Contusion of fallopian tube, bilateral, initial encounter	ICD10
S37.522D	Contusion of fallopian tube, bilateral, subsequent encounter	ICD10
S37.522S	Contusion of fallopian tube, bilateral, sequela	ICD10
S37.529A	Contusion of fallopian tube, unspecified, initial encounter	ICD10
S37.529D	Contusion of fallopian tube, unspecified, subsequent encounter	ICD10
S37.529S	Contusion of fallopian tube, unspecified, sequela	ICD10
S37.531A	Laceration of fallopian tube, unilateral, initial encounter	ICD10
S37.531D	Laceration of fallopian tube, unilateral, subsequent encounter	ICD10
S37.531S	Laceration of fallopian tube, unilateral, sequela	ICD10
S37.532A	Laceration of fallopian tube, bilateral, initial encounter	ICD10
S37.532D	Laceration of fallopian tube, bilateral, subsequent encounter	ICD10
S37.532S	Laceration of fallopian tube, bilateral, sequela	ICD10
S37.539A	Laceration of fallopian tube, unspecified, initial encounter	ICD10
S37.539D	Laceration of fallopian tube, unspecified, subsequent encounter	ICD10
S37.539S	Laceration of fallopian tube, unspecified, sequela	ICD10
S37.591A	Other injury of fallopian tube, unilateral, initial encounter	ICD10
S37.591D	Other injury of fallopian tube, unilateral, subsequent encounter	ICD10
S37.591S	Other injury of fallopian tube, unilateral, sequela	ICD10
S37.592A	Other injury of fallopian tube, bilateral, initial encounter	ICD10
S37.592D	Other injury of fallopian tube, bilateral, subsequent encounter	ICD10
S37.592S	Other injury of fallopian tube, bilateral, sequela	ICD10
S37.599A	Other injury of fallopian tube, unspecified, initial encounter	ICD10
S37.599D	Other injury of fallopian tube, unspecified, subsequent encounter	ICD10
S37.599S	Other injury of fallopian tube, unspecified, sequela	ICD10
S37.60XA	Unspecified injury of uterus, initial encounter	ICD10
S37.60XD	Unspecified injury of uterus, subsequent encounter	ICD10
S37.60XS	Unspecified injury of uterus, sequela	ICD10
S37.62XA	Contusion of uterus, initial encounter	ICD10
S37.62XD	Contusion of uterus, subsequent encounter	ICD10
S37.62XS	Contusion of uterus, sequela	ICD10
S37.63XA	Laceration of uterus, initial encounter	ICD10
S37.63XD	Laceration of uterus, subsequent encounter	ICD10
S37.63XS	Laceration of uterus, sequela	ICD10
S37.69XA	Other injury of uterus, initial encounter	ICD10
S37.69XD	Other injury of uterus, subsequent encounter	ICD10
S37.69XS	Other injury of uterus, sequela	ICD10
S37.812A	Contusion of adrenal gland, initial encounter	ICD10
S37.812D	Contusion of adrenal gland, subsequent encounter	ICD10
S37.812S	Contusion of adrenal gland, sequela	ICD10
S37.813A	Laceration of adrenal gland, initial encounter	ICD10
S37.813D	Laceration of adrenal gland, subsequent encounter	ICD10
S37.813S	Laceration of adrenal gland, sequela	ICD10
S37.818A	Other injury of adrenal gland, initial encounter	ICD10

S37.818D	Other injury of adrenal gland, subsequent encounter	ICD10
S37.818S	Other injury of adrenal gland, sequela	ICD10
S37.819A	Unspecified injury of adrenal gland, initial encounter	ICD10
S37.819D	Unspecified injury of adrenal gland, subsequent encounter	ICD10
S37.819S	Unspecified injury of adrenal gland, sequela	ICD10
S37.822A	Contusion of prostate, initial encounter	ICD10
S37.822D	Contusion of prostate, subsequent encounter	ICD10
S37.822S	Contusion of prostate, sequela	ICD10
S37.823A	Laceration of prostate, initial encounter	ICD10
S37.823D	Laceration of prostate, subsequent encounter	ICD10
S37.823S	Laceration of prostate, sequela	ICD10
S37.828A	Other injury of prostate, initial encounter	ICD10
S37.828D	Other injury of prostate, subsequent encounter	ICD10
S37.828S	Other injury of prostate, sequela	ICD10
S37.829A	Unspecified injury of prostate, initial encounter	ICD10
S37.829D	Unspecified injury of prostate, subsequent encounter	ICD10
S37.829S	Unspecified injury of prostate, sequela	ICD10
S37.892A	Contusion of other urinary and pelvic organ, initial encounter	ICD10
S37.892D	Contusion of other urinary and pelvic organ, subsequent encounter	ICD10
S37.892S	Contusion of other urinary and pelvic organ, sequela	ICD10
S37.893A	Laceration of other urinary and pelvic organ, initial encounter	ICD10
S37.893D	Laceration of other urinary and pelvic organ, subsequent encounter	ICD10
S37.893S	Laceration of other urinary and pelvic organ, sequela	ICD10
S37.898A	Other injury of other urinary and pelvic organ, initial encounter	ICD10
S37.898D	Other injury of other urinary and pelvic organ, subsequent encounter	ICD10
S37.898S	Other injury of other urinary and pelvic organ, sequela	ICD10
S37.899A	Unspecified injury of other urinary and pelvic organ, initial encounter	ICD10
S37.899D	Unspecified injury of other urinary and pelvic organ, subsequent encounter	ICD10
S37.899S	Unspecified injury of other urinary and pelvic organ, sequela	ICD10
S37.90XA	Unspecified injury of unspecified urinary and pelvic organ, initial encounter	ICD10
S37.90XD	Unspecified injury of unspecified urinary and pelvic organ, subsequent encounter	ICD10
S37.90XS	Unspecified injury of unspecified urinary and pelvic organ, sequela	ICD10
S37.92XA	Contusion of unspecified urinary and pelvic organ, initial encounter	ICD10
S37.92XD	Contusion of unspecified urinary and pelvic organ, subsequent encounter	ICD10
S37.92XS	Contusion of unspecified urinary and pelvic organ, sequela	ICD10
S37.93XA	Laceration of unspecified urinary and pelvic organ, initial encounter	ICD10
S37.93XD	Laceration of unspecified urinary and pelvic organ, subsequent encounter	ICD10
S37.93XS	Laceration of unspecified urinary and pelvic organ, sequela	ICD10
S37.99XA	Other injury of unspecified urinary and pelvic organ, initial encounter	ICD10
S37.99XD	Other injury of unspecified urinary and pelvic organ, subsequent encounter	ICD10
S37.99XS	Other injury of unspecified urinary and pelvic organ, sequela	ICD10
S38.1XXA	Crushing injury of abdomen, lower back, and pelvis, initial encounter	ICD10
S38.1XXD	Crushing injury of abdomen, lower back, and pelvis, subsequent encounter	ICD10
S38.1XXS	Crushing injury of abdomen, lower back, and pelvis, sequela	ICD10
S39.81XA	Other specified injuries of abdomen, initial encounter	ICD10
S39.81XD	Other specified injuries of abdomen, subsequent encounter	ICD10
S39.81XS	Other specified injuries of abdomen, sequela	ICD10
S39.82XA	Other specified injuries of lower back, initial encounter	ICD10
S39.82XD	Other specified injuries of lower back, subsequent encounter	ICD10
S39.82XS	Other specified injuries of lower back, sequela	ICD10
S39.83XA	Other specified injuries of pelvis, initial encounter	ICD10

S39.83XD	Other specified injuries of pelvis, subsequent encounter	ICD10
S39.83XS	Other specified injuries of pelvis, sequela	ICD10
S39.840A	Fracture of corpus cavernosum penis, initial encounter	ICD10
S39.840D	Fracture of corpus cavernosum penis, subsequent encounter	ICD10
S39.840S	Fracture of corpus cavernosum penis, sequela	ICD10
S39.848A	Other specified injuries of external genitals, initial encounter	ICD10
S39.848D	Other specified injuries of external genitals, subsequent encounter	ICD10
S39.848S	Other specified injuries of external genitals, sequela	ICD10
S39.91XA	Unspecified injury of abdomen, initial encounter	ICD10
S39.91XD	Unspecified injury of abdomen, subsequent encounter	ICD10
S39.91XS	Unspecified injury of abdomen, sequela	ICD10
S39.92XA	Unspecified injury of lower back, initial encounter	ICD10
S39.92XD	Unspecified injury of lower back, subsequent encounter	ICD10
S39.92XS	Unspecified injury of lower back, sequela	ICD10
S39.93XA	Unspecified injury of pelvis, initial encounter	ICD10
S39.93XD	Unspecified injury of pelvis, subsequent encounter	ICD10
S39.93XS	Unspecified injury of pelvis, sequela	ICD10
S39.94XA	Unspecified injury of external genitals, initial encounter	ICD10
S39.94XD	Unspecified injury of external genitals, subsequent encounter	ICD10
S39.94XS	Unspecified injury of external genitals, sequela	ICD10
S42.001A	Fracture of unspecified part of right clavicle, initial encounter for closed fracture	ICD10
S42.001B	Fracture of unspecified part of right clavicle, initial encounter for open fracture	ICD10
S42.001D	Fracture of unspecified part of right clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.001G	Fracture of unspecified part of right clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.001K	Fracture of unspecified part of right clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.001P	Fracture of unspecified part of right clavicle, subsequent encounter for fracture with malunion	ICD10
S42.001S	Fracture of unspecified part of right clavicle, sequela	ICD10
S42.002A	Fracture of unspecified part of left clavicle, initial encounter for closed fracture	ICD10
S42.002B	Fracture of unspecified part of left clavicle, initial encounter for open fracture	ICD10
S42.002D	Fracture of unspecified part of left clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.002G	Fracture of unspecified part of left clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.002K	Fracture of unspecified part of left clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.002P	Fracture of unspecified part of left clavicle, subsequent encounter for fracture with malunion	ICD10
S42.002S	Fracture of unspecified part of left clavicle, sequela	ICD10
S42.009A	Fracture of unspecified part of unspecified clavicle, initial encounter for closed fracture	ICD10
S42.009B	Fracture of unspecified part of unspecified clavicle, initial encounter for open fracture	ICD10
S42.009D	Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.009G	Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.009K	Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.009P	Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with malunion	ICD10
S42.009S	Fracture of unspecified part of unspecified clavicle, sequela	ICD10
S42.011A	Anterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD10
S42.011B	Anterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD10

S42.011D	Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.011G	Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.011K	Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.011P	Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion	ICD10
S42.011S	Anterior displaced fracture of sternal end of right clavicle, sequela	ICD10
S42.012A	Anterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD10
S42.012B	Anterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD10
S42.012D	Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.012G	Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.012K	Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.012P	Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion	ICD10
S42.012S	Anterior displaced fracture of sternal end of left clavicle, sequela	ICD10
S42.013A	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD10
S42.013B	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD10
S42.013D	Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.013G	Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.013K	Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.013P	Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD10
S42.013S	Anterior displaced fracture of sternal end of unspecified clavicle, sequela	ICD10
S42.014A	Posterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD10
S42.014B	Posterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD10
S42.014D	Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.014G	Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.014K	Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.014P	Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion	ICD10
S42.014S	Posterior displaced fracture of sternal end of right clavicle, sequela	ICD10
S42.015A	Posterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD10
S42.015B	Posterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD10
S42.015D	Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.015G	Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing	ICD10

S42.015K	Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.015P	Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion	ICD10
S42.015S	Posterior displaced fracture of sternal end of left clavicle, sequela	ICD10
S42.016A	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD10
S42.016B	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD10
S42.016D	Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.016G	Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.016K	Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.016P	Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD10
S42.016S	Posterior displaced fracture of sternal end of unspecified clavicle, sequela	ICD10
S42.017A	Nondisplaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD10
S42.017B	Nondisplaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD10
S42.017D	Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.017G	Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.017K	Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.017P	Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion	ICD10
S42.017S	Nondisplaced fracture of sternal end of right clavicle, sequela	ICD10
S42.018A	Nondisplaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD10
S42.018B	Nondisplaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD10
S42.018D	Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.018G	Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.018K	Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.018P	Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion	ICD10
S42.018S	Nondisplaced fracture of sternal end of left clavicle, sequela	ICD10
S42.019A	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD10
S42.019B	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD10
S42.019D	Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.019G	Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.019K	Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.019P	Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD10
S42.019S	Nondisplaced fracture of sternal end of unspecified clavicle, sequela	ICD10

S42.021A	Displaced fracture of shaft of right clavicle, initial encounter for closed fracture	ICD10
S42.021B	Displaced fracture of shaft of right clavicle, initial encounter for open fracture	ICD10
S42.021D	Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.021G	Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.021K	Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.021P	Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with malunion	ICD10
S42.021S	Displaced fracture of shaft of right clavicle, sequela	ICD10
S42.022A	Displaced fracture of shaft of left clavicle, initial encounter for closed fracture	ICD10
S42.022B	Displaced fracture of shaft of left clavicle, initial encounter for open fracture	ICD10
S42.022D	Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.022G	Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.022K	Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.022P	Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with malunion	ICD10
S42.022S	Displaced fracture of shaft of left clavicle, sequela	ICD10
S42.023A	Displaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	ICD10
S42.023B	Displaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	ICD10
S42.023D	Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.023G	Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.023K	Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.023P	Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with malunion	ICD10
S42.023S	Displaced fracture of shaft of unspecified clavicle, sequela	ICD10
S42.024A	Nondisplaced fracture of shaft of right clavicle, initial encounter for closed fracture	ICD10
S42.024B	Nondisplaced fracture of shaft of right clavicle, initial encounter for open fracture	ICD10
S42.024D	Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.024G	Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.024K	Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.024P	Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with malunion	ICD10
S42.024S	Nondisplaced fracture of shaft of right clavicle, sequela	ICD10
S42.025A	Nondisplaced fracture of shaft of left clavicle, initial encounter for closed fracture	ICD10
S42.025B	Nondisplaced fracture of shaft of left clavicle, initial encounter for open fracture	ICD10
S42.025D	Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.025G	Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.025K	Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.025P	Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with malunion	ICD10
S42.025S	Nondisplaced fracture of shaft of left clavicle, sequela	ICD10
S42.026A	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	ICD10
S42.026B	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	ICD10

S42.026D	Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.026G	Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.026K	Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.026P	Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with malunion	ICD10
S42.026S	Nondisplaced fracture of shaft of unspecified clavicle, sequela	ICD10
S42.031A	Displaced fracture of lateral end of right clavicle, initial encounter for closed fracture	ICD10
S42.031B	Displaced fracture of lateral end of right clavicle, initial encounter for open fracture	ICD10
S42.031D	Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.031G	Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.031K	Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.031P	Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with malunion	ICD10
S42.031S	Displaced fracture of lateral end of right clavicle, sequela	ICD10
S42.032A	Displaced fracture of lateral end of left clavicle, initial encounter for closed fracture	ICD10
S42.032B	Displaced fracture of lateral end of left clavicle, initial encounter for open fracture	ICD10
S42.032D	Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.032G	Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.032K	Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.032P	Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with malunion	ICD10
S42.032S	Displaced fracture of lateral end of left clavicle, sequela	ICD10
S42.033A	Displaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture	ICD10
S42.033B	Displaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	ICD10
S42.033D	Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.033G	Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.033K	Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.033P	Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD10
S42.033S	Displaced fracture of lateral end of unspecified clavicle, sequela	ICD10
S42.034A	Nondisplaced fracture of lateral end of right clavicle, initial encounter for closed fracture	ICD10
S42.034B	Nondisplaced fracture of lateral end of right clavicle, initial encounter for open fracture	ICD10
S42.034D	Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.034G	Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.034K	Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with nonunion	ICD10

S42.034P	Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with malunion	ICD10
S42.034S	Nondisplaced fracture of lateral end of right clavicle, sequela	ICD10
S42.035A	Nondisplaced fracture of lateral end of left clavicle, initial encounter for closed fracture	ICD10
S42.035B	Nondisplaced fracture of lateral end of left clavicle, initial encounter for open fracture	ICD10
S42.035D	Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.035G	Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.035K	Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.035P	Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with malunion	ICD10
S42.035S	Nondisplaced fracture of lateral end of left clavicle, sequela	ICD10
S42.036A	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture	ICD10
S42.036B	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	ICD10
S42.036D	Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD10
S42.036G	Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD10
S42.036K	Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD10
S42.036P	Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD10
S42.036S	Nondisplaced fracture of lateral end of unspecified clavicle, sequela	ICD10
S42.101A	Fracture of unspecified part of scapula, right shoulder, initial encounter for closed fracture	ICD10
S42.101B	Fracture of unspecified part of scapula, right shoulder, initial encounter for open fracture	ICD10
S42.101D	Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.101G	Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.101K	Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.101P	Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.101S	Fracture of unspecified part of scapula, right shoulder, sequela	ICD10
S42.102A	Fracture of unspecified part of scapula, left shoulder, initial encounter for closed fracture	ICD10
S42.102B	Fracture of unspecified part of scapula, left shoulder, initial encounter for open fracture	ICD10
S42.102D	Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.102G	Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.102K	Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.102P	Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.102S	Fracture of unspecified part of scapula, left shoulder, sequela	ICD10
S42.109A	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.109B	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for open fracture	ICD10

S42.109D	Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.109G	Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.109K	Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.109P	Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.109S	Fracture of unspecified part of scapula, unspecified shoulder, sequela	ICD10
S42.111A	Displaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	ICD10
S42.111B	Displaced fracture of body of scapula, right shoulder, initial encounter for open fracture	ICD10
S42.111D	Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.111G	Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.111K	Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.111P	Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.111S	Displaced fracture of body of scapula, right shoulder, sequela	ICD10
S42.112A	Displaced fracture of body of scapula, left shoulder, initial encounter for closed fracture	ICD10
S42.112B	Displaced fracture of body of scapula, left shoulder, initial encounter for open fracture	ICD10
S42.112D	Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.112G	Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.112K	Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.112P	Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.112S	Displaced fracture of body of scapula, left shoulder, sequela	ICD10
S42.113A	Displaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.113B	Displaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture	ICD10
S42.113D	Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.113G	Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.113K	Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.113P	Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.113S	Displaced fracture of body of scapula, unspecified shoulder, sequela	ICD10
S42.114A	Nondisplaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	ICD10
S42.114B	Nondisplaced fracture of body of scapula, right shoulder, initial encounter for open fracture	ICD10
S42.114D	Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.114G	Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.114K	Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD10

S42.114P	Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.114S	Nondisplaced fracture of body of scapula, right shoulder, sequela	ICD10
S42.115A	Nondisplaced fracture of body of scapula, left shoulder, initial encounter for closed fracture	ICD10
S42.115B	Nondisplaced fracture of body of scapula, left shoulder, initial encounter for open fracture	ICD10
S42.115D	Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.115G	Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.115K	Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.115P	Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.115S	Nondisplaced fracture of body of scapula, left shoulder, sequela	ICD10
S42.116A	Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.116B	Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture	ICD10
S42.116D	Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.116G	Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.116K	Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.116P	Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.116S	Nondisplaced fracture of body of scapula, unspecified shoulder, sequela	ICD10
S42.121A	Displaced fracture of acromial process, right shoulder, initial encounter for closed fracture	ICD10
S42.121B	Displaced fracture of acromial process, right shoulder, initial encounter for open fracture	ICD10
S42.121D	Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.121G	Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.121K	Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.121P	Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.121S	Displaced fracture of acromial process, right shoulder, sequela	ICD10
S42.122A	Displaced fracture of acromial process, left shoulder, initial encounter for closed fracture	ICD10
S42.122B	Displaced fracture of acromial process, left shoulder, initial encounter for open fracture	ICD10
S42.122D	Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.122G	Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.122K	Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.122P	Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.122S	Displaced fracture of acromial process, left shoulder, sequela	ICD10
S42.123A	Displaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	ICD10

S42.123B	Displaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	ICD10
S42.123D	Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.123G	Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.123K	Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.123P	Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.123S	Displaced fracture of acromial process, unspecified shoulder, sequela	ICD10
S42.124A	Nondisplaced fracture of acromial process, right shoulder, initial encounter for closed fracture	ICD10
S42.124B	Nondisplaced fracture of acromial process, right shoulder, initial encounter for open fracture	ICD10
S42.124D	Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.124G	Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.124K	Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.124P	Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.124S	Nondisplaced fracture of acromial process, right shoulder, sequela	ICD10
S42.125A	Nondisplaced fracture of acromial process, left shoulder, initial encounter for closed fracture	ICD10
S42.125B	Nondisplaced fracture of acromial process, left shoulder, initial encounter for open fracture	ICD10
S42.125D	Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.125G	Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.125K	Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.125P	Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.125S	Nondisplaced fracture of acromial process, left shoulder, sequela	ICD10
S42.126A	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.126B	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	ICD10
S42.126D	Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.126G	Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.126K	Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.126P	Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.126S	Nondisplaced fracture of acromial process, unspecified shoulder, sequela	ICD10
S42.131A	Displaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	ICD10
S42.131B	Displaced fracture of coracoid process, right shoulder, initial encounter for open fracture	ICD10
S42.131D	Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.131G	Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with delayed healing	ICD10

S42.131K	Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.131P	Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.131S	Displaced fracture of coracoid process, right shoulder, sequela	ICD10
S42.132A	Displaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	ICD10
S42.132B	Displaced fracture of coracoid process, left shoulder, initial encounter for open fracture	ICD10
S42.132D	Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.132G	Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.132K	Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.132P	Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.132S	Displaced fracture of coracoid process, left shoulder, sequela	ICD10
S42.133A	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.133B	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	ICD10
S42.133D	Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.133G	Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.133K	Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.133P	Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.133S	Displaced fracture of coracoid process, unspecified shoulder, sequela	ICD10
S42.134A	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	ICD10
S42.134B	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for open fracture	ICD10
S42.134D	Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.134G	Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.134K	Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.134P	Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.134S	Nondisplaced fracture of coracoid process, right shoulder, sequela	ICD10
S42.135A	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	ICD10
S42.135B	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for open fracture	ICD10
S42.135D	Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.135G	Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.135K	Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.135P	Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.135S	Nondisplaced fracture of coracoid process, left shoulder, sequela	ICD10

S42.136A	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.136B	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	ICD10
S42.136D	Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.136G	Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.136K	Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.136P	Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.136S	Nondisplaced fracture of coracoid process, unspecified shoulder, sequela	ICD10
S42.141A	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	ICD10
S42.141B	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	ICD10
S42.141D	Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.141G	Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.141K	Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.141P	Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.141S	Displaced fracture of glenoid cavity of scapula, right shoulder, sequela	ICD10
S42.142A	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	ICD10
S42.142B	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	ICD10
S42.142D	Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.142G	Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.142K	Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.142P	Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.142S	Displaced fracture of glenoid cavity of scapula, left shoulder, sequela	ICD10
S42.143A	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.143B	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture	ICD10
S42.143D	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.143G	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.143K	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.143P	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.143S	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, sequela	ICD10
S42.144A	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	ICD10

S42.144B	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	ICD10
S42.144D	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.144G	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.144K	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.144P	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.144S	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, sequela	ICD10
S42.145A	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	ICD10
S42.145B	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	ICD10
S42.145D	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.145G	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.145K	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.145P	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.145S	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, sequela	ICD10
S42.146A	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.146B	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture	ICD10
S42.146D	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.146G	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.146K	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.146P	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.146S	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, sequela	ICD10
S42.151A	Displaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	ICD10
S42.151B	Displaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	ICD10
S42.151D	Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.151G	Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.151K	Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.151P	Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.151S	Displaced fracture of neck of scapula, right shoulder, sequela	ICD10
S42.152A	Displaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	ICD10
S42.152B	Displaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	ICD10

S42.152D	Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.152G	Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.152K	Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.152P	Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.152S	Displaced fracture of neck of scapula, left shoulder, sequela	ICD10
S42.153A	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.153B	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	ICD10
S42.153D	Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.153G	Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.153K	Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.153P	Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.153S	Displaced fracture of neck of scapula, unspecified shoulder, sequela	ICD10
S42.154A	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	ICD10
S42.154B	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	ICD10
S42.154D	Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.154G	Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.154K	Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.154P	Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.154S	Nondisplaced fracture of neck of scapula, right shoulder, sequela	ICD10
S42.155A	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	ICD10
S42.155B	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	ICD10
S42.155D	Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.155G	Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.155K	Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.155P	Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.155S	Nondisplaced fracture of neck of scapula, left shoulder, sequela	ICD10
S42.156A	Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.156B	Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	ICD10
S42.156D	Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.156G	Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10

S42.156K	Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.156P	Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.156S	Nondisplaced fracture of neck of scapula, unspecified shoulder, sequela	ICD10
S42.191A	Fracture of other part of scapula, right shoulder, initial encounter for closed fracture	ICD10
S42.191B	Fracture of other part of scapula, right shoulder, initial encounter for open fracture	ICD10
S42.191D	Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.191G	Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.191K	Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.191P	Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD10
S42.191S	Fracture of other part of scapula, right shoulder, sequela	ICD10
S42.192A	Fracture of other part of scapula, left shoulder, initial encounter for closed fracture	ICD10
S42.192B	Fracture of other part of scapula, left shoulder, initial encounter for open fracture	ICD10
S42.192D	Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.192G	Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.192K	Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.192P	Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD10
S42.192S	Fracture of other part of scapula, left shoulder, sequela	ICD10
S42.199A	Fracture of other part of scapula, unspecified shoulder, initial encounter for closed fracture	ICD10
S42.199B	Fracture of other part of scapula, unspecified shoulder, initial encounter for open fracture	ICD10
S42.199D	Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD10
S42.199G	Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD10
S42.199K	Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD10
S42.199P	Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD10
S42.199S	Fracture of other part of scapula, unspecified shoulder, sequela	ICD10
S42.201A	Unspecified fracture of upper end of right humerus, initial encounter for closed fracture	ICD10
S42.201B	Unspecified fracture of upper end of right humerus, initial encounter for open fracture	ICD10
S42.201D	Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.201G	Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.201K	Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.201P	Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.201S	Unspecified fracture of upper end of right humerus, sequela	ICD10
S42.202A	Unspecified fracture of upper end of left humerus, initial encounter for closed fracture	ICD10
S42.202B	Unspecified fracture of upper end of left humerus, initial encounter for open fracture	ICD10

S42.202D	Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.202G	Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.202K	Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.202P	Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.202S	Unspecified fracture of upper end of left humerus, sequela	ICD10
S42.209A	Unspecified fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD10
S42.209B	Unspecified fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD10
S42.209D	Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.209G	Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.209K	Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.209P	Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.209S	Unspecified fracture of upper end of unspecified humerus, sequela	ICD10
S42.211A	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD10
S42.211B	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD10
S42.211D	Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.211G	Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.211K	Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.211P	Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.211S	Unspecified displaced fracture of surgical neck of right humerus, sequela	ICD10
S42.212A	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD10
S42.212B	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD10
S42.212D	Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.212G	Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.212K	Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.212P	Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.212S	Unspecified displaced fracture of surgical neck of left humerus, sequela	ICD10
S42.213A	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD10
S42.213B	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD10

S42.213D	Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.213G	Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.213K	Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.213P	Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.213S	Unspecified displaced fracture of surgical neck of unspecified humerus, sequela	ICD10
S42.214A	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD10
S42.214B	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD10
S42.214D	Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.214G	Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.214K	Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.214P	Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.214S	Unspecified nondisplaced fracture of surgical neck of right humerus, sequela	ICD10
S42.215A	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD10
S42.215B	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD10
S42.215D	Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.215G	Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.215K	Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.215P	Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.215S	Unspecified nondisplaced fracture of surgical neck of left humerus, sequela	ICD10
S42.216A	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD10
S42.216B	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD10
S42.216D	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.216G	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.216K	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.216P	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.216S	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, sequela	ICD10
S42.221A	2-part displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD10
S42.221B	2-part displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD10

S42.221D	2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.221G	2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.221K	2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.221P	2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.221S	2-part displaced fracture of surgical neck of right humerus, sequela	ICD10
S42.222A	2-part displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD10
S42.222B	2-part displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD10
S42.222D	2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.222G	2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.222K	2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.222P	2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.222S	2-part displaced fracture of surgical neck of left humerus, sequela	ICD10
S42.223A	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD10
S42.223B	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD10
S42.223D	2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.223G	2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.223K	2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.223P	2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.223S	2-part displaced fracture of surgical neck of unspecified humerus, sequela	ICD10
S42.224A	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD10
S42.224B	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD10
S42.224D	2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.224G	2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.224K	2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.224P	2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.224S	2-part nondisplaced fracture of surgical neck of right humerus, sequela	ICD10
S42.225A	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD10
S42.225B	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD10
S42.225D	2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD10

S42.225G	2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.225K	2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.225P	2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.225S	2-part nondisplaced fracture of surgical neck of left humerus, sequela	ICD10
S42.226A	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD10
S42.226B	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD10
S42.226D	2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.226G	2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.226K	2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.226P	2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.226S	2-part nondisplaced fracture of surgical neck of unspecified humerus, sequela	ICD10
S42.231A	3-part fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD10
S42.231B	3-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD10
S42.231D	3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.231G	3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.231K	3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.231P	3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.231S	3-part fracture of surgical neck of right humerus, sequela	ICD10
S42.232A	3-part fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD10
S42.232B	3-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD10
S42.232D	3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.232G	3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.232K	3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.232P	3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.232S	3-part fracture of surgical neck of left humerus, sequela	ICD10
S42.239A	3-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD10
S42.239B	3-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD10
S42.239D	3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.239G	3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.239K	3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10

S42.239P	3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.239S	3-part fracture of surgical neck of unspecified humerus, sequela	ICD10
S42.241A	4-part fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD10
S42.241B	4-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD10
S42.241D	4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.241G	4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.241K	4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.241P	4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.241S	4-part fracture of surgical neck of right humerus, sequela	ICD10
S42.242A	4-part fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD10
S42.242B	4-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD10
S42.242D	4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.242G	4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.242K	4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.242P	4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.242S	4-part fracture of surgical neck of left humerus, sequela	ICD10
S42.249A	4-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD10
S42.249B	4-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD10
S42.249D	4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.249G	4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.249K	4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.249P	4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.249S	4-part fracture of surgical neck of unspecified humerus, sequela	ICD10
S42.251A	Displaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	ICD10
S42.251B	Displaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD10
S42.251D	Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.251G	Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.251K	Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.251P	Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.251S	Displaced fracture of greater tuberosity of right humerus, sequela	ICD10
S42.252A	Displaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	ICD10
S42.252B	Displaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD10
S42.252D	Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with routine healing	ICD10

S42.252G	Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.252K	Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.252P	Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.252S	Displaced fracture of greater tuberosity of left humerus, sequela	ICD10
S42.253A	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	ICD10
S42.253B	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD10
S42.253D	Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.253G	Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.253K	Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.253P	Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.253S	Displaced fracture of greater tuberosity of unspecified humerus, sequela	ICD10
S42.254A	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	ICD10
S42.254B	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD10
S42.254D	Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.254G	Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.254K	Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.254P	Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.254S	Nondisplaced fracture of greater tuberosity of right humerus, sequela	ICD10
S42.255A	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	ICD10
S42.255B	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD10
S42.255D	Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.255G	Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.255K	Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.255P	Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.255S	Nondisplaced fracture of greater tuberosity of left humerus, sequela	ICD10
S42.256A	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	ICD10
S42.256B	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD10
S42.256D	Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.256G	Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10

S42.256K	Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.256P	Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.256S	Nondisplaced fracture of greater tuberosity of unspecified humerus, sequela	ICD10
S42.261A	Displaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture	ICD10
S42.261B	Displaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD10
S42.261D	Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.261G	Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.261K	Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.261P	Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.261S	Displaced fracture of lesser tuberosity of right humerus, sequela	ICD10
S42.262A	Displaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	ICD10
S42.262B	Displaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD10
S42.262D	Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.262G	Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.262K	Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.262P	Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.262S	Displaced fracture of lesser tuberosity of left humerus, sequela	ICD10
S42.263A	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	ICD10
S42.263B	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD10
S42.263D	Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.263G	Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.263K	Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.263P	Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.263S	Displaced fracture of lesser tuberosity of unspecified humerus, sequela	ICD10
S42.264A	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture	ICD10
S42.264B	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD10
S42.264D	Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.264G	Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.264K	Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.264P	Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.264S	Nondisplaced fracture of lesser tuberosity of right humerus, sequela	ICD10

S42.265A	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	ICD10
S42.265B	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD10
S42.265D	Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.265G	Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.265K	Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.265P	Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.265S	Nondisplaced fracture of lesser tuberosity of left humerus, sequela	ICD10
S42.266A	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	ICD10
S42.266B	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD10
S42.266D	Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.266G	Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.266K	Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.266P	Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.266S	Nondisplaced fracture of lesser tuberosity of unspecified humerus, sequela	ICD10
S42.271A	Torus fracture of upper end of right humerus, initial encounter for closed fracture	ICD10
S42.271D	Torus fracture of upper end of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.271G	Torus fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.271K	Torus fracture of upper end of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.271P	Torus fracture of upper end of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.271S	Torus fracture of upper end of right humerus, sequela	ICD10
S42.272A	Torus fracture of upper end of left humerus, initial encounter for closed fracture	ICD10
S42.272D	Torus fracture of upper end of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.272G	Torus fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.272K	Torus fracture of upper end of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.272P	Torus fracture of upper end of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.272S	Torus fracture of upper end of left humerus, sequela	ICD10
S42.279A	Torus fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD10
S42.279D	Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.279G	Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.279K	Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.279P	Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.279S	Torus fracture of upper end of unspecified humerus, sequela	ICD10
S42.291A	Other displaced fracture of upper end of right humerus, initial encounter for closed fracture	ICD10

S42.291B	Other displaced fracture of upper end of right humerus, initial encounter for open fracture	ICD10
S42.291D	Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.291G	Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.291K	Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.291P	Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.291S	Other displaced fracture of upper end of right humerus, sequela	ICD10
S42.292A	Other displaced fracture of upper end of left humerus, initial encounter for closed fracture	ICD10
S42.292B	Other displaced fracture of upper end of left humerus, initial encounter for open fracture	ICD10
S42.292D	Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.292G	Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.292K	Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.292P	Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.292S	Other displaced fracture of upper end of left humerus, sequela	ICD10
S42.293A	Other displaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD10
S42.293B	Other displaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD10
S42.293D	Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.293G	Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.293K	Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.293P	Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.293S	Other displaced fracture of upper end of unspecified humerus, sequela	ICD10
S42.294A	Other nondisplaced fracture of upper end of right humerus, initial encounter for closed fracture	ICD10
S42.294B	Other nondisplaced fracture of upper end of right humerus, initial encounter for open fracture	ICD10
S42.294D	Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.294G	Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.294K	Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.294P	Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.294S	Other nondisplaced fracture of upper end of right humerus, sequela	ICD10
S42.295A	Other nondisplaced fracture of upper end of left humerus, initial encounter for closed fracture	ICD10
S42.295B	Other nondisplaced fracture of upper end of left humerus, initial encounter for open fracture	ICD10
S42.295D	Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.295G	Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing	ICD10

S42.295K	Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.295P	Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.295S	Other nondisplaced fracture of upper end of left humerus, sequela	ICD10
S42.296A	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD10
S42.296B	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD10
S42.296D	Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.296G	Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.296K	Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.296P	Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.296S	Other nondisplaced fracture of upper end of unspecified humerus, sequela	ICD10
S42.301A	Unspecified fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.301B	Unspecified fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.301D	Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.301G	Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.301K	Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.301P	Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.301S	Unspecified fracture of shaft of humerus, right arm, sequela	ICD10
S42.302A	Unspecified fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.302B	Unspecified fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.302D	Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.302G	Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.302K	Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.302P	Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.302S	Unspecified fracture of shaft of humerus, left arm, sequela	ICD10
S42.309A	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.309B	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.309D	Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.309G	Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.309K	Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.309P	Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.309S	Unspecified fracture of shaft of humerus, unspecified arm, sequela	ICD10

S42.311A	Greenstick fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.311D	Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.311G	Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.311K	Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.311P	Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.311S	Greenstick fracture of shaft of humerus, right arm, sequela	ICD10
S42.312A	Greenstick fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.312D	Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.312G	Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.312K	Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.312P	Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.312S	Greenstick fracture of shaft of humerus, left arm, sequela	ICD10
S42.319A	Greenstick fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.319D	Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.319G	Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.319K	Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.319P	Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.319S	Greenstick fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.321A	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.321B	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.321D	Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.321G	Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.321K	Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.321P	Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.321S	Displaced transverse fracture of shaft of humerus, right arm, sequela	ICD10
S42.322A	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.322B	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.322D	Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.322G	Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.322K	Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.322P	Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10

S42.322S	Displaced transverse fracture of shaft of humerus, left arm, sequela	ICD10
S42.323A	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.323B	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.323D	Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.323G	Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.323K	Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.323P	Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.323S	Displaced transverse fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.324A	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.324B	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.324D	Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.324G	Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.324K	Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.324P	Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.324S	Nondisplaced transverse fracture of shaft of humerus, right arm, sequela	ICD10
S42.325A	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.325B	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.325D	Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.325G	Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.325K	Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.325P	Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.325S	Nondisplaced transverse fracture of shaft of humerus, left arm, sequela	ICD10
S42.326A	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.326B	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.326D	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.326G	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.326K	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10

S42.326P	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.326S	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.331A	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.331B	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.331D	Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.331G	Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.331K	Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.331P	Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.331S	Displaced oblique fracture of shaft of humerus, right arm, sequela	ICD10
S42.332A	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.332B	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.332D	Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.332G	Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.332K	Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.332P	Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.332S	Displaced oblique fracture of shaft of humerus, left arm, sequela	ICD10
S42.333A	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.333B	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.333D	Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.333G	Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.333K	Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.333P	Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.333S	Displaced oblique fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.334A	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.334B	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.334D	Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.334G	Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.334K	Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.334P	Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.334S	Nondisplaced oblique fracture of shaft of humerus, right arm, sequela	ICD10
S42.335A	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10

S42.335B	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.335D	Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.335G	Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.335K	Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.335P	Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.335S	Nondisplaced oblique fracture of shaft of humerus, left arm, sequela	ICD10
S42.336A	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.336B	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.336D	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.336G	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.336K	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.336P	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.336S	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.341A	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.341B	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.341D	Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.341G	Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.341K	Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.341P	Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.341S	Displaced spiral fracture of shaft of humerus, right arm, sequela	ICD10
S42.342A	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.342B	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.342D	Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.342G	Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.342K	Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.342P	Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.342S	Displaced spiral fracture of shaft of humerus, left arm, sequela	ICD10
S42.343A	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.343B	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.343D	Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10

S42.343G	Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.343K	Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.343P	Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.343S	Displaced spiral fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.344A	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.344B	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.344D	Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.344G	Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.344K	Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.344P	Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.344S	Nondisplaced spiral fracture of shaft of humerus, right arm, sequela	ICD10
S42.345A	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.345B	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.345D	Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.345G	Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.345K	Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.345P	Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.345S	Nondisplaced spiral fracture of shaft of humerus, left arm, sequela	ICD10
S42.346A	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.346B	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.346D	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.346G	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.346K	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.346P	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.346S	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.351A	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.351B	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.351D	Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.351G	Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10

S42.351K	Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.351P	Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.351S	Displaced comminuted fracture of shaft of humerus, right arm, sequela	ICD10
S42.352A	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.352B	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.352D	Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.352G	Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.352K	Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.352P	Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.352S	Displaced comminuted fracture of shaft of humerus, left arm, sequela	ICD10
S42.353A	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.353B	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.353D	Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.353G	Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.353K	Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.353P	Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.353S	Displaced comminuted fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.354A	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.354B	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.354D	Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.354G	Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.354K	Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.354P	Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.354S	Nondisplaced comminuted fracture of shaft of humerus, right arm, sequela	ICD10
S42.355A	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.355B	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.355D	Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.355G	Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10

S42.355K	Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.355P	Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.355S	Nondisplaced comminuted fracture of shaft of humerus, left arm, sequela	ICD10
S42.356A	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.356B	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.356D	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.356G	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.356K	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.356P	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.356S	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.361A	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.361B	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.361D	Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.361G	Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.361K	Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.361P	Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.361S	Displaced segmental fracture of shaft of humerus, right arm, sequela	ICD10
S42.362A	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.362B	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.362D	Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.362G	Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.362K	Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.362P	Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.362S	Displaced segmental fracture of shaft of humerus, left arm, sequela	ICD10
S42.363A	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.363B	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.363D	Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.363G	Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.363K	Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10

S42.363P	Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.363S	Displaced segmental fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.364A	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD10
S42.364B	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD10
S42.364D	Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S42.364G	Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S42.364K	Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S42.364P	Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S42.364S	Nondisplaced segmental fracture of shaft of humerus, right arm, sequela	ICD10
S42.365A	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD10
S42.365B	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD10
S42.365D	Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S42.365G	Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S42.365K	Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S42.365P	Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S42.365S	Nondisplaced segmental fracture of shaft of humerus, left arm, sequela	ICD10
S42.366A	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S42.366B	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD10
S42.366D	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S42.366G	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S42.366K	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S42.366P	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S42.366S	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, sequela	ICD10
S42.391A	Other fracture of shaft of right humerus, initial encounter for closed fracture	ICD10
S42.391B	Other fracture of shaft of right humerus, initial encounter for open fracture	ICD10
S42.391D	Other fracture of shaft of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.391G	Other fracture of shaft of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.391K	Other fracture of shaft of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.391P	Other fracture of shaft of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.391S	Other fracture of shaft of right humerus, sequela	ICD10
S42.392A	Other fracture of shaft of left humerus, initial encounter for closed fracture	ICD10

S42.392B	Other fracture of shaft of left humerus, initial encounter for open fracture	ICD10
S42.392D	Other fracture of shaft of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.392G	Other fracture of shaft of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.392K	Other fracture of shaft of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.392P	Other fracture of shaft of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.392S	Other fracture of shaft of left humerus, sequela	ICD10
S42.399A	Other fracture of shaft of unspecified humerus, initial encounter for closed fracture	ICD10
S42.399B	Other fracture of shaft of unspecified humerus, initial encounter for open fracture	ICD10
S42.399D	Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.399G	Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.399K	Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.399P	Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.399S	Other fracture of shaft of unspecified humerus, sequela	ICD10
S42.401A	Unspecified fracture of lower end of right humerus, initial encounter for closed fracture	ICD10
S42.401B	Unspecified fracture of lower end of right humerus, initial encounter for open fracture	ICD10
S42.401D	Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.401G	Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.401K	Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.401P	Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.401S	Unspecified fracture of lower end of right humerus, sequela	ICD10
S42.402A	Unspecified fracture of lower end of left humerus, initial encounter for closed fracture	ICD10
S42.402B	Unspecified fracture of lower end of left humerus, initial encounter for open fracture	ICD10
S42.402D	Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.402G	Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.402K	Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.402P	Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.402S	Unspecified fracture of lower end of left humerus, sequela	ICD10
S42.409A	Unspecified fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD10
S42.409B	Unspecified fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD10
S42.409D	Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.409G	Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.409K	Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.409P	Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.409S	Unspecified fracture of lower end of unspecified humerus, sequela	ICD10

S42.411A	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD10
S42.411B	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD10
S42.411D	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.411G	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.411K	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.411P	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.411S	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, sequela	ICD10
S42.412A	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD10
S42.412B	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD10
S42.412D	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.412G	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.412K	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.412P	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.412S	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, sequela	ICD10
S42.413A	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD10
S42.413B	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD10
S42.413D	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.413G	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.413K	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.413P	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.413S	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, sequela	ICD10
S42.414A	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD10
S42.414B	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD10
S42.414D	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.414G	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.414K	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD10

S42.414P	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.414S	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, sequela	ICD10
S42.415A	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD10
S42.415B	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD10
S42.415D	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.415G	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.415K	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.415P	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.415S	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, sequela	ICD10
S42.416A	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD10
S42.416B	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD10
S42.416D	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.416G	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.416K	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.416P	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.416S	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, sequela	ICD10
S42.421A	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD10
S42.421B	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD10
S42.421D	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.421G	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.421K	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.421P	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.421S	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, sequela	ICD10
S42.422A	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD10
S42.422B	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD10

S42.422D	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.422G	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.422K	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.422P	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.422S	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, sequela	ICD10
S42.423A	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD10
S42.423B	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD10
S42.423D	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.423G	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.423K	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.423P	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.423S	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, sequela	ICD10
S42.424A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD10
S42.424B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD10
S42.424D	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.424G	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.424K	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.424P	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.424S	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, sequela	ICD10
S42.425A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD10
S42.425B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD10
S42.425D	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.425G	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.425K	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.425P	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD10

S42.425S	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, sequela	ICD10
S42.426A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD10
S42.426B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD10
S42.426D	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.426G	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.426K	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.426P	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.426S	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, sequela	ICD10
S42.431A	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	ICD10
S42.431B	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	ICD10
S42.431D	Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.431G	Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.431K	Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.431P	Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.431S	Displaced fracture (avulsion) of lateral epicondyle of right humerus, sequela	ICD10
S42.432A	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	ICD10
S42.432B	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	ICD10
S42.432D	Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.432G	Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.432K	Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.432P	Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.432S	Displaced fracture (avulsion) of lateral epicondyle of left humerus, sequela	ICD10
S42.433A	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	ICD10
S42.433B	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.433D	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.433G	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10

S42.433K	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.433P	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.433S	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, sequela	ICD10
S42.434A	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	ICD10
S42.434B	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	ICD10
S42.434D	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.434G	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.434K	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.434P	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.434S	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, sequela	ICD10
S42.435A	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	ICD10
S42.435B	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	ICD10
S42.435D	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.435G	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.435K	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.435P	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.435S	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, sequela	ICD10
S42.436A	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	ICD10
S42.436B	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.436D	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.436G	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.436K	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.436P	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.436S	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, sequela	ICD10
S42.441A	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD10
S42.441B	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD10
S42.441D	Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD10

S42.441G	Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.441K	Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.441P	Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.441S	Displaced fracture (avulsion) of medial epicondyle of right humerus, sequela	ICD10
S42.442A	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD10
S42.442B	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD10
S42.442D	Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.442G	Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.442K	Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.442P	Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.442S	Displaced fracture (avulsion) of medial epicondyle of left humerus, sequela	ICD10
S42.443A	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD10
S42.443B	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.443D	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.443G	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.443K	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.443P	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.443S	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, sequela	ICD10
S42.444A	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD10
S42.444B	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD10
S42.444D	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.444G	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.444K	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.444P	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.444S	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, sequela	ICD10
S42.445A	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD10
S42.445B	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD10

S42.445D	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.445G	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.445K	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.445P	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.445S	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, sequela	ICD10
S42.446A	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD10
S42.446B	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.446D	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.446G	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.446K	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.446P	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.446S	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, sequela	ICD10
S42.447A	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD10
S42.447B	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD10
S42.447D	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.447G	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.447K	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.447P	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.447S	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, sequela	ICD10
S42.448A	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD10
S42.448B	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD10
S42.448D	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.448G	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.448K	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.448P	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.448S	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, sequela	ICD10
S42.449A	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD10

S42.449B	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.449D	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.449G	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.449K	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.449P	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.449S	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, sequela	ICD10
S42.451A	Displaced fracture of lateral condyle of right humerus, initial encounter for closed fracture	ICD10
S42.451B	Displaced fracture of lateral condyle of right humerus, initial encounter for open fracture	ICD10
S42.451D	Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.451G	Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.451K	Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.451P	Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.451S	Displaced fracture of lateral condyle of right humerus, sequela	ICD10
S42.452A	Displaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	ICD10
S42.452B	Displaced fracture of lateral condyle of left humerus, initial encounter for open fracture	ICD10
S42.452D	Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.452G	Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.452K	Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.452P	Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.452S	Displaced fracture of lateral condyle of left humerus, sequela	ICD10
S42.453A	Displaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	ICD10
S42.453B	Displaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.453D	Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.453G	Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.453K	Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.453P	Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.453S	Displaced fracture of lateral condyle of unspecified humerus, sequela	ICD10
S42.454A	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for closed fracture	ICD10
S42.454B	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for open fracture	ICD10
S42.454D	Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.454G	Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10

S42.454K	Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.454P	Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.454S	Nondisplaced fracture of lateral condyle of right humerus, sequela	ICD10
S42.455A	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	ICD10
S42.455B	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for open fracture	ICD10
S42.455D	Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.455G	Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.455K	Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.455P	Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.455S	Nondisplaced fracture of lateral condyle of left humerus, sequela	ICD10
S42.456A	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	ICD10
S42.456B	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.456D	Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.456G	Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.456K	Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.456P	Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.456S	Nondisplaced fracture of lateral condyle of unspecified humerus, sequela	ICD10
S42.461A	Displaced fracture of medial condyle of right humerus, initial encounter for closed fracture	ICD10
S42.461B	Displaced fracture of medial condyle of right humerus, initial encounter for open fracture	ICD10
S42.461D	Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.461G	Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.461K	Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.461P	Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.461S	Displaced fracture of medial condyle of right humerus, sequela	ICD10
S42.462A	Displaced fracture of medial condyle of left humerus, initial encounter for closed fracture	ICD10
S42.462B	Displaced fracture of medial condyle of left humerus, initial encounter for open fracture	ICD10
S42.462D	Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.462G	Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.462K	Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.462P	Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.462S	Displaced fracture of medial condyle of left humerus, sequela	ICD10

S42.463A	Displaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	ICD10
S42.463B	Displaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.463D	Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.463G	Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.463K	Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.463P	Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.463S	Displaced fracture of medial condyle of unspecified humerus, sequela	ICD10
S42.464A	Nondisplaced fracture of medial condyle of right humerus, initial encounter for closed fracture	ICD10
S42.464B	Nondisplaced fracture of medial condyle of right humerus, initial encounter for open fracture	ICD10
S42.464D	Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.464G	Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.464K	Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.464P	Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.464S	Nondisplaced fracture of medial condyle of right humerus, sequela	ICD10
S42.465A	Nondisplaced fracture of medial condyle of left humerus, initial encounter for closed fracture	ICD10
S42.465B	Nondisplaced fracture of medial condyle of left humerus, initial encounter for open fracture	ICD10
S42.465D	Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.465G	Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.465K	Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.465P	Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.465S	Nondisplaced fracture of medial condyle of left humerus, sequela	ICD10
S42.466A	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	ICD10
S42.466B	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	ICD10
S42.466D	Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.466G	Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.466K	Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.466P	Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.466S	Nondisplaced fracture of medial condyle of unspecified humerus, sequela	ICD10
S42.471A	Displaced transcondylar fracture of right humerus, initial encounter for closed fracture	ICD10
S42.471B	Displaced transcondylar fracture of right humerus, initial encounter for open fracture	ICD10
S42.471D	Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD10

S42.471G	Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.471K	Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.471P	Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.471S	Displaced transcondylar fracture of right humerus, sequela	ICD10
S42.472A	Displaced transcondylar fracture of left humerus, initial encounter for closed fracture	ICD10
S42.472B	Displaced transcondylar fracture of left humerus, initial encounter for open fracture	ICD10
S42.472D	Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.472G	Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.472K	Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.472P	Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.472S	Displaced transcondylar fracture of left humerus, sequela	ICD10
S42.473A	Displaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD10
S42.473B	Displaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	ICD10
S42.473D	Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.473G	Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.473K	Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.473P	Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.473S	Displaced transcondylar fracture of unspecified humerus, sequela	ICD10
S42.474A	Nondisplaced transcondylar fracture of right humerus, initial encounter for closed fracture	ICD10
S42.474B	Nondisplaced transcondylar fracture of right humerus, initial encounter for open fracture	ICD10
S42.474D	Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.474G	Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.474K	Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.474P	Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.474S	Nondisplaced transcondylar fracture of right humerus, sequela	ICD10
S42.475A	Nondisplaced transcondylar fracture of left humerus, initial encounter for closed fracture	ICD10
S42.475B	Nondisplaced transcondylar fracture of left humerus, initial encounter for open fracture	ICD10
S42.475D	Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.475G	Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.475K	Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.475P	Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.475S	Nondisplaced transcondylar fracture of left humerus, sequela	ICD10

S42.476A	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD10
S42.476B	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	ICD10
S42.476D	Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.476G	Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.476K	Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.476P	Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.476S	Nondisplaced transcondylar fracture of unspecified humerus, sequela	ICD10
S42.481A	Torus fracture of lower end of right humerus, initial encounter for closed fracture	ICD10
S42.481D	Torus fracture of lower end of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.481G	Torus fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.481K	Torus fracture of lower end of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.481P	Torus fracture of lower end of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.481S	Torus fracture of lower end of right humerus, sequela	ICD10
S42.482A	Torus fracture of lower end of left humerus, initial encounter for closed fracture	ICD10
S42.482D	Torus fracture of lower end of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.482G	Torus fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.482K	Torus fracture of lower end of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.482P	Torus fracture of lower end of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.482S	Torus fracture of lower end of left humerus, sequela	ICD10
S42.489A	Torus fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD10
S42.489D	Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.489G	Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.489K	Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.489P	Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.489S	Torus fracture of lower end of unspecified humerus, sequela	ICD10
S42.491A	Other displaced fracture of lower end of right humerus, initial encounter for closed fracture	ICD10
S42.491B	Other displaced fracture of lower end of right humerus, initial encounter for open fracture	ICD10
S42.491D	Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.491G	Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.491K	Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.491P	Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.491S	Other displaced fracture of lower end of right humerus, sequela	ICD10
S42.492A	Other displaced fracture of lower end of left humerus, initial encounter for closed fracture	ICD10
S42.492B	Other displaced fracture of lower end of left humerus, initial encounter for open fracture	ICD10

S42.492D	Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.492G	Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.492K	Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.492P	Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.492S	Other displaced fracture of lower end of left humerus, sequela	ICD10
S42.493A	Other displaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD10
S42.493B	Other displaced fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD10
S42.493D	Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10
S42.493G	Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.493K	Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.493P	Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.493S	Other displaced fracture of lower end of unspecified humerus, sequela	ICD10
S42.494A	Other nondisplaced fracture of lower end of right humerus, initial encounter for closed fracture	ICD10
S42.494B	Other nondisplaced fracture of lower end of right humerus, initial encounter for open fracture	ICD10
S42.494D	Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with routine healing	ICD10
S42.494G	Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.494K	Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with nonunion	ICD10
S42.494P	Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with malunion	ICD10
S42.494S	Other nondisplaced fracture of lower end of right humerus, sequela	ICD10
S42.495A	Other nondisplaced fracture of lower end of left humerus, initial encounter for closed fracture	ICD10
S42.495B	Other nondisplaced fracture of lower end of left humerus, initial encounter for open fracture	ICD10
S42.495D	Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with routine healing	ICD10
S42.495G	Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.495K	Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with nonunion	ICD10
S42.495P	Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with malunion	ICD10
S42.495S	Other nondisplaced fracture of lower end of left humerus, sequela	ICD10
S42.496A	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD10
S42.496B	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD10
S42.496D	Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD10

S42.496G	Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD10
S42.496K	Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD10
S42.496P	Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion	ICD10
S42.496S	Other nondisplaced fracture of lower end of unspecified humerus, sequela	ICD10
S42.90XA	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for closed fracture	ICD10
S42.90XB	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for open fracture	ICD10
S42.90XD	Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing	ICD10
S42.90XG	Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing	ICD10
S42.90XK	Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion	ICD10
S42.90XP	Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with malunion	ICD10
S42.90XS	Fracture of unspecified shoulder girdle, part unspecified, sequela	ICD10
S42.91XA	Fracture of right shoulder girdle, part unspecified, initial encounter for closed fracture	ICD10
S42.91XB	Fracture of right shoulder girdle, part unspecified, initial encounter for open fracture	ICD10
S42.91XD	Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing	ICD10
S42.91XG	Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing	ICD10
S42.91XK	Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion	ICD10
S42.91XP	Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with malunion	ICD10
S42.91XS	Fracture of right shoulder girdle, part unspecified, sequela	ICD10
S42.92XA	Fracture of left shoulder girdle, part unspecified, initial encounter for closed fracture	ICD10
S42.92XB	Fracture of left shoulder girdle, part unspecified, initial encounter for open fracture	ICD10
S42.92XD	Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing	ICD10
S42.92XG	Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing	ICD10
S42.92XK	Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion	ICD10
S42.92XP	Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with malunion	ICD10
S42.92XS	Fracture of left shoulder girdle, part unspecified, sequela	ICD10
S43.001A	Unspecified subluxation of right shoulder joint, initial encounter	ICD10
S43.001D	Unspecified subluxation of right shoulder joint, subsequent encounter	ICD10
S43.001S	Unspecified subluxation of right shoulder joint, sequela	ICD10
S43.002A	Unspecified subluxation of left shoulder joint, initial encounter	ICD10
S43.002D	Unspecified subluxation of left shoulder joint, subsequent encounter	ICD10
S43.002S	Unspecified subluxation of left shoulder joint, sequela	ICD10
S43.003A	Unspecified subluxation of unspecified shoulder joint, initial encounter	ICD10
S43.003D	Unspecified subluxation of unspecified shoulder joint, subsequent encounter	ICD10
S43.003S	Unspecified subluxation of unspecified shoulder joint, sequela	ICD10
S43.004A	Unspecified dislocation of right shoulder joint, initial encounter	ICD10
S43.004D	Unspecified dislocation of right shoulder joint, subsequent encounter	ICD10

S43.004S	Unspecified dislocation of right shoulder joint, sequela	ICD10
S43.005A	Unspecified dislocation of left shoulder joint, initial encounter	ICD10
S43.005D	Unspecified dislocation of left shoulder joint, subsequent encounter	ICD10
S43.005S	Unspecified dislocation of left shoulder joint, sequela	ICD10
S43.006A	Unspecified dislocation of unspecified shoulder joint, initial encounter	ICD10
S43.006D	Unspecified dislocation of unspecified shoulder joint, subsequent encounter	ICD10
S43.006S	Unspecified dislocation of unspecified shoulder joint, sequela	ICD10
S43.011A	Anterior subluxation of right humerus, initial encounter	ICD10
S43.011D	Anterior subluxation of right humerus, subsequent encounter	ICD10
S43.011S	Anterior subluxation of right humerus, sequela	ICD10
S43.012A	Anterior subluxation of left humerus, initial encounter	ICD10
S43.012D	Anterior subluxation of left humerus, subsequent encounter	ICD10
S43.012S	Anterior subluxation of left humerus, sequela	ICD10
S43.013A	Anterior subluxation of unspecified humerus, initial encounter	ICD10
S43.013D	Anterior subluxation of unspecified humerus, subsequent encounter	ICD10
S43.013S	Anterior subluxation of unspecified humerus, sequela	ICD10
S43.014A	Anterior dislocation of right humerus, initial encounter	ICD10
S43.014D	Anterior dislocation of right humerus, subsequent encounter	ICD10
S43.014S	Anterior dislocation of right humerus, sequela	ICD10
S43.015A	Anterior dislocation of left humerus, initial encounter	ICD10
S43.015D	Anterior dislocation of left humerus, subsequent encounter	ICD10
S43.015S	Anterior dislocation of left humerus, sequela	ICD10
S43.016A	Anterior dislocation of unspecified humerus, initial encounter	ICD10
S43.016D	Anterior dislocation of unspecified humerus, subsequent encounter	ICD10
S43.016S	Anterior dislocation of unspecified humerus, sequela	ICD10
S43.021A	Posterior subluxation of right humerus, initial encounter	ICD10
S43.021D	Posterior subluxation of right humerus, subsequent encounter	ICD10
S43.021S	Posterior subluxation of right humerus, sequela	ICD10
S43.022A	Posterior subluxation of left humerus, initial encounter	ICD10
S43.022D	Posterior subluxation of left humerus, subsequent encounter	ICD10
S43.022S	Posterior subluxation of left humerus, sequela	ICD10
S43.023A	Posterior subluxation of unspecified humerus, initial encounter	ICD10
S43.023D	Posterior subluxation of unspecified humerus, subsequent encounter	ICD10
S43.023S	Posterior subluxation of unspecified humerus, sequela	ICD10
S43.024A	Posterior dislocation of right humerus, initial encounter	ICD10
S43.024D	Posterior dislocation of right humerus, subsequent encounter	ICD10
S43.024S	Posterior dislocation of right humerus, sequela	ICD10
S43.025A	Posterior dislocation of left humerus, initial encounter	ICD10
S43.025D	Posterior dislocation of left humerus, subsequent encounter	ICD10
S43.025S	Posterior dislocation of left humerus, sequela	ICD10
S43.026A	Posterior dislocation of unspecified humerus, initial encounter	ICD10
S43.026D	Posterior dislocation of unspecified humerus, subsequent encounter	ICD10
S43.026S	Posterior dislocation of unspecified humerus, sequela	ICD10
S43.031A	Inferior subluxation of right humerus, initial encounter	ICD10
S43.031D	Inferior subluxation of right humerus, subsequent encounter	ICD10
S43.031S	Inferior subluxation of right humerus, sequela	ICD10
S43.032A	Inferior subluxation of left humerus, initial encounter	ICD10
S43.032D	Inferior subluxation of left humerus, subsequent encounter	ICD10
S43.032S	Inferior subluxation of left humerus, sequela	ICD10
S43.033A	Inferior subluxation of unspecified humerus, initial encounter	ICD10
S43.033D	Inferior subluxation of unspecified humerus, subsequent encounter	ICD10

S43.033S	Inferior subluxation of unspecified humerus, sequela	ICD10
S43.034A	Inferior dislocation of right humerus, initial encounter	ICD10
S43.034D	Inferior dislocation of right humerus, subsequent encounter	ICD10
S43.034S	Inferior dislocation of right humerus, sequela	ICD10
S43.035A	Inferior dislocation of left humerus, initial encounter	ICD10
S43.035D	Inferior dislocation of left humerus, subsequent encounter	ICD10
S43.035S	Inferior dislocation of left humerus, sequela	ICD10
S43.036A	Inferior dislocation of unspecified humerus, initial encounter	ICD10
S43.036D	Inferior dislocation of unspecified humerus, subsequent encounter	ICD10
S43.036S	Inferior dislocation of unspecified humerus, sequela	ICD10
S43.081A	Other subluxation of right shoulder joint, initial encounter	ICD10
S43.081D	Other subluxation of right shoulder joint, subsequent encounter	ICD10
S43.081S	Other subluxation of right shoulder joint, sequela	ICD10
S43.082A	Other subluxation of left shoulder joint, initial encounter	ICD10
S43.082D	Other subluxation of left shoulder joint, subsequent encounter	ICD10
S43.082S	Other subluxation of left shoulder joint, sequela	ICD10
S43.083A	Other subluxation of unspecified shoulder joint, initial encounter	ICD10
S43.083D	Other subluxation of unspecified shoulder joint, subsequent encounter	ICD10
S43.083S	Other subluxation of unspecified shoulder joint, sequela	ICD10
S43.084A	Other dislocation of right shoulder joint, initial encounter	ICD10
S43.084D	Other dislocation of right shoulder joint, subsequent encounter	ICD10
S43.084S	Other dislocation of right shoulder joint, sequela	ICD10
S43.085A	Other dislocation of left shoulder joint, initial encounter	ICD10
S43.085D	Other dislocation of left shoulder joint, subsequent encounter	ICD10
S43.085S	Other dislocation of left shoulder joint, sequela	ICD10
S43.086A	Other dislocation of unspecified shoulder joint, initial encounter	ICD10
S43.086D	Other dislocation of unspecified shoulder joint, subsequent encounter	ICD10
S43.086S	Other dislocation of unspecified shoulder joint, sequela	ICD10
S43.101A	Unspecified dislocation of right acromioclavicular joint, initial encounter	ICD10
S43.101D	Unspecified dislocation of right acromioclavicular joint, subsequent encounter	ICD10
S43.101S	Unspecified dislocation of right acromioclavicular joint, sequela	ICD10
S43.102A	Unspecified dislocation of left acromioclavicular joint, initial encounter	ICD10
S43.102D	Unspecified dislocation of left acromioclavicular joint, subsequent encounter	ICD10
S43.102S	Unspecified dislocation of left acromioclavicular joint, sequela	ICD10
S43.109A	Unspecified dislocation of unspecified acromioclavicular joint, initial encounter	ICD10
S43.109D	Unspecified dislocation of unspecified acromioclavicular joint, subsequent encounter	ICD10
S43.109S	Unspecified dislocation of unspecified acromioclavicular joint, sequela	ICD10
S43.111A	Subluxation of right acromioclavicular joint, initial encounter	ICD10
S43.111D	Subluxation of right acromioclavicular joint, subsequent encounter	ICD10
S43.111S	Subluxation of right acromioclavicular joint, sequela	ICD10
S43.112A	Subluxation of left acromioclavicular joint, initial encounter	ICD10
S43.112D	Subluxation of left acromioclavicular joint, subsequent encounter	ICD10
S43.112S	Subluxation of left acromioclavicular joint, sequela	ICD10
S43.119A	Subluxation of unspecified acromioclavicular joint, initial encounter	ICD10
S43.119D	Subluxation of unspecified acromioclavicular joint, subsequent encounter	ICD10
S43.119S	Subluxation of unspecified acromioclavicular joint, sequela	ICD10
S43.121A	Dislocation of right acromioclavicular joint, 100%-200% displacement, initial encounter	ICD10
S43.121D	Dislocation of right acromioclavicular joint, 100%-200% displacement, subsequent encounter	ICD10
S43.121S	Dislocation of right acromioclavicular joint, 100%-200% displacement, sequela	ICD10
S43.122A	Dislocation of left acromioclavicular joint, 100%-200% displacement, initial encounter	ICD10
S43.122D	Dislocation of left acromioclavicular joint, 100%-200% displacement, subsequent encounter	ICD10

S43.122S	Dislocation of left acromioclavicular joint, 100%-200% displacement, sequela	ICD10
S43.129A	Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, initial encounter	ICD10
S43.129D	Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, subsequent encounter	ICD10
S43.129S	Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, sequela	ICD10
S43.131A	Dislocation of right acromioclavicular joint, greater than 200% displacement, initial encounter	ICD10
S43.131D	Dislocation of right acromioclavicular joint, greater than 200% displacement, subsequent encounter	ICD10
S43.131S	Dislocation of right acromioclavicular joint, greater than 200% displacement, sequela	ICD10
S43.132A	Dislocation of left acromioclavicular joint, greater than 200% displacement, initial encounter	ICD10
S43.132D	Dislocation of left acromioclavicular joint, greater than 200% displacement, subsequent encounter	ICD10
S43.132S	Dislocation of left acromioclavicular joint, greater than 200% displacement, sequela	ICD10
S43.139A	Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, initial encounter	ICD10
S43.139D	Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, subsequent encounter	ICD10
S43.139S	Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, sequela	ICD10
S43.141A	Inferior dislocation of right acromioclavicular joint, initial encounter	ICD10
S43.141D	Inferior dislocation of right acromioclavicular joint, subsequent encounter	ICD10
S43.141S	Inferior dislocation of right acromioclavicular joint, sequela	ICD10
S43.142A	Inferior dislocation of left acromioclavicular joint, initial encounter	ICD10
S43.142D	Inferior dislocation of left acromioclavicular joint, subsequent encounter	ICD10
S43.142S	Inferior dislocation of left acromioclavicular joint, sequela	ICD10
S43.149A	Inferior dislocation of unspecified acromioclavicular joint, initial encounter	ICD10
S43.149D	Inferior dislocation of unspecified acromioclavicular joint, subsequent encounter	ICD10
S43.149S	Inferior dislocation of unspecified acromioclavicular joint, sequela	ICD10
S43.151A	Posterior dislocation of right acromioclavicular joint, initial encounter	ICD10
S43.151D	Posterior dislocation of right acromioclavicular joint, subsequent encounter	ICD10
S43.151S	Posterior dislocation of right acromioclavicular joint, sequela	ICD10
S43.152A	Posterior dislocation of left acromioclavicular joint, initial encounter	ICD10
S43.152D	Posterior dislocation of left acromioclavicular joint, subsequent encounter	ICD10
S43.152S	Posterior dislocation of left acromioclavicular joint, sequela	ICD10
S43.159A	Posterior dislocation of unspecified acromioclavicular joint, initial encounter	ICD10
S43.159D	Posterior dislocation of unspecified acromioclavicular joint, subsequent encounter	ICD10
S43.159S	Posterior dislocation of unspecified acromioclavicular joint, sequela	ICD10
S43.201A	Unspecified subluxation of right sternoclavicular joint, initial encounter	ICD10
S43.201D	Unspecified subluxation of right sternoclavicular joint, subsequent encounter	ICD10
S43.201S	Unspecified subluxation of right sternoclavicular joint, sequela	ICD10
S43.202A	Unspecified subluxation of left sternoclavicular joint, initial encounter	ICD10
S43.202D	Unspecified subluxation of left sternoclavicular joint, subsequent encounter	ICD10
S43.202S	Unspecified subluxation of left sternoclavicular joint, sequela	ICD10
S43.203A	Unspecified subluxation of unspecified sternoclavicular joint, initial encounter	ICD10
S43.203D	Unspecified subluxation of unspecified sternoclavicular joint, subsequent encounter	ICD10
S43.203S	Unspecified subluxation of unspecified sternoclavicular joint, sequela	ICD10
S43.204A	Unspecified dislocation of right sternoclavicular joint, initial encounter	ICD10
S43.204D	Unspecified dislocation of right sternoclavicular joint, subsequent encounter	ICD10
S43.204S	Unspecified dislocation of right sternoclavicular joint, sequela	ICD10
S43.205A	Unspecified dislocation of left sternoclavicular joint, initial encounter	ICD10
S43.205D	Unspecified dislocation of left sternoclavicular joint, subsequent encounter	ICD10
S43.205S	Unspecified dislocation of left sternoclavicular joint, sequela	ICD10

S43.206A	Unspecified dislocation of unspecified sternoclavicular joint, initial encounter	ICD10
S43.206D	Unspecified dislocation of unspecified sternoclavicular joint, subsequent encounter	ICD10
S43.206S	Unspecified dislocation of unspecified sternoclavicular joint, sequela	ICD10
S43.211A	Anterior subluxation of right sternoclavicular joint, initial encounter	ICD10
S43.211D	Anterior subluxation of right sternoclavicular joint, subsequent encounter	ICD10
S43.211S	Anterior subluxation of right sternoclavicular joint, sequela	ICD10
S43.212A	Anterior subluxation of left sternoclavicular joint, initial encounter	ICD10
S43.212D	Anterior subluxation of left sternoclavicular joint, subsequent encounter	ICD10
S43.212S	Anterior subluxation of left sternoclavicular joint, sequela	ICD10
S43.213A	Anterior subluxation of unspecified sternoclavicular joint, initial encounter	ICD10
S43.213D	Anterior subluxation of unspecified sternoclavicular joint, subsequent encounter	ICD10
S43.213S	Anterior subluxation of unspecified sternoclavicular joint, sequela	ICD10
S43.214A	Anterior dislocation of right sternoclavicular joint, initial encounter	ICD10
S43.214D	Anterior dislocation of right sternoclavicular joint, subsequent encounter	ICD10
S43.214S	Anterior dislocation of right sternoclavicular joint, sequela	ICD10
S43.215A	Anterior dislocation of left sternoclavicular joint, initial encounter	ICD10
S43.215D	Anterior dislocation of left sternoclavicular joint, subsequent encounter	ICD10
S43.215S	Anterior dislocation of left sternoclavicular joint, sequela	ICD10
S43.216A	Anterior dislocation of unspecified sternoclavicular joint, initial encounter	ICD10
S43.216D	Anterior dislocation of unspecified sternoclavicular joint, subsequent encounter	ICD10
S43.216S	Anterior dislocation of unspecified sternoclavicular joint, sequela	ICD10
S43.221A	Posterior subluxation of right sternoclavicular joint, initial encounter	ICD10
S43.221D	Posterior subluxation of right sternoclavicular joint, subsequent encounter	ICD10
S43.221S	Posterior subluxation of right sternoclavicular joint, sequela	ICD10
S43.222A	Posterior subluxation of left sternoclavicular joint, initial encounter	ICD10
S43.222D	Posterior subluxation of left sternoclavicular joint, subsequent encounter	ICD10
S43.222S	Posterior subluxation of left sternoclavicular joint, sequela	ICD10
S43.223A	Posterior subluxation of unspecified sternoclavicular joint, initial encounter	ICD10
S43.223D	Posterior subluxation of unspecified sternoclavicular joint, subsequent encounter	ICD10
S43.223S	Posterior subluxation of unspecified sternoclavicular joint, sequela	ICD10
S43.224A	Posterior dislocation of right sternoclavicular joint, initial encounter	ICD10
S43.224D	Posterior dislocation of right sternoclavicular joint, subsequent encounter	ICD10
S43.224S	Posterior dislocation of right sternoclavicular joint, sequela	ICD10
S43.225A	Posterior dislocation of left sternoclavicular joint, initial encounter	ICD10
S43.225D	Posterior dislocation of left sternoclavicular joint, subsequent encounter	ICD10
S43.225S	Posterior dislocation of left sternoclavicular joint, sequela	ICD10
S43.226A	Posterior dislocation of unspecified sternoclavicular joint, initial encounter	ICD10
S43.226D	Posterior dislocation of unspecified sternoclavicular joint, subsequent encounter	ICD10
S43.226S	Posterior dislocation of unspecified sternoclavicular joint, sequela	ICD10
S43.301A	Subluxation of unspecified parts of right shoulder girdle, initial encounter	ICD10
S43.301D	Subluxation of unspecified parts of right shoulder girdle, subsequent encounter	ICD10
S43.301S	Subluxation of unspecified parts of right shoulder girdle, sequela	ICD10
S43.302A	Subluxation of unspecified parts of left shoulder girdle, initial encounter	ICD10
S43.302D	Subluxation of unspecified parts of left shoulder girdle, subsequent encounter	ICD10
S43.302S	Subluxation of unspecified parts of left shoulder girdle, sequela	ICD10
S43.303A	Subluxation of unspecified parts of unspecified shoulder girdle, initial encounter	ICD10
S43.303D	Subluxation of unspecified parts of unspecified shoulder girdle, subsequent encounter	ICD10
S43.303S	Subluxation of unspecified parts of unspecified shoulder girdle, sequela	ICD10
S43.304A	Dislocation of unspecified parts of right shoulder girdle, initial encounter	ICD10
S43.304D	Dislocation of unspecified parts of right shoulder girdle, subsequent encounter	ICD10
S43.304S	Dislocation of unspecified parts of right shoulder girdle, sequela	ICD10

S43.305A	Dislocation of unspecified parts of left shoulder girdle, initial encounter	ICD10
S43.305D	Dislocation of unspecified parts of left shoulder girdle, subsequent encounter	ICD10
S43.305S	Dislocation of unspecified parts of left shoulder girdle, sequela	ICD10
S43.306A	Dislocation of unspecified parts of unspecified shoulder girdle, initial encounter	ICD10
S43.306D	Dislocation of unspecified parts of unspecified shoulder girdle, subsequent encounter	ICD10
S43.306S	Dislocation of unspecified parts of unspecified shoulder girdle, sequela	ICD10
S43.311A	Subluxation of right scapula, initial encounter	ICD10
S43.311D	Subluxation of right scapula, subsequent encounter	ICD10
S43.311S	Subluxation of right scapula, sequela	ICD10
S43.312A	Subluxation of left scapula, initial encounter	ICD10
S43.312D	Subluxation of left scapula, subsequent encounter	ICD10
S43.312S	Subluxation of left scapula, sequela	ICD10
S43.313A	Subluxation of unspecified scapula, initial encounter	ICD10
S43.313D	Subluxation of unspecified scapula, subsequent encounter	ICD10
S43.313S	Subluxation of unspecified scapula, sequela	ICD10
S43.314A	Dislocation of right scapula, initial encounter	ICD10
S43.314D	Dislocation of right scapula, subsequent encounter	ICD10
S43.314S	Dislocation of right scapula, sequela	ICD10
S43.315A	Dislocation of left scapula, initial encounter	ICD10
S43.315D	Dislocation of left scapula, subsequent encounter	ICD10
S43.315S	Dislocation of left scapula, sequela	ICD10
S43.316A	Dislocation of unspecified scapula, initial encounter	ICD10
S43.316D	Dislocation of unspecified scapula, subsequent encounter	ICD10
S43.316S	Dislocation of unspecified scapula, sequela	ICD10
S43.391A	Subluxation of other parts of right shoulder girdle, initial encounter	ICD10
S43.391D	Subluxation of other parts of right shoulder girdle, subsequent encounter	ICD10
S43.391S	Subluxation of other parts of right shoulder girdle, sequela	ICD10
S43.392A	Subluxation of other parts of left shoulder girdle, initial encounter	ICD10
S43.392D	Subluxation of other parts of left shoulder girdle, subsequent encounter	ICD10
S43.392S	Subluxation of other parts of left shoulder girdle, sequela	ICD10
S43.393A	Subluxation of other parts of unspecified shoulder girdle, initial encounter	ICD10
S43.393D	Subluxation of other parts of unspecified shoulder girdle, subsequent encounter	ICD10
S43.393S	Subluxation of other parts of unspecified shoulder girdle, sequela	ICD10
S43.394A	Dislocation of other parts of right shoulder girdle, initial encounter	ICD10
S43.394D	Dislocation of other parts of right shoulder girdle, subsequent encounter	ICD10
S43.394S	Dislocation of other parts of right shoulder girdle, sequela	ICD10
S43.395A	Dislocation of other parts of left shoulder girdle, initial encounter	ICD10
S43.395D	Dislocation of other parts of left shoulder girdle, subsequent encounter	ICD10
S43.395S	Dislocation of other parts of left shoulder girdle, sequela	ICD10
S43.396A	Dislocation of other parts of unspecified shoulder girdle, initial encounter	ICD10
S43.396D	Dislocation of other parts of unspecified shoulder girdle, subsequent encounter	ICD10
S43.396S	Dislocation of other parts of unspecified shoulder girdle, sequela	ICD10
S46.001A	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter	ICD10
S46.001D	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter	ICD10
S46.001S	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela	ICD10
S46.002A	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, initial encounter	ICD10
S46.002D	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter	ICD10

S46.002S	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela	ICD10
S46.009A	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, initial encounter	ICD10
S46.009D	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter	ICD10
S46.009S	Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela	ICD10
S46.091A	Other injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter	ICD10
S46.091D	Other injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter	ICD10
S46.091S	Other injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela	ICD10
S46.092A	Other injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, initial encounter	ICD10
S46.092D	Other injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter	ICD10
S46.092S	Other injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela	ICD10
S46.099A	Other injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, initial encounter	ICD10
S46.099D	Other injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter	ICD10
S46.099S	Other injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela	ICD10
S46.101A	Unspecified injury of muscle, fascia and tendon of long head of biceps, right arm, initial encounter	ICD10
S46.101D	Unspecified injury of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter	ICD10
S46.101S	Unspecified injury of muscle, fascia and tendon of long head of biceps, right arm, sequela	ICD10
S46.102A	Unspecified injury of muscle, fascia and tendon of long head of biceps, left arm, initial encounter	ICD10
S46.102D	Unspecified injury of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter	ICD10
S46.102S	Unspecified injury of muscle, fascia and tendon of long head of biceps, left arm, sequela	ICD10
S46.109A	Unspecified injury of muscle, fascia and tendon of long head of biceps, unspecified arm, initial encounter	ICD10
S46.109D	Unspecified injury of muscle, fascia and tendon of long head of biceps, unspecified arm, subsequent encounter	ICD10
S46.109S	Unspecified injury of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela	ICD10
S46.191A	Other injury of muscle, fascia and tendon of long head of biceps, right arm, initial encounter	ICD10
S46.191D	Other injury of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter	ICD10
S46.191S	Other injury of muscle, fascia and tendon of long head of biceps, right arm, sequela	ICD10
S46.192A	Other injury of muscle, fascia and tendon of long head of biceps, left arm, initial encounter	ICD10
S46.192D	Other injury of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter	ICD10
S46.192S	Other injury of muscle, fascia and tendon of long head of biceps, left arm, sequela	ICD10
S46.199A	Other injury of muscle, fascia and tendon of long head of biceps, unspecified arm, initial encounter	ICD10
S46.199D	Other injury of muscle, fascia and tendon of long head of biceps, unspecified arm, subsequent encounter	ICD10
S46.199S	Other injury of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela	ICD10
S46.201A	Unspecified injury of muscle, fascia and tendon of other parts of biceps, right arm, initial encounter	ICD10

S46.201D	Unspecified injury of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter	ICD10
S46.201S	Unspecified injury of muscle, fascia and tendon of other parts of biceps, right arm, sequela	ICD10
S46.202A	Unspecified injury of muscle, fascia and tendon of other parts of biceps, left arm, initial encounter	ICD10
S46.202D	Unspecified injury of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter	ICD10
S46.202S	Unspecified injury of muscle, fascia and tendon of other parts of biceps, left arm, sequela	ICD10
S46.209A	Unspecified injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, initial encounter	ICD10
S46.209D	Unspecified injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter	ICD10
S46.209S	Unspecified injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela	ICD10
S46.291A	Other injury of muscle, fascia and tendon of other parts of biceps, right arm, initial encounter	ICD10
S46.291D	Other injury of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter	ICD10
S46.291S	Other injury of muscle, fascia and tendon of other parts of biceps, right arm, sequela	ICD10
S46.292A	Other injury of muscle, fascia and tendon of other parts of biceps, left arm, initial encounter	ICD10
S46.292D	Other injury of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter	ICD10
S46.292S	Other injury of muscle, fascia and tendon of other parts of biceps, left arm, sequela	ICD10
S46.299A	Other injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, initial encounter	ICD10
S46.299D	Other injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter	ICD10
S46.299S	Other injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela	ICD10
S46.301A	Unspecified injury of muscle, fascia and tendon of triceps, right arm, initial encounter	ICD10
S46.301D	Unspecified injury of muscle, fascia and tendon of triceps, right arm, subsequent encounter	ICD10
S46.301S	Unspecified injury of muscle, fascia and tendon of triceps, right arm, sequela	ICD10
S46.302A	Unspecified injury of muscle, fascia and tendon of triceps, left arm, initial encounter	ICD10
S46.302D	Unspecified injury of muscle, fascia and tendon of triceps, left arm, subsequent encounter	ICD10
S46.302S	Unspecified injury of muscle, fascia and tendon of triceps, left arm, sequela	ICD10
S46.309A	Unspecified injury of muscle, fascia and tendon of triceps, unspecified arm, initial encounter	ICD10
S46.309D	Unspecified injury of muscle, fascia and tendon of triceps, unspecified arm, subsequent encounter	ICD10
S46.309S	Unspecified injury of muscle, fascia and tendon of triceps, unspecified arm, sequela	ICD10
S46.391A	Other injury of muscle, fascia and tendon of triceps, right arm, initial encounter	ICD10
S46.391D	Other injury of muscle, fascia and tendon of triceps, right arm, subsequent encounter	ICD10
S46.391S	Other injury of muscle, fascia and tendon of triceps, right arm, sequela	ICD10
S46.392A	Other injury of muscle, fascia and tendon of triceps, left arm, initial encounter	ICD10
S46.392D	Other injury of muscle, fascia and tendon of triceps, left arm, subsequent encounter	ICD10
S46.392S	Other injury of muscle, fascia and tendon of triceps, left arm, sequela	ICD10
S46.399A	Other injury of muscle, fascia and tendon of triceps, unspecified arm, initial encounter	ICD10
S46.399D	Other injury of muscle, fascia and tendon of triceps, unspecified arm, subsequent encounter	ICD10
S46.399S	Other injury of muscle, fascia and tendon of triceps, unspecified arm, sequela	ICD10
S46.801A	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter	ICD10
S46.801D	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter	ICD10

S46.801S	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela	ICD10
S46.802A	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter	ICD10
S46.802D	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter	ICD10
S46.802S	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela	ICD10
S46.809A	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, initial encounter	ICD10
S46.809D	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter	ICD10
S46.809S	Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela	ICD10
S46.891A	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter	ICD10
S46.891D	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter	ICD10
S46.891S	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela	ICD10
S46.892A	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter	ICD10
S46.892D	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter	ICD10
S46.892S	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela	ICD10
S46.899A	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, initial encounter	ICD10
S46.899D	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter	ICD10
S46.899S	Other injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela	ICD10
S46.901A	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, initial encounter	ICD10
S46.901D	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter	ICD10
S46.901S	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela	ICD10
S46.902A	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, initial encounter	ICD10
S46.902D	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter	ICD10
S46.902S	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela	ICD10
S46.909A	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, initial encounter	ICD10
S46.909D	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter	ICD10
S46.909S	Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela	ICD10

S46.991A	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, initial encounter	ICD10
S46.991D	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter	ICD10
S46.991S	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela	ICD10
S46.992A	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, initial encounter	ICD10
S46.992D	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter	ICD10
S46.992S	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela	ICD10
S46.999A	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, initial encounter	ICD10
S46.999D	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter	ICD10
S46.999S	Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela	ICD10
S49.001A	Unspecified physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.001D	Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.001G	Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.001K	Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.001P	Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.001S	Unspecified physeal fracture of upper end of humerus, right arm, sequela	ICD10
S49.002A	Unspecified physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.002D	Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.002G	Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.002K	Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.002P	Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.002S	Unspecified physeal fracture of upper end of humerus, left arm, sequela	ICD10
S49.009A	Unspecified physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.009D	Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.009G	Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.009K	Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.009P	Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.009S	Unspecified physeal fracture of upper end of humerus, unspecified arm, sequela	ICD10

S49.011A	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.011D	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.011G	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.011K	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.011P	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.011S	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, sequela	ICD10
S49.012A	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.012D	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.012G	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.012K	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.012P	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.012S	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, sequela	ICD10
S49.019A	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.019D	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.019G	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.019K	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.019P	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.019S	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, sequela	ICD10
S49.021A	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.021D	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.021G	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.021K	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.021P	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.021S	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, sequela	ICD10
S49.022A	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.022D	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.022G	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10

S49.022K	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.022P	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.022S	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, sequela	ICD10
S49.029A	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.029D	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.029G	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.029K	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.029P	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.029S	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, sequela	ICD10
S49.031A	Salter Harris Type III physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.031D	Salter Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.031G	Salter Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.031K	Salter Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.031P	Salter Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.031S	Salter Harris Type III physeal fracture of upper end of humerus, right arm, sequela	ICD10
S49.032A	Salter Harris Type III physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.032D	Salter Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.032G	Salter Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.032K	Salter Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.032P	Salter Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.032S	Salter Harris Type III physeal fracture of upper end of humerus, left arm, sequela	ICD10
S49.039A	Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.039D	Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.039G	Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.039K	Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.039P	Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.039S	Salter Harris Type III physeal fracture of upper end of humerus, unspecified arm, sequela	ICD10
S49.041A	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD10

S49.041D	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.041G	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.041K	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.041P	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.041S	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, sequela	ICD10
S49.042A	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.042D	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.042G	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.042K	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.042P	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.042S	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, sequela	ICD10
S49.049A	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.049D	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.049G	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.049K	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.049P	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.049S	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, sequela	ICD10
S49.091A	Other physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.091D	Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.091G	Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.091K	Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.091P	Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.091S	Other physeal fracture of upper end of humerus, right arm, sequela	ICD10
S49.092A	Other physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.092D	Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.092G	Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.092K	Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.092P	Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.092S	Other physeal fracture of upper end of humerus, left arm, sequela	ICD10

S49.099A	Other physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.099D	Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.099G	Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.099K	Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.099P	Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.099S	Other physeal fracture of upper end of humerus, unspecified arm, sequela	ICD10
S49.101A	Unspecified physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.101D	Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.101G	Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.101K	Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.101P	Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.101S	Unspecified physeal fracture of lower end of humerus, right arm, sequela	ICD10
S49.102A	Unspecified physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.102D	Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.102G	Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.102K	Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.102P	Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.102S	Unspecified physeal fracture of lower end of humerus, left arm, sequela	ICD10
S49.109A	Unspecified physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.109D	Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.109G	Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.109K	Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.109P	Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.109S	Unspecified physeal fracture of lower end of humerus, unspecified arm, sequela	ICD10
S49.111A	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.111D	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.111G	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10

S49.111K	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.111P	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.111S	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, sequela	ICD10
S49.112A	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.112D	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.112G	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.112K	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.112P	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.112S	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, sequela	ICD10
S49.119A	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.119D	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.119G	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.119K	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.119P	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.119S	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, sequela	ICD10
S49.121A	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.121D	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.121G	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.121K	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.121P	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.121S	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, sequela	ICD10
S49.122A	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.122D	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.122G	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.122K	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.122P	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.122S	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, sequela	ICD10
S49.129A	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD10

S49.129D	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.129G	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.129K	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.129P	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.129S	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, sequela	ICD10
S49.131A	Salter Harris Type III physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.131D	Salter Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.131G	Salter Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.131K	Salter Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.131P	Salter Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.131S	Salter Harris Type III physeal fracture of lower end of humerus, right arm, sequela	ICD10
S49.132A	Salter Harris Type III physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.132D	Salter Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.132G	Salter Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.132K	Salter Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.132P	Salter Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.132S	Salter Harris Type III physeal fracture of lower end of humerus, left arm, sequela	ICD10
S49.139A	Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.139D	Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.139G	Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.139K	Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.139P	Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.139S	Salter Harris Type III physeal fracture of lower end of humerus, unspecified arm, sequela	ICD10
S49.141A	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.141D	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.141G	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.141K	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10

S49.141P	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.141S	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, sequela	ICD10
S49.142A	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.142D	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.142G	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.142K	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.142P	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.142S	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, sequela	ICD10
S49.149A	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.149D	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.149G	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S49.149K	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.149P	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.149S	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, sequela	ICD10
S49.191A	Other physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD10
S49.191D	Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD10
S49.191G	Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD10
S49.191K	Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD10
S49.191P	Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD10
S49.191S	Other physeal fracture of lower end of humerus, right arm, sequela	ICD10
S49.192A	Other physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD10
S49.192D	Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD10
S49.192G	Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD10
S49.192K	Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD10
S49.192P	Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD10
S49.192S	Other physeal fracture of lower end of humerus, left arm, sequela	ICD10
S49.199A	Other physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD10
S49.199D	Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S49.199G	Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10

S49.199K	Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S49.199P	Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S49.199S	Other physeal fracture of lower end of humerus, unspecified arm, sequela	ICD10
S49.80XA	Other specified injuries of shoulder and upper arm, unspecified arm, initial encounter	ICD10
S49.80XD	Other specified injuries of shoulder and upper arm, unspecified arm, subsequent encounter	ICD10
S49.80XS	Other specified injuries of shoulder and upper arm, unspecified arm, sequela	ICD10
S49.81XA	Other specified injuries of right shoulder and upper arm, initial encounter	ICD10
S49.81XD	Other specified injuries of right shoulder and upper arm, subsequent encounter	ICD10
S49.81XS	Other specified injuries of right shoulder and upper arm, sequela	ICD10
S49.82XA	Other specified injuries of left shoulder and upper arm, initial encounter	ICD10
S49.82XD	Other specified injuries of left shoulder and upper arm, subsequent encounter	ICD10
S49.82XS	Other specified injuries of left shoulder and upper arm, sequela	ICD10
S49.90XA	Unspecified injury of shoulder and upper arm, unspecified arm, initial encounter	ICD10
S49.90XD	Unspecified injury of shoulder and upper arm, unspecified arm, subsequent encounter	ICD10
S49.90XS	Unspecified injury of shoulder and upper arm, unspecified arm, sequela	ICD10
S49.91XA	Unspecified injury of right shoulder and upper arm, initial encounter	ICD10
S49.91XD	Unspecified injury of right shoulder and upper arm, subsequent encounter	ICD10
S49.91XS	Unspecified injury of right shoulder and upper arm, sequela	ICD10
S49.92XA	Unspecified injury of left shoulder and upper arm, initial encounter	ICD10
S49.92XD	Unspecified injury of left shoulder and upper arm, subsequent encounter	ICD10
S49.92XS	Unspecified injury of left shoulder and upper arm, sequela	ICD10
S52.001A	Unspecified fracture of upper end of right ulna, initial encounter for closed fracture	ICD10
S52.001B	Unspecified fracture of upper end of right ulna, initial encounter for open fracture type I or II	ICD10
S52.001C	Unspecified fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.001D	Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.001E	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.001F	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.001G	Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.001H	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.001J	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.001K	Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.001M	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.001N	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.001P	Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.001Q	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.001R	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10

S52.001S	Unspecified fracture of upper end of right ulna, sequela	ICD10
S52.002A	Unspecified fracture of upper end of left ulna, initial encounter for closed fracture	ICD10
S52.002B	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type I or II	ICD10
S52.002C	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.002D	Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.002E	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.002F	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.002G	Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.002H	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.002J	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.002K	Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.002M	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.002N	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.002P	Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.002Q	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.002R	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.002S	Unspecified fracture of upper end of left ulna, sequela	ICD10
S52.009A	Unspecified fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD10
S52.009B	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.009C	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.009D	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.009E	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.009F	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.009G	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.009H	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.009J	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.009K	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.009M	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.009N	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.009P	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.009Q	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.009R	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.009S	Unspecified fracture of upper end of unspecified ulna, sequela	ICD10
S52.011A	Torus fracture of upper end of right ulna, initial encounter for closed fracture	ICD10
S52.011D	Torus fracture of upper end of right ulna, subsequent encounter for fracture with routine healing	ICD10
S52.011G	Torus fracture of upper end of right ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.011K	Torus fracture of upper end of right ulna, subsequent encounter for fracture with nonunion	ICD10
S52.011P	Torus fracture of upper end of right ulna, subsequent encounter for fracture with malunion	ICD10
S52.011S	Torus fracture of upper end of right ulna, sequela	ICD10
S52.012A	Torus fracture of upper end of left ulna, initial encounter for closed fracture	ICD10
S52.012D	Torus fracture of upper end of left ulna, subsequent encounter for fracture with routine healing	ICD10
S52.012G	Torus fracture of upper end of left ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.012K	Torus fracture of upper end of left ulna, subsequent encounter for fracture with nonunion	ICD10
S52.012P	Torus fracture of upper end of left ulna, subsequent encounter for fracture with malunion	ICD10
S52.012S	Torus fracture of upper end of left ulna, sequela	ICD10
S52.019A	Torus fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD10
S52.019D	Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with routine healing	ICD10
S52.019G	Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.019K	Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with nonunion	ICD10
S52.019P	Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with malunion	ICD10
S52.019S	Torus fracture of upper end of unspecified ulna, sequela	ICD10
S52.021A	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	ICD10
S52.021B	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD10
S52.021C	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.021D	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.021E	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.021F	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.021G	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.021H	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.021J	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S52.021K	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.021M	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.021N	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.021P	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.021Q	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.021R	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.021S	Displaced fracture of olecranon process without intraarticular extension of right ulna, sequela	ICD10
S52.022A	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	ICD10
S52.022B	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD10
S52.022C	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.022D	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.022E	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.022F	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.022G	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.022H	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.022J	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.022K	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.022M	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.022N	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.022P	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.022Q	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.022R	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.022S	Displaced fracture of olecranon process without intraarticular extension of left ulna, sequela	ICD10
S52.023A	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD10
S52.023B	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.023C	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S52.023D	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.023E	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.023F	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.023G	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.023H	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.023J	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.023K	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.023M	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.023N	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.023P	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.023Q	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.023R	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.023S	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, sequela	ICD10
S52.024A	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	ICD10
S52.024B	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD10
S52.024C	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.024D	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.024E	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.024F	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.024G	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.024H	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.024J	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.024K	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.024M	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.024N	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S52.024P	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.024Q	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.024R	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.024S	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, sequela	ICD10
S52.025A	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	ICD10
S52.025B	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD10
S52.025C	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.025D	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.025E	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.025F	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.025G	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.025H	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.025J	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.025K	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.025M	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.025N	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.025P	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.025Q	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.025R	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.025S	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, sequela	ICD10
S52.026A	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD10
S52.026B	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.026C	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.026D	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.026E	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.026F	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S52.026G	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.026H	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.026J	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S52.026K	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.026M	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.026N	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S52.026P	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.026Q	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.026R	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S52.026S	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, sequela	ICD10
S52.031A	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	ICD10
S52.031B	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD10
S52.031C	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S52.031D	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.031E	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.031F	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S52.031G	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.031H	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.031J	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S52.031K	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.031M	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.031N	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S52.031P	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.031Q	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.031R	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S52.031S	Displaced fracture of olecranon process with intraarticular extension of right ulna, sequela	ICD10

S52.032A	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	ICD10
S52.032B	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD10
S52.032C	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.032D	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.032E	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.032F	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.032G	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.032H	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.032J	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.032K	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.032M	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.032N	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.032P	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.032Q	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.032R	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.032S	Displaced fracture of olecranon process with intraarticular extension of left ulna, sequela	ICD10
S52.033A	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD10
S52.033B	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.033C	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.033D	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.033E	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.033F	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.033G	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.033H	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.033J	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.033K	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10

S52.033M	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.033N	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.033P	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.033Q	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.033R	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.033S	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, sequela	ICD10
S52.034A	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	ICD10
S52.034B	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD10
S52.034C	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.034D	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.034E	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.034F	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.034G	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.034H	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.034J	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.034K	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.034M	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.034N	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.034P	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.034Q	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.034R	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.034S	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, sequela	ICD10
S52.035A	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	ICD10
S52.035B	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD10
S52.035C	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.035D	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing	ICD10

S52.035E	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.035F	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.035G	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.035H	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.035J	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.035K	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.035M	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.035N	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.035P	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.035Q	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.035R	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.035S	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, sequela	ICD10
S52.036A	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD10
S52.036B	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.036C	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.036D	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.036E	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.036F	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.036G	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.036H	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.036J	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.036K	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.036M	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.036N	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.036P	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.036Q	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10

S52.036R	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.036S	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, sequela	ICD10
S52.041A	Displaced fracture of coronoid process of right ulna, initial encounter for closed fracture	ICD10
S52.041B	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	ICD10
S52.041C	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.041D	Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.041E	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.041F	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.041G	Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.041H	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.041J	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.041K	Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.041M	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.041N	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.041P	Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.041Q	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.041R	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.041S	Displaced fracture of coronoid process of right ulna, sequela	ICD10
S52.042A	Displaced fracture of coronoid process of left ulna, initial encounter for closed fracture	ICD10
S52.042B	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	ICD10
S52.042C	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.042D	Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.042E	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.042F	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.042G	Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.042H	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.042J	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S52.042K	Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.042M	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.042N	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.042P	Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.042Q	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.042R	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.042S	Displaced fracture of coronoid process of left ulna, sequela	ICD10
S52.043A	Displaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	ICD10
S52.043B	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.043C	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.043D	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.043E	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.043F	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.043G	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.043H	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.043J	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.043K	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.043M	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.043N	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.043P	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.043Q	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.043R	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.043S	Displaced fracture of coronoid process of unspecified ulna, sequela	ICD10
S52.044A	Nondisplaced fracture of coronoid process of right ulna, initial encounter for closed fracture	ICD10
S52.044B	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	ICD10
S52.044C	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.044D	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with routine healing	ICD10

S52.044E	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.044F	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.044G	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.044H	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.044J	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.044K	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.044M	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.044N	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.044P	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.044Q	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.044R	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.044S	Nondisplaced fracture of coronoid process of right ulna, sequela	ICD10
S52.045A	Nondisplaced fracture of coronoid process of left ulna, initial encounter for closed fracture	ICD10
S52.045B	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	ICD10
S52.045C	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.045D	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.045E	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.045F	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.045G	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.045H	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.045J	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.045K	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.045M	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.045N	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.045P	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.045Q	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10

S52.045R	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.045S	Nondisplaced fracture of coronoid process of left ulna, sequela	ICD10
S52.046A	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	ICD10
S52.046B	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.046C	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.046D	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.046E	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.046F	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.046G	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.046H	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.046J	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.046K	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.046M	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.046N	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.046P	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.046Q	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.046R	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.046S	Nondisplaced fracture of coronoid process of unspecified ulna, sequela	ICD10
S52.091A	Other fracture of upper end of right ulna, initial encounter for closed fracture	ICD10
S52.091B	Other fracture of upper end of right ulna, initial encounter for open fracture type I or II	ICD10
S52.091C	Other fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.091D	Other fracture of upper end of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.091E	Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.091F	Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.091G	Other fracture of upper end of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.091H	Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.091J	Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.091K	Other fracture of upper end of right ulna, subsequent encounter for closed fracture with nonunion	ICD10

S52.091M	Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.091N	Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.091P	Other fracture of upper end of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.091Q	Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.091R	Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.091S	Other fracture of upper end of right ulna, sequela	ICD10
S52.092A	Other fracture of upper end of left ulna, initial encounter for closed fracture	ICD10
S52.092B	Other fracture of upper end of left ulna, initial encounter for open fracture type I or II	ICD10
S52.092C	Other fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.092D	Other fracture of upper end of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.092E	Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.092F	Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.092G	Other fracture of upper end of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.092H	Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.092J	Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.092K	Other fracture of upper end of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.092M	Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.092N	Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.092P	Other fracture of upper end of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.092Q	Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.092R	Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.092S	Other fracture of upper end of left ulna, sequela	ICD10
S52.099A	Other fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD10
S52.099B	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.099C	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.099D	Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.099E	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.099F	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.099G	Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10

S52.099H	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.099J	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.099K	Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.099M	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.099N	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.099P	Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.099Q	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.099R	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.099S	Other fracture of upper end of unspecified ulna, sequela	ICD10
S52.101A	Unspecified fracture of upper end of right radius, initial encounter for closed fracture	ICD10
S52.101B	Unspecified fracture of upper end of right radius, initial encounter for open fracture type I or II	ICD10
S52.101C	Unspecified fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.101D	Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.101E	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.101F	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.101G	Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.101H	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.101J	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.101K	Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.101M	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.101N	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.101P	Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.101Q	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.101R	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.101S	Unspecified fracture of upper end of right radius, sequela	ICD10
S52.102A	Unspecified fracture of upper end of left radius, initial encounter for closed fracture	ICD10
S52.102B	Unspecified fracture of upper end of left radius, initial encounter for open fracture type I or II	ICD10
S52.102C	Unspecified fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S52.102D	Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.102E	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.102F	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing	ICD10
S52.102G	Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.102H	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.102J	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing	ICD10
S52.102K	Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.102M	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.102N	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion	ICD10
S52.102P	Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.102Q	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.102R	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion	ICD10
S52.102S	Unspecified fracture of upper end of left radius, sequela	ICD10
S52.109A	Unspecified fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD10
S52.109B	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.109C	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIB, or IIIC	ICD10
S52.109D	Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.109E	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.109F	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing	ICD10
S52.109G	Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.109H	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.109J	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing	ICD10
S52.109K	Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.109M	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.109N	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion	ICD10
S52.109P	Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10

S52.109Q	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.109R	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.109S	Unspecified fracture of upper end of unspecified radius, sequela	ICD10
S52.111A	Torus fracture of upper end of right radius, initial encounter for closed fracture	ICD10
S52.111D	Torus fracture of upper end of right radius, subsequent encounter for fracture with routine healing	ICD10
S52.111G	Torus fracture of upper end of right radius, subsequent encounter for fracture with delayed healing	ICD10
S52.111K	Torus fracture of upper end of right radius, subsequent encounter for fracture with nonunion	ICD10
S52.111P	Torus fracture of upper end of right radius, subsequent encounter for fracture with malunion	ICD10
S52.111S	Torus fracture of upper end of right radius, sequela	ICD10
S52.112A	Torus fracture of upper end of left radius, initial encounter for closed fracture	ICD10
S52.112D	Torus fracture of upper end of left radius, subsequent encounter for fracture with routine healing	ICD10
S52.112G	Torus fracture of upper end of left radius, subsequent encounter for fracture with delayed healing	ICD10
S52.112K	Torus fracture of upper end of left radius, subsequent encounter for fracture with nonunion	ICD10
S52.112P	Torus fracture of upper end of left radius, subsequent encounter for fracture with malunion	ICD10
S52.112S	Torus fracture of upper end of left radius, sequela	ICD10
S52.119A	Torus fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD10
S52.119D	Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with routine healing	ICD10
S52.119G	Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with delayed healing	ICD10
S52.119K	Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with nonunion	ICD10
S52.119P	Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with malunion	ICD10
S52.119S	Torus fracture of upper end of unspecified radius, sequela	ICD10
S52.121A	Displaced fracture of head of right radius, initial encounter for closed fracture	ICD10
S52.121B	Displaced fracture of head of right radius, initial encounter for open fracture type I or II	ICD10
S52.121C	Displaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.121D	Displaced fracture of head of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.121E	Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.121F	Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.121G	Displaced fracture of head of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.121H	Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.121J	Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.121K	Displaced fracture of head of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.121M	Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.121N	Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.121P	Displaced fracture of head of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.121Q	Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.121R	Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.121S	Displaced fracture of head of right radius, sequela	ICD10
S52.122A	Displaced fracture of head of left radius, initial encounter for closed fracture	ICD10
S52.122B	Displaced fracture of head of left radius, initial encounter for open fracture type I or II	ICD10
S52.122C	Displaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.122D	Displaced fracture of head of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.122E	Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.122F	Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.122G	Displaced fracture of head of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.122H	Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.122J	Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.122K	Displaced fracture of head of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.122M	Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.122N	Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.122P	Displaced fracture of head of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.122Q	Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.122R	Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.122S	Displaced fracture of head of left radius, sequela	ICD10
S52.123A	Displaced fracture of head of unspecified radius, initial encounter for closed fracture	ICD10
S52.123B	Displaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.123C	Displaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.123D	Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.123E	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.123F	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.123G	Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.123H	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S52.123J	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.123K	Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.123M	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.123N	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.123P	Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.123Q	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.123R	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.123S	Displaced fracture of head of unspecified radius, sequela	ICD10
S52.124A	Nondisplaced fracture of head of right radius, initial encounter for closed fracture	ICD10
S52.124B	Nondisplaced fracture of head of right radius, initial encounter for open fracture type I or II	ICD10
S52.124C	Nondisplaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.124D	Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.124E	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.124F	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.124G	Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.124H	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.124J	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.124K	Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.124M	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.124N	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.124P	Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.124Q	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.124R	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.124S	Nondisplaced fracture of head of right radius, sequela	ICD10
S52.125A	Nondisplaced fracture of head of left radius, initial encounter for closed fracture	ICD10
S52.125B	Nondisplaced fracture of head of left radius, initial encounter for open fracture type I or II	ICD10
S52.125C	Nondisplaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.125D	Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with routine healing	ICD10

S52.125E	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.125F	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.125G	Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.125H	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.125J	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.125K	Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.125M	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.125N	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.125P	Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.125Q	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.125R	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.125S	Nondisplaced fracture of head of left radius, sequela	ICD10
S52.126A	Nondisplaced fracture of head of unspecified radius, initial encounter for closed fracture	ICD10
S52.126B	Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.126C	Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.126D	Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.126E	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.126F	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.126G	Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.126H	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.126J	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.126K	Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.126M	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.126N	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.126P	Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.126Q	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10

S52.126R	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.126S	Nondisplaced fracture of head of unspecified radius, sequela	ICD10
S52.131A	Displaced fracture of neck of right radius, initial encounter for closed fracture	ICD10
S52.131B	Displaced fracture of neck of right radius, initial encounter for open fracture type I or II	ICD10
S52.131C	Displaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.131D	Displaced fracture of neck of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.131E	Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.131F	Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.131G	Displaced fracture of neck of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.131H	Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.131J	Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.131K	Displaced fracture of neck of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.131M	Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.131N	Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.131P	Displaced fracture of neck of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.131Q	Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.131R	Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.131S	Displaced fracture of neck of right radius, sequela	ICD10
S52.132A	Displaced fracture of neck of left radius, initial encounter for closed fracture	ICD10
S52.132B	Displaced fracture of neck of left radius, initial encounter for open fracture type I or II	ICD10
S52.132C	Displaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.132D	Displaced fracture of neck of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.132E	Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.132F	Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.132G	Displaced fracture of neck of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.132H	Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.132J	Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.132K	Displaced fracture of neck of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.132M	Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.132N	Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.132P	Displaced fracture of neck of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.132Q	Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.132R	Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.132S	Displaced fracture of neck of left radius, sequela	ICD10
S52.133A	Displaced fracture of neck of unspecified radius, initial encounter for closed fracture	ICD10
S52.133B	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.133C	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.133D	Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.133E	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.133F	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.133G	Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.133H	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.133J	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.133K	Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.133M	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.133N	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.133P	Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.133Q	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.133R	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.133S	Displaced fracture of neck of unspecified radius, sequela	ICD10
S52.134A	Nondisplaced fracture of neck of right radius, initial encounter for closed fracture	ICD10
S52.134B	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type I or II	ICD10
S52.134C	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.134D	Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.134E	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.134F	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.134G	Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with delayed healing	ICD10

S52.134H	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.134J	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.134K	Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.134M	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.134N	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.134P	Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.134Q	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.134R	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.134S	Nondisplaced fracture of neck of right radius, sequela	ICD10
S52.135A	Nondisplaced fracture of neck of left radius, initial encounter for closed fracture	ICD10
S52.135B	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type I or II	ICD10
S52.135C	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.135D	Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.135E	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.135F	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.135G	Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.135H	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.135J	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.135K	Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.135M	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.135N	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.135P	Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.135Q	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.135R	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.135S	Nondisplaced fracture of neck of left radius, sequela	ICD10
S52.136A	Nondisplaced fracture of neck of unspecified radius, initial encounter for closed fracture	ICD10
S52.136B	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.136C	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S52.136D	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.136E	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.136F	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.136G	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.136H	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.136J	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.136K	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.136M	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.136N	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.136P	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.136Q	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.136R	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.136S	Nondisplaced fracture of neck of unspecified radius, sequela	ICD10
S52.181A	Other fracture of upper end of right radius, initial encounter for closed fracture	ICD10
S52.181B	Other fracture of upper end of right radius, initial encounter for open fracture type I or II	ICD10
S52.181C	Other fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.181D	Other fracture of upper end of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.181E	Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.181F	Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.181G	Other fracture of upper end of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.181H	Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.181J	Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.181K	Other fracture of upper end of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.181M	Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.181N	Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.181P	Other fracture of upper end of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.181Q	Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10

S52.181R	Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.181S	Other fracture of upper end of right radius, sequela	ICD10
S52.182A	Other fracture of upper end of left radius, initial encounter for closed fracture	ICD10
S52.182B	Other fracture of upper end of left radius, initial encounter for open fracture type I or II	ICD10
S52.182C	Other fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.182D	Other fracture of upper end of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.182E	Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.182F	Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.182G	Other fracture of upper end of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.182H	Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.182J	Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.182K	Other fracture of upper end of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.182M	Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.182N	Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.182P	Other fracture of upper end of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.182Q	Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.182R	Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.182S	Other fracture of upper end of left radius, sequela	ICD10
S52.189A	Other fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD10
S52.189B	Other fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.189C	Other fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.189D	Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.189E	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.189F	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.189G	Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.189H	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.189J	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.189K	Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10

S52.189M	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.189N	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.189P	Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.189Q	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.189R	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.189S	Other fracture of upper end of unspecified radius, sequela	ICD10
S52.201A	Unspecified fracture of shaft of right ulna, initial encounter for closed fracture	ICD10
S52.201B	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD10
S52.201C	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.201D	Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.201E	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.201F	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.201G	Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.201H	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.201J	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.201K	Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.201M	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.201N	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.201P	Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.201Q	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.201R	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.201S	Unspecified fracture of shaft of right ulna, sequela	ICD10
S52.202A	Unspecified fracture of shaft of left ulna, initial encounter for closed fracture	ICD10
S52.202B	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD10
S52.202C	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.202D	Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.202E	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.202F	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.202G	Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10

S52.202H	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.202J	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.202K	Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.202M	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.202N	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.202P	Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.202Q	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.202R	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.202S	Unspecified fracture of shaft of left ulna, sequela	ICD10
S52.209A	Unspecified fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD10
S52.209B	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.209C	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.209D	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.209E	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.209F	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.209G	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.209H	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.209J	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.209K	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.209M	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.209N	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.209P	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.209Q	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.209R	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.209S	Unspecified fracture of shaft of unspecified ulna, sequela	ICD10
S52.211A	Greenstick fracture of shaft of right ulna, initial encounter for closed fracture	ICD10
S52.211D	Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with routine healing	ICD10
S52.211G	Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.211K	Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with nonunion	ICD10

S52.211P	Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with malunion	ICD10
S52.211S	Greenstick fracture of shaft of right ulna, sequela	ICD10
S52.212A	Greenstick fracture of shaft of left ulna, initial encounter for closed fracture	ICD10
S52.212D	Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with routine healing	ICD10
S52.212G	Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.212K	Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with nonunion	ICD10
S52.212P	Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with malunion	ICD10
S52.212S	Greenstick fracture of shaft of left ulna, sequela	ICD10
S52.219A	Greenstick fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD10
S52.219D	Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with routine healing	ICD10
S52.219G	Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.219K	Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with nonunion	ICD10
S52.219P	Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with malunion	ICD10
S52.219S	Greenstick fracture of shaft of unspecified ulna, sequela	ICD10
S52.221A	Displaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	ICD10
S52.221B	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD10
S52.221C	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.221D	Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.221E	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.221F	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.221G	Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.221H	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.221J	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.221K	Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.221M	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.221N	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.221P	Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.221Q	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.221R	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.221S	Displaced transverse fracture of shaft of right ulna, sequela	ICD10
S52.222A	Displaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	ICD10
S52.222B	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD10
S52.222C	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S52.222D	Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.222E	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.222F	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.222G	Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.222H	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.222J	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.222K	Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.222M	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.222N	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.222P	Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.222Q	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.222R	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.222S	Displaced transverse fracture of shaft of left ulna, sequela	ICD10
S52.223A	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD10
S52.223B	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.223C	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.223D	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.223E	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.223F	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.223G	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.223H	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.223J	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.223K	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.223M	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.223N	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.223P	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10

S52.223Q	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.223R	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.223S	Displaced transverse fracture of shaft of unspecified ulna, sequela	ICD10
S52.224A	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	ICD10
S52.224B	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD10
S52.224C	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.224D	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.224E	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.224F	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.224G	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.224H	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.224J	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.224K	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.224M	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.224N	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.224P	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.224Q	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.224R	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.224S	Nondisplaced transverse fracture of shaft of right ulna, sequela	ICD10
S52.225A	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	ICD10
S52.225B	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD10
S52.225C	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.225D	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.225E	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.225F	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.225G	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.225H	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S52.225J	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.225K	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.225M	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.225N	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.225P	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.225Q	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.225R	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.225S	Nondisplaced transverse fracture of shaft of left ulna, sequela	ICD10
S52.226A	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD10
S52.226B	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.226C	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.226D	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.226E	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.226F	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.226G	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.226H	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.226J	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.226K	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.226M	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.226N	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.226P	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.226Q	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.226R	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.226S	Nondisplaced transverse fracture of shaft of unspecified ulna, sequela	ICD10
S52.231A	Displaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	ICD10
S52.231B	Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD10
S52.231C	Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S52.231D	Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.231E	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.231F	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing	ICD10
S52.231G	Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.231H	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.231J	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing	ICD10
S52.231K	Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.231M	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.231N	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion	ICD10
S52.231P	Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.231Q	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.231R	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion	ICD10
S52.231S	Displaced oblique fracture of shaft of right ulna, sequela	ICD10
S52.232A	Displaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	ICD10
S52.232B	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD10
S52.232C	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIB, or IIIC	ICD10
S52.232D	Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.232E	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.232F	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing	ICD10
S52.232G	Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.232H	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.232J	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing	ICD10
S52.232K	Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.232M	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.232N	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIB, or IIIC with nonunion	ICD10
S52.232P	Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.232Q	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10

S52.232R	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.232S	Displaced oblique fracture of shaft of left ulna, sequela	ICD10
S52.233A	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD10
S52.233B	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.233C	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.233D	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.233E	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.233F	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.233G	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.233H	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.233J	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.233K	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.233M	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.233N	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.233P	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.233Q	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.233R	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.233S	Displaced oblique fracture of shaft of unspecified ulna, sequela	ICD10
S52.234A	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	ICD10
S52.234B	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD10
S52.234C	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.234D	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.234E	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.234F	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.234G	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.234H	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.234J	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S52.234K	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.234M	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.234N	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.234P	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.234Q	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.234R	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.234S	Nondisplaced oblique fracture of shaft of right ulna, sequela	ICD10
S52.235A	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	ICD10
S52.235B	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD10
S52.235C	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.235D	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.235E	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.235F	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.235G	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.235H	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.235J	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.235K	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.235M	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.235N	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.235P	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.235Q	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.235R	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.235S	Nondisplaced oblique fracture of shaft of left ulna, sequela	ICD10
S52.236A	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD10
S52.236B	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.236C	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.236D	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.236E	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10

S52.236F	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.236G	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.236H	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.236J	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.236K	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.236M	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.236N	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.236P	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.236Q	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.236R	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.236S	Nondisplaced oblique fracture of shaft of unspecified ulna, sequela	ICD10
S52.241A	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD10
S52.241B	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD10
S52.241C	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.241D	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.241E	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.241F	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.241G	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.241H	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.241J	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.241K	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.241M	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.241N	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.241P	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.241Q	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.241R	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.241S	Displaced spiral fracture of shaft of ulna, right arm, sequela	ICD10
S52.242A	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD10

S52.242B	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD10
S52.242C	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.242D	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.242E	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.242F	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.242G	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.242H	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.242J	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.242K	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.242M	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.242N	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.242P	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.242Q	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.242R	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.242S	Displaced spiral fracture of shaft of ulna, left arm, sequela	ICD10
S52.243A	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S52.243B	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.243C	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.243D	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.243E	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.243F	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.243G	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.243H	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.243J	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.243K	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.243M	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.243N	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S52.243P	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.243Q	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.243R	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.243S	Displaced spiral fracture of shaft of ulna, unspecified arm, sequela	ICD10
S52.244A	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD10
S52.244B	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD10
S52.244C	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.244D	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.244E	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.244F	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.244G	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.244H	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.244J	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.244K	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.244M	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.244N	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.244P	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.244Q	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.244R	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.244S	Nondisplaced spiral fracture of shaft of ulna, right arm, sequela	ICD10
S52.245A	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD10
S52.245B	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD10
S52.245C	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.245D	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.245E	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.245F	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.245G	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD10

S52.245H	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.245J	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.245K	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.245M	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.245N	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.245P	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.245Q	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.245R	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.245S	Nondisplaced spiral fracture of shaft of ulna, left arm, sequela	ICD10
S52.246A	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S52.246B	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.246C	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.246D	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.246E	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.246F	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.246G	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.246H	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.246J	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.246K	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.246M	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.246N	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.246P	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.246Q	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.246R	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.246S	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, sequela	ICD10
S52.251A	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD10
S52.251B	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD10

S52.251C	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.251D	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.251E	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.251F	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.251G	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.251H	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.251J	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.251K	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.251M	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.251N	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.251P	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.251Q	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.251R	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.251S	Displaced comminuted fracture of shaft of ulna, right arm, sequela	ICD10
S52.252A	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD10
S52.252B	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD10
S52.252C	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.252D	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.252E	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.252F	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.252G	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.252H	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.252J	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.252K	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.252M	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.252N	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S52.252P	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.252Q	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.252R	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.252S	Displaced comminuted fracture of shaft of ulna, left arm, sequela	ICD10
S52.253A	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S52.253B	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.253C	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.253D	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.253E	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.253F	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.253G	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.253H	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.253J	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.253K	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.253M	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.253N	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.253P	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.253Q	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.253R	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.253S	Displaced comminuted fracture of shaft of ulna, unspecified arm, sequela	ICD10
S52.254A	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD10
S52.254B	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD10
S52.254C	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.254D	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.254E	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.254F	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S52.254G	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.254H	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.254J	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.254K	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.254M	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.254N	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.254P	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.254Q	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.254R	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.254S	Nondisplaced comminuted fracture of shaft of ulna, right arm, sequela	ICD10
S52.255A	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD10
S52.255B	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD10
S52.255C	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.255D	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.255E	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.255F	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.255G	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.255H	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.255J	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.255K	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.255M	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.255N	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.255P	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.255Q	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.255R	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.255S	Nondisplaced comminuted fracture of shaft of ulna, left arm, sequela	ICD10

S52.256A	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S52.256B	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.256C	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S52.256D	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.256E	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.256F	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S52.256G	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.256H	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.256J	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S52.256K	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.256M	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.256N	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S52.256P	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.256Q	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.256R	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S52.256S	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, sequela	ICD10
S52.261A	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD10
S52.261B	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD10
S52.261C	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S52.261D	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.261E	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.261F	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S52.261G	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.261H	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.261J	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S52.261K	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD10

S52.261M	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.261N	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.261P	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.261Q	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.261R	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.261S	Displaced segmental fracture of shaft of ulna, right arm, sequela	ICD10
S52.262A	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD10
S52.262B	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD10
S52.262C	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.262D	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.262E	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.262F	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.262G	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.262H	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.262J	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.262K	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.262M	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.262N	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.262P	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.262Q	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.262R	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.262S	Displaced segmental fracture of shaft of ulna, left arm, sequela	ICD10
S52.263A	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S52.263B	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.263C	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.263D	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.263E	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10

S52.263F	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.263G	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.263H	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.263J	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.263K	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.263M	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.263N	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.263P	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.263Q	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.263R	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.263S	Displaced segmental fracture of shaft of ulna, unspecified arm, sequela	ICD10
S52.264A	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD10
S52.264B	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD10
S52.264C	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.264D	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.264E	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.264F	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.264G	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.264H	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.264J	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.264K	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.264M	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.264N	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.264P	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.264Q	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.264R	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.264S	Nondisplaced segmental fracture of shaft of ulna, right arm, sequela	ICD10

S52.265A	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD10
S52.265B	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD10
S52.265C	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.265D	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.265E	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.265F	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.265G	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.265H	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.265J	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.265K	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.265M	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.265N	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.265P	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.265Q	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.265R	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.265S	Nondisplaced segmental fracture of shaft of ulna, left arm, sequela	ICD10
S52.266A	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S52.266B	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.266C	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.266D	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.266E	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.266F	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.266G	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.266H	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.266J	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.266K	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10

S52.266M	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.266N	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.266P	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.266Q	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.266R	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.266S	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, sequela	ICD10
S52.271A	Monteggia's fracture of right ulna, initial encounter for closed fracture	ICD10
S52.271B	Monteggia's fracture of right ulna, initial encounter for open fracture type I or II	ICD10
S52.271C	Monteggia's fracture of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.271D	Monteggia's fracture of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.271E	Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.271F	Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.271G	Monteggia's fracture of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.271H	Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.271J	Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.271K	Monteggia's fracture of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.271M	Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.271N	Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.271P	Monteggia's fracture of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.271Q	Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.271R	Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.271S	Monteggia's fracture of right ulna, sequela	ICD10
S52.272A	Monteggia's fracture of left ulna, initial encounter for closed fracture	ICD10
S52.272B	Monteggia's fracture of left ulna, initial encounter for open fracture type I or II	ICD10
S52.272C	Monteggia's fracture of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.272D	Monteggia's fracture of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.272E	Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.272F	Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.272G	Monteggia's fracture of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.272H	Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.272J	Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.272K	Monteggia's fracture of left ulna, subsequent encounter for closed fracture with nonunion	ICD10

S52.272M	Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.272N	Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.272P	Monteggia's fracture of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.272Q	Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.272R	Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.272S	Monteggia's fracture of left ulna, sequela	ICD10
S52.279A	Monteggia's fracture of unspecified ulna, initial encounter for closed fracture	ICD10
S52.279B	Monteggia's fracture of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.279C	Monteggia's fracture of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.279D	Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.279E	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.279F	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.279G	Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.279H	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.279J	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.279K	Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.279M	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.279N	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.279P	Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.279Q	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.279R	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.279S	Monteggia's fracture of unspecified ulna, sequela	ICD10
S52.281A	Bent bone of right ulna, initial encounter for closed fracture	ICD10
S52.281B	Bent bone of right ulna, initial encounter for open fracture type I or II	ICD10
S52.281C	Bent bone of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.281D	Bent bone of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.281E	Bent bone of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.281F	Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.281G	Bent bone of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.281H	Bent bone of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.281J	Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.281K	Bent bone of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.281M	Bent bone of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.281N	Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.281P	Bent bone of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.281Q	Bent bone of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.281R	Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.281S	Bent bone of right ulna, sequela	ICD10
S52.282A	Bent bone of left ulna, initial encounter for closed fracture	ICD10
S52.282B	Bent bone of left ulna, initial encounter for open fracture type I or II	ICD10
S52.282C	Bent bone of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.282D	Bent bone of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.282E	Bent bone of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.282F	Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.282G	Bent bone of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.282H	Bent bone of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.282J	Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.282K	Bent bone of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.282M	Bent bone of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.282N	Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.282P	Bent bone of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.282Q	Bent bone of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.282R	Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.282S	Bent bone of left ulna, sequela	ICD10
S52.283A	Bent bone of unspecified ulna, initial encounter for closed fracture	ICD10
S52.283B	Bent bone of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.283C	Bent bone of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.283D	Bent bone of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.283E	Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.283F	Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.283G	Bent bone of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.283H	Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.283J	Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.283K	Bent bone of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.283M	Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.283N	Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.283P	Bent bone of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.283Q	Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.283R	Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.283S	Bent bone of unspecified ulna, sequela	ICD10

S52.291A	Other fracture of shaft of right ulna, initial encounter for closed fracture	ICD10
S52.291B	Other fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD10
S52.291C	Other fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.291D	Other fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.291E	Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.291F	Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.291G	Other fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.291H	Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.291J	Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.291K	Other fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.291M	Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.291N	Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.291P	Other fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.291Q	Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.291R	Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.291S	Other fracture of shaft of right ulna, sequela	ICD10
S52.292A	Other fracture of shaft of left ulna, initial encounter for closed fracture	ICD10
S52.292B	Other fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD10
S52.292C	Other fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.292D	Other fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.292E	Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.292F	Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.292G	Other fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.292H	Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.292J	Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.292K	Other fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.292M	Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.292N	Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.292P	Other fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.292Q	Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.292R	Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10

S52.292S	Other fracture of shaft of left ulna, sequela	ICD10
S52.299A	Other fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD10
S52.299B	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.299C	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.299D	Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.299E	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.299F	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.299G	Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.299H	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.299J	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.299K	Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.299M	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.299N	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.299P	Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.299Q	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.299R	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.299S	Other fracture of shaft of unspecified ulna, sequela	ICD10
S52.301A	Unspecified fracture of shaft of right radius, initial encounter for closed fracture	ICD10
S52.301B	Unspecified fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD10
S52.301C	Unspecified fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.301D	Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.301E	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.301F	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.301G	Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.301H	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.301J	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.301K	Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.301M	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.301N	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.301P	Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.301Q	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.301R	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.301S	Unspecified fracture of shaft of right radius, sequela	ICD10
S52.302A	Unspecified fracture of shaft of left radius, initial encounter for closed fracture	ICD10
S52.302B	Unspecified fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD10
S52.302C	Unspecified fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.302D	Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.302E	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.302F	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.302G	Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.302H	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.302J	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.302K	Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.302M	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.302N	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.302P	Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.302Q	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.302R	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.302S	Unspecified fracture of shaft of left radius, sequela	ICD10
S52.309A	Unspecified fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD10
S52.309B	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.309C	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.309D	Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.309E	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.309F	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.309G	Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10

S52.309H	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.309J	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.309K	Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.309M	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.309N	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.309P	Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.309Q	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.309R	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.309S	Unspecified fracture of shaft of unspecified radius, sequela	ICD10
S52.311A	Greenstick fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD10
S52.311D	Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S52.311G	Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S52.311K	Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S52.311P	Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S52.311S	Greenstick fracture of shaft of radius, right arm, sequela	ICD10
S52.312A	Greenstick fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD10
S52.312D	Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S52.312G	Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S52.312K	Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S52.312P	Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S52.312S	Greenstick fracture of shaft of radius, left arm, sequela	ICD10
S52.319A	Greenstick fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD10
S52.319D	Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S52.319G	Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S52.319K	Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S52.319P	Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S52.319S	Greenstick fracture of shaft of radius, unspecified arm, sequela	ICD10
S52.321A	Displaced transverse fracture of shaft of right radius, initial encounter for closed fracture	ICD10
S52.321B	Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD10
S52.321C	Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S52.321D	Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.321E	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.321F	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.321G	Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.321H	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.321J	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.321K	Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.321M	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.321N	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.321P	Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.321Q	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.321R	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.321S	Displaced transverse fracture of shaft of right radius, sequela	ICD10
S52.322A	Displaced transverse fracture of shaft of left radius, initial encounter for closed fracture	ICD10
S52.322B	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD10
S52.322C	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.322D	Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.322E	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.322F	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.322G	Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.322H	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.322J	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.322K	Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.322M	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.322N	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.322P	Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.322Q	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10

S52.322R	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.322S	Displaced transverse fracture of shaft of left radius, sequela	ICD10
S52.323A	Displaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD10
S52.323B	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.323C	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.323D	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.323E	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.323F	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.323G	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.323H	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.323J	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.323K	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.323M	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.323N	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.323P	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.323Q	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.323R	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.323S	Displaced transverse fracture of shaft of unspecified radius, sequela	ICD10
S52.324A	Nondisplaced transverse fracture of shaft of right radius, initial encounter for closed fracture	ICD10
S52.324B	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD10
S52.324C	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.324D	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.324E	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.324F	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.324G	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.324H	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.324J	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S52.324K	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.324M	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.324N	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.324P	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.324Q	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.324R	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.324S	Nondisplaced transverse fracture of shaft of right radius, sequela	ICD10
S52.325A	Nondisplaced transverse fracture of shaft of left radius, initial encounter for closed fracture	ICD10
S52.325B	Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD10
S52.325C	Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.325D	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.325E	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.325F	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.325G	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.325H	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.325J	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.325K	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.325M	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.325N	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.325P	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.325Q	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.325R	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.325S	Nondisplaced transverse fracture of shaft of left radius, sequela	ICD10
S52.326A	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD10
S52.326B	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.326C	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.326D	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10

S52.326E	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.326F	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.326G	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.326H	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.326J	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.326K	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.326M	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.326N	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.326P	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.326Q	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.326R	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.326S	Nondisplaced transverse fracture of shaft of unspecified radius, sequela	ICD10
S52.331A	Displaced oblique fracture of shaft of right radius, initial encounter for closed fracture	ICD10
S52.331B	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD10
S52.331C	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.331D	Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.331E	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.331F	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.331G	Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.331H	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.331J	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.331K	Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.331M	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.331N	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.331P	Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.331Q	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.331R	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10

S52.331S	Displaced oblique fracture of shaft of right radius, sequela	ICD10
S52.332A	Displaced oblique fracture of shaft of left radius, initial encounter for closed fracture	ICD10
S52.332B	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD10
S52.332C	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.332D	Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.332E	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.332F	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.332G	Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.332H	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.332J	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.332K	Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.332M	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.332N	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.332P	Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.332Q	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.332R	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.332S	Displaced oblique fracture of shaft of left radius, sequela	ICD10
S52.333A	Displaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD10
S52.333B	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.333C	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.333D	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.333E	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.333F	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.333G	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.333H	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.333J	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.333K	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.333M	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.333N	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.333P	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.333Q	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.333R	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.333S	Displaced oblique fracture of shaft of unspecified radius, sequela	ICD10
S52.334A	Nondisplaced oblique fracture of shaft of right radius, initial encounter for closed fracture	ICD10
S52.334B	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD10
S52.334C	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.334D	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.334E	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.334F	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.334G	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.334H	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.334J	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.334K	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.334M	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.334N	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.334P	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.334Q	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.334R	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.334S	Nondisplaced oblique fracture of shaft of right radius, sequela	ICD10
S52.335A	Nondisplaced oblique fracture of shaft of left radius, initial encounter for closed fracture	ICD10
S52.335B	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD10
S52.335C	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.335D	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.335E	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.335F	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S52.335G	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.335H	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.335J	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.335K	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.335M	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.335N	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.335P	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.335Q	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.335R	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.335S	Nondisplaced oblique fracture of shaft of left radius, sequela	ICD10
S52.336A	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD10
S52.336B	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.336C	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.336D	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.336E	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.336F	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.336G	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.336H	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.336J	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.336K	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.336M	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.336N	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.336P	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.336Q	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.336R	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.336S	Nondisplaced oblique fracture of shaft of unspecified radius, sequela	ICD10
S52.341A	Displaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD10

S52.341B	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD10
S52.341C	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S52.341D	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.341E	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.341F	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S52.341G	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.341H	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.341J	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S52.341K	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.341M	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.341N	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S52.341P	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.341Q	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.341R	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S52.341S	Displaced spiral fracture of shaft of radius, right arm, sequela	ICD10
S52.342A	Displaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD10
S52.342B	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD10
S52.342C	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S52.342D	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.342E	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.342F	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S52.342G	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.342H	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.342J	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S52.342K	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.342M	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.342N	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10

S52.342P	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.342Q	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.342R	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.342S	Displaced spiral fracture of shaft of radius, left arm, sequela	ICD10
S52.343A	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD10
S52.343B	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.343C	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.343D	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.343E	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.343F	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.343G	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.343H	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.343J	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.343K	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.343M	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.343N	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.343P	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.343Q	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.343R	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.343S	Displaced spiral fracture of shaft of radius, unspecified arm, sequela	ICD10
S52.344A	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD10
S52.344B	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD10
S52.344C	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.344D	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.344E	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.344F	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.344G	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD10

S52.344H	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.344J	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.344K	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.344M	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.344N	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.344P	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.344Q	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.344R	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.344S	Nondisplaced spiral fracture of shaft of radius, right arm, sequela	ICD10
S52.345A	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD10
S52.345B	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD10
S52.345C	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.345D	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.345E	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.345F	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.345G	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.345H	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.345J	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.345K	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.345M	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.345N	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.345P	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.345Q	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.345R	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.345S	Nondisplaced spiral fracture of shaft of radius, left arm, sequela	ICD10
S52.346A	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD10
S52.346B	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD10

S52.346C	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.346D	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.346E	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.346F	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.346G	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.346H	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.346J	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.346K	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.346M	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.346N	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.346P	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.346Q	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.346R	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.346S	Nondisplaced spiral fracture of shaft of radius, unspecified arm, sequela	ICD10
S52.351A	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD10
S52.351B	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD10
S52.351C	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.351D	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.351E	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.351F	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.351G	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.351H	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.351J	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.351K	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.351M	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.351N	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S52.351P	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.351Q	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.351R	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.351S	Displaced comminuted fracture of shaft of radius, right arm, sequela	ICD10
S52.352A	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD10
S52.352B	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD10
S52.352C	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.352D	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.352E	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.352F	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.352G	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.352H	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.352J	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.352K	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.352M	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.352N	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.352P	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.352Q	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.352R	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.352S	Displaced comminuted fracture of shaft of radius, left arm, sequela	ICD10
S52.353A	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD10
S52.353B	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.353C	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.353D	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.353E	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.353F	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.353G	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10

S52.353H	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.353J	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.353K	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.353M	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.353N	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.353P	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.353Q	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.353R	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.353S	Displaced comminuted fracture of shaft of radius, unspecified arm, sequela	ICD10
S52.354A	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD10
S52.354B	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD10
S52.354C	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.354D	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.354E	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.354F	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.354G	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.354H	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.354J	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.354K	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.354M	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.354N	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.354P	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.354Q	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.354R	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.354S	Nondisplaced comminuted fracture of shaft of radius, right arm, sequela	ICD10
S52.355A	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD10

S52.355B	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD10
S52.355C	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.355D	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.355E	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.355F	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.355G	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.355H	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.355J	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.355K	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.355M	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.355N	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.355P	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.355Q	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.355R	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.355S	Nondisplaced comminuted fracture of shaft of radius, left arm, sequela	ICD10
S52.356A	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD10
S52.356B	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.356C	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.356D	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.356E	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.356F	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.356G	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.356H	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.356J	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.356K	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.356M	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.356N	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.356P	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.356Q	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.356R	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.356S	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, sequela	ICD10
S52.361A	Displaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD10
S52.361B	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD10
S52.361C	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.361D	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.361E	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.361F	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.361G	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.361H	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.361J	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.361K	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.361M	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.361N	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.361P	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.361Q	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.361R	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.361S	Displaced segmental fracture of shaft of radius, right arm, sequela	ICD10
S52.362A	Displaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD10
S52.362B	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD10
S52.362C	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.362D	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.362E	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.362F	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S52.362G	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.362H	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.362J	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.362K	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.362M	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.362N	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.362P	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.362Q	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.362R	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.362S	Displaced segmental fracture of shaft of radius, left arm, sequela	ICD10
S52.363A	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD10
S52.363B	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.363C	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.363D	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.363E	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.363F	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.363G	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.363H	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.363J	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.363K	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.363M	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.363N	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.363P	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.363Q	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.363R	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.363S	Displaced segmental fracture of shaft of radius, unspecified arm, sequela	ICD10

S52.364A	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD10
S52.364B	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD10
S52.364C	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.364D	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.364E	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.364F	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.364G	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.364H	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.364J	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.364K	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.364M	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.364N	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.364P	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.364Q	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.364R	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.364S	Nondisplaced segmental fracture of shaft of radius, right arm, sequela	ICD10
S52.365A	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD10
S52.365B	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD10
S52.365C	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.365D	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.365E	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.365F	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.365G	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.365H	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.365J	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.365K	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD10

S52.365M	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.365N	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.365P	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.365Q	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.365R	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.365S	Nondisplaced segmental fracture of shaft of radius, left arm, sequela	ICD10
S52.366A	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD10
S52.366B	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.366C	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.366D	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.366E	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.366F	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.366G	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.366H	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.366J	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.366K	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.366M	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.366N	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.366P	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.366Q	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.366R	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.366S	Nondisplaced segmental fracture of shaft of radius, unspecified arm, sequela	ICD10
S52.371A	Galeazzi's fracture of right radius, initial encounter for closed fracture	ICD10
S52.371B	Galeazzi's fracture of right radius, initial encounter for open fracture type I or II	ICD10
S52.371C	Galeazzi's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.371D	Galeazzi's fracture of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.371E	Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.371F	Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S52.371G	Galeazzi's fracture of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.371H	Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.371J	Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.371K	Galeazzi's fracture of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.371M	Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.371N	Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.371P	Galeazzi's fracture of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.371Q	Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.371R	Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.371S	Galeazzi's fracture of right radius, sequela	ICD10
S52.372A	Galeazzi's fracture of left radius, initial encounter for closed fracture	ICD10
S52.372B	Galeazzi's fracture of left radius, initial encounter for open fracture type I or II	ICD10
S52.372C	Galeazzi's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.372D	Galeazzi's fracture of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.372E	Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.372F	Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.372G	Galeazzi's fracture of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.372H	Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.372J	Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.372K	Galeazzi's fracture of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.372M	Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.372N	Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.372P	Galeazzi's fracture of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.372Q	Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.372R	Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.372S	Galeazzi's fracture of left radius, sequela	ICD10
S52.379A	Galeazzi's fracture of unspecified radius, initial encounter for closed fracture	ICD10
S52.379B	Galeazzi's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.379C	Galeazzi's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.379D	Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.379E	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.379F	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S52.379G	Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.379H	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.379J	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.379K	Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.379M	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.379N	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.379P	Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.379Q	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.379R	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.379S	Galeazzi's fracture of unspecified radius, sequela	ICD10
S52.381A	Bent bone of right radius, initial encounter for closed fracture	ICD10
S52.381B	Bent bone of right radius, initial encounter for open fracture type I or II	ICD10
S52.381C	Bent bone of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.381D	Bent bone of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.381E	Bent bone of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.381F	Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.381G	Bent bone of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.381H	Bent bone of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.381J	Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.381K	Bent bone of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.381M	Bent bone of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.381N	Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.381P	Bent bone of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.381Q	Bent bone of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.381R	Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.381S	Bent bone of right radius, sequela	ICD10
S52.382A	Bent bone of left radius, initial encounter for closed fracture	ICD10
S52.382B	Bent bone of left radius, initial encounter for open fracture type I or II	ICD10
S52.382C	Bent bone of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.382D	Bent bone of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.382E	Bent bone of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.382F	Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.382G	Bent bone of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.382H	Bent bone of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S52.382J	Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.382K	Bent bone of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.382M	Bent bone of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.382N	Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.382P	Bent bone of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.382Q	Bent bone of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.382R	Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.382S	Bent bone of left radius, sequela	ICD10
S52.389A	Bent bone of unspecified radius, initial encounter for closed fracture	ICD10
S52.389B	Bent bone of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.389C	Bent bone of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.389D	Bent bone of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.389E	Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.389F	Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.389G	Bent bone of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.389H	Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.389J	Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.389K	Bent bone of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.389M	Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.389N	Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.389P	Bent bone of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.389Q	Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.389R	Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.389S	Bent bone of unspecified radius, sequela	ICD10
S52.391A	Other fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD10
S52.391B	Other fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD10
S52.391C	Other fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.391D	Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.391E	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.391F	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.391G	Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.391H	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.391J	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S52.391K	Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.391M	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.391N	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.391P	Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD10
S52.391Q	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.391R	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.391S	Other fracture of shaft of radius, right arm, sequela	ICD10
S52.392A	Other fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD10
S52.392B	Other fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD10
S52.392C	Other fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.392D	Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.392E	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.392F	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.392G	Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.392H	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.392J	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.392K	Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.392M	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.392N	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.392P	Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD10
S52.392Q	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.392R	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.392S	Other fracture of shaft of radius, left arm, sequela	ICD10
S52.399A	Other fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD10
S52.399B	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD10
S52.399C	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.399D	Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD10
S52.399E	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.399F	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S52.399G	Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.399H	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.399J	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.399K	Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD10
S52.399M	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.399N	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.399P	Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD10
S52.399Q	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.399R	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.399S	Other fracture of shaft of radius, unspecified arm, sequela	ICD10
S52.501A	Unspecified fracture of the lower end of right radius, initial encounter for closed fracture	ICD10
S52.501B	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type I or II	ICD10
S52.501C	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.501D	Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.501E	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.501F	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.501G	Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.501H	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.501J	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.501K	Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.501M	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.501N	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.501P	Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.501Q	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.501R	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.501S	Unspecified fracture of the lower end of right radius, sequela	ICD10
S52.502A	Unspecified fracture of the lower end of left radius, initial encounter for closed fracture	ICD10

S52.502B	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type I or II	ICD10
S52.502C	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.502D	Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.502E	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.502F	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.502G	Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.502H	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.502J	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.502K	Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.502M	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.502N	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.502P	Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.502Q	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.502R	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.502S	Unspecified fracture of the lower end of left radius, sequela	ICD10
S52.509A	Unspecified fracture of the lower end of unspecified radius, initial encounter for closed fracture	ICD10
S52.509B	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.509C	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.509D	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.509E	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.509F	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.509G	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.509H	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.509J	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.509K	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.509M	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.509N	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.509P	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.509Q	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.509R	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.509S	Unspecified fracture of the lower end of unspecified radius, sequela	ICD10
S52.511A	Displaced fracture of right radial styloid process, initial encounter for closed fracture	ICD10
S52.511B	Displaced fracture of right radial styloid process, initial encounter for open fracture type I or II	ICD10
S52.511C	Displaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.511D	Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.511E	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.511F	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.511G	Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.511H	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.511J	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.511K	Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.511M	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.511N	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.511P	Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.511Q	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.511R	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.511S	Displaced fracture of right radial styloid process, sequela	ICD10
S52.512A	Displaced fracture of left radial styloid process, initial encounter for closed fracture	ICD10
S52.512B	Displaced fracture of left radial styloid process, initial encounter for open fracture type I or II	ICD10
S52.512C	Displaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.512D	Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.512E	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.512F	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.512G	Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD10

S52.512H	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.512J	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.512K	Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.512M	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.512N	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.512P	Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.512Q	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.512R	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.512S	Displaced fracture of left radial styloid process, sequela	ICD10
S52.513A	Displaced fracture of unspecified radial styloid process, initial encounter for closed fracture	ICD10
S52.513B	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	ICD10
S52.513C	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.513D	Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.513E	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.513F	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.513G	Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.513H	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.513J	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.513K	Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.513M	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.513N	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.513P	Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.513Q	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.513R	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.513S	Displaced fracture of unspecified radial styloid process, sequela	ICD10
S52.514A	Nondisplaced fracture of right radial styloid process, initial encounter for closed fracture	ICD10
S52.514B	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type I or II	ICD10

S52.514C	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.514D	Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.514E	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.514F	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.514G	Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.514H	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.514J	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.514K	Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.514M	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.514N	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.514P	Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.514Q	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.514R	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.514S	Nondisplaced fracture of right radial styloid process, sequela	ICD10
S52.515A	Nondisplaced fracture of left radial styloid process, initial encounter for closed fracture	ICD10
S52.515B	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type I or II	ICD10
S52.515C	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.515D	Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.515E	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.515F	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.515G	Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.515H	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.515J	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.515K	Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.515M	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.515N	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.515P	Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with malunion	ICD10

S52.515Q	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.515R	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.515S	Nondisplaced fracture of left radial styloid process, sequela	ICD10
S52.516A	Nondisplaced fracture of unspecified radial styloid process, initial encounter for closed fracture	ICD10
S52.516B	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	ICD10
S52.516C	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.516D	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.516E	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.516F	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.516G	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.516H	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.516J	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.516K	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.516M	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.516N	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.516P	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.516Q	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.516R	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.516S	Nondisplaced fracture of unspecified radial styloid process, sequela	ICD10
S52.521A	Torus fracture of lower end of right radius, initial encounter for closed fracture	ICD10
S52.521D	Torus fracture of lower end of right radius, subsequent encounter for fracture with routine healing	ICD10
S52.521G	Torus fracture of lower end of right radius, subsequent encounter for fracture with delayed healing	ICD10
S52.521K	Torus fracture of lower end of right radius, subsequent encounter for fracture with nonunion	ICD10
S52.521P	Torus fracture of lower end of right radius, subsequent encounter for fracture with malunion	ICD10
S52.521S	Torus fracture of lower end of right radius, sequela	ICD10
S52.522A	Torus fracture of lower end of left radius, initial encounter for closed fracture	ICD10
S52.522D	Torus fracture of lower end of left radius, subsequent encounter for fracture with routine healing	ICD10
S52.522G	Torus fracture of lower end of left radius, subsequent encounter for fracture with delayed healing	ICD10
S52.522K	Torus fracture of lower end of left radius, subsequent encounter for fracture with nonunion	ICD10
S52.522P	Torus fracture of lower end of left radius, subsequent encounter for fracture with malunion	ICD10
S52.522S	Torus fracture of lower end of left radius, sequela	ICD10

S52.529A	Torus fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD10
S52.529D	Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with routine healing	ICD10
S52.529G	Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with delayed healing	ICD10
S52.529K	Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with nonunion	ICD10
S52.529P	Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with malunion	ICD10
S52.529S	Torus fracture of lower end of unspecified radius, sequela	ICD10
S52.531A	Colles' fracture of right radius, initial encounter for closed fracture	ICD10
S52.531B	Colles' fracture of right radius, initial encounter for open fracture type I or II	ICD10
S52.531C	Colles' fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.531D	Colles' fracture of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.531E	Colles' fracture of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.531F	Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.531G	Colles' fracture of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.531H	Colles' fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.531J	Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.531K	Colles' fracture of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.531M	Colles' fracture of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.531N	Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.531P	Colles' fracture of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.531Q	Colles' fracture of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.531R	Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.531S	Colles' fracture of right radius, sequela	ICD10
S52.532A	Colles' fracture of left radius, initial encounter for closed fracture	ICD10
S52.532B	Colles' fracture of left radius, initial encounter for open fracture type I or II	ICD10
S52.532C	Colles' fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.532D	Colles' fracture of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.532E	Colles' fracture of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.532F	Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.532G	Colles' fracture of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.532H	Colles' fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.532J	Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.532K	Colles' fracture of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.532M	Colles' fracture of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.532N	Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.532P	Colles' fracture of left radius, subsequent encounter for closed fracture with malunion	ICD10

S52.532Q	Colles' fracture of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.532R	Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.532S	Colles' fracture of left radius, sequela	ICD10
S52.539A	Colles' fracture of unspecified radius, initial encounter for closed fracture	ICD10
S52.539B	Colles' fracture of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.539C	Colles' fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.539D	Colles' fracture of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.539E	Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.539F	Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.539G	Colles' fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.539H	Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.539J	Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.539K	Colles' fracture of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.539M	Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.539N	Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.539P	Colles' fracture of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.539Q	Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.539R	Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.539S	Colles' fracture of unspecified radius, sequela	ICD10
S52.541A	Smith's fracture of right radius, initial encounter for closed fracture	ICD10
S52.541B	Smith's fracture of right radius, initial encounter for open fracture type I or II	ICD10
S52.541C	Smith's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.541D	Smith's fracture of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.541E	Smith's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.541F	Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.541G	Smith's fracture of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.541H	Smith's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.541J	Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.541K	Smith's fracture of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.541M	Smith's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.541N	Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.541P	Smith's fracture of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.541Q	Smith's fracture of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10

S52.541R	Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.541S	Smith's fracture of right radius, sequela	ICD10
S52.542A	Smith's fracture of left radius, initial encounter for closed fracture	ICD10
S52.542B	Smith's fracture of left radius, initial encounter for open fracture type I or II	ICD10
S52.542C	Smith's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.542D	Smith's fracture of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.542E	Smith's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.542F	Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.542G	Smith's fracture of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.542H	Smith's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.542J	Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.542K	Smith's fracture of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.542M	Smith's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.542N	Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.542P	Smith's fracture of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.542Q	Smith's fracture of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.542R	Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.542S	Smith's fracture of left radius, sequela	ICD10
S52.549A	Smith's fracture of unspecified radius, initial encounter for closed fracture	ICD10
S52.549B	Smith's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.549C	Smith's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.549D	Smith's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.549E	Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.549F	Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.549G	Smith's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.549H	Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.549J	Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.549K	Smith's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.549M	Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.549N	Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.549P	Smith's fracture of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.549Q	Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.549R	Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.549S	Smith's fracture of unspecified radius, sequela	ICD10

S52.551A	Other extraarticular fracture of lower end of right radius, initial encounter for closed fracture	ICD10
S52.551B	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	ICD10
S52.551C	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.551D	Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.551E	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.551F	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.551G	Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.551H	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.551J	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.551K	Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.551M	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.551N	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.551P	Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.551Q	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.551R	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.551S	Other extraarticular fracture of lower end of right radius, sequela	ICD10
S52.552A	Other extraarticular fracture of lower end of left radius, initial encounter for closed fracture	ICD10
S52.552B	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	ICD10
S52.552C	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.552D	Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.552E	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.552F	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.552G	Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.552H	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.552J	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.552K	Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.552M	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10

S52.552N	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.552P	Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.552Q	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.552R	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.552S	Other extraarticular fracture of lower end of left radius, sequela	ICD10
S52.559A	Other extraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD10
S52.559B	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.559C	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.559D	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.559E	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.559F	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.559G	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.559H	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.559J	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.559K	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.559M	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.559N	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.559P	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.559Q	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.559R	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.559S	Other extraarticular fracture of lower end of unspecified radius, sequela	ICD10
S52.561A	Barton's fracture of right radius, initial encounter for closed fracture	ICD10
S52.561B	Barton's fracture of right radius, initial encounter for open fracture type I or II	ICD10
S52.561C	Barton's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.561D	Barton's fracture of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.561E	Barton's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.561F	Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.561G	Barton's fracture of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.561H	Barton's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S52.561J	Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.561K	Barton's fracture of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.561M	Barton's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.561N	Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.561P	Barton's fracture of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.561Q	Barton's fracture of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.561R	Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.561S	Barton's fracture of right radius, sequela	ICD10
S52.562A	Barton's fracture of left radius, initial encounter for closed fracture	ICD10
S52.562B	Barton's fracture of left radius, initial encounter for open fracture type I or II	ICD10
S52.562C	Barton's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.562D	Barton's fracture of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.562E	Barton's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.562F	Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.562G	Barton's fracture of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.562H	Barton's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.562J	Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.562K	Barton's fracture of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.562M	Barton's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.562N	Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.562P	Barton's fracture of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.562Q	Barton's fracture of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.562R	Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.562S	Barton's fracture of left radius, sequela	ICD10
S52.569A	Barton's fracture of unspecified radius, initial encounter for closed fracture	ICD10
S52.569B	Barton's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.569C	Barton's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.569D	Barton's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.569E	Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.569F	Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.569G	Barton's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.569H	Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S52.569J	Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.569K	Barton's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.569M	Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.569N	Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.569P	Barton's fracture of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.569Q	Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.569R	Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.569S	Barton's fracture of unspecified radius, sequela	ICD10
S52.571A	Other intraarticular fracture of lower end of right radius, initial encounter for closed fracture	ICD10
S52.571B	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	ICD10
S52.571C	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.571D	Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.571E	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.571F	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.571G	Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.571H	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.571J	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.571K	Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.571M	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.571N	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.571P	Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.571Q	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.571R	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.571S	Other intraarticular fracture of lower end of right radius, sequela	ICD10
S52.572A	Other intraarticular fracture of lower end of left radius, initial encounter for closed fracture	ICD10
S52.572B	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	ICD10
S52.572C	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.572D	Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with routine healing	ICD10

S52.572E	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.572F	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.572G	Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.572H	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.572J	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.572K	Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.572M	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.572N	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.572P	Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.572Q	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.572R	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.572S	Other intraarticular fracture of lower end of left radius, sequela	ICD10
S52.579A	Other intraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD10
S52.579B	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.579C	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.579D	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.579E	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.579F	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.579G	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.579H	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.579J	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.579K	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.579M	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.579N	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.579P	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.579Q	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10

S52.579R	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.579S	Other intraarticular fracture of lower end of unspecified radius, sequela	ICD10
S52.591A	Other fractures of lower end of right radius, initial encounter for closed fracture	ICD10
S52.591B	Other fractures of lower end of right radius, initial encounter for open fracture type I or II	ICD10
S52.591C	Other fractures of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.591D	Other fractures of lower end of right radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.591E	Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.591F	Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.591G	Other fractures of lower end of right radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.591H	Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.591J	Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.591K	Other fractures of lower end of right radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.591M	Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.591N	Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.591P	Other fractures of lower end of right radius, subsequent encounter for closed fracture with malunion	ICD10
S52.591Q	Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.591R	Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.591S	Other fractures of lower end of right radius, sequela	ICD10
S52.592A	Other fractures of lower end of left radius, initial encounter for closed fracture	ICD10
S52.592B	Other fractures of lower end of left radius, initial encounter for open fracture type I or II	ICD10
S52.592C	Other fractures of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.592D	Other fractures of lower end of left radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.592E	Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.592F	Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.592G	Other fractures of lower end of left radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.592H	Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.592J	Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.592K	Other fractures of lower end of left radius, subsequent encounter for closed fracture with nonunion	ICD10

S52.592M	Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.592N	Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.592P	Other fractures of lower end of left radius, subsequent encounter for closed fracture with malunion	ICD10
S52.592Q	Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.592R	Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.592S	Other fractures of lower end of left radius, sequela	ICD10
S52.599A	Other fractures of lower end of unspecified radius, initial encounter for closed fracture	ICD10
S52.599B	Other fractures of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD10
S52.599C	Other fractures of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.599D	Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD10
S52.599E	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.599F	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.599G	Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD10
S52.599H	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.599J	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.599K	Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD10
S52.599M	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.599N	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.599P	Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD10
S52.599Q	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.599R	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.599S	Other fractures of lower end of unspecified radius, sequela	ICD10
S52.601A	Unspecified fracture of lower end of right ulna, initial encounter for closed fracture	ICD10
S52.601B	Unspecified fracture of lower end of right ulna, initial encounter for open fracture type I or II	ICD10
S52.601C	Unspecified fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.601D	Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.601E	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.601F	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S52.601G	Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.601H	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.601J	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.601K	Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.601M	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.601N	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.601P	Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.601Q	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.601R	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.601S	Unspecified fracture of lower end of right ulna, sequela	ICD10
S52.602A	Unspecified fracture of lower end of left ulna, initial encounter for closed fracture	ICD10
S52.602B	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type I or II	ICD10
S52.602C	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.602D	Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.602E	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.602F	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.602G	Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.602H	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.602J	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.602K	Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.602M	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.602N	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.602P	Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.602Q	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.602R	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.602S	Unspecified fracture of lower end of left ulna, sequela	ICD10
S52.609A	Unspecified fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD10
S52.609B	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	ICD10

S52.609C	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.609D	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.609E	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.609F	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.609G	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.609H	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.609J	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.609K	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.609M	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.609N	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.609P	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.609Q	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.609R	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.609S	Unspecified fracture of lower end of unspecified ulna, sequela	ICD10
S52.611A	Displaced fracture of right ulna styloid process, initial encounter for closed fracture	ICD10
S52.611B	Displaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	ICD10
S52.611C	Displaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.611D	Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.611E	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.611F	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.611G	Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.611H	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.611J	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.611K	Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.611M	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.611N	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.611P	Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with malunion	ICD10

S52.611Q	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.611R	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.611S	Displaced fracture of right ulna styloid process, sequela	ICD10
S52.612A	Displaced fracture of left ulna styloid process, initial encounter for closed fracture	ICD10
S52.612B	Displaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	ICD10
S52.612C	Displaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.612D	Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.612E	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.612F	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.612G	Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.612H	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.612J	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.612K	Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.612M	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.612N	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.612P	Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.612Q	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.612R	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.612S	Displaced fracture of left ulna styloid process, sequela	ICD10
S52.613A	Displaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	ICD10
S52.613B	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	ICD10
S52.613C	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.613D	Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.613E	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.613F	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.613G	Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.613H	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.613J	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S52.613K	Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.613M	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.613N	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.613P	Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.613Q	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.613R	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.613S	Displaced fracture of unspecified ulna styloid process, sequela	ICD10
S52.614A	Nondisplaced fracture of right ulna styloid process, initial encounter for closed fracture	ICD10
S52.614B	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	ICD10
S52.614C	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.614D	Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.614E	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.614F	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.614G	Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.614H	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.614J	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.614K	Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.614M	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.614N	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.614P	Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.614Q	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.614R	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.614S	Nondisplaced fracture of right ulna styloid process, sequela	ICD10
S52.615A	Nondisplaced fracture of left ulna styloid process, initial encounter for closed fracture	ICD10
S52.615B	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	ICD10
S52.615C	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.615D	Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.615E	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10

S52.615F	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.615G	Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.615H	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.615J	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.615K	Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.615M	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.615N	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.615P	Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.615Q	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.615R	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.615S	Nondisplaced fracture of left ulna styloid process, sequela	ICD10
S52.616A	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	ICD10
S52.616B	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	ICD10
S52.616C	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.616D	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD10
S52.616E	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.616F	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.616G	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD10
S52.616H	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.616J	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.616K	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD10
S52.616M	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.616N	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.616P	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with malunion	ICD10
S52.616Q	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.616R	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.616S	Nondisplaced fracture of unspecified ulna styloid process, sequela	ICD10

S52.621A	Torus fracture of lower end of right ulna, initial encounter for closed fracture	ICD10
S52.621D	Torus fracture of lower end of right ulna, subsequent encounter for fracture with routine healing	ICD10
S52.621G	Torus fracture of lower end of right ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.621K	Torus fracture of lower end of right ulna, subsequent encounter for fracture with nonunion	ICD10
S52.621P	Torus fracture of lower end of right ulna, subsequent encounter for fracture with malunion	ICD10
S52.621S	Torus fracture of lower end of right ulna, sequela	ICD10
S52.622A	Torus fracture of lower end of left ulna, initial encounter for closed fracture	ICD10
S52.622D	Torus fracture of lower end of left ulna, subsequent encounter for fracture with routine healing	ICD10
S52.622G	Torus fracture of lower end of left ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.622K	Torus fracture of lower end of left ulna, subsequent encounter for fracture with nonunion	ICD10
S52.622P	Torus fracture of lower end of left ulna, subsequent encounter for fracture with malunion	ICD10
S52.622S	Torus fracture of lower end of left ulna, sequela	ICD10
S52.629A	Torus fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD10
S52.629D	Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with routine healing	ICD10
S52.629G	Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with delayed healing	ICD10
S52.629K	Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with nonunion	ICD10
S52.629P	Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with malunion	ICD10
S52.629S	Torus fracture of lower end of unspecified ulna, sequela	ICD10
S52.691A	Other fracture of lower end of right ulna, initial encounter for closed fracture	ICD10
S52.691B	Other fracture of lower end of right ulna, initial encounter for open fracture type I or II	ICD10
S52.691C	Other fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.691D	Other fracture of lower end of right ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.691E	Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.691F	Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.691G	Other fracture of lower end of right ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.691H	Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.691J	Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.691K	Other fracture of lower end of right ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.691M	Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.691N	Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.691P	Other fracture of lower end of right ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.691Q	Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.691R	Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.691S	Other fracture of lower end of right ulna, sequela	ICD10

S52.692A	Other fracture of lower end of left ulna, initial encounter for closed fracture	ICD10
S52.692B	Other fracture of lower end of left ulna, initial encounter for open fracture type I or II	ICD10
S52.692C	Other fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.692D	Other fracture of lower end of left ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.692E	Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.692F	Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.692G	Other fracture of lower end of left ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.692H	Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.692J	Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.692K	Other fracture of lower end of left ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.692M	Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.692N	Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.692P	Other fracture of lower end of left ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.692Q	Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.692R	Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.692S	Other fracture of lower end of left ulna, sequela	ICD10
S52.699A	Other fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD10
S52.699B	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	ICD10
S52.699C	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.699D	Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD10
S52.699E	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.699F	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.699G	Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD10
S52.699H	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.699J	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.699K	Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD10
S52.699M	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.699N	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S52.699P	Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD10
S52.699Q	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.699R	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S52.699S	Other fracture of lower end of unspecified ulna, sequela	ICD10
S52.90XA	Unspecified fracture of unspecified forearm, initial encounter for closed fracture	ICD10
S52.90XB	Unspecified fracture of unspecified forearm, initial encounter for open fracture type I or II	ICD10
S52.90XC	Unspecified fracture of unspecified forearm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S52.90XD	Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with routine healing	ICD10
S52.90XE	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.90XF	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S52.90XG	Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.90XH	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.90XJ	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S52.90XK	Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with nonunion	ICD10
S52.90XM	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.90XN	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S52.90XP	Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with malunion	ICD10
S52.90XQ	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.90XR	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S52.90XS	Unspecified fracture of unspecified forearm, sequela	ICD10
S52.91XA	Unspecified fracture of right forearm, initial encounter for closed fracture	ICD10
S52.91XB	Unspecified fracture of right forearm, initial encounter for open fracture type I or II	ICD10
S52.91XC	Unspecified fracture of right forearm, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S52.91XD	Unspecified fracture of right forearm, subsequent encounter for closed fracture with routine healing	ICD10
S52.91XE	Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.91XF	Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S52.91XG	Unspecified fracture of right forearm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.91XH	Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.91XJ	Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10

S52.91XK	Unspecified fracture of right forearm, subsequent encounter for closed fracture with nonunion	ICD10
S52.91XM	Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.91XN	Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.91XP	Unspecified fracture of right forearm, subsequent encounter for closed fracture with malunion	ICD10
S52.91XQ	Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.91XR	Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.91XS	Unspecified fracture of right forearm, sequela	ICD10
S52.92XA	Unspecified fracture of left forearm, initial encounter for closed fracture	ICD10
S52.92XB	Unspecified fracture of left forearm, initial encounter for open fracture type I or II	ICD10
S52.92XC	Unspecified fracture of left forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S52.92XD	Unspecified fracture of left forearm, subsequent encounter for closed fracture with routine healing	ICD10
S52.92XE	Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with routine healing	ICD10
S52.92XF	Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S52.92XG	Unspecified fracture of left forearm, subsequent encounter for closed fracture with delayed healing	ICD10
S52.92XH	Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S52.92XJ	Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S52.92XK	Unspecified fracture of left forearm, subsequent encounter for closed fracture with nonunion	ICD10
S52.92XM	Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with nonunion	ICD10
S52.92XN	Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S52.92XP	Unspecified fracture of left forearm, subsequent encounter for closed fracture with malunion	ICD10
S52.92XQ	Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with malunion	ICD10
S52.92XR	Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S52.92XS	Unspecified fracture of left forearm, sequela	ICD10
S53.001A	Unspecified subluxation of right radial head, initial encounter	ICD10
S53.001D	Unspecified subluxation of right radial head, subsequent encounter	ICD10
S53.001S	Unspecified subluxation of right radial head, sequela	ICD10
S53.002A	Unspecified subluxation of left radial head, initial encounter	ICD10
S53.002D	Unspecified subluxation of left radial head, subsequent encounter	ICD10
S53.002S	Unspecified subluxation of left radial head, sequela	ICD10
S53.003A	Unspecified subluxation of unspecified radial head, initial encounter	ICD10
S53.003D	Unspecified subluxation of unspecified radial head, subsequent encounter	ICD10
S53.003S	Unspecified subluxation of unspecified radial head, sequela	ICD10
S53.004A	Unspecified dislocation of right radial head, initial encounter	ICD10
S53.004D	Unspecified dislocation of right radial head, subsequent encounter	ICD10
S53.004S	Unspecified dislocation of right radial head, sequela	ICD10
S53.005A	Unspecified dislocation of left radial head, initial encounter	ICD10
S53.005D	Unspecified dislocation of left radial head, subsequent encounter	ICD10

S53.005S	Unspecified dislocation of left radial head, sequela	ICD10
S53.006A	Unspecified dislocation of unspecified radial head, initial encounter	ICD10
S53.006D	Unspecified dislocation of unspecified radial head, subsequent encounter	ICD10
S53.006S	Unspecified dislocation of unspecified radial head, sequela	ICD10
S53.011A	Anterior subluxation of right radial head, initial encounter	ICD10
S53.011D	Anterior subluxation of right radial head, subsequent encounter	ICD10
S53.011S	Anterior subluxation of right radial head, sequela	ICD10
S53.012A	Anterior subluxation of left radial head, initial encounter	ICD10
S53.012D	Anterior subluxation of left radial head, subsequent encounter	ICD10
S53.012S	Anterior subluxation of left radial head, sequela	ICD10
S53.013A	Anterior subluxation of unspecified radial head, initial encounter	ICD10
S53.013D	Anterior subluxation of unspecified radial head, subsequent encounter	ICD10
S53.013S	Anterior subluxation of unspecified radial head, sequela	ICD10
S53.014A	Anterior dislocation of right radial head, initial encounter	ICD10
S53.014D	Anterior dislocation of right radial head, subsequent encounter	ICD10
S53.014S	Anterior dislocation of right radial head, sequela	ICD10
S53.015A	Anterior dislocation of left radial head, initial encounter	ICD10
S53.015D	Anterior dislocation of left radial head, subsequent encounter	ICD10
S53.015S	Anterior dislocation of left radial head, sequela	ICD10
S53.016A	Anterior dislocation of unspecified radial head, initial encounter	ICD10
S53.016D	Anterior dislocation of unspecified radial head, subsequent encounter	ICD10
S53.016S	Anterior dislocation of unspecified radial head, sequela	ICD10
S53.021A	Posterior subluxation of right radial head, initial encounter	ICD10
S53.021D	Posterior subluxation of right radial head, subsequent encounter	ICD10
S53.021S	Posterior subluxation of right radial head, sequela	ICD10
S53.022A	Posterior subluxation of left radial head, initial encounter	ICD10
S53.022D	Posterior subluxation of left radial head, subsequent encounter	ICD10
S53.022S	Posterior subluxation of left radial head, sequela	ICD10
S53.023A	Posterior subluxation of unspecified radial head, initial encounter	ICD10
S53.023D	Posterior subluxation of unspecified radial head, subsequent encounter	ICD10
S53.023S	Posterior subluxation of unspecified radial head, sequela	ICD10
S53.024A	Posterior dislocation of right radial head, initial encounter	ICD10
S53.024D	Posterior dislocation of right radial head, subsequent encounter	ICD10
S53.024S	Posterior dislocation of right radial head, sequela	ICD10
S53.025A	Posterior dislocation of left radial head, initial encounter	ICD10
S53.025D	Posterior dislocation of left radial head, subsequent encounter	ICD10
S53.025S	Posterior dislocation of left radial head, sequela	ICD10
S53.026A	Posterior dislocation of unspecified radial head, initial encounter	ICD10
S53.026D	Posterior dislocation of unspecified radial head, subsequent encounter	ICD10
S53.026S	Posterior dislocation of unspecified radial head, sequela	ICD10
S53.031A	Nursemaid's elbow, right elbow, initial encounter	ICD10
S53.031D	Nursemaid's elbow, right elbow, subsequent encounter	ICD10
S53.031S	Nursemaid's elbow, right elbow, sequela	ICD10
S53.032A	Nursemaid's elbow, left elbow, initial encounter	ICD10
S53.032D	Nursemaid's elbow, left elbow, subsequent encounter	ICD10
S53.032S	Nursemaid's elbow, left elbow, sequela	ICD10
S53.033A	Nursemaid's elbow, unspecified elbow, initial encounter	ICD10
S53.033D	Nursemaid's elbow, unspecified elbow, subsequent encounter	ICD10
S53.033S	Nursemaid's elbow, unspecified elbow, sequela	ICD10
S53.091A	Other subluxation of right radial head, initial encounter	ICD10
S53.091D	Other subluxation of right radial head, subsequent encounter	ICD10

S53.091S	Other subluxation of right radial head, sequela	ICD10
S53.092A	Other subluxation of left radial head, initial encounter	ICD10
S53.092D	Other subluxation of left radial head, subsequent encounter	ICD10
S53.092S	Other subluxation of left radial head, sequela	ICD10
S53.093A	Other subluxation of unspecified radial head, initial encounter	ICD10
S53.093D	Other subluxation of unspecified radial head, subsequent encounter	ICD10
S53.093S	Other subluxation of unspecified radial head, sequela	ICD10
S53.094A	Other dislocation of right radial head, initial encounter	ICD10
S53.094D	Other dislocation of right radial head, subsequent encounter	ICD10
S53.094S	Other dislocation of right radial head, sequela	ICD10
S53.095A	Other dislocation of left radial head, initial encounter	ICD10
S53.095D	Other dislocation of left radial head, subsequent encounter	ICD10
S53.095S	Other dislocation of left radial head, sequela	ICD10
S53.096A	Other dislocation of unspecified radial head, initial encounter	ICD10
S53.096D	Other dislocation of unspecified radial head, subsequent encounter	ICD10
S53.096S	Other dislocation of unspecified radial head, sequela	ICD10
S53.101A	Unspecified subluxation of right ulnohumeral joint, initial encounter	ICD10
S53.101D	Unspecified subluxation of right ulnohumeral joint, subsequent encounter	ICD10
S53.101S	Unspecified subluxation of right ulnohumeral joint, sequela	ICD10
S53.102A	Unspecified subluxation of left ulnohumeral joint, initial encounter	ICD10
S53.102D	Unspecified subluxation of left ulnohumeral joint, subsequent encounter	ICD10
S53.102S	Unspecified subluxation of left ulnohumeral joint, sequela	ICD10
S53.103A	Unspecified subluxation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.103D	Unspecified subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.103S	Unspecified subluxation of unspecified ulnohumeral joint, sequela	ICD10
S53.104A	Unspecified dislocation of right ulnohumeral joint, initial encounter	ICD10
S53.104D	Unspecified dislocation of right ulnohumeral joint, subsequent encounter	ICD10
S53.104S	Unspecified dislocation of right ulnohumeral joint, sequela	ICD10
S53.105A	Unspecified dislocation of left ulnohumeral joint, initial encounter	ICD10
S53.105D	Unspecified dislocation of left ulnohumeral joint, subsequent encounter	ICD10
S53.105S	Unspecified dislocation of left ulnohumeral joint, sequela	ICD10
S53.106A	Unspecified dislocation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.106D	Unspecified dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.106S	Unspecified dislocation of unspecified ulnohumeral joint, sequela	ICD10
S53.111A	Anterior subluxation of right ulnohumeral joint, initial encounter	ICD10
S53.111D	Anterior subluxation of right ulnohumeral joint, subsequent encounter	ICD10
S53.111S	Anterior subluxation of right ulnohumeral joint, sequela	ICD10
S53.112A	Anterior subluxation of left ulnohumeral joint, initial encounter	ICD10
S53.112D	Anterior subluxation of left ulnohumeral joint, subsequent encounter	ICD10
S53.112S	Anterior subluxation of left ulnohumeral joint, sequela	ICD10
S53.113A	Anterior subluxation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.113D	Anterior subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.113S	Anterior subluxation of unspecified ulnohumeral joint, sequela	ICD10
S53.114A	Anterior dislocation of right ulnohumeral joint, initial encounter	ICD10
S53.114D	Anterior dislocation of right ulnohumeral joint, subsequent encounter	ICD10
S53.114S	Anterior dislocation of right ulnohumeral joint, sequela	ICD10
S53.115A	Anterior dislocation of left ulnohumeral joint, initial encounter	ICD10
S53.115D	Anterior dislocation of left ulnohumeral joint, subsequent encounter	ICD10
S53.115S	Anterior dislocation of left ulnohumeral joint, sequela	ICD10
S53.116A	Anterior dislocation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.116D	Anterior dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD10

S53.116S	Anterior dislocation of unspecified ulnohumeral joint, sequela	ICD10
S53.121A	Posterior subluxation of right ulnohumeral joint, initial encounter	ICD10
S53.121D	Posterior subluxation of right ulnohumeral joint, subsequent encounter	ICD10
S53.121S	Posterior subluxation of right ulnohumeral joint, sequela	ICD10
S53.122A	Posterior subluxation of left ulnohumeral joint, initial encounter	ICD10
S53.122D	Posterior subluxation of left ulnohumeral joint, subsequent encounter	ICD10
S53.122S	Posterior subluxation of left ulnohumeral joint, sequela	ICD10
S53.123A	Posterior subluxation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.123D	Posterior subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.123S	Posterior subluxation of unspecified ulnohumeral joint, sequela	ICD10
S53.124A	Posterior dislocation of right ulnohumeral joint, initial encounter	ICD10
S53.124D	Posterior dislocation of right ulnohumeral joint, subsequent encounter	ICD10
S53.124S	Posterior dislocation of right ulnohumeral joint, sequela	ICD10
S53.125A	Posterior dislocation of left ulnohumeral joint, initial encounter	ICD10
S53.125D	Posterior dislocation of left ulnohumeral joint, subsequent encounter	ICD10
S53.125S	Posterior dislocation of left ulnohumeral joint, sequela	ICD10
S53.126A	Posterior dislocation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.126D	Posterior dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.126S	Posterior dislocation of unspecified ulnohumeral joint, sequela	ICD10
S53.131A	Medial subluxation of right ulnohumeral joint, initial encounter	ICD10
S53.131D	Medial subluxation of right ulnohumeral joint, subsequent encounter	ICD10
S53.131S	Medial subluxation of right ulnohumeral joint, sequela	ICD10
S53.132A	Medial subluxation of left ulnohumeral joint, initial encounter	ICD10
S53.132D	Medial subluxation of left ulnohumeral joint, subsequent encounter	ICD10
S53.132S	Medial subluxation of left ulnohumeral joint, sequela	ICD10
S53.133A	Medial subluxation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.133D	Medial subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.133S	Medial subluxation of unspecified ulnohumeral joint, sequela	ICD10
S53.134A	Medial dislocation of right ulnohumeral joint, initial encounter	ICD10
S53.134D	Medial dislocation of right ulnohumeral joint, subsequent encounter	ICD10
S53.134S	Medial dislocation of right ulnohumeral joint, sequela	ICD10
S53.135A	Medial dislocation of left ulnohumeral joint, initial encounter	ICD10
S53.135D	Medial dislocation of left ulnohumeral joint, subsequent encounter	ICD10
S53.135S	Medial dislocation of left ulnohumeral joint, sequela	ICD10
S53.136A	Medial dislocation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.136D	Medial dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.136S	Medial dislocation of unspecified ulnohumeral joint, sequela	ICD10
S53.141A	Lateral subluxation of right ulnohumeral joint, initial encounter	ICD10
S53.141D	Lateral subluxation of right ulnohumeral joint, subsequent encounter	ICD10
S53.141S	Lateral subluxation of right ulnohumeral joint, sequela	ICD10
S53.142A	Lateral subluxation of left ulnohumeral joint, initial encounter	ICD10
S53.142D	Lateral subluxation of left ulnohumeral joint, subsequent encounter	ICD10
S53.142S	Lateral subluxation of left ulnohumeral joint, sequela	ICD10
S53.143A	Lateral subluxation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.143D	Lateral subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.143S	Lateral subluxation of unspecified ulnohumeral joint, sequela	ICD10
S53.144A	Lateral dislocation of right ulnohumeral joint, initial encounter	ICD10
S53.144D	Lateral dislocation of right ulnohumeral joint, subsequent encounter	ICD10
S53.144S	Lateral dislocation of right ulnohumeral joint, sequela	ICD10
S53.145A	Lateral dislocation of left ulnohumeral joint, initial encounter	ICD10
S53.145D	Lateral dislocation of left ulnohumeral joint, subsequent encounter	ICD10

S53.145S	Lateral dislocation of left ulnohumeral joint, sequela	ICD10
S53.146A	Lateral dislocation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.146D	Lateral dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.146S	Lateral dislocation of unspecified ulnohumeral joint, sequela	ICD10
S53.191A	Other subluxation of right ulnohumeral joint, initial encounter	ICD10
S53.191D	Other subluxation of right ulnohumeral joint, subsequent encounter	ICD10
S53.191S	Other subluxation of right ulnohumeral joint, sequela	ICD10
S53.192A	Other subluxation of left ulnohumeral joint, initial encounter	ICD10
S53.192D	Other subluxation of left ulnohumeral joint, subsequent encounter	ICD10
S53.192S	Other subluxation of left ulnohumeral joint, sequela	ICD10
S53.193A	Other subluxation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.193D	Other subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.193S	Other subluxation of unspecified ulnohumeral joint, sequela	ICD10
S53.194A	Other dislocation of right ulnohumeral joint, initial encounter	ICD10
S53.194D	Other dislocation of right ulnohumeral joint, subsequent encounter	ICD10
S53.194S	Other dislocation of right ulnohumeral joint, sequela	ICD10
S53.195A	Other dislocation of left ulnohumeral joint, initial encounter	ICD10
S53.195D	Other dislocation of left ulnohumeral joint, subsequent encounter	ICD10
S53.195S	Other dislocation of left ulnohumeral joint, sequela	ICD10
S53.196A	Other dislocation of unspecified ulnohumeral joint, initial encounter	ICD10
S53.196D	Other dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD10
S53.196S	Other dislocation of unspecified ulnohumeral joint, sequela	ICD10
S56.001A	Unspecified injury of flexor muscle, fascia and tendon of right thumb at forearm level, initial encounter	ICD10
S56.001D	Unspecified injury of flexor muscle, fascia and tendon of right thumb at forearm level, subsequent encounter	ICD10
S56.001S	Unspecified injury of flexor muscle, fascia and tendon of right thumb at forearm level, sequela	ICD10
S56.002A	Unspecified injury of flexor muscle, fascia and tendon of left thumb at forearm level, initial encounter	ICD10
S56.002D	Unspecified injury of flexor muscle, fascia and tendon of left thumb at forearm level, subsequent encounter	ICD10
S56.002S	Unspecified injury of flexor muscle, fascia and tendon of left thumb at forearm level, sequela	ICD10
S56.009A	Unspecified injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, initial encounter	ICD10
S56.009D	Unspecified injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, subsequent encounter	ICD10
S56.009S	Unspecified injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela	ICD10
S56.091A	Other injury of flexor muscle, fascia and tendon of right thumb at forearm level, initial encounter	ICD10
S56.091D	Other injury of flexor muscle, fascia and tendon of right thumb at forearm level, subsequent encounter	ICD10
S56.091S	Other injury of flexor muscle, fascia and tendon of right thumb at forearm level, sequela	ICD10
S56.092A	Other injury of flexor muscle, fascia and tendon of left thumb at forearm level, initial encounter	ICD10
S56.092D	Other injury of flexor muscle, fascia and tendon of left thumb at forearm level, subsequent encounter	ICD10
S56.092S	Other injury of flexor muscle, fascia and tendon of left thumb at forearm level, sequela	ICD10
S56.099A	Other injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, initial encounter	ICD10
S56.099D	Other injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, subsequent encounter	ICD10

S56.099S	Other injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela	ICD10
S56.101A	Unspecified injury of flexor muscle, fascia and tendon of right index finger at forearm level, initial encounter	ICD10
S56.101D	Unspecified injury of flexor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter	ICD10
S56.101S	Unspecified injury of flexor muscle, fascia and tendon of right index finger at forearm level, sequela	ICD10
S56.102A	Unspecified injury of flexor muscle, fascia and tendon of left index finger at forearm level, initial encounter	ICD10
S56.102D	Unspecified injury of flexor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter	ICD10
S56.102S	Unspecified injury of flexor muscle, fascia and tendon of left index finger at forearm level, sequela	ICD10
S56.103A	Unspecified injury of flexor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	ICD10
S56.103D	Unspecified injury of flexor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter	ICD10
S56.103S	Unspecified injury of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela	ICD10
S56.104A	Unspecified injury of flexor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	ICD10
S56.104D	Unspecified injury of flexor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter	ICD10
S56.104S	Unspecified injury of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela	ICD10
S56.105A	Unspecified injury of flexor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	ICD10
S56.105D	Unspecified injury of flexor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter	ICD10
S56.105S	Unspecified injury of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela	ICD10
S56.106A	Unspecified injury of flexor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	ICD10
S56.106D	Unspecified injury of flexor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter	ICD10
S56.106S	Unspecified injury of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela	ICD10
S56.107A	Unspecified injury of flexor muscle, fascia and tendon of right little finger at forearm level, initial encounter	ICD10
S56.107D	Unspecified injury of flexor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter	ICD10
S56.107S	Unspecified injury of flexor muscle, fascia and tendon of right little finger at forearm level, sequela	ICD10
S56.108A	Unspecified injury of flexor muscle, fascia and tendon of left little finger at forearm level, initial encounter	ICD10
S56.108D	Unspecified injury of flexor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter	ICD10
S56.108S	Unspecified injury of flexor muscle, fascia and tendon of left little finger at forearm level, sequela	ICD10
S56.109A	Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, initial encounter	ICD10

S56.109D	Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter	ICD10
S56.109S	Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela	ICD10
S56.191A	Other injury of flexor muscle, fascia and tendon of right index finger at forearm level, initial encounter	ICD10
S56.191D	Other injury of flexor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter	ICD10
S56.191S	Other injury of flexor muscle, fascia and tendon of right index finger at forearm level, sequela	ICD10
S56.192A	Other injury of flexor muscle, fascia and tendon of left index finger at forearm level, initial encounter	ICD10
S56.192D	Other injury of flexor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter	ICD10
S56.192S	Other injury of flexor muscle, fascia and tendon of left index finger at forearm level, sequela	ICD10
S56.193A	Other injury of flexor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	ICD10
S56.193D	Other injury of flexor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter	ICD10
S56.193S	Other injury of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela	ICD10
S56.194A	Other injury of flexor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	ICD10
S56.194D	Other injury of flexor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter	ICD10
S56.194S	Other injury of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela	ICD10
S56.195A	Other injury of flexor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	ICD10
S56.195D	Other injury of flexor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter	ICD10
S56.195S	Other injury of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela	ICD10
S56.196A	Other injury of flexor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	ICD10
S56.196D	Other injury of flexor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter	ICD10
S56.196S	Other injury of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela	ICD10
S56.197A	Other injury of flexor muscle, fascia and tendon of right little finger at forearm level, initial encounter	ICD10
S56.197D	Other injury of flexor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter	ICD10
S56.197S	Other injury of flexor muscle, fascia and tendon of right little finger at forearm level, sequela	ICD10
S56.198A	Other injury of flexor muscle, fascia and tendon of left little finger at forearm level, initial encounter	ICD10
S56.198D	Other injury of flexor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter	ICD10
S56.198S	Other injury of flexor muscle, fascia and tendon of left little finger at forearm level, sequela	ICD10
S56.199A	Other injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, initial encounter	ICD10
S56.199D	Other injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter	ICD10
S56.199S	Other injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela	ICD10
S56.201A	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD10

S56.201D	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, right arm, subsequent encounter	ICD10
S56.201S	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, right arm, sequela	ICD10
S56.202A	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, left arm, initial encounter	ICD10
S56.202D	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, left arm, subsequent encounter	ICD10
S56.202S	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, left arm, sequela	ICD10
S56.209A	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	ICD10
S56.209D	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter	ICD10
S56.209S	Unspecified injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela	ICD10
S56.211A	Strain of other flexor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD10
S56.291A	Other injury of other flexor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD10
S56.291D	Other injury of other flexor muscle, fascia and tendon at forearm level, right arm, subsequent encounter	ICD10
S56.291S	Other injury of other flexor muscle, fascia and tendon at forearm level, right arm, sequela	ICD10
S56.292A	Other injury of other flexor muscle, fascia and tendon at forearm level, left arm, initial encounter	ICD10
S56.292D	Other injury of other flexor muscle, fascia and tendon at forearm level, left arm, subsequent encounter	ICD10
S56.292S	Other injury of other flexor muscle, fascia and tendon at forearm level, left arm, sequela	ICD10
S56.299A	Other injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	ICD10
S56.299D	Other injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter	ICD10
S56.299S	Other injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela	ICD10
S56.301A	Unspecified injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, initial encounter	ICD10
S56.301D	Unspecified injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, subsequent encounter	ICD10
S56.301S	Unspecified injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela	ICD10
S56.302A	Unspecified injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, initial encounter	ICD10
S56.302D	Unspecified injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, subsequent encounter	ICD10
S56.302S	Unspecified injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela	ICD10
S56.309A	Unspecified injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, initial encounter	ICD10
S56.309D	Unspecified injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, subsequent encounter	ICD10
S56.309S	Unspecified injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela	ICD10
S56.391A	Other injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, initial encounter	ICD10

S56.391D	Other injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, subsequent encounter	ICD10
S56.391S	Other injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela	ICD10
S56.392A	Other injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, initial encounter	ICD10
S56.392D	Other injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, subsequent encounter	ICD10
S56.392S	Other injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela	ICD10
S56.399A	Other injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, initial encounter	ICD10
S56.399D	Other injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, subsequent encounter	ICD10
S56.399S	Other injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela	ICD10
S56.401A	Unspecified injury of extensor muscle, fascia and tendon of right index finger at forearm level, initial encounter	ICD10
S56.401D	Unspecified injury of extensor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter	ICD10
S56.401S	Unspecified injury of extensor muscle, fascia and tendon of right index finger at forearm level, sequela	ICD10
S56.402A	Unspecified injury of extensor muscle, fascia and tendon of left index finger at forearm level, initial encounter	ICD10
S56.402D	Unspecified injury of extensor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter	ICD10
S56.402S	Unspecified injury of extensor muscle, fascia and tendon of left index finger at forearm level, sequela	ICD10
S56.403A	Unspecified injury of extensor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	ICD10
S56.403D	Unspecified injury of extensor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter	ICD10
S56.403S	Unspecified injury of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela	ICD10
S56.404A	Unspecified injury of extensor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	ICD10
S56.404D	Unspecified injury of extensor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter	ICD10
S56.404S	Unspecified injury of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela	ICD10
S56.405A	Unspecified injury of extensor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	ICD10
S56.405D	Unspecified injury of extensor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter	ICD10
S56.405S	Unspecified injury of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela	ICD10
S56.406A	Unspecified injury of extensor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	ICD10
S56.406D	Unspecified injury of extensor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter	ICD10

S56.406S	Unspecified injury of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela	ICD10
S56.407A	Unspecified injury of extensor muscle, fascia and tendon of right little finger at forearm level, initial encounter	ICD10
S56.407D	Unspecified injury of extensor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter	ICD10
S56.407S	Unspecified injury of extensor muscle, fascia and tendon of right little finger at forearm level, sequela	ICD10
S56.408A	Unspecified injury of extensor muscle, fascia and tendon of left little finger at forearm level, initial encounter	ICD10
S56.408D	Unspecified injury of extensor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter	ICD10
S56.408S	Unspecified injury of extensor muscle, fascia and tendon of left little finger at forearm level, sequela	ICD10
S56.409A	Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, initial encounter	ICD10
S56.409D	Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter	ICD10
S56.409S	Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela	ICD10
S56.491A	Other injury of extensor muscle, fascia and tendon of right index finger at forearm level, initial encounter	ICD10
S56.491D	Other injury of extensor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter	ICD10
S56.491S	Other injury of extensor muscle, fascia and tendon of right index finger at forearm level, sequela	ICD10
S56.492A	Other injury of extensor muscle, fascia and tendon of left index finger at forearm level, initial encounter	ICD10
S56.492D	Other injury of extensor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter	ICD10
S56.492S	Other injury of extensor muscle, fascia and tendon of left index finger at forearm level, sequela	ICD10
S56.493A	Other injury of extensor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	ICD10
S56.493D	Other injury of extensor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter	ICD10
S56.493S	Other injury of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela	ICD10
S56.494A	Other injury of extensor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	ICD10
S56.494D	Other injury of extensor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter	ICD10
S56.494S	Other injury of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela	ICD10
S56.495A	Other injury of extensor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	ICD10
S56.495D	Other injury of extensor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter	ICD10
S56.495S	Other injury of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela	ICD10
S56.496A	Other injury of extensor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	ICD10

S56.496D	Other injury of extensor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter	ICD10
S56.496S	Other injury of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela	ICD10
S56.497A	Other injury of extensor muscle, fascia and tendon of right little finger at forearm level, initial encounter	ICD10
S56.497D	Other injury of extensor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter	ICD10
S56.497S	Other injury of extensor muscle, fascia and tendon of right little finger at forearm level, sequela	ICD10
S56.498A	Other injury of extensor muscle, fascia and tendon of left little finger at forearm level, initial encounter	ICD10
S56.498D	Other injury of extensor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter	ICD10
S56.498S	Other injury of extensor muscle, fascia and tendon of left little finger at forearm level, sequela	ICD10
S56.499A	Other injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, initial encounter	ICD10
S56.499D	Other injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter	ICD10
S56.499S	Other injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela	ICD10
S56.501A	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD10
S56.501D	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter	ICD10
S56.501S	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, right arm, sequela	ICD10
S56.502A	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, left arm, initial encounter	ICD10
S56.502D	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter	ICD10
S56.502S	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, left arm, sequela	ICD10
S56.509A	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	ICD10
S56.509D	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter	ICD10
S56.509S	Unspecified injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela	ICD10
S56.591A	Other injury of other extensor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD10
S56.591D	Other injury of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter	ICD10
S56.591S	Other injury of other extensor muscle, fascia and tendon at forearm level, right arm, sequela	ICD10
S56.592A	Other injury of other extensor muscle, fascia and tendon at forearm level, left arm, initial encounter	ICD10
S56.592D	Other injury of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter	ICD10
S56.592S	Other injury of other extensor muscle, fascia and tendon at forearm level, left arm, sequela	ICD10
S56.599A	Other injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	ICD10
S56.599D	Other injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter	ICD10

S56.599S	Other injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela	ICD10
S56.801A	Unspecified injury of other muscles, fascia and tendons at forearm level, right arm, initial encounter	ICD10
S56.801D	Unspecified injury of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter	ICD10
S56.801S	Unspecified injury of other muscles, fascia and tendons at forearm level, right arm, sequela	ICD10
S56.802A	Unspecified injury of other muscles, fascia and tendons at forearm level, left arm, initial encounter	ICD10
S56.802D	Unspecified injury of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter	ICD10
S56.802S	Unspecified injury of other muscles, fascia and tendons at forearm level, left arm, sequela	ICD10
S56.809A	Unspecified injury of other muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	ICD10
S56.809D	Unspecified injury of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter	ICD10
S56.809S	Unspecified injury of other muscles, fascia and tendons at forearm level, unspecified arm, sequela	ICD10
S56.891A	Other injury of other muscles, fascia and tendons at forearm level, right arm, initial encounter	ICD10
S56.891D	Other injury of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter	ICD10
S56.891S	Other injury of other muscles, fascia and tendons at forearm level, right arm, sequela	ICD10
S56.892A	Other injury of other muscles, fascia and tendons at forearm level, left arm, initial encounter	ICD10
S56.892D	Other injury of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter	ICD10
S56.892S	Other injury of other muscles, fascia and tendons at forearm level, left arm, sequela	ICD10
S56.899A	Other injury of other muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	ICD10
S56.899D	Other injury of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter	ICD10
S56.899S	Other injury of other muscles, fascia and tendons at forearm level, unspecified arm, sequela	ICD10
S56.901A	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, initial encounter	ICD10
S56.901D	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter	ICD10
S56.901S	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, sequela	ICD10
S56.902A	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, initial encounter	ICD10
S56.902D	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter	ICD10
S56.902S	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, sequela	ICD10
S56.909A	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	ICD10
S56.909D	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter	ICD10
S56.909S	Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela	ICD10
S56.991A	Other injury of unspecified muscles, fascia and tendons at forearm level, right arm, initial encounter	ICD10

S56.991D	Other injury of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter	ICD10
S56.991S	Other injury of unspecified muscles, fascia and tendons at forearm level, right arm, sequela	ICD10
S56.992A	Other injury of unspecified muscles, fascia and tendons at forearm level, left arm, initial encounter	ICD10
S56.992D	Other injury of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter	ICD10
S56.992S	Other injury of unspecified muscles, fascia and tendons at forearm level, left arm, sequela	ICD10
S56.999A	Other injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	ICD10
S56.999D	Other injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter	ICD10
S56.999S	Other injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela	ICD10
S59.001A	Unspecified physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD10
S59.001D	Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.001G	Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.001K	Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.001P	Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD10
S59.001S	Unspecified physeal fracture of lower end of ulna, right arm, sequela	ICD10
S59.002A	Unspecified physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD10
S59.002D	Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.002G	Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.002K	Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.002P	Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD10
S59.002S	Unspecified physeal fracture of lower end of ulna, left arm, sequela	ICD10
S59.009A	Unspecified physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S59.009D	Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.009G	Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.009K	Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.009P	Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.009S	Unspecified physeal fracture of lower end of ulna, unspecified arm, sequela	ICD10
S59.011A	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD10
S59.011D	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.011G	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD10

S59.011K	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.011P	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD10
S59.011S	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, sequela	ICD10
S59.012A	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD10
S59.012D	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.012G	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.012K	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.012P	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD10
S59.012S	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, sequela	ICD10
S59.019A	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S59.019D	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.019G	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.019K	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.019P	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.019S	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, sequela	ICD10
S59.021A	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD10
S59.021D	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.021G	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.021K	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.021P	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD10
S59.021S	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, sequela	ICD10
S59.022A	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD10
S59.022D	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.022G	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.022K	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.022P	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD10
S59.022S	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, sequela	ICD10
S59.029A	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD10

S59.029D	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.029G	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.029K	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.029P	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.029S	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, sequela	ICD10
S59.031A	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD10
S59.031D	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.031G	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.031K	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.031P	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD10
S59.031S	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, sequela	ICD10
S59.032A	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD10
S59.032D	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.032G	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.032K	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.032P	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD10
S59.032S	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, sequela	ICD10
S59.039A	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S59.039D	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.039G	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.039K	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.039P	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.039S	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, sequela	ICD10
S59.041A	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD10
S59.041D	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.041G	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.041K	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD10

S59.041P	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD10
S59.041S	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, sequela	ICD10
S59.042A	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD10
S59.042D	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.042G	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.042K	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.042P	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD10
S59.042S	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, sequela	ICD10
S59.049A	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S59.049D	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.049G	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.049K	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.049P	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.049S	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, sequela	ICD10
S59.091A	Other physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD10
S59.091D	Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.091G	Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.091K	Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.091P	Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD10
S59.091S	Other physeal fracture of lower end of ulna, right arm, sequela	ICD10
S59.092A	Other physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD10
S59.092D	Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.092G	Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.092K	Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.092P	Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD10
S59.092S	Other physeal fracture of lower end of ulna, left arm, sequela	ICD10
S59.099A	Other physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD10
S59.099D	Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.099G	Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10

S59.099K	Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.099P	Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.099S	Other physeal fracture of lower end of ulna, unspecified arm, sequela	ICD10
S59.101A	Unspecified physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD10
S59.101D	Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.101G	Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.101K	Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.101P	Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.101S	Unspecified physeal fracture of upper end of radius, right arm, sequela	ICD10
S59.102A	Unspecified physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD10
S59.102D	Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.102G	Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.102K	Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.102P	Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.102S	Unspecified physeal fracture of upper end of radius, left arm, sequela	ICD10
S59.109A	Unspecified physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.109D	Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.109G	Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.109K	Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.109P	Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.109S	Unspecified physeal fracture of upper end of radius, unspecified arm, sequela	ICD10
S59.111A	Salter-Harris Type I physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD10
S59.111D	Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.111G	Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.111K	Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.111P	Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.111S	Salter-Harris Type I physeal fracture of upper end of radius, right arm, sequela	ICD10
S59.112A	Salter-Harris Type I physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD10

S59.112D	Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.112G	Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.112K	Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.112P	Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.112S	Salter-Harris Type I physeal fracture of upper end of radius, left arm, sequela	ICD10
S59.119A	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.119D	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.119G	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.119K	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.119P	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.119S	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, sequela	ICD10
S59.121A	Salter-Harris Type II physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD10
S59.121D	Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.121G	Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.121K	Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.121P	Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.121S	Salter-Harris Type II physeal fracture of upper end of radius, right arm, sequela	ICD10
S59.122A	Salter-Harris Type II physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD10
S59.122D	Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.122G	Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.122K	Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.122P	Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.122S	Salter-Harris Type II physeal fracture of upper end of radius, left arm, sequela	ICD10
S59.129A	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.129D	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.129G	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.129K	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10

	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.129P		
S59.129S	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, sequela	ICD10
	Salter-Harris Type III physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD10
S59.131A		
	Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.131D		
	Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.131G		
	Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.131K		
	Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.131P		
S59.131S	Salter-Harris Type III physeal fracture of upper end of radius, right arm, sequela	ICD10
	Salter-Harris Type III physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD10
S59.132A		
	Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.132D		
	Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.132G		
	Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.132K		
	Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.132P		
S59.132S	Salter-Harris Type III physeal fracture of upper end of radius, left arm, sequela	ICD10
	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.139A		
	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.139D		
	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.139G		
	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.139K		
	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.139P		
S59.139S	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, sequela	ICD10
	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD10
S59.141A		
	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.141D		
	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.141G		
	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.141K		
	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.141P		
S59.141S	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, sequela	ICD10
	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD10
S59.142A		
	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.142D		

S59.142G	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.142K	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.142P	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.142S	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, sequela	ICD10
S59.149A	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.149D	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.149G	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.149K	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.149P	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.149S	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, sequela	ICD10
S59.191A	Other physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD10
S59.191D	Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.191G	Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.191K	Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.191P	Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.191S	Other physeal fracture of upper end of radius, right arm, sequela	ICD10
S59.192A	Other physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD10
S59.192D	Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.192G	Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.192K	Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.192P	Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.192S	Other physeal fracture of upper end of radius, left arm, sequela	ICD10
S59.199A	Other physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.199D	Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.199G	Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.199K	Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.199P	Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.199S	Other physeal fracture of upper end of radius, unspecified arm, sequela	ICD10
S59.201A	Unspecified physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD10

S59.201D	Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.201G	Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.201K	Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.201P	Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.201S	Unspecified physeal fracture of lower end of radius, right arm, sequela	ICD10
S59.202A	Unspecified physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD10
S59.202D	Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.202G	Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.202K	Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.202P	Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.202S	Unspecified physeal fracture of lower end of radius, left arm, sequela	ICD10
S59.209A	Unspecified physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.209D	Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.209G	Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.209K	Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.209P	Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.209S	Unspecified physeal fracture of lower end of radius, unspecified arm, sequela	ICD10
S59.211A	Salter-Harris Type I physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD10
S59.211D	Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.211G	Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.211K	Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.211P	Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.211S	Salter-Harris Type I physeal fracture of lower end of radius, right arm, sequela	ICD10
S59.212A	Salter-Harris Type I physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD10
S59.212D	Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.212G	Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.212K	Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10

S59.212P	Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.212S	Salter-Harris Type I physeal fracture of lower end of radius, left arm, sequela	ICD10
S59.219A	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.219D	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.219G	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.219K	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.219P	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.219S	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, sequela	ICD10
S59.221A	Salter-Harris Type II physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD10
S59.221D	Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.221G	Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.221K	Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.221P	Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.221S	Salter-Harris Type II physeal fracture of lower end of radius, right arm, sequela	ICD10
S59.222A	Salter-Harris Type II physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD10
S59.222D	Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.222G	Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.222K	Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.222P	Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.222S	Salter-Harris Type II physeal fracture of lower end of radius, left arm, sequela	ICD10
S59.229A	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.229D	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.229G	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.229K	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.229P	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.229S	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, sequela	ICD10
S59.231A	Salter-Harris Type III physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD10
S59.231D	Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10

S59.231G	Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.231K	Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.231P	Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.231S	Salter-Harris Type III physeal fracture of lower end of radius, right arm, sequela	ICD10
S59.232A	Salter-Harris Type III physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD10
S59.232D	Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.232G	Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.232K	Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.232P	Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.232S	Salter-Harris Type III physeal fracture of lower end of radius, left arm, sequela	ICD10
S59.239A	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.239D	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.239G	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.239K	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.239P	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.239S	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, sequela	ICD10
S59.241A	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD10
S59.241D	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.241G	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.241K	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.241P	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.241S	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, sequela	ICD10
S59.242A	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD10
S59.242D	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.242G	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.242K	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.242P	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.242S	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, sequela	ICD10

S59.249A	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.249D	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.249G	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.249K	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.249P	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.249S	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, sequela	ICD10
S59.291A	Other physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD10
S59.291D	Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD10
S59.291G	Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD10
S59.291K	Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD10
S59.291P	Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD10
S59.291S	Other physeal fracture of lower end of radius, right arm, sequela	ICD10
S59.292A	Other physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD10
S59.292D	Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD10
S59.292G	Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD10
S59.292K	Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD10
S59.292P	Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD10
S59.292S	Other physeal fracture of lower end of radius, left arm, sequela	ICD10
S59.299A	Other physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD10
S59.299D	Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD10
S59.299G	Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD10
S59.299K	Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD10
S59.299P	Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD10
S59.299S	Other physeal fracture of lower end of radius, unspecified arm, sequela	ICD10
S59.801A	Other specified injuries of right elbow, initial encounter	ICD10
S59.801D	Other specified injuries of right elbow, subsequent encounter	ICD10
S59.801S	Other specified injuries of right elbow, sequela	ICD10
S59.802A	Other specified injuries of left elbow, initial encounter	ICD10
S59.802D	Other specified injuries of left elbow, subsequent encounter	ICD10
S59.802S	Other specified injuries of left elbow, sequela	ICD10
S59.809A	Other specified injuries of unspecified elbow, initial encounter	ICD10
S59.809D	Other specified injuries of unspecified elbow, subsequent encounter	ICD10
S59.809S	Other specified injuries of unspecified elbow, sequela	ICD10

S59.811A	Other specified injuries right forearm, initial encounter	ICD10
S59.811D	Other specified injuries right forearm, subsequent encounter	ICD10
S59.811S	Other specified injuries right forearm, sequela	ICD10
S59.812A	Other specified injuries left forearm, initial encounter	ICD10
S59.812D	Other specified injuries left forearm, subsequent encounter	ICD10
S59.812S	Other specified injuries left forearm, sequela	ICD10
S59.819A	Other specified injuries unspecified forearm, initial encounter	ICD10
S59.819D	Other specified injuries unspecified forearm, subsequent encounter	ICD10
S59.819S	Other specified injuries unspecified forearm, sequela	ICD10
S59.901A	Unspecified injury of right elbow, initial encounter	ICD10
S59.901D	Unspecified injury of right elbow, subsequent encounter	ICD10
S59.901S	Unspecified injury of right elbow, sequela	ICD10
S59.902A	Unspecified injury of left elbow, initial encounter	ICD10
S59.902D	Unspecified injury of left elbow, subsequent encounter	ICD10
S59.902S	Unspecified injury of left elbow, sequela	ICD10
S59.909A	Unspecified injury of unspecified elbow, initial encounter	ICD10
S59.909D	Unspecified injury of unspecified elbow, subsequent encounter	ICD10
S59.909S	Unspecified injury of unspecified elbow, sequela	ICD10
S59.911A	Unspecified injury of right forearm, initial encounter	ICD10
S59.911D	Unspecified injury of right forearm, subsequent encounter	ICD10
S59.911S	Unspecified injury of right forearm, sequela	ICD10
S59.912A	Unspecified injury of left forearm, initial encounter	ICD10
S59.912D	Unspecified injury of left forearm, subsequent encounter	ICD10
S59.912S	Unspecified injury of left forearm, sequela	ICD10
S59.919A	Unspecified injury of unspecified forearm, initial encounter	ICD10
S59.919D	Unspecified injury of unspecified forearm, subsequent encounter	ICD10
S59.919S	Unspecified injury of unspecified forearm, sequela	ICD10
S62.001A	Unspecified fracture of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD10
S62.001B	Unspecified fracture of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD10
S62.001D	Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.001G	Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.001K	Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.001P	Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD10
S62.001S	Unspecified fracture of navicular [scaphoid] bone of right wrist, sequela	ICD10
S62.002A	Unspecified fracture of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD10
S62.002B	Unspecified fracture of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD10
S62.002D	Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.002G	Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.002K	Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD10

S62.002P	Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD10
S62.002S	Unspecified fracture of navicular [scaphoid] bone of left wrist, sequela	ICD10
S62.009A	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD10
S62.009B	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD10
S62.009D	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.009G	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.009K	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.009P	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.009S	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, sequela	ICD10
S62.011A	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD10
S62.011B	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD10
S62.011D	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.011G	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.011K	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.011P	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD10
S62.011S	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, sequela	ICD10
S62.012A	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD10
S62.012B	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD10
S62.012D	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.012G	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.012K	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.012P	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD10
S62.012S	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, sequela	ICD10
S62.013A	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD10
S62.013B	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD10
S62.013D	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.013G	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10

S62.013K	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.013P	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.013S	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, sequela	ICD10
S62.014A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD10
S62.014B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD10
S62.014D	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.014G	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.014K	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.014P	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD10
S62.014S	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, sequela	ICD10
S62.015A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD10
S62.015B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD10
S62.015D	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.015G	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.015K	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.015P	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD10
S62.015S	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, sequela	ICD10
S62.016A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD10
S62.016B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD10
S62.016D	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.016G	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.016K	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.016P	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.016S	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, sequela	ICD10
S62.021A	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD10
S62.021B	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD10
S62.021D	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD10

S62.021G	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.021K	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.021P	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD10
S62.021S	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, sequela	ICD10
S62.022A	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD10
S62.022B	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD10
S62.022D	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.022G	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.022K	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.022P	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD10
S62.022S	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, sequela	ICD10
S62.023A	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD10
S62.023B	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD10
S62.023D	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.023G	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.023K	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.023P	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.023S	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, sequela	ICD10
S62.024A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD10
S62.024B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD10
S62.024D	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.024G	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.024K	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.024P	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD10
S62.024S	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, sequela	ICD10
S62.025A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD10
S62.025B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD10

S62.025D	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.025G	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.025K	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.025P	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD10
S62.025S	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, sequela	ICD10
S62.026A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD10
S62.026B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD10
S62.026D	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.026G	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.026K	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.026P	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.026S	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, sequela	ICD10
S62.031A	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD10
S62.031B	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD10
S62.031D	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.031G	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.031K	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.031P	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD10
S62.031S	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, sequela	ICD10
S62.032A	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD10
S62.032B	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD10
S62.032D	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.032G	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.032K	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.032P	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD10
S62.032S	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, sequela	ICD10
S62.033A	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD10

S62.033B	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD10
S62.033D	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.033G	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.033K	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.033P	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.033S	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, sequela	ICD10
S62.034A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD10
S62.034B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD10
S62.034D	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.034G	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.034K	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.034P	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD10
S62.034S	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, sequela	ICD10
S62.035A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD10
S62.035B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD10
S62.035D	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.035G	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.035K	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.035P	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD10
S62.035S	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, sequela	ICD10
S62.036A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD10
S62.036B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD10
S62.036D	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.036G	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.036K	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.036P	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.036S	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, sequela	ICD10

S62.101A	Fracture of unspecified carpal bone, right wrist, initial encounter for closed fracture	ICD10
S62.101B	Fracture of unspecified carpal bone, right wrist, initial encounter for open fracture	ICD10
S62.101D	Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.101G	Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.101K	Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.101P	Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.101S	Fracture of unspecified carpal bone, right wrist, sequela	ICD10
S62.102A	Fracture of unspecified carpal bone, left wrist, initial encounter for closed fracture	ICD10
S62.102B	Fracture of unspecified carpal bone, left wrist, initial encounter for open fracture	ICD10
S62.102D	Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.102G	Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.102K	Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.102P	Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.102S	Fracture of unspecified carpal bone, left wrist, sequela	ICD10
S62.109A	Fracture of unspecified carpal bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.109B	Fracture of unspecified carpal bone, unspecified wrist, initial encounter for open fracture	ICD10
S62.109D	Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.109G	Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.109K	Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.109P	Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.109S	Fracture of unspecified carpal bone, unspecified wrist, sequela	ICD10
S62.111A	Displaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for closed fracture	ICD10
S62.111B	Displaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for open fracture	ICD10
S62.111D	Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.111G	Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.111K	Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.111P	Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.111S	Displaced fracture of triquetrum [cuneiform] bone, right wrist, sequela	ICD10
S62.112A	Displaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for closed fracture	ICD10
S62.112B	Displaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for open fracture	ICD10
S62.112D	Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.112G	Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10

S62.112K	Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.112P	Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.112S	Displaced fracture of triquetrum [cuneiform] bone, left wrist, sequela	ICD10
S62.113A	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.113B	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for open fracture	ICD10
S62.113D	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.113G	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.113K	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.113P	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.113S	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, sequela	ICD10
S62.114A	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for closed fracture	ICD10
S62.114B	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for open fracture	ICD10
S62.114D	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.114G	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.114K	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.114P	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.114S	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, sequela	ICD10
S62.115A	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for closed fracture	ICD10
S62.115B	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for open fracture	ICD10
S62.115D	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.115G	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.115K	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.115P	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.115S	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, sequela	ICD10
S62.116A	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.116B	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for open fracture	ICD10
S62.116D	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10

S62.116G	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.116K	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.116P	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.116S	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, sequela	ICD10
S62.121A	Displaced fracture of lunate [semilunar], right wrist, initial encounter for closed fracture	ICD10
S62.121B	Displaced fracture of lunate [semilunar], right wrist, initial encounter for open fracture	ICD10
S62.121D	Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.121G	Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.121K	Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.121P	Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with malunion	ICD10
S62.121S	Displaced fracture of lunate [semilunar], right wrist, sequela	ICD10
S62.122A	Displaced fracture of lunate [semilunar], left wrist, initial encounter for closed fracture	ICD10
S62.122B	Displaced fracture of lunate [semilunar], left wrist, initial encounter for open fracture	ICD10
S62.122D	Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.122G	Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.122K	Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.122P	Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with malunion	ICD10
S62.122S	Displaced fracture of lunate [semilunar], left wrist, sequela	ICD10
S62.123A	Displaced fracture of lunate [semilunar], unspecified wrist, initial encounter for closed fracture	ICD10
S62.123B	Displaced fracture of lunate [semilunar], unspecified wrist, initial encounter for open fracture	ICD10
S62.123D	Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.123G	Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.123K	Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.123P	Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.123S	Displaced fracture of lunate [semilunar], unspecified wrist, sequela	ICD10
S62.124A	Nondisplaced fracture of lunate [semilunar], right wrist, initial encounter for closed fracture	ICD10
S62.124B	Nondisplaced fracture of lunate [semilunar], right wrist, initial encounter for open fracture	ICD10
S62.124D	Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.124G	Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.124K	Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.124P	Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with malunion	ICD10
S62.124S	Nondisplaced fracture of lunate [semilunar], right wrist, sequela	ICD10

S62.125A	Nondisplaced fracture of lunate [semilunar], left wrist, initial encounter for closed fracture	ICD10
S62.125B	Nondisplaced fracture of lunate [semilunar], left wrist, initial encounter for open fracture	ICD10
S62.125D	Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.125G	Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.125K	Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.125P	Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with malunion	ICD10
S62.125S	Nondisplaced fracture of lunate [semilunar], left wrist, sequela	ICD10
S62.126A	Nondisplaced fracture of lunate [semilunar], unspecified wrist, initial encounter for closed fracture	ICD10
S62.126B	Nondisplaced fracture of lunate [semilunar], unspecified wrist, initial encounter for open fracture	ICD10
S62.126D	Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.126G	Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.126K	Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.126P	Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.126S	Nondisplaced fracture of lunate [semilunar], unspecified wrist, sequela	ICD10
S62.131A	Displaced fracture of capitate [os magnum] bone, right wrist, initial encounter for closed fracture	ICD10
S62.131B	Displaced fracture of capitate [os magnum] bone, right wrist, initial encounter for open fracture	ICD10
S62.131D	Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.131G	Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.131K	Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.131P	Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.131S	Displaced fracture of capitate [os magnum] bone, right wrist, sequela	ICD10
S62.132A	Displaced fracture of capitate [os magnum] bone, left wrist, initial encounter for closed fracture	ICD10
S62.132B	Displaced fracture of capitate [os magnum] bone, left wrist, initial encounter for open fracture	ICD10
S62.132D	Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.132G	Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.132K	Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.132P	Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.132S	Displaced fracture of capitate [os magnum] bone, left wrist, sequela	ICD10
S62.133A	Displaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.133B	Displaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for open fracture	ICD10

S62.133D	Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.133G	Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.133K	Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.133P	Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.133S	Displaced fracture of capitate [os magnum] bone, unspecified wrist, sequela	ICD10
S62.134A	Nondisplaced fracture of capitate [os magnum] bone, right wrist, initial encounter for closed fracture	ICD10
S62.134B	Nondisplaced fracture of capitate [os magnum] bone, right wrist, initial encounter for open fracture	ICD10
S62.134D	Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.134G	Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.134K	Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.134P	Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.134S	Nondisplaced fracture of capitate [os magnum] bone, right wrist, sequela	ICD10
S62.135A	Nondisplaced fracture of capitate [os magnum] bone, left wrist, initial encounter for closed fracture	ICD10
S62.135B	Nondisplaced fracture of capitate [os magnum] bone, left wrist, initial encounter for open fracture	ICD10
S62.135D	Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.135G	Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.135K	Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.135P	Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.135S	Nondisplaced fracture of capitate [os magnum] bone, left wrist, sequela	ICD10
S62.136A	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.136B	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for open fracture	ICD10
S62.136D	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.136G	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.136K	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.136P	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.136S	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, sequela	ICD10
S62.141A	Displaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD10

S62.141B	Displaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD10
S62.141D	Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.141G	Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.141K	Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.141P	Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.141S	Displaced fracture of body of hamate [unciform] bone, right wrist, sequela	ICD10
S62.142A	Displaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD10
S62.142B	Displaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD10
S62.142D	Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.142G	Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.142K	Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.142P	Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.142S	Displaced fracture of body of hamate [unciform] bone, left wrist, sequela	ICD10
S62.143A	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.143B	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD10
S62.143D	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.143G	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.143K	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.143P	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.143S	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, sequela	ICD10
S62.144A	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD10
S62.144B	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD10
S62.144D	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.144G	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.144K	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.144P	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.144S	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, sequela	ICD10

S62.145A	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD10
S62.145B	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD10
S62.145D	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.145G	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.145K	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.145P	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.145S	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, sequela	ICD10
S62.146A	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.146B	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD10
S62.146D	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.146G	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.146K	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.146P	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.146S	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, sequela	ICD10
S62.151A	Displaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD10
S62.151B	Displaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD10
S62.151D	Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.151G	Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.151K	Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.151P	Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.151S	Displaced fracture of hook process of hamate [unciform] bone, right wrist, sequela	ICD10
S62.152A	Displaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD10
S62.152B	Displaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD10
S62.152D	Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.152G	Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.152K	Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.152P	Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion	ICD10

S62.152S	Displaced fracture of hook process of hamate [unciform] bone, left wrist, sequela	ICD10
S62.153A	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.153B	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD10
S62.153D	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.153G	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.153K	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.153P	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.153S	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, sequela	ICD10
S62.154A	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD10
S62.154B	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD10
S62.154D	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.154G	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.154K	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.154P	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.154S	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, sequela	ICD10
S62.155A	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD10
S62.155B	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD10
S62.155D	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.155G	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.155K	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.155P	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.155S	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, sequela	ICD10
S62.156A	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD10
S62.156B	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD10
S62.156D	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.156G	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.156K	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10

S62.156P	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.156S	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, sequela	ICD10
S62.161A	Displaced fracture of pisiform, right wrist, initial encounter for closed fracture	ICD10
S62.161B	Displaced fracture of pisiform, right wrist, initial encounter for open fracture	ICD10
S62.161D	Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.161G	Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.161K	Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.161P	Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.161S	Displaced fracture of pisiform, right wrist, sequela	ICD10
S62.162A	Displaced fracture of pisiform, left wrist, initial encounter for closed fracture	ICD10
S62.162B	Displaced fracture of pisiform, left wrist, initial encounter for open fracture	ICD10
S62.162D	Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.162G	Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.162K	Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.162P	Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.162S	Displaced fracture of pisiform, left wrist, sequela	ICD10
S62.163A	Displaced fracture of pisiform, unspecified wrist, initial encounter for closed fracture	ICD10
S62.163B	Displaced fracture of pisiform, unspecified wrist, initial encounter for open fracture	ICD10
S62.163D	Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.163G	Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.163K	Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.163P	Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.163S	Displaced fracture of pisiform, unspecified wrist, sequela	ICD10
S62.164A	Nondisplaced fracture of pisiform, right wrist, initial encounter for closed fracture	ICD10
S62.164B	Nondisplaced fracture of pisiform, right wrist, initial encounter for open fracture	ICD10
S62.164D	Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.164G	Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.164K	Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.164P	Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with malunion	ICD10
S62.164S	Nondisplaced fracture of pisiform, right wrist, sequela	ICD10
S62.165A	Nondisplaced fracture of pisiform, left wrist, initial encounter for closed fracture	ICD10
S62.165B	Nondisplaced fracture of pisiform, left wrist, initial encounter for open fracture	ICD10
S62.165D	Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.165G	Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.165K	Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.165P	Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with malunion	ICD10
S62.165S	Nondisplaced fracture of pisiform, left wrist, sequela	ICD10
S62.166A	Nondisplaced fracture of pisiform, unspecified wrist, initial encounter for closed fracture	ICD10
S62.166B	Nondisplaced fracture of pisiform, unspecified wrist, initial encounter for open fracture	ICD10

S62.166D	Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.166G	Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.166K	Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.166P	Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.166S	Nondisplaced fracture of pisiform, unspecified wrist, sequela	ICD10
S62.171A	Displaced fracture of trapezium [larger multangular], right wrist, initial encounter for closed fracture	ICD10
S62.171B	Displaced fracture of trapezium [larger multangular], right wrist, initial encounter for open fracture	ICD10
S62.171D	Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.171G	Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.171K	Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.171P	Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with malunion	ICD10
S62.171S	Displaced fracture of trapezium [larger multangular], right wrist, sequela	ICD10
S62.172A	Displaced fracture of trapezium [larger multangular], left wrist, initial encounter for closed fracture	ICD10
S62.172B	Displaced fracture of trapezium [larger multangular], left wrist, initial encounter for open fracture	ICD10
S62.172D	Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.172G	Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.172K	Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.172P	Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with malunion	ICD10
S62.172S	Displaced fracture of trapezium [larger multangular], left wrist, sequela	ICD10
S62.173A	Displaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for closed fracture	ICD10
S62.173B	Displaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for open fracture	ICD10
S62.173D	Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.173G	Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.173K	Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.173P	Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.173S	Displaced fracture of trapezium [larger multangular], unspecified wrist, sequela	ICD10
S62.174A	Nondisplaced fracture of trapezium [larger multangular], right wrist, initial encounter for closed fracture	ICD10

S62.174B	Nondisplaced fracture of trapezium [larger multangular], right wrist, initial encounter for open fracture	ICD10
S62.174D	Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.174G	Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.174K	Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.174P	Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with malunion	ICD10
S62.174S	Nondisplaced fracture of trapezium [larger multangular], right wrist, sequela	ICD10
S62.175A	Nondisplaced fracture of trapezium [larger multangular], left wrist, initial encounter for closed fracture	ICD10
S62.175B	Nondisplaced fracture of trapezium [larger multangular], left wrist, initial encounter for open fracture	ICD10
S62.175D	Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.175G	Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.175K	Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.175P	Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with malunion	ICD10
S62.175S	Nondisplaced fracture of trapezium [larger multangular], left wrist, sequela	ICD10
S62.176A	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for closed fracture	ICD10
S62.176B	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for open fracture	ICD10
S62.176D	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.176G	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.176K	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.176P	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.176S	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, sequela	ICD10
S62.181A	Displaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for closed fracture	ICD10
S62.181B	Displaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for open fracture	ICD10
S62.181D	Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.181G	Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.181K	Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.181P	Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with malunion	ICD10
S62.181S	Displaced fracture of trapezoid [smaller multangular], right wrist, sequela	ICD10

S62.182A	Displaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for closed fracture	ICD10
S62.182B	Displaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for open fracture	ICD10
S62.182D	Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.182G	Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.182K	Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.182P	Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with malunion	ICD10
S62.182S	Displaced fracture of trapezoid [smaller multangular], left wrist, sequela	ICD10
S62.183A	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for closed fracture	ICD10
S62.183B	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for open fracture	ICD10
S62.183D	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.183G	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.183K	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.183P	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.183S	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, sequela	ICD10
S62.184A	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for closed fracture	ICD10
S62.184B	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for open fracture	ICD10
S62.184D	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with routine healing	ICD10
S62.184G	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.184K	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with nonunion	ICD10
S62.184P	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with malunion	ICD10
S62.184S	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, sequela	ICD10
S62.185A	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for closed fracture	ICD10
S62.185B	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for open fracture	ICD10
S62.185D	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with routine healing	ICD10
S62.185G	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.185K	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with nonunion	ICD10
S62.185P	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with malunion	ICD10

S62.185S	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, sequela	ICD10
S62.186A	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for closed fracture	ICD10
S62.186B	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for open fracture	ICD10
S62.186D	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with routine healing	ICD10
S62.186G	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD10
S62.186K	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with nonunion	ICD10
S62.186P	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with malunion	ICD10
S62.186S	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, sequela	ICD10
S62.201A	Unspecified fracture of first metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.201B	Unspecified fracture of first metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.201D	Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.201G	Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.201K	Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.201P	Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.201S	Unspecified fracture of first metacarpal bone, right hand, sequela	ICD10
S62.202A	Unspecified fracture of first metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.202B	Unspecified fracture of first metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.202D	Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.202G	Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.202K	Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.202P	Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.202S	Unspecified fracture of first metacarpal bone, left hand, sequela	ICD10
S62.209A	Unspecified fracture of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD10
S62.209B	Unspecified fracture of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD10
S62.209D	Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.209G	Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.209K	Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.209P	Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.209S	Unspecified fracture of first metacarpal bone, unspecified hand, sequela	ICD10
S62.211A	Bennett's fracture, right hand, initial encounter for closed fracture	ICD10
S62.211B	Bennett's fracture, right hand, initial encounter for open fracture	ICD10

S62.211D	Bennett's fracture, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.211G	Bennett's fracture, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.211K	Bennett's fracture, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.211P	Bennett's fracture, right hand, subsequent encounter for fracture with malunion	ICD10
S62.211S	Bennett's fracture, right hand, sequela	ICD10
S62.212A	Bennett's fracture, left hand, initial encounter for closed fracture	ICD10
S62.212B	Bennett's fracture, left hand, initial encounter for open fracture	ICD10
S62.212D	Bennett's fracture, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.212G	Bennett's fracture, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.212K	Bennett's fracture, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.212P	Bennett's fracture, left hand, subsequent encounter for fracture with malunion	ICD10
S62.212S	Bennett's fracture, left hand, sequela	ICD10
S62.213A	Bennett's fracture, unspecified hand, initial encounter for closed fracture	ICD10
S62.213B	Bennett's fracture, unspecified hand, initial encounter for open fracture	ICD10
S62.213D	Bennett's fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.213G	Bennett's fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.213K	Bennett's fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.213P	Bennett's fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.213S	Bennett's fracture, unspecified hand, sequela	ICD10
S62.221A	Displaced Rolando's fracture, right hand, initial encounter for closed fracture	ICD10
S62.221B	Displaced Rolando's fracture, right hand, initial encounter for open fracture	ICD10
S62.221D	Displaced Rolando's fracture, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.221G	Displaced Rolando's fracture, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.221K	Displaced Rolando's fracture, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.221P	Displaced Rolando's fracture, right hand, subsequent encounter for fracture with malunion	ICD10
S62.221S	Displaced Rolando's fracture, right hand, sequela	ICD10
S62.222A	Displaced Rolando's fracture, left hand, initial encounter for closed fracture	ICD10
S62.222B	Displaced Rolando's fracture, left hand, initial encounter for open fracture	ICD10
S62.222D	Displaced Rolando's fracture, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.222G	Displaced Rolando's fracture, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.222K	Displaced Rolando's fracture, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.222P	Displaced Rolando's fracture, left hand, subsequent encounter for fracture with malunion	ICD10
S62.222S	Displaced Rolando's fracture, left hand, sequela	ICD10
S62.223A	Displaced Rolando's fracture, unspecified hand, initial encounter for closed fracture	ICD10
S62.223B	Displaced Rolando's fracture, unspecified hand, initial encounter for open fracture	ICD10
S62.223D	Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.223G	Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.223K	Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.223P	Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.223S	Displaced Rolando's fracture, unspecified hand, sequela	ICD10
S62.224A	Nondisplaced Rolando's fracture, right hand, initial encounter for closed fracture	ICD10
S62.224B	Nondisplaced Rolando's fracture, right hand, initial encounter for open fracture	ICD10
S62.224D	Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.224G	Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with delayed healing	ICD10

S62.224K	Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.224P	Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with malunion	ICD10
S62.224S	Nondisplaced Rolando's fracture, right hand, sequela	ICD10
S62.225A	Nondisplaced Rolando's fracture, left hand, initial encounter for closed fracture	ICD10
S62.225B	Nondisplaced Rolando's fracture, left hand, initial encounter for open fracture	ICD10
S62.225D	Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.225G	Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.225K	Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.225P	Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with malunion	ICD10
S62.225S	Nondisplaced Rolando's fracture, left hand, sequela	ICD10
S62.226A	Nondisplaced Rolando's fracture, unspecified hand, initial encounter for closed fracture	ICD10
S62.226B	Nondisplaced Rolando's fracture, unspecified hand, initial encounter for open fracture	ICD10
S62.226D	Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.226G	Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.226K	Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.226P	Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.226S	Nondisplaced Rolando's fracture, unspecified hand, sequela	ICD10
S62.231A	Other displaced fracture of base of first metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.231B	Other displaced fracture of base of first metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.231D	Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.231G	Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.231K	Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.231P	Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.231S	Other displaced fracture of base of first metacarpal bone, right hand, sequela	ICD10
S62.232A	Other displaced fracture of base of first metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.232B	Other displaced fracture of base of first metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.232D	Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.232G	Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.232K	Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.232P	Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.232S	Other displaced fracture of base of first metacarpal bone, left hand, sequela	ICD10
S62.233A	Other displaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD10

S62.233B	Other displaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD10
S62.233D	Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.233G	Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.233K	Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.233P	Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.233S	Other displaced fracture of base of first metacarpal bone, unspecified hand, sequela	ICD10
S62.234A	Other nondisplaced fracture of base of first metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.234B	Other nondisplaced fracture of base of first metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.234D	Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.234G	Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.234K	Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.234P	Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.234S	Other nondisplaced fracture of base of first metacarpal bone, right hand, sequela	ICD10
S62.235A	Other nondisplaced fracture of base of first metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.235B	Other nondisplaced fracture of base of first metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.235D	Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.235G	Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.235K	Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.235P	Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.235S	Other nondisplaced fracture of base of first metacarpal bone, left hand, sequela	ICD10
S62.236A	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD10
S62.236B	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD10
S62.236D	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.236G	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.236K	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.236P	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.236S	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, sequela	ICD10

S62.241A	Displaced fracture of shaft of first metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.241B	Displaced fracture of shaft of first metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.241D	Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.241G	Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.241K	Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.241P	Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.241S	Displaced fracture of shaft of first metacarpal bone, right hand, sequela	ICD10
S62.242A	Displaced fracture of shaft of first metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.242B	Displaced fracture of shaft of first metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.242D	Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.242G	Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.242K	Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.242P	Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.242S	Displaced fracture of shaft of first metacarpal bone, left hand, sequela	ICD10
S62.243A	Displaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD10
S62.243B	Displaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD10
S62.243D	Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.243G	Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.243K	Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.243P	Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.243S	Displaced fracture of shaft of first metacarpal bone, unspecified hand, sequela	ICD10
S62.244A	Nondisplaced fracture of shaft of first metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.244B	Nondisplaced fracture of shaft of first metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.244D	Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.244G	Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.244K	Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.244P	Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.244S	Nondisplaced fracture of shaft of first metacarpal bone, right hand, sequela	ICD10

S62.245A	Nondisplaced fracture of shaft of first metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.245B	Nondisplaced fracture of shaft of first metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.245D	Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.245G	Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.245K	Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.245P	Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.245S	Nondisplaced fracture of shaft of first metacarpal bone, left hand, sequela	ICD10
S62.246A	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD10
S62.246B	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD10
S62.246D	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.246G	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.246K	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.246P	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.246S	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, sequela	ICD10
S62.251A	Displaced fracture of neck of first metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.251B	Displaced fracture of neck of first metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.251D	Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.251G	Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.251K	Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.251P	Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.251S	Displaced fracture of neck of first metacarpal bone, right hand, sequela	ICD10
S62.252A	Displaced fracture of neck of first metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.252B	Displaced fracture of neck of first metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.252D	Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.252G	Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.252K	Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.252P	Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.252S	Displaced fracture of neck of first metacarpal bone, left hand, sequela	ICD10

S62.253A	Displaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD10
S62.253B	Displaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD10
S62.253D	Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.253G	Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.253K	Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.253P	Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.253S	Displaced fracture of neck of first metacarpal bone, unspecified hand, sequela	ICD10
S62.254A	Nondisplaced fracture of neck of first metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.254B	Nondisplaced fracture of neck of first metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.254D	Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.254G	Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.254K	Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.254P	Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.254S	Nondisplaced fracture of neck of first metacarpal bone, right hand, sequela	ICD10
S62.255A	Nondisplaced fracture of neck of first metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.255B	Nondisplaced fracture of neck of first metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.255D	Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.255G	Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.255K	Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.255P	Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.255S	Nondisplaced fracture of neck of first metacarpal bone, left hand, sequela	ICD10
S62.256A	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD10
S62.256B	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD10
S62.256D	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.256G	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.256K	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.256P	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD10

S62.256S	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, sequela	ICD10
S62.291A	Other fracture of first metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.291B	Other fracture of first metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.291D	Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.291G	Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.291K	Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.291P	Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.291S	Other fracture of first metacarpal bone, right hand, sequela	ICD10
S62.292A	Other fracture of first metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.292B	Other fracture of first metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.292D	Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.292G	Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.292K	Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.292P	Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.292S	Other fracture of first metacarpal bone, left hand, sequela	ICD10
S62.299A	Other fracture of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD10
S62.299B	Other fracture of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD10
S62.299D	Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD10
S62.299G	Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD10
S62.299K	Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD10
S62.299P	Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD10
S62.299S	Other fracture of first metacarpal bone, unspecified hand, sequela	ICD10
S62.300A	Unspecified fracture of second metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.300B	Unspecified fracture of second metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.300D	Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.300G	Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.300K	Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.300P	Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.300S	Unspecified fracture of second metacarpal bone, right hand, sequela	ICD10
S62.301A	Unspecified fracture of second metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.301B	Unspecified fracture of second metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.301D	Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.301G	Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10

S62.301K	Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.301P	Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.301S	Unspecified fracture of second metacarpal bone, left hand, sequela	ICD10
S62.302A	Unspecified fracture of third metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.302B	Unspecified fracture of third metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.302D	Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.302G	Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.302K	Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.302P	Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.302S	Unspecified fracture of third metacarpal bone, right hand, sequela	ICD10
S62.303A	Unspecified fracture of third metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.303B	Unspecified fracture of third metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.303D	Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.303G	Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.303K	Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.303P	Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.303S	Unspecified fracture of third metacarpal bone, left hand, sequela	ICD10
S62.304A	Unspecified fracture of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.304B	Unspecified fracture of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.304D	Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.304G	Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.304K	Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.304P	Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.304S	Unspecified fracture of fourth metacarpal bone, right hand, sequela	ICD10
S62.305A	Unspecified fracture of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.305B	Unspecified fracture of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.305D	Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.305G	Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.305K	Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.305P	Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.305S	Unspecified fracture of fourth metacarpal bone, left hand, sequela	ICD10
S62.306A	Unspecified fracture of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.306B	Unspecified fracture of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD10

S62.306D	Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.306G	Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.306K	Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.306P	Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.306S	Unspecified fracture of fifth metacarpal bone, right hand, sequela	ICD10
S62.307A	Unspecified fracture of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.307B	Unspecified fracture of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.307D	Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.307G	Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.307K	Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.307P	Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.307S	Unspecified fracture of fifth metacarpal bone, left hand, sequela	ICD10
S62.308A	Unspecified fracture of other metacarpal bone, initial encounter for closed fracture	ICD10
S62.308B	Unspecified fracture of other metacarpal bone, initial encounter for open fracture	ICD10
S62.308D	Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.308G	Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.308K	Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.308P	Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.308S	Unspecified fracture of other metacarpal bone, sequela	ICD10
S62.309A	Unspecified fracture of unspecified metacarpal bone, initial encounter for closed fracture	ICD10
S62.309B	Unspecified fracture of unspecified metacarpal bone, initial encounter for open fracture	ICD10
S62.309D	Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.309G	Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.309K	Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.309P	Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.309S	Unspecified fracture of unspecified metacarpal bone, sequela	ICD10
S62.310A	Displaced fracture of base of second metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.310B	Displaced fracture of base of second metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.310D	Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.310G	Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10

S62.310K	Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.310P	Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.310S	Displaced fracture of base of second metacarpal bone, right hand, sequela	ICD10
S62.311A	Displaced fracture of base of second metacarpal bone. left hand, initial encounter for closed fracture	ICD10
S62.311B	Displaced fracture of base of second metacarpal bone. left hand, initial encounter for open fracture	ICD10
S62.311D	Displaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with routine healing	ICD10
S62.311G	Displaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.311K	Displaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with nonunion	ICD10
S62.311P	Displaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with malunion	ICD10
S62.311S	Displaced fracture of base of second metacarpal bone. left hand, sequela	ICD10
S62.312A	Displaced fracture of base of third metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.312B	Displaced fracture of base of third metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.312D	Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.312G	Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.312K	Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.312P	Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.312S	Displaced fracture of base of third metacarpal bone, right hand, sequela	ICD10
S62.313A	Displaced fracture of base of third metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.313B	Displaced fracture of base of third metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.313D	Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.313G	Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.313K	Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.313P	Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.313S	Displaced fracture of base of third metacarpal bone, left hand, sequela	ICD10
S62.314A	Displaced fracture of base of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.314B	Displaced fracture of base of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.314D	Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10

S62.314G	Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.314K	Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.314P	Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.314S	Displaced fracture of base of fourth metacarpal bone, right hand, sequela	ICD10
S62.315A	Displaced fracture of base of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.315B	Displaced fracture of base of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.315D	Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.315G	Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.315K	Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.315P	Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.315S	Displaced fracture of base of fourth metacarpal bone, left hand, sequela	ICD10
S62.316A	Displaced fracture of base of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.316B	Displaced fracture of base of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.316D	Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.316G	Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.316K	Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.316P	Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.316S	Displaced fracture of base of fifth metacarpal bone, right hand, sequela	ICD10
S62.317A	Displaced fracture of base of fifth metacarpal bone. left hand, initial encounter for closed fracture	ICD10
S62.317B	Displaced fracture of base of fifth metacarpal bone. left hand, initial encounter for open fracture	ICD10
S62.317D	Displaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with routine healing	ICD10
S62.317G	Displaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.317K	Displaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with nonunion	ICD10
S62.317P	Displaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with malunion	ICD10
S62.317S	Displaced fracture of base of fifth metacarpal bone. left hand, sequela	ICD10
S62.318A	Displaced fracture of base of other metacarpal bone, initial encounter for closed fracture	ICD10
S62.318B	Displaced fracture of base of other metacarpal bone, initial encounter for open fracture	ICD10
S62.318D	Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.318G	Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10

S62.318K	Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.318P	Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.318S	Displaced fracture of base of other metacarpal bone, sequela	ICD10
S62.319A	Displaced fracture of base of unspecified metacarpal bone, initial encounter for closed fracture	ICD10
S62.319B	Displaced fracture of base of unspecified metacarpal bone, initial encounter for open fracture	ICD10
S62.319D	Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.319G	Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.319K	Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.319P	Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.319S	Displaced fracture of base of unspecified metacarpal bone, sequela	ICD10
S62.320A	Displaced fracture of shaft of second metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.320B	Displaced fracture of shaft of second metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.320D	Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.320G	Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.320K	Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.320P	Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.320S	Displaced fracture of shaft of second metacarpal bone, right hand, sequela	ICD10
S62.321A	Displaced fracture of shaft of second metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.321B	Displaced fracture of shaft of second metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.321D	Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.321G	Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.321K	Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.321P	Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.321S	Displaced fracture of shaft of second metacarpal bone, left hand, sequela	ICD10
S62.322A	Displaced fracture of shaft of third metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.322B	Displaced fracture of shaft of third metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.322D	Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.322G	Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10

S62.322K	Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.322P	Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.322S	Displaced fracture of shaft of third metacarpal bone, right hand, sequela	ICD10
S62.323A	Displaced fracture of shaft of third metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.323B	Displaced fracture of shaft of third metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.323D	Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.323G	Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.323K	Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.323P	Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.323S	Displaced fracture of shaft of third metacarpal bone, left hand, sequela	ICD10
S62.324A	Displaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.324B	Displaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.324D	Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.324G	Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.324K	Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.324P	Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.324S	Displaced fracture of shaft of fourth metacarpal bone, right hand, sequela	ICD10
S62.325A	Displaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.325B	Displaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.325D	Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.325G	Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.325K	Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.325P	Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.325S	Displaced fracture of shaft of fourth metacarpal bone, left hand, sequela	ICD10
S62.326A	Displaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.326B	Displaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.326D	Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10

S62.326G	Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.326K	Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.326P	Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.326S	Displaced fracture of shaft of fifth metacarpal bone, right hand, sequela	ICD10
S62.327A	Displaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.327B	Displaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.327D	Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.327G	Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.327K	Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.327P	Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.327S	Displaced fracture of shaft of fifth metacarpal bone, left hand, sequela	ICD10
S62.328A	Displaced fracture of shaft of other metacarpal bone, initial encounter for closed fracture	ICD10
S62.328B	Displaced fracture of shaft of other metacarpal bone, initial encounter for open fracture	ICD10
S62.328D	Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.328G	Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.328K	Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.328P	Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.328S	Displaced fracture of shaft of other metacarpal bone, sequela	ICD10
S62.329A	Displaced fracture of shaft of unspecified metacarpal bone, initial encounter for closed fracture	ICD10
S62.329B	Displaced fracture of shaft of unspecified metacarpal bone, initial encounter for open fracture	ICD10
S62.329D	Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.329G	Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.329K	Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.329P	Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.329S	Displaced fracture of shaft of unspecified metacarpal bone, sequela	ICD10
S62.330A	Displaced fracture of neck of second metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.330B	Displaced fracture of neck of second metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.330D	Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.330G	Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10

S62.330K	Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.330P	Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.330S	Displaced fracture of neck of second metacarpal bone, right hand, sequela	ICD10
S62.331A	Displaced fracture of neck of second metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.331B	Displaced fracture of neck of second metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.331D	Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.331G	Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.331K	Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.331P	Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.331S	Displaced fracture of neck of second metacarpal bone, left hand, sequela	ICD10
S62.332A	Displaced fracture of neck of third metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.332B	Displaced fracture of neck of third metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.332D	Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.332G	Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.332K	Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.332P	Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.332S	Displaced fracture of neck of third metacarpal bone, right hand, sequela	ICD10
S62.333A	Displaced fracture of neck of third metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.333B	Displaced fracture of neck of third metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.333D	Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.333G	Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.333K	Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.333P	Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.333S	Displaced fracture of neck of third metacarpal bone, left hand, sequela	ICD10
S62.334A	Displaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.334B	Displaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.334D	Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10

S62.334G	Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.334K	Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.334P	Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.334S	Displaced fracture of neck of fourth metacarpal bone, right hand, sequela	ICD10
S62.335A	Displaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.335B	Displaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.335D	Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.335G	Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.335K	Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.335P	Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.335S	Displaced fracture of neck of fourth metacarpal bone, left hand, sequela	ICD10
S62.336A	Displaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.336B	Displaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.336D	Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.336G	Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.336K	Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.336P	Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.336S	Displaced fracture of neck of fifth metacarpal bone, right hand, sequela	ICD10
S62.337A	Displaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.337B	Displaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.337D	Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.337G	Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.337K	Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.337P	Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.337S	Displaced fracture of neck of fifth metacarpal bone, left hand, sequela	ICD10
S62.338A	Displaced fracture of neck of other metacarpal bone, initial encounter for closed fracture	ICD10
S62.338B	Displaced fracture of neck of other metacarpal bone, initial encounter for open fracture	ICD10
S62.338D	Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.338G	Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10

S62.338K	Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.338P	Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.338S	Displaced fracture of neck of other metacarpal bone, sequela	ICD10
S62.339A	Displaced fracture of neck of unspecified metacarpal bone, initial encounter for closed fracture	ICD10
S62.339B	Displaced fracture of neck of unspecified metacarpal bone, initial encounter for open fracture	ICD10
S62.339D	Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.339G	Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.339K	Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.339P	Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.339S	Displaced fracture of neck of unspecified metacarpal bone, sequela	ICD10
S62.340A	Nondisplaced fracture of base of second metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.340B	Nondisplaced fracture of base of second metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.340D	Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.340G	Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.340K	Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.340P	Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.340S	Nondisplaced fracture of base of second metacarpal bone, right hand, sequela	ICD10
S62.341A	Nondisplaced fracture of base of second metacarpal bone. left hand, initial encounter for closed fracture	ICD10
S62.341B	Nondisplaced fracture of base of second metacarpal bone. left hand, initial encounter for open fracture	ICD10
S62.341D	Nondisplaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with routine healing	ICD10
S62.341G	Nondisplaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.341K	Nondisplaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with nonunion	ICD10
S62.341P	Nondisplaced fracture of base of second metacarpal bone. left hand, subsequent encounter for fracture with malunion	ICD10
S62.341S	Nondisplaced fracture of base of second metacarpal bone. left hand, sequela	ICD10
S62.342A	Nondisplaced fracture of base of third metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.342B	Nondisplaced fracture of base of third metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.342D	Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.342G	Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10

S62.342K	Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.342P	Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.342S	Nondisplaced fracture of base of third metacarpal bone, right hand, sequela	ICD10
S62.343A	Nondisplaced fracture of base of third metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.343B	Nondisplaced fracture of base of third metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.343D	Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.343G	Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.343K	Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.343P	Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.343S	Nondisplaced fracture of base of third metacarpal bone, left hand, sequela	ICD10
S62.344A	Nondisplaced fracture of base of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.344B	Nondisplaced fracture of base of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.344D	Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.344G	Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.344K	Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.344P	Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.344S	Nondisplaced fracture of base of fourth metacarpal bone, right hand, sequela	ICD10
S62.345A	Nondisplaced fracture of base of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.345B	Nondisplaced fracture of base of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.345D	Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.345G	Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.345K	Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.345P	Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.345S	Nondisplaced fracture of base of fourth metacarpal bone, left hand, sequela	ICD10
S62.346A	Nondisplaced fracture of base of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.346B	Nondisplaced fracture of base of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.346D	Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10

S62.346G	Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.346K	Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.346P	Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.346S	Nondisplaced fracture of base of fifth metacarpal bone, right hand, sequela	ICD10
S62.347A	Nondisplaced fracture of base of fifth metacarpal bone. left hand, initial encounter for closed fracture	ICD10
S62.347B	Nondisplaced fracture of base of fifth metacarpal bone. left hand, initial encounter for open fracture	ICD10
S62.347D	Nondisplaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with routine healing	ICD10
S62.347G	Nondisplaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.347K	Nondisplaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with nonunion	ICD10
S62.347P	Nondisplaced fracture of base of fifth metacarpal bone. left hand, subsequent encounter for fracture with malunion	ICD10
S62.347S	Nondisplaced fracture of base of fifth metacarpal bone. left hand, sequela	ICD10
S62.348A	Nondisplaced fracture of base of other metacarpal bone, initial encounter for closed fracture	ICD10
S62.348B	Nondisplaced fracture of base of other metacarpal bone, initial encounter for open fracture	ICD10
S62.348D	Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.348G	Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.348K	Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.348P	Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.348S	Nondisplaced fracture of base of other metacarpal bone, sequela	ICD10
S62.349A	Nondisplaced fracture of base of unspecified metacarpal bone, initial encounter for closed fracture	ICD10
S62.349B	Nondisplaced fracture of base of unspecified metacarpal bone, initial encounter for open fracture	ICD10
S62.349D	Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.349G	Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.349K	Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.349P	Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.349S	Nondisplaced fracture of base of unspecified metacarpal bone, sequela	ICD10
S62.350A	Nondisplaced fracture of shaft of second metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.350B	Nondisplaced fracture of shaft of second metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.350D	Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10

S62.350G	Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.350K	Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.350P	Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.350S	Nondisplaced fracture of shaft of second metacarpal bone, right hand, sequela	ICD10
S62.351A	Nondisplaced fracture of shaft of second metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.351B	Nondisplaced fracture of shaft of second metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.351D	Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.351G	Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.351K	Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.351P	Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.351S	Nondisplaced fracture of shaft of second metacarpal bone, left hand, sequela	ICD10
S62.352A	Nondisplaced fracture of shaft of third metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.352B	Nondisplaced fracture of shaft of third metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.352D	Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.352G	Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.352K	Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.352P	Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.352S	Nondisplaced fracture of shaft of third metacarpal bone, right hand, sequela	ICD10
S62.353A	Nondisplaced fracture of shaft of third metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.353B	Nondisplaced fracture of shaft of third metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.353D	Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.353G	Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.353K	Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.353P	Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.353S	Nondisplaced fracture of shaft of third metacarpal bone, left hand, sequela	ICD10
S62.354A	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.354B	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD10

S62.354D	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.354G	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.354K	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.354P	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.354S	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, sequela	ICD10
S62.355A	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.355B	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.355D	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.355G	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.355K	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.355P	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.355S	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, sequela	ICD10
S62.356A	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.356B	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.356D	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.356G	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.356K	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.356P	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.356S	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, sequela	ICD10
S62.357A	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.357B	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.357D	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.357G	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.357K	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.357P	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.357S	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, sequela	ICD10
S62.358A	Nondisplaced fracture of shaft of other metacarpal bone, initial encounter for closed fracture	ICD10
S62.358B	Nondisplaced fracture of shaft of other metacarpal bone, initial encounter for open fracture	ICD10

S62.358D	Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.358G	Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.358K	Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.358P	Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.358S	Nondisplaced fracture of shaft of other metacarpal bone, sequela	ICD10
S62.359A	Nondisplaced fracture of shaft of unspecified metacarpal bone, initial encounter for closed fracture	ICD10
S62.359B	Nondisplaced fracture of shaft of unspecified metacarpal bone, initial encounter for open fracture	ICD10
S62.359D	Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.359G	Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.359K	Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.359P	Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.359S	Nondisplaced fracture of shaft of unspecified metacarpal bone, sequela	ICD10
S62.360A	Nondisplaced fracture of neck of second metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.360B	Nondisplaced fracture of neck of second metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.360D	Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.360G	Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.360K	Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.360P	Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.360S	Nondisplaced fracture of neck of second metacarpal bone, right hand, sequela	ICD10
S62.361A	Nondisplaced fracture of neck of second metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.361B	Nondisplaced fracture of neck of second metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.361D	Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.361G	Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.361K	Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.361P	Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.361S	Nondisplaced fracture of neck of second metacarpal bone, left hand, sequela	ICD10
S62.362A	Nondisplaced fracture of neck of third metacarpal bone, right hand, initial encounter for closed fracture	ICD10

S62.362B	Nondisplaced fracture of neck of third metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.362D	Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.362G	Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.362K	Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.362P	Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.362S	Nondisplaced fracture of neck of third metacarpal bone, right hand, sequela	ICD10
S62.363A	Nondisplaced fracture of neck of third metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.363B	Nondisplaced fracture of neck of third metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.363D	Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.363G	Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.363K	Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.363P	Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.363S	Nondisplaced fracture of neck of third metacarpal bone, left hand, sequela	ICD10
S62.364A	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.364B	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.364D	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.364G	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.364K	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.364P	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.364S	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, sequela	ICD10
S62.365A	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.365B	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.365D	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.365G	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.365K	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.365P	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.365S	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, sequela	ICD10

S62.366A	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.366B	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.366D	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.366G	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.366K	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.366P	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.366S	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, sequela	ICD10
S62.367A	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.367B	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.367D	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.367G	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.367K	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.367P	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.367S	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, sequela	ICD10
S62.368A	Nondisplaced fracture of neck of other metacarpal bone, initial encounter for closed fracture	ICD10
S62.368B	Nondisplaced fracture of neck of other metacarpal bone, initial encounter for open fracture	ICD10
S62.368D	Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.368G	Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.368K	Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.368P	Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.368S	Nondisplaced fracture of neck of other metacarpal bone, sequela	ICD10
S62.369A	Nondisplaced fracture of neck of unspecified metacarpal bone, initial encounter for closed fracture	ICD10
S62.369B	Nondisplaced fracture of neck of unspecified metacarpal bone, initial encounter for open fracture	ICD10
S62.369D	Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.369G	Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.369K	Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.369P	Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.369S	Nondisplaced fracture of neck of unspecified metacarpal bone, sequela	ICD10
S62.390A	Other fracture of second metacarpal bone, right hand, initial encounter for closed fracture	ICD10

S62.390B	Other fracture of second metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.390D	Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.390G	Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.390K	Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.390P	Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.390S	Other fracture of second metacarpal bone, right hand, sequela	ICD10
S62.391A	Other fracture of second metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.391B	Other fracture of second metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.391D	Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.391G	Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.391K	Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.391P	Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.391S	Other fracture of second metacarpal bone, left hand, sequela	ICD10
S62.392A	Other fracture of third metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.392B	Other fracture of third metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.392D	Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.392G	Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.392K	Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.392P	Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.392S	Other fracture of third metacarpal bone, right hand, sequela	ICD10
S62.393A	Other fracture of third metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.393B	Other fracture of third metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.393D	Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.393G	Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.393K	Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.393P	Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.393S	Other fracture of third metacarpal bone, left hand, sequela	ICD10
S62.394A	Other fracture of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.394B	Other fracture of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.394D	Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.394G	Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.394K	Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10

S62.394P	Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.394S	Other fracture of fourth metacarpal bone, right hand, sequela	ICD10
S62.395A	Other fracture of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.395B	Other fracture of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.395D	Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.395G	Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.395K	Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.395P	Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.395S	Other fracture of fourth metacarpal bone, left hand, sequela	ICD10
S62.396A	Other fracture of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD10
S62.396B	Other fracture of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD10
S62.396D	Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD10
S62.396G	Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD10
S62.396K	Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD10
S62.396P	Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD10
S62.396S	Other fracture of fifth metacarpal bone, right hand, sequela	ICD10
S62.397A	Other fracture of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD10
S62.397B	Other fracture of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD10
S62.397D	Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD10
S62.397G	Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD10
S62.397K	Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD10
S62.397P	Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD10
S62.397S	Other fracture of fifth metacarpal bone, left hand, sequela	ICD10
S62.398A	Other fracture of other metacarpal bone, initial encounter for closed fracture	ICD10
S62.398B	Other fracture of other metacarpal bone, initial encounter for open fracture	ICD10
S62.398D	Other fracture of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.398G	Other fracture of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10
S62.398K	Other fracture of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.398P	Other fracture of other metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.398S	Other fracture of other metacarpal bone, sequela	ICD10
S62.399A	Other fracture of unspecified metacarpal bone, initial encounter for closed fracture	ICD10
S62.399B	Other fracture of unspecified metacarpal bone, initial encounter for open fracture	ICD10
S62.399D	Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD10
S62.399G	Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD10

S62.399K	Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD10
S62.399P	Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD10
S62.399S	Other fracture of unspecified metacarpal bone, sequela	ICD10
S62.501A	Fracture of unspecified phalanx of right thumb, initial encounter for closed fracture	ICD10
S62.501B	Fracture of unspecified phalanx of right thumb, initial encounter for open fracture	ICD10
S62.501D	Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD10
S62.501G	Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.501K	Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD10
S62.501P	Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with malunion	ICD10
S62.501S	Fracture of unspecified phalanx of right thumb, sequela	ICD10
S62.502A	Fracture of unspecified phalanx of left thumb, initial encounter for closed fracture	ICD10
S62.502B	Fracture of unspecified phalanx of left thumb, initial encounter for open fracture	ICD10
S62.502D	Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD10
S62.502G	Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.502K	Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD10
S62.502P	Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with malunion	ICD10
S62.502S	Fracture of unspecified phalanx of left thumb, sequela	ICD10
S62.509A	Fracture of unspecified phalanx of unspecified thumb, initial encounter for closed fracture	ICD10
S62.509B	Fracture of unspecified phalanx of unspecified thumb, initial encounter for open fracture	ICD10
S62.509D	Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD10
S62.509G	Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.509K	Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD10
S62.509P	Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD10
S62.509S	Fracture of unspecified phalanx of unspecified thumb, sequela	ICD10
S62.511A	Displaced fracture of proximal phalanx of right thumb, initial encounter for closed fracture	ICD10
S62.511B	Displaced fracture of proximal phalanx of right thumb, initial encounter for open fracture	ICD10
S62.511D	Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD10
S62.511G	Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.511K	Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD10
S62.511P	Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with malunion	ICD10
S62.511S	Displaced fracture of proximal phalanx of right thumb, sequela	ICD10
S62.512A	Displaced fracture of proximal phalanx of left thumb, initial encounter for closed fracture	ICD10
S62.512B	Displaced fracture of proximal phalanx of left thumb, initial encounter for open fracture	ICD10
S62.512D	Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD10

S62.512G	Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.512K	Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD10
S62.512P	Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with malunion	ICD10
S62.512S	Displaced fracture of proximal phalanx of left thumb, sequela	ICD10
S62.513A	Displaced fracture of proximal phalanx of unspecified thumb, initial encounter for closed fracture	ICD10
S62.513B	Displaced fracture of proximal phalanx of unspecified thumb, initial encounter for open fracture	ICD10
S62.513D	Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD10
S62.513G	Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.513K	Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD10
S62.513P	Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD10
S62.513S	Displaced fracture of proximal phalanx of unspecified thumb, sequela	ICD10
S62.514A	Nondisplaced fracture of proximal phalanx of right thumb, initial encounter for closed fracture	ICD10
S62.514B	Nondisplaced fracture of proximal phalanx of right thumb, initial encounter for open fracture	ICD10
S62.514D	Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD10
S62.514G	Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.514K	Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD10
S62.514P	Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with malunion	ICD10
S62.514S	Nondisplaced fracture of proximal phalanx of right thumb, sequela	ICD10
S62.515A	Nondisplaced fracture of proximal phalanx of left thumb, initial encounter for closed fracture	ICD10
S62.515B	Nondisplaced fracture of proximal phalanx of left thumb, initial encounter for open fracture	ICD10
S62.515D	Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD10
S62.515G	Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.515K	Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD10
S62.515P	Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with malunion	ICD10
S62.515S	Nondisplaced fracture of proximal phalanx of left thumb, sequela	ICD10
S62.516A	Nondisplaced fracture of proximal phalanx of unspecified thumb, initial encounter for closed fracture	ICD10
S62.516B	Nondisplaced fracture of proximal phalanx of unspecified thumb, initial encounter for open fracture	ICD10
S62.516D	Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD10
S62.516G	Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.516K	Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD10

S62.516P	Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD10
S62.516S	Nondisplaced fracture of proximal phalanx of unspecified thumb, sequela	ICD10
S62.521A	Displaced fracture of distal phalanx of right thumb, initial encounter for closed fracture	ICD10
S62.521B	Displaced fracture of distal phalanx of right thumb, initial encounter for open fracture	ICD10
S62.521D	Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD10
S62.521G	Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.521K	Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD10
S62.521P	Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with malunion	ICD10
S62.521S	Displaced fracture of distal phalanx of right thumb, sequela	ICD10
S62.522A	Displaced fracture of distal phalanx of left thumb, initial encounter for closed fracture	ICD10
S62.522B	Displaced fracture of distal phalanx of left thumb, initial encounter for open fracture	ICD10
S62.522D	Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD10
S62.522G	Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.522K	Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD10
S62.522P	Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with malunion	ICD10
S62.522S	Displaced fracture of distal phalanx of left thumb, sequela	ICD10
S62.523A	Displaced fracture of distal phalanx of unspecified thumb, initial encounter for closed fracture	ICD10
S62.523B	Displaced fracture of distal phalanx of unspecified thumb, initial encounter for open fracture	ICD10
S62.523D	Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD10
S62.523G	Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.523K	Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD10
S62.523P	Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD10
S62.523S	Displaced fracture of distal phalanx of unspecified thumb, sequela	ICD10
S62.524A	Nondisplaced fracture of distal phalanx of right thumb, initial encounter for closed fracture	ICD10
S62.524B	Nondisplaced fracture of distal phalanx of right thumb, initial encounter for open fracture	ICD10
S62.524D	Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD10
S62.524G	Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.524K	Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD10
S62.524P	Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with malunion	ICD10
S62.524S	Nondisplaced fracture of distal phalanx of right thumb, sequela	ICD10
S62.525A	Nondisplaced fracture of distal phalanx of left thumb, initial encounter for closed fracture	ICD10
S62.525B	Nondisplaced fracture of distal phalanx of left thumb, initial encounter for open fracture	ICD10
S62.525D	Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD10

S62.525G	Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.525K	Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD10
S62.525P	Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with malunion	ICD10
S62.525S	Nondisplaced fracture of distal phalanx of left thumb, sequela	ICD10
S62.526A	Nondisplaced fracture of distal phalanx of unspecified thumb, initial encounter for closed fracture	ICD10
S62.526B	Nondisplaced fracture of distal phalanx of unspecified thumb, initial encounter for open fracture	ICD10
S62.526D	Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD10
S62.526G	Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD10
S62.526K	Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD10
S62.526P	Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD10
S62.526S	Nondisplaced fracture of distal phalanx of unspecified thumb, sequela	ICD10
S62.600A	Fracture of unspecified phalanx of right index finger, initial encounter for closed fracture	ICD10
S62.600B	Fracture of unspecified phalanx of right index finger, initial encounter for open fracture	ICD10
S62.600D	Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD10
S62.600G	Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.600K	Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD10
S62.600P	Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with malunion	ICD10
S62.600S	Fracture of unspecified phalanx of right index finger, sequela	ICD10
S62.601A	Fracture of unspecified phalanx of left index finger, initial encounter for closed fracture	ICD10
S62.601B	Fracture of unspecified phalanx of left index finger, initial encounter for open fracture	ICD10
S62.601D	Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD10
S62.601G	Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.601K	Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD10
S62.601P	Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with malunion	ICD10
S62.601S	Fracture of unspecified phalanx of left index finger, sequela	ICD10
S62.602A	Fracture of unspecified phalanx of right middle finger, initial encounter for closed fracture	ICD10
S62.602B	Fracture of unspecified phalanx of right middle finger, initial encounter for open fracture	ICD10
S62.602D	Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.602G	Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.602K	Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD10

S62.602P	Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD10
S62.602S	Fracture of unspecified phalanx of right middle finger, sequela	ICD10
S62.603A	Fracture of unspecified phalanx of left middle finger, initial encounter for closed fracture	ICD10
S62.603B	Fracture of unspecified phalanx of left middle finger, initial encounter for open fracture	ICD10
S62.603D	Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.603G	Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.603K	Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.603P	Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD10
S62.603S	Fracture of unspecified phalanx of left middle finger, sequela	ICD10
S62.604A	Fracture of unspecified phalanx of right ring finger, initial encounter for closed fracture	ICD10
S62.604B	Fracture of unspecified phalanx of right ring finger, initial encounter for open fracture	ICD10
S62.604D	Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.604G	Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.604K	Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.604P	Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD10
S62.604S	Fracture of unspecified phalanx of right ring finger, sequela	ICD10
S62.605A	Fracture of unspecified phalanx of left ring finger, initial encounter for closed fracture	ICD10
S62.605B	Fracture of unspecified phalanx of left ring finger, initial encounter for open fracture	ICD10
S62.605D	Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.605G	Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.605K	Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.605P	Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD10
S62.605S	Fracture of unspecified phalanx of left ring finger, sequela	ICD10
S62.606A	Fracture of unspecified phalanx of right little finger, initial encounter for closed fracture	ICD10
S62.606B	Fracture of unspecified phalanx of right little finger, initial encounter for open fracture	ICD10
S62.606D	Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD10
S62.606G	Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.606K	Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD10
S62.606P	Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with malunion	ICD10
S62.606S	Fracture of unspecified phalanx of right little finger, sequela	ICD10
S62.607A	Fracture of unspecified phalanx of left little finger, initial encounter for closed fracture	ICD10
S62.607B	Fracture of unspecified phalanx of left little finger, initial encounter for open fracture	ICD10
S62.607D	Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD10

S62.607G	Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.607K	Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD10
S62.607P	Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with malunion	ICD10
S62.607S	Fracture of unspecified phalanx of left little finger, sequela	ICD10
S62.608A	Fracture of unspecified phalanx of other finger, initial encounter for closed fracture	ICD10
S62.608B	Fracture of unspecified phalanx of other finger, initial encounter for open fracture	ICD10
S62.608D	Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with routine healing	ICD10
S62.608G	Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD10
S62.608K	Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with nonunion	ICD10
S62.608P	Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with malunion	ICD10
S62.608S	Fracture of unspecified phalanx of other finger, sequela	ICD10
S62.609A	Fracture of unspecified phalanx of unspecified finger, initial encounter for closed fracture	ICD10
S62.609B	Fracture of unspecified phalanx of unspecified finger, initial encounter for open fracture	ICD10
S62.609D	Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD10
S62.609G	Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD10
S62.609K	Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD10
S62.609P	Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD10
S62.609S	Fracture of unspecified phalanx of unspecified finger, sequela	ICD10
S62.610A	Displaced fracture of proximal phalanx of right index finger, initial encounter for closed fracture	ICD10
S62.610B	Displaced fracture of proximal phalanx of right index finger, initial encounter for open fracture	ICD10
S62.610D	Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD10
S62.610G	Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.610K	Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD10
S62.610P	Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with malunion	ICD10
S62.610S	Displaced fracture of proximal phalanx of right index finger, sequela	ICD10
S62.611A	Displaced fracture of proximal phalanx of left index finger, initial encounter for closed fracture	ICD10
S62.611B	Displaced fracture of proximal phalanx of left index finger, initial encounter for open fracture	ICD10
S62.611D	Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD10
S62.611G	Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.611K	Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD10
S62.611P	Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with malunion	ICD10
S62.611S	Displaced fracture of proximal phalanx of left index finger, sequela	ICD10

S62.612A	Displaced fracture of proximal phalanx of right middle finger, initial encounter for closed fracture	ICD10
S62.612B	Displaced fracture of proximal phalanx of right middle finger, initial encounter for open fracture	ICD10
S62.612D	Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.612G	Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.612K	Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.612P	Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD10
S62.612S	Displaced fracture of proximal phalanx of right middle finger, sequela	ICD10
S62.613A	Displaced fracture of proximal phalanx of left middle finger, initial encounter for closed fracture	ICD10
S62.613B	Displaced fracture of proximal phalanx of left middle finger, initial encounter for open fracture	ICD10
S62.613D	Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.613G	Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.613K	Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.613P	Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD10
S62.613S	Displaced fracture of proximal phalanx of left middle finger, sequela	ICD10
S62.614A	Displaced fracture of proximal phalanx of right ring finger, initial encounter for closed fracture	ICD10
S62.614B	Displaced fracture of proximal phalanx of right ring finger, initial encounter for open fracture	ICD10
S62.614D	Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.614G	Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.614K	Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.614P	Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD10
S62.614S	Displaced fracture of proximal phalanx of right ring finger, sequela	ICD10
S62.615A	Displaced fracture of proximal phalanx of left ring finger, initial encounter for closed fracture	ICD10
S62.615B	Displaced fracture of proximal phalanx of left ring finger, initial encounter for open fracture	ICD10
S62.615D	Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.615G	Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.615K	Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.615P	Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD10
S62.615S	Displaced fracture of proximal phalanx of left ring finger, sequela	ICD10
S62.616A	Displaced fracture of proximal phalanx of right little finger, initial encounter for closed fracture	ICD10
S62.616B	Displaced fracture of proximal phalanx of right little finger, initial encounter for open fracture	ICD10
S62.616D	Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD10
S62.616G	Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD10

S62.616K	Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD10
S62.616P	Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with malunion	ICD10
S62.616S	Displaced fracture of proximal phalanx of right little finger, sequela	ICD10
S62.617A	Displaced fracture of proximal phalanx of left little finger, initial encounter for closed fracture	ICD10
S62.617B	Displaced fracture of proximal phalanx of left little finger, initial encounter for open fracture	ICD10
S62.617D	Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD10
S62.617G	Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.617K	Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD10
S62.617P	Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with malunion	ICD10
S62.617S	Displaced fracture of proximal phalanx of left little finger, sequela	ICD10
S62.618A	Displaced fracture of proximal phalanx of other finger, initial encounter for closed fracture	ICD10
S62.618B	Displaced fracture of proximal phalanx of other finger, initial encounter for open fracture	ICD10
S62.618D	Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with routine healing	ICD10
S62.618G	Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD10
S62.618K	Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with nonunion	ICD10
S62.618P	Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with malunion	ICD10
S62.618S	Displaced fracture of proximal phalanx of other finger, sequela	ICD10
S62.619A	Displaced fracture of proximal phalanx of unspecified finger, initial encounter for closed fracture	ICD10
S62.619B	Displaced fracture of proximal phalanx of unspecified finger, initial encounter for open fracture	ICD10
S62.619D	Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD10
S62.619G	Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD10
S62.619K	Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD10
S62.619P	Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD10
S62.619S	Displaced fracture of proximal phalanx of unspecified finger, sequela	ICD10
S62.620A	Displaced fracture of medial phalanx of right index finger, initial encounter for closed fracture	ICD10
S62.620B	Displaced fracture of medial phalanx of right index finger, initial encounter for open fracture	ICD10
S62.620D	Displaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD10
S62.620G	Displaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.620K	Displaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD10
S62.620P	Displaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with malunion	ICD10
S62.620S	Displaced fracture of medial phalanx of right index finger, sequela	ICD10
S62.621A	Displaced fracture of medial phalanx of left index finger, initial encounter for closed fracture	ICD10

S62.621B	Displaced fracture of medial phalanx of left index finger, initial encounter for open fracture	ICD10
S62.621D	Displaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD10
S62.621G	Displaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.621K	Displaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD10
S62.621P	Displaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with malunion	ICD10
S62.621S	Displaced fracture of medial phalanx of left index finger, sequela	ICD10
S62.622A	Displaced fracture of medial phalanx of right middle finger, initial encounter for closed fracture	ICD10
S62.622B	Displaced fracture of medial phalanx of right middle finger, initial encounter for open fracture	ICD10
S62.622D	Displaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.622G	Displaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.622K	Displaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.622P	Displaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD10
S62.622S	Displaced fracture of medial phalanx of right middle finger, sequela	ICD10
S62.623A	Displaced fracture of medial phalanx of left middle finger, initial encounter for closed fracture	ICD10
S62.623B	Displaced fracture of medial phalanx of left middle finger, initial encounter for open fracture	ICD10
S62.623D	Displaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.623G	Displaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.623K	Displaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.623P	Displaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD10
S62.623S	Displaced fracture of medial phalanx of left middle finger, sequela	ICD10
S62.624A	Displaced fracture of medial phalanx of right ring finger, initial encounter for closed fracture	ICD10
S62.624B	Displaced fracture of medial phalanx of right ring finger, initial encounter for open fracture	ICD10
S62.624D	Displaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.624G	Displaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.624K	Displaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.624P	Displaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD10
S62.624S	Displaced fracture of medial phalanx of right ring finger, sequela	ICD10
S62.625A	Displaced fracture of medial phalanx of left ring finger, initial encounter for closed fracture	ICD10
S62.625B	Displaced fracture of medial phalanx of left ring finger, initial encounter for open fracture	ICD10
S62.625D	Displaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.625G	Displaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.625K	Displaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD10

S62.625P	Displaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD10
S62.625S	Displaced fracture of medial phalanx of left ring finger, sequela	ICD10
S62.626A	Displaced fracture of medial phalanx of right little finger, initial encounter for closed fracture	ICD10
S62.626B	Displaced fracture of medial phalanx of right little finger, initial encounter for open fracture	ICD10
S62.626D	Displaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD10
S62.626G	Displaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.626K	Displaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD10
S62.626P	Displaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with malunion	ICD10
S62.626S	Displaced fracture of medial phalanx of right little finger, sequela	ICD10
S62.627A	Displaced fracture of medial phalanx of left little finger, initial encounter for closed fracture	ICD10
S62.627B	Displaced fracture of medial phalanx of left little finger, initial encounter for open fracture	ICD10
S62.627D	Displaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD10
S62.627G	Displaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.627K	Displaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD10
S62.627P	Displaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with malunion	ICD10
S62.627S	Displaced fracture of medial phalanx of left little finger, sequela	ICD10
S62.628A	Displaced fracture of medial phalanx of other finger, initial encounter for closed fracture	ICD10
S62.628B	Displaced fracture of medial phalanx of other finger, initial encounter for open fracture	ICD10
S62.628D	Displaced fracture of medial phalanx of other finger, subsequent encounter for fracture with routine healing	ICD10
S62.628G	Displaced fracture of medial phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD10
S62.628K	Displaced fracture of medial phalanx of other finger, subsequent encounter for fracture with nonunion	ICD10
S62.628P	Displaced fracture of medial phalanx of other finger, subsequent encounter for fracture with malunion	ICD10
S62.628S	Displaced fracture of medial phalanx of other finger, sequela	ICD10
S62.629A	Displaced fracture of medial phalanx of unspecified finger, initial encounter for closed fracture	ICD10
S62.629B	Displaced fracture of medial phalanx of unspecified finger, initial encounter for open fracture	ICD10
S62.629D	Displaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD10
S62.629G	Displaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD10
S62.629K	Displaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD10
S62.629P	Displaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD10
S62.629S	Displaced fracture of medial phalanx of unspecified finger, sequela	ICD10
S62.630A	Displaced fracture of distal phalanx of right index finger, initial encounter for closed fracture	ICD10
S62.630B	Displaced fracture of distal phalanx of right index finger, initial encounter for open fracture	ICD10
S62.630D	Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD10

S62.630G	Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.630K	Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD10
S62.630P	Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with malunion	ICD10
S62.630S	Displaced fracture of distal phalanx of right index finger, sequela	ICD10
S62.631A	Displaced fracture of distal phalanx of left index finger, initial encounter for closed fracture	ICD10
S62.631B	Displaced fracture of distal phalanx of left index finger, initial encounter for open fracture	ICD10
S62.631D	Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD10
S62.631G	Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.631K	Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD10
S62.631P	Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with malunion	ICD10
S62.631S	Displaced fracture of distal phalanx of left index finger, sequela	ICD10
S62.632A	Displaced fracture of distal phalanx of right middle finger, initial encounter for closed fracture	ICD10
S62.632B	Displaced fracture of distal phalanx of right middle finger, initial encounter for open fracture	ICD10
S62.632D	Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.632G	Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.632K	Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.632P	Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD10
S62.632S	Displaced fracture of distal phalanx of right middle finger, sequela	ICD10
S62.633A	Displaced fracture of distal phalanx of left middle finger, initial encounter for closed fracture	ICD10
S62.633B	Displaced fracture of distal phalanx of left middle finger, initial encounter for open fracture	ICD10
S62.633D	Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.633G	Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.633K	Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.633P	Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD10
S62.633S	Displaced fracture of distal phalanx of left middle finger, sequela	ICD10
S62.634A	Displaced fracture of distal phalanx of right ring finger, initial encounter for closed fracture	ICD10
S62.634B	Displaced fracture of distal phalanx of right ring finger, initial encounter for open fracture	ICD10
S62.634D	Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.634G	Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.634K	Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.634P	Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD10
S62.634S	Displaced fracture of distal phalanx of right ring finger, sequela	ICD10

S62.635A	Displaced fracture of distal phalanx of left ring finger, initial encounter for closed fracture	ICD10
S62.635B	Displaced fracture of distal phalanx of left ring finger, initial encounter for open fracture	ICD10
S62.635D	Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.635G	Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.635K	Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.635P	Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD10
S62.635S	Displaced fracture of distal phalanx of left ring finger, sequela	ICD10
S62.636A	Displaced fracture of distal phalanx of right little finger, initial encounter for closed fracture	ICD10
S62.636B	Displaced fracture of distal phalanx of right little finger, initial encounter for open fracture	ICD10
S62.636D	Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD10
S62.636G	Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.636K	Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD10
S62.636P	Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with malunion	ICD10
S62.636S	Displaced fracture of distal phalanx of right little finger, sequela	ICD10
S62.637A	Displaced fracture of distal phalanx of left little finger, initial encounter for closed fracture	ICD10
S62.637B	Displaced fracture of distal phalanx of left little finger, initial encounter for open fracture	ICD10
S62.637D	Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD10
S62.637G	Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.637K	Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD10
S62.637P	Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with malunion	ICD10
S62.637S	Displaced fracture of distal phalanx of left little finger, sequela	ICD10
S62.638A	Displaced fracture of distal phalanx of other finger, initial encounter for closed fracture	ICD10
S62.638B	Displaced fracture of distal phalanx of other finger, initial encounter for open fracture	ICD10
S62.638D	Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with routine healing	ICD10
S62.638G	Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD10
S62.638K	Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with nonunion	ICD10
S62.638P	Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with malunion	ICD10
S62.638S	Displaced fracture of distal phalanx of other finger, sequela	ICD10
S62.639A	Displaced fracture of distal phalanx of unspecified finger, initial encounter for closed fracture	ICD10
S62.639B	Displaced fracture of distal phalanx of unspecified finger, initial encounter for open fracture	ICD10
S62.639D	Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD10
S62.639G	Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD10

S62.639K	Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD10
S62.639P	Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD10
S62.639S	Displaced fracture of distal phalanx of unspecified finger, sequela	ICD10
S62.640A	Nondisplaced fracture of proximal phalanx of right index finger, initial encounter for closed fracture	ICD10
S62.640B	Nondisplaced fracture of proximal phalanx of right index finger, initial encounter for open fracture	ICD10
S62.640D	Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD10
S62.640G	Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.640K	Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD10
S62.640P	Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with malunion	ICD10
S62.640S	Nondisplaced fracture of proximal phalanx of right index finger, sequela	ICD10
S62.641A	Nondisplaced fracture of proximal phalanx of left index finger, initial encounter for closed fracture	ICD10
S62.641B	Nondisplaced fracture of proximal phalanx of left index finger, initial encounter for open fracture	ICD10
S62.641D	Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD10
S62.641G	Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.641K	Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD10
S62.641P	Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with malunion	ICD10
S62.641S	Nondisplaced fracture of proximal phalanx of left index finger, sequela	ICD10
S62.642A	Nondisplaced fracture of proximal phalanx of right middle finger, initial encounter for closed fracture	ICD10
S62.642B	Nondisplaced fracture of proximal phalanx of right middle finger, initial encounter for open fracture	ICD10
S62.642D	Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.642G	Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.642K	Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.642P	Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD10
S62.642S	Nondisplaced fracture of proximal phalanx of right middle finger, sequela	ICD10
S62.643A	Nondisplaced fracture of proximal phalanx of left middle finger, initial encounter for closed fracture	ICD10
S62.643B	Nondisplaced fracture of proximal phalanx of left middle finger, initial encounter for open fracture	ICD10
S62.643D	Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD10

S62.643G	Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.643K	Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.643P	Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD10
S62.643S	Nondisplaced fracture of proximal phalanx of left middle finger, sequela	ICD10
S62.644A	Nondisplaced fracture of proximal phalanx of right ring finger, initial encounter for closed fracture	ICD10
S62.644B	Nondisplaced fracture of proximal phalanx of right ring finger, initial encounter for open fracture	ICD10
S62.644D	Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.644G	Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.644K	Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.644P	Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD10
S62.644S	Nondisplaced fracture of proximal phalanx of right ring finger, sequela	ICD10
S62.645A	Nondisplaced fracture of proximal phalanx of left ring finger, initial encounter for closed fracture	ICD10
S62.645B	Nondisplaced fracture of proximal phalanx of left ring finger, initial encounter for open fracture	ICD10
S62.645D	Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.645G	Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.645K	Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.645P	Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD10
S62.645S	Nondisplaced fracture of proximal phalanx of left ring finger, sequela	ICD10
S62.646A	Nondisplaced fracture of proximal phalanx of right little finger, initial encounter for closed fracture	ICD10
S62.646B	Nondisplaced fracture of proximal phalanx of right little finger, initial encounter for open fracture	ICD10
S62.646D	Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD10
S62.646G	Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.646K	Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD10
S62.646P	Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with malunion	ICD10
S62.646S	Nondisplaced fracture of proximal phalanx of right little finger, sequela	ICD10
S62.647A	Nondisplaced fracture of proximal phalanx of left little finger, initial encounter for closed fracture	ICD10
S62.647B	Nondisplaced fracture of proximal phalanx of left little finger, initial encounter for open fracture	ICD10
S62.647D	Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD10

S62.647G	Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.647K	Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD10
S62.647P	Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with malunion	ICD10
S62.647S	Nondisplaced fracture of proximal phalanx of left little finger, sequela	ICD10
S62.648A	Nondisplaced fracture of proximal phalanx of other finger, initial encounter for closed fracture	ICD10
S62.648B	Nondisplaced fracture of proximal phalanx of other finger, initial encounter for open fracture	ICD10
S62.648D	Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with routine healing	ICD10
S62.648G	Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD10
S62.648K	Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with nonunion	ICD10
S62.648P	Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with malunion	ICD10
S62.648S	Nondisplaced fracture of proximal phalanx of other finger, sequela	ICD10
S62.649A	Nondisplaced fracture of proximal phalanx of unspecified finger, initial encounter for closed fracture	ICD10
S62.649B	Nondisplaced fracture of proximal phalanx of unspecified finger, initial encounter for open fracture	ICD10
S62.649D	Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD10
S62.649G	Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD10
S62.649K	Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD10
S62.649P	Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD10
S62.649S	Nondisplaced fracture of proximal phalanx of unspecified finger, sequela	ICD10
S62.650A	Nondisplaced fracture of medial phalanx of right index finger, initial encounter for closed fracture	ICD10
S62.650B	Nondisplaced fracture of medial phalanx of right index finger, initial encounter for open fracture	ICD10
S62.650D	Nondisplaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD10
S62.650G	Nondisplaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.650K	Nondisplaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD10
S62.650P	Nondisplaced fracture of medial phalanx of right index finger, subsequent encounter for fracture with malunion	ICD10
S62.650S	Nondisplaced fracture of medial phalanx of right index finger, sequela	ICD10
S62.651A	Nondisplaced fracture of medial phalanx of left index finger, initial encounter for closed fracture	ICD10
S62.651B	Nondisplaced fracture of medial phalanx of left index finger, initial encounter for open fracture	ICD10
S62.651D	Nondisplaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD10
S62.651G	Nondisplaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD10

S62.651K	Nondisplaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD10
S62.651P	Nondisplaced fracture of medial phalanx of left index finger, subsequent encounter for fracture with malunion	ICD10
S62.651S	Nondisplaced fracture of medial phalanx of left index finger, sequela	ICD10
S62.652A	Nondisplaced fracture of medial phalanx of right middle finger, initial encounter for closed fracture	ICD10
S62.652B	Nondisplaced fracture of medial phalanx of right middle finger, initial encounter for open fracture	ICD10
S62.652D	Nondisplaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.652G	Nondisplaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.652K	Nondisplaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.652P	Nondisplaced fracture of medial phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD10
S62.652S	Nondisplaced fracture of medial phalanx of right middle finger, sequela	ICD10
S62.653A	Nondisplaced fracture of medial phalanx of left middle finger, initial encounter for closed fracture	ICD10
S62.653B	Nondisplaced fracture of medial phalanx of left middle finger, initial encounter for open fracture	ICD10
S62.653D	Nondisplaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.653G	Nondisplaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.653K	Nondisplaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.653P	Nondisplaced fracture of medial phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD10
S62.653S	Nondisplaced fracture of medial phalanx of left middle finger, sequela	ICD10
S62.654A	Nondisplaced fracture of medial phalanx of right ring finger, initial encounter for closed fracture	ICD10
S62.654B	Nondisplaced fracture of medial phalanx of right ring finger, initial encounter for open fracture	ICD10
S62.654D	Nondisplaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.654G	Nondisplaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.654K	Nondisplaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.654P	Nondisplaced fracture of medial phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD10
S62.654S	Nondisplaced fracture of medial phalanx of right ring finger, sequela	ICD10
S62.655A	Nondisplaced fracture of medial phalanx of left ring finger, initial encounter for closed fracture	ICD10
S62.655B	Nondisplaced fracture of medial phalanx of left ring finger, initial encounter for open fracture	ICD10
S62.655D	Nondisplaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.655G	Nondisplaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.655K	Nondisplaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD10

S62.655P	Nondisplaced fracture of medial phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD10
S62.655S	Nondisplaced fracture of medial phalanx of left ring finger, sequela	ICD10
S62.656A	Nondisplaced fracture of medial phalanx of right little finger, initial encounter for closed fracture	ICD10
S62.656B	Nondisplaced fracture of medial phalanx of right little finger, initial encounter for open fracture	ICD10
S62.656D	Nondisplaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD10
S62.656G	Nondisplaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.656K	Nondisplaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD10
S62.656P	Nondisplaced fracture of medial phalanx of right little finger, subsequent encounter for fracture with malunion	ICD10
S62.656S	Nondisplaced fracture of medial phalanx of right little finger, sequela	ICD10
S62.657A	Nondisplaced fracture of medial phalanx of left little finger, initial encounter for closed fracture	ICD10
S62.657B	Nondisplaced fracture of medial phalanx of left little finger, initial encounter for open fracture	ICD10
S62.657D	Nondisplaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD10
S62.657G	Nondisplaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.657K	Nondisplaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD10
S62.657P	Nondisplaced fracture of medial phalanx of left little finger, subsequent encounter for fracture with malunion	ICD10
S62.657S	Nondisplaced fracture of medial phalanx of left little finger, sequela	ICD10
S62.658A	Nondisplaced fracture of medial phalanx of other finger, initial encounter for closed fracture	ICD10
S62.658B	Nondisplaced fracture of medial phalanx of other finger, initial encounter for open fracture	ICD10
S62.658D	Nondisplaced fracture of medial phalanx of other finger, subsequent encounter for fracture with routine healing	ICD10
S62.658G	Nondisplaced fracture of medial phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD10
S62.658K	Nondisplaced fracture of medial phalanx of other finger, subsequent encounter for fracture with nonunion	ICD10
S62.658P	Nondisplaced fracture of medial phalanx of other finger, subsequent encounter for fracture with malunion	ICD10
S62.658S	Nondisplaced fracture of medial phalanx of other finger, sequela	ICD10
S62.659A	Nondisplaced fracture of medial phalanx of unspecified finger, initial encounter for closed fracture	ICD10
S62.659B	Nondisplaced fracture of medial phalanx of unspecified finger, initial encounter for open fracture	ICD10
S62.659D	Nondisplaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD10
S62.659G	Nondisplaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD10
S62.659K	Nondisplaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD10
S62.659P	Nondisplaced fracture of medial phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD10
S62.659S	Nondisplaced fracture of medial phalanx of unspecified finger, sequela	ICD10
S62.660A	Nondisplaced fracture of distal phalanx of right index finger, initial encounter for closed fracture	ICD10

S62.660B	Nondisplaced fracture of distal phalanx of right index finger, initial encounter for open fracture	ICD10
S62.660D	Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD10
S62.660G	Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.660K	Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD10
S62.660P	Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with malunion	ICD10
S62.660S	Nondisplaced fracture of distal phalanx of right index finger, sequela	ICD10
S62.661A	Nondisplaced fracture of distal phalanx of left index finger, initial encounter for closed fracture	ICD10
S62.661B	Nondisplaced fracture of distal phalanx of left index finger, initial encounter for open fracture	ICD10
S62.661D	Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD10
S62.661G	Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD10
S62.661K	Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD10
S62.661P	Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with malunion	ICD10
S62.661S	Nondisplaced fracture of distal phalanx of left index finger, sequela	ICD10
S62.662A	Nondisplaced fracture of distal phalanx of right middle finger, initial encounter for closed fracture	ICD10
S62.662B	Nondisplaced fracture of distal phalanx of right middle finger, initial encounter for open fracture	ICD10
S62.662D	Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.662G	Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.662K	Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.662P	Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD10
S62.662S	Nondisplaced fracture of distal phalanx of right middle finger, sequela	ICD10
S62.663A	Nondisplaced fracture of distal phalanx of left middle finger, initial encounter for closed fracture	ICD10
S62.663B	Nondisplaced fracture of distal phalanx of left middle finger, initial encounter for open fracture	ICD10
S62.663D	Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD10
S62.663G	Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD10
S62.663K	Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD10
S62.663P	Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD10
S62.663S	Nondisplaced fracture of distal phalanx of left middle finger, sequela	ICD10
S62.664A	Nondisplaced fracture of distal phalanx of right ring finger, initial encounter for closed fracture	ICD10
S62.664B	Nondisplaced fracture of distal phalanx of right ring finger, initial encounter for open fracture	ICD10
S62.664D	Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.664G	Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD10

S62.664K	Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.664P	Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD10
S62.664S	Nondisplaced fracture of distal phalanx of right ring finger, sequela	ICD10
S62.665A	Nondisplaced fracture of distal phalanx of left ring finger, initial encounter for closed fracture	ICD10
S62.665B	Nondisplaced fracture of distal phalanx of left ring finger, initial encounter for open fracture	ICD10
S62.665D	Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD10
S62.665G	Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD10
S62.665K	Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD10
S62.665P	Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD10
S62.665S	Nondisplaced fracture of distal phalanx of left ring finger, sequela	ICD10
S62.666A	Nondisplaced fracture of distal phalanx of right little finger, initial encounter for closed fracture	ICD10
S62.666B	Nondisplaced fracture of distal phalanx of right little finger, initial encounter for open fracture	ICD10
S62.666D	Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD10
S62.666G	Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.666K	Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD10
S62.666P	Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with malunion	ICD10
S62.666S	Nondisplaced fracture of distal phalanx of right little finger, sequela	ICD10
S62.667A	Nondisplaced fracture of distal phalanx of left little finger, initial encounter for closed fracture	ICD10
S62.667B	Nondisplaced fracture of distal phalanx of left little finger, initial encounter for open fracture	ICD10
S62.667D	Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD10
S62.667G	Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD10
S62.667K	Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD10
S62.667P	Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with malunion	ICD10
S62.667S	Nondisplaced fracture of distal phalanx of left little finger, sequela	ICD10
S62.668A	Nondisplaced fracture of distal phalanx of other finger, initial encounter for closed fracture	ICD10
S62.668B	Nondisplaced fracture of distal phalanx of other finger, initial encounter for open fracture	ICD10
S62.668D	Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with routine healing	ICD10
S62.668G	Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD10
S62.668K	Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with nonunion	ICD10
S62.668P	Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with malunion	ICD10
S62.668S	Nondisplaced fracture of distal phalanx of other finger, sequela	ICD10
S62.669A	Nondisplaced fracture of distal phalanx of unspecified finger, initial encounter for closed fracture	ICD10

S62.669B	Nondisplaced fracture of distal phalanx of unspecified finger, initial encounter for open fracture	ICD10
S62.669D	Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD10
S62.669G	Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD10
S62.669K	Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD10
S62.669P	Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD10
S62.669S	Nondisplaced fracture of distal phalanx of unspecified finger, sequela	ICD10
S62.90XA	Unspecified fracture of unspecified wrist and hand, initial encounter for closed fracture	ICD10
S62.90XB	Unspecified fracture of unspecified wrist and hand, initial encounter for open fracture	ICD10
S62.90XD	Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with routine healing	ICD10
S62.90XG	Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with delayed healing	ICD10
S62.90XK	Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with nonunion	ICD10
S62.90XP	Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with malunion	ICD10
S62.90XS	Unspecified fracture of unspecified wrist and hand, sequela	ICD10
S62.91XA	Unspecified fracture of right wrist and hand, initial encounter for closed fracture	ICD10
S62.91XB	Unspecified fracture of right wrist and hand, initial encounter for open fracture	ICD10
S62.91XD	Unspecified fracture of right wrist and hand, subsequent encounter for fracture with routine healing	ICD10
S62.91XG	Unspecified fracture of right wrist and hand, subsequent encounter for fracture with delayed healing	ICD10
S62.91XK	Unspecified fracture of right wrist and hand, subsequent encounter for fracture with nonunion	ICD10
S62.91XP	Unspecified fracture of right wrist and hand, subsequent encounter for fracture with malunion	ICD10
S62.91XS	Unspecified fracture of right wrist and hand, sequela	ICD10
S62.92XA	Unspecified fracture of left wrist and hand, initial encounter for closed fracture	ICD10
S62.92XB	Unspecified fracture of left wrist and hand, initial encounter for open fracture	ICD10
S62.92XD	Unspecified fracture of left wrist and hand, subsequent encounter for fracture with routine healing	ICD10
S62.92XG	Unspecified fracture of left wrist and hand, subsequent encounter for fracture with delayed healing	ICD10
S62.92XK	Unspecified fracture of left wrist and hand, subsequent encounter for fracture with nonunion	ICD10
S62.92XP	Unspecified fracture of left wrist and hand, subsequent encounter for fracture with malunion	ICD10
S62.92XS	Unspecified fracture of left wrist and hand, sequela	ICD10
S63.001A	Unspecified subluxation of right wrist and hand, initial encounter	ICD10
S63.001D	Unspecified subluxation of right wrist and hand, subsequent encounter	ICD10
S63.001S	Unspecified subluxation of right wrist and hand, sequela	ICD10
S63.002A	Unspecified subluxation of left wrist and hand, initial encounter	ICD10
S63.002D	Unspecified subluxation of left wrist and hand, subsequent encounter	ICD10
S63.002S	Unspecified subluxation of left wrist and hand, sequela	ICD10
S63.003A	Unspecified subluxation of unspecified wrist and hand, initial encounter	ICD10
S63.003D	Unspecified subluxation of unspecified wrist and hand, subsequent encounter	ICD10
S63.003S	Unspecified subluxation of unspecified wrist and hand, sequela	ICD10
S63.004A	Unspecified dislocation of right wrist and hand, initial encounter	ICD10
S63.004D	Unspecified dislocation of right wrist and hand, subsequent encounter	ICD10
S63.004S	Unspecified dislocation of right wrist and hand, sequela	ICD10

S63.005A	Unspecified dislocation of left wrist and hand, initial encounter	ICD10
S63.005D	Unspecified dislocation of left wrist and hand, subsequent encounter	ICD10
S63.005S	Unspecified dislocation of left wrist and hand, sequela	ICD10
S63.006A	Unspecified dislocation of unspecified wrist and hand, initial encounter	ICD10
S63.006D	Unspecified dislocation of unspecified wrist and hand, subsequent encounter	ICD10
S63.006S	Unspecified dislocation of unspecified wrist and hand, sequela	ICD10
S63.011A	Subluxation of distal radioulnar joint of right wrist, initial encounter	ICD10
S63.011D	Subluxation of distal radioulnar joint of right wrist, subsequent encounter	ICD10
S63.011S	Subluxation of distal radioulnar joint of right wrist, sequela	ICD10
S63.012A	Subluxation of distal radioulnar joint of left wrist, initial encounter	ICD10
S63.012D	Subluxation of distal radioulnar joint of left wrist, subsequent encounter	ICD10
S63.012S	Subluxation of distal radioulnar joint of left wrist, sequela	ICD10
S63.013A	Subluxation of distal radioulnar joint of unspecified wrist, initial encounter	ICD10
S63.013D	Subluxation of distal radioulnar joint of unspecified wrist, subsequent encounter	ICD10
S63.013S	Subluxation of distal radioulnar joint of unspecified wrist, sequela	ICD10
S63.014A	Dislocation of distal radioulnar joint of right wrist, initial encounter	ICD10
S63.014D	Dislocation of distal radioulnar joint of right wrist, subsequent encounter	ICD10
S63.014S	Dislocation of distal radioulnar joint of right wrist, sequela	ICD10
S63.015A	Dislocation of distal radioulnar joint of left wrist, initial encounter	ICD10
S63.015D	Dislocation of distal radioulnar joint of left wrist, subsequent encounter	ICD10
S63.015S	Dislocation of distal radioulnar joint of left wrist, sequela	ICD10
S63.016A	Dislocation of distal radioulnar joint of unspecified wrist, initial encounter	ICD10
S63.016D	Dislocation of distal radioulnar joint of unspecified wrist, subsequent encounter	ICD10
S63.016S	Dislocation of distal radioulnar joint of unspecified wrist, sequela	ICD10
S63.021A	Subluxation of radiocarpal joint of right wrist, initial encounter	ICD10
S63.021D	Subluxation of radiocarpal joint of right wrist, subsequent encounter	ICD10
S63.021S	Subluxation of radiocarpal joint of right wrist, sequela	ICD10
S63.022A	Subluxation of radiocarpal joint of left wrist, initial encounter	ICD10
S63.022D	Subluxation of radiocarpal joint of left wrist, subsequent encounter	ICD10
S63.022S	Subluxation of radiocarpal joint of left wrist, sequela	ICD10
S63.023A	Subluxation of radiocarpal joint of unspecified wrist, initial encounter	ICD10
S63.023D	Subluxation of radiocarpal joint of unspecified wrist, subsequent encounter	ICD10
S63.023S	Subluxation of radiocarpal joint of unspecified wrist, sequela	ICD10
S63.024A	Dislocation of radiocarpal joint of right wrist, initial encounter	ICD10
S63.024D	Dislocation of radiocarpal joint of right wrist, subsequent encounter	ICD10
S63.024S	Dislocation of radiocarpal joint of right wrist, sequela	ICD10
S63.025A	Dislocation of radiocarpal joint of left wrist, initial encounter	ICD10
S63.025D	Dislocation of radiocarpal joint of left wrist, subsequent encounter	ICD10
S63.025S	Dislocation of radiocarpal joint of left wrist, sequela	ICD10
S63.026A	Dislocation of radiocarpal joint of unspecified wrist, initial encounter	ICD10
S63.026D	Dislocation of radiocarpal joint of unspecified wrist, subsequent encounter	ICD10
S63.026S	Dislocation of radiocarpal joint of unspecified wrist, sequela	ICD10
S63.031A	Subluxation of midcarpal joint of right wrist, initial encounter	ICD10
S63.031D	Subluxation of midcarpal joint of right wrist, subsequent encounter	ICD10
S63.031S	Subluxation of midcarpal joint of right wrist, sequela	ICD10
S63.032A	Subluxation of midcarpal joint of left wrist, initial encounter	ICD10
S63.032D	Subluxation of midcarpal joint of left wrist, subsequent encounter	ICD10
S63.032S	Subluxation of midcarpal joint of left wrist, sequela	ICD10
S63.033A	Subluxation of midcarpal joint of unspecified wrist, initial encounter	ICD10
S63.033D	Subluxation of midcarpal joint of unspecified wrist, subsequent encounter	ICD10
S63.033S	Subluxation of midcarpal joint of unspecified wrist, sequela	ICD10

S63.034A	Dislocation of midcarpal joint of right wrist, initial encounter	ICD10
S63.034D	Dislocation of midcarpal joint of right wrist, subsequent encounter	ICD10
S63.034S	Dislocation of midcarpal joint of right wrist, sequela	ICD10
S63.035A	Dislocation of midcarpal joint of left wrist, initial encounter	ICD10
S63.035D	Dislocation of midcarpal joint of left wrist, subsequent encounter	ICD10
S63.035S	Dislocation of midcarpal joint of left wrist, sequela	ICD10
S63.036A	Dislocation of midcarpal joint of unspecified wrist, initial encounter	ICD10
S63.036D	Dislocation of midcarpal joint of unspecified wrist, subsequent encounter	ICD10
S63.036S	Dislocation of midcarpal joint of unspecified wrist, sequela	ICD10
S63.041A	Subluxation of carpometacarpal joint of right thumb, initial encounter	ICD10
S63.041D	Subluxation of carpometacarpal joint of right thumb, subsequent encounter	ICD10
S63.041S	Subluxation of carpometacarpal joint of right thumb, sequela	ICD10
S63.042A	Subluxation of carpometacarpal joint of left thumb, initial encounter	ICD10
S63.042D	Subluxation of carpometacarpal joint of left thumb, subsequent encounter	ICD10
S63.042S	Subluxation of carpometacarpal joint of left thumb, sequela	ICD10
S63.043A	Subluxation of carpometacarpal joint of unspecified thumb, initial encounter	ICD10
S63.043D	Subluxation of carpometacarpal joint of unspecified thumb, subsequent encounter	ICD10
S63.043S	Subluxation of carpometacarpal joint of unspecified thumb, sequela	ICD10
S63.044A	Dislocation of carpometacarpal joint of right thumb, initial encounter	ICD10
S63.044D	Dislocation of carpometacarpal joint of right thumb, subsequent encounter	ICD10
S63.044S	Dislocation of carpometacarpal joint of right thumb, sequela	ICD10
S63.045A	Dislocation of carpometacarpal joint of left thumb, initial encounter	ICD10
S63.045D	Dislocation of carpometacarpal joint of left thumb, subsequent encounter	ICD10
S63.045S	Dislocation of carpometacarpal joint of left thumb, sequela	ICD10
S63.046A	Dislocation of carpometacarpal joint of unspecified thumb, initial encounter	ICD10
S63.046D	Dislocation of carpometacarpal joint of unspecified thumb, subsequent encounter	ICD10
S63.046S	Dislocation of carpometacarpal joint of unspecified thumb, sequela	ICD10
S63.051A	Subluxation of other carpometacarpal joint of right hand, initial encounter	ICD10
S63.051D	Subluxation of other carpometacarpal joint of right hand, subsequent encounter	ICD10
S63.051S	Subluxation of other carpometacarpal joint of right hand, sequela	ICD10
S63.052A	Subluxation of other carpometacarpal joint of left hand, initial encounter	ICD10
S63.052D	Subluxation of other carpometacarpal joint of left hand, subsequent encounter	ICD10
S63.052S	Subluxation of other carpometacarpal joint of left hand, sequela	ICD10
S63.053A	Subluxation of other carpometacarpal joint of unspecified hand, initial encounter	ICD10
S63.053D	Subluxation of other carpometacarpal joint of unspecified hand, subsequent encounter	ICD10
S63.053S	Subluxation of other carpometacarpal joint of unspecified hand, sequela	ICD10
S63.054A	Dislocation of other carpometacarpal joint of right hand, initial encounter	ICD10
S63.054D	Dislocation of other carpometacarpal joint of right hand, subsequent encounter	ICD10
S63.054S	Dislocation of other carpometacarpal joint of right hand, sequela	ICD10
S63.055A	Dislocation of other carpometacarpal joint of left hand, initial encounter	ICD10
S63.055D	Dislocation of other carpometacarpal joint of left hand, subsequent encounter	ICD10
S63.055S	Dislocation of other carpometacarpal joint of left hand, sequela	ICD10
S63.056A	Dislocation of other carpometacarpal joint of unspecified hand, initial encounter	ICD10
S63.056D	Dislocation of other carpometacarpal joint of unspecified hand, subsequent encounter	ICD10
S63.056S	Dislocation of other carpometacarpal joint of unspecified hand, sequela	ICD10
S63.061A	Subluxation of metacarpal (bone), proximal end of right hand, initial encounter	ICD10
S63.061D	Subluxation of metacarpal (bone), proximal end of right hand, subsequent encounter	ICD10
S63.061S	Subluxation of metacarpal (bone), proximal end of right hand, sequela	ICD10
S63.062A	Subluxation of metacarpal (bone), proximal end of left hand, initial encounter	ICD10
S63.062D	Subluxation of metacarpal (bone), proximal end of left hand, subsequent encounter	ICD10
S63.062S	Subluxation of metacarpal (bone), proximal end of left hand, sequela	ICD10

S63.063A	Subluxation of metacarpal (bone), proximal end of unspecified hand, initial encounter	ICD10
S63.063D	Subluxation of metacarpal (bone), proximal end of unspecified hand, subsequent encounter	ICD10
S63.063S	Subluxation of metacarpal (bone), proximal end of unspecified hand, sequela	ICD10
S63.064A	Dislocation of metacarpal (bone), proximal end of right hand, initial encounter	ICD10
S63.064D	Dislocation of metacarpal (bone), proximal end of right hand, subsequent encounter	ICD10
S63.064S	Dislocation of metacarpal (bone), proximal end of right hand, sequela	ICD10
S63.065A	Dislocation of metacarpal (bone), proximal end of left hand, initial encounter	ICD10
S63.065D	Dislocation of metacarpal (bone), proximal end of left hand, subsequent encounter	ICD10
S63.065S	Dislocation of metacarpal (bone), proximal end of left hand, sequela	ICD10
S63.066A	Dislocation of metacarpal (bone), proximal end of unspecified hand, initial encounter	ICD10
S63.066D	Dislocation of metacarpal (bone), proximal end of unspecified hand, subsequent encounter	ICD10
S63.066S	Dislocation of metacarpal (bone), proximal end of unspecified hand, sequela	ICD10
S63.071A	Subluxation of distal end of right ulna, initial encounter	ICD10
S63.071D	Subluxation of distal end of right ulna, subsequent encounter	ICD10
S63.071S	Subluxation of distal end of right ulna, sequela	ICD10
S63.072A	Subluxation of distal end of left ulna, initial encounter	ICD10
S63.072D	Subluxation of distal end of left ulna, subsequent encounter	ICD10
S63.072S	Subluxation of distal end of left ulna, sequela	ICD10
S63.073A	Subluxation of distal end of unspecified ulna, initial encounter	ICD10
S63.073D	Subluxation of distal end of unspecified ulna, subsequent encounter	ICD10
S63.073S	Subluxation of distal end of unspecified ulna, sequela	ICD10
S63.074A	Dislocation of distal end of right ulna, initial encounter	ICD10
S63.074D	Dislocation of distal end of right ulna, subsequent encounter	ICD10
S63.074S	Dislocation of distal end of right ulna, sequela	ICD10
S63.075A	Dislocation of distal end of left ulna, initial encounter	ICD10
S63.075D	Dislocation of distal end of left ulna, subsequent encounter	ICD10
S63.075S	Dislocation of distal end of left ulna, sequela	ICD10
S63.076A	Dislocation of distal end of unspecified ulna, initial encounter	ICD10
S63.076D	Dislocation of distal end of unspecified ulna, subsequent encounter	ICD10
S63.076S	Dislocation of distal end of unspecified ulna, sequela	ICD10
S63.091A	Other subluxation of right wrist and hand, initial encounter	ICD10
S63.091D	Other subluxation of right wrist and hand, subsequent encounter	ICD10
S63.091S	Other subluxation of right wrist and hand, sequela	ICD10
S63.092A	Other subluxation of left wrist and hand, initial encounter	ICD10
S63.092D	Other subluxation of left wrist and hand, subsequent encounter	ICD10
S63.092S	Other subluxation of left wrist and hand, sequela	ICD10
S63.093A	Other subluxation of unspecified wrist and hand, initial encounter	ICD10
S63.093D	Other subluxation of unspecified wrist and hand, subsequent encounter	ICD10
S63.093S	Other subluxation of unspecified wrist and hand, sequela	ICD10
S63.094A	Other dislocation of right wrist and hand, initial encounter	ICD10
S63.094D	Other dislocation of right wrist and hand, subsequent encounter	ICD10
S63.094S	Other dislocation of right wrist and hand, sequela	ICD10
S63.095A	Other dislocation of left wrist and hand, initial encounter	ICD10
S63.095D	Other dislocation of left wrist and hand, subsequent encounter	ICD10
S63.095S	Other dislocation of left wrist and hand, sequela	ICD10
S63.096A	Other dislocation of unspecified wrist and hand, initial encounter	ICD10
S63.096D	Other dislocation of unspecified wrist and hand, subsequent encounter	ICD10
S63.096S	Other dislocation of unspecified wrist and hand, sequela	ICD10
S63.101A	Unspecified subluxation of right thumb, initial encounter	ICD10
S63.101D	Unspecified subluxation of right thumb, subsequent encounter	ICD10
S63.101S	Unspecified subluxation of right thumb, sequela	ICD10

S63.102A	Unspecified subluxation of left thumb, initial encounter	ICD10
S63.102D	Unspecified subluxation of left thumb, subsequent encounter	ICD10
S63.102S	Unspecified subluxation of left thumb, sequela	ICD10
S63.103A	Unspecified subluxation of unspecified thumb, initial encounter	ICD10
S63.103D	Unspecified subluxation of unspecified thumb, subsequent encounter	ICD10
S63.103S	Unspecified subluxation of unspecified thumb, sequela	ICD10
S63.104A	Unspecified dislocation of right thumb, initial encounter	ICD10
S63.104D	Unspecified dislocation of right thumb, subsequent encounter	ICD10
S63.104S	Unspecified dislocation of right thumb, sequela	ICD10
S63.105A	Unspecified dislocation of left thumb, initial encounter	ICD10
S63.105D	Unspecified dislocation of left thumb, subsequent encounter	ICD10
S63.105S	Unspecified dislocation of left thumb, sequela	ICD10
S63.106A	Unspecified dislocation of unspecified thumb, initial encounter	ICD10
S63.106D	Unspecified dislocation of unspecified thumb, subsequent encounter	ICD10
S63.106S	Unspecified dislocation of unspecified thumb, sequela	ICD10
S63.111A	Subluxation of metacarpophalangeal joint of right thumb, initial encounter	ICD10
S63.111D	Subluxation of metacarpophalangeal joint of right thumb, subsequent encounter	ICD10
S63.111S	Subluxation of metacarpophalangeal joint of right thumb, sequela	ICD10
S63.112A	Subluxation of metacarpophalangeal joint of left thumb, initial encounter	ICD10
S63.112D	Subluxation of metacarpophalangeal joint of left thumb, subsequent encounter	ICD10
S63.112S	Subluxation of metacarpophalangeal joint of left thumb, sequela	ICD10
S63.113A	Subluxation of metacarpophalangeal joint of unspecified thumb, initial encounter	ICD10
S63.113D	Subluxation of metacarpophalangeal joint of unspecified thumb, subsequent encounter	ICD10
S63.113S	Subluxation of metacarpophalangeal joint of unspecified thumb, sequela	ICD10
S63.114A	Dislocation of metacarpophalangeal joint of right thumb, initial encounter	ICD10
S63.114D	Dislocation of metacarpophalangeal joint of right thumb, subsequent encounter	ICD10
S63.114S	Dislocation of metacarpophalangeal joint of right thumb, sequela	ICD10
S63.115A	Dislocation of metacarpophalangeal joint of left thumb, initial encounter	ICD10
S63.115D	Dislocation of metacarpophalangeal joint of left thumb, subsequent encounter	ICD10
S63.115S	Dislocation of metacarpophalangeal joint of left thumb, sequela	ICD10
S63.116A	Dislocation of metacarpophalangeal joint of unspecified thumb, initial encounter	ICD10
S63.116D	Dislocation of metacarpophalangeal joint of unspecified thumb, subsequent encounter	ICD10
S63.116S	Dislocation of metacarpophalangeal joint of unspecified thumb, sequela	ICD10
S63.121A	Subluxation of unspecified interphalangeal joint of right thumb, initial encounter	ICD10
S63.121D	Subluxation of unspecified interphalangeal joint of right thumb, subsequent encounter	ICD10
S63.121S	Subluxation of unspecified interphalangeal joint of right thumb, sequela	ICD10
S63.122A	Subluxation of unspecified interphalangeal joint of left thumb, initial encounter	ICD10
S63.122D	Subluxation of unspecified interphalangeal joint of left thumb, subsequent encounter	ICD10
S63.122S	Subluxation of unspecified interphalangeal joint of left thumb, sequela	ICD10
S63.123A	Subluxation of unspecified interphalangeal joint of unspecified thumb, initial encounter	ICD10
S63.123D	Subluxation of unspecified interphalangeal joint of unspecified thumb, subsequent encounter	ICD10
S63.123S	Subluxation of unspecified interphalangeal joint of unspecified thumb, sequela	ICD10
S63.124A	Dislocation of unspecified interphalangeal joint of right thumb, initial encounter	ICD10
S63.124D	Dislocation of unspecified interphalangeal joint of right thumb, subsequent encounter	ICD10
S63.124S	Dislocation of unspecified interphalangeal joint of right thumb, sequela	ICD10
S63.125A	Dislocation of unspecified interphalangeal joint of left thumb, initial encounter	ICD10
S63.125D	Dislocation of unspecified interphalangeal joint of left thumb, subsequent encounter	ICD10
S63.125S	Dislocation of unspecified interphalangeal joint of left thumb, sequela	ICD10
S63.126A	Dislocation of unspecified interphalangeal joint of unspecified thumb, initial encounter	ICD10
S63.126D	Dislocation of unspecified interphalangeal joint of unspecified thumb, subsequent encounter	ICD10
S63.126S	Dislocation of unspecified interphalangeal joint of unspecified thumb, sequela	ICD10

S63.131A	Subluxation of proximal interphalangeal joint of right thumb, initial encounter	ICD10
S63.131D	Subluxation of proximal interphalangeal joint of right thumb, subsequent encounter	ICD10
S63.131S	Subluxation of proximal interphalangeal joint of right thumb, sequela	ICD10
S63.132A	Subluxation of proximal interphalangeal joint of left thumb, initial encounter	ICD10
S63.132D	Subluxation of proximal interphalangeal joint of left thumb, subsequent encounter	ICD10
S63.132S	Subluxation of proximal interphalangeal joint of left thumb, sequela	ICD10
S63.133A	Subluxation of proximal interphalangeal joint of unspecified thumb, initial encounter	ICD10
S63.133D	Subluxation of proximal interphalangeal joint of unspecified thumb, subsequent encounter	ICD10
S63.133S	Subluxation of proximal interphalangeal joint of unspecified thumb, sequela	ICD10
S63.134A	Dislocation of proximal interphalangeal joint of right thumb, initial encounter	ICD10
S63.134D	Dislocation of proximal interphalangeal joint of right thumb, subsequent encounter	ICD10
S63.134S	Dislocation of proximal interphalangeal joint of right thumb, sequela	ICD10
S63.135A	Dislocation of proximal interphalangeal joint of left thumb, initial encounter	ICD10
S63.135D	Dislocation of proximal interphalangeal joint of left thumb, subsequent encounter	ICD10
S63.135S	Dislocation of proximal interphalangeal joint of left thumb, sequela	ICD10
S63.136A	Dislocation of proximal interphalangeal joint of unspecified thumb, initial encounter	ICD10
S63.136D	Dislocation of proximal interphalangeal joint of unspecified thumb, subsequent encounter	ICD10
S63.136S	Dislocation of proximal interphalangeal joint of unspecified thumb, sequela	ICD10
S63.141A	Subluxation of distal interphalangeal joint of right thumb, initial encounter	ICD10
S63.141D	Subluxation of distal interphalangeal joint of right thumb, subsequent encounter	ICD10
S63.141S	Subluxation of distal interphalangeal joint of right thumb, sequela	ICD10
S63.142A	Subluxation of distal interphalangeal joint of left thumb, initial encounter	ICD10
S63.142D	Subluxation of distal interphalangeal joint of left thumb, subsequent encounter	ICD10
S63.142S	Subluxation of distal interphalangeal joint of left thumb, sequela	ICD10
S63.143A	Subluxation of distal interphalangeal joint of unspecified thumb, initial encounter	ICD10
S63.143D	Subluxation of distal interphalangeal joint of unspecified thumb, subsequent encounter	ICD10
S63.143S	Subluxation of distal interphalangeal joint of unspecified thumb, sequela	ICD10
S63.144A	Dislocation of distal interphalangeal joint of right thumb, initial encounter	ICD10
S63.144D	Dislocation of distal interphalangeal joint of right thumb, subsequent encounter	ICD10
S63.144S	Dislocation of distal interphalangeal joint of right thumb, sequela	ICD10
S63.145A	Dislocation of distal interphalangeal joint of left thumb, initial encounter	ICD10
S63.145D	Dislocation of distal interphalangeal joint of left thumb, subsequent encounter	ICD10
S63.145S	Dislocation of distal interphalangeal joint of left thumb, sequela	ICD10
S63.146A	Dislocation of distal interphalangeal joint of unspecified thumb, initial encounter	ICD10
S63.146D	Dislocation of distal interphalangeal joint of unspecified thumb, subsequent encounter	ICD10
S63.146S	Dislocation of distal interphalangeal joint of unspecified thumb, sequela	ICD10
S63.200A	Unspecified subluxation of right index finger, initial encounter	ICD10
S63.200D	Unspecified subluxation of right index finger, subsequent encounter	ICD10
S63.200S	Unspecified subluxation of right index finger, sequela	ICD10
S63.201A	Unspecified subluxation of left index finger, initial encounter	ICD10
S63.201D	Unspecified subluxation of left index finger, subsequent encounter	ICD10
S63.201S	Unspecified subluxation of left index finger, sequela	ICD10
S63.202A	Unspecified subluxation of right middle finger, initial encounter	ICD10
S63.202D	Unspecified subluxation of right middle finger, subsequent encounter	ICD10
S63.202S	Unspecified subluxation of right middle finger, sequela	ICD10
S63.203A	Unspecified subluxation of left middle finger, initial encounter	ICD10
S63.203D	Unspecified subluxation of left middle finger, subsequent encounter	ICD10
S63.203S	Unspecified subluxation of left middle finger, sequela	ICD10
S63.204A	Unspecified subluxation of right ring finger, initial encounter	ICD10
S63.204D	Unspecified subluxation of right ring finger, subsequent encounter	ICD10
S63.204S	Unspecified subluxation of right ring finger, sequela	ICD10

S63.205A	Unspecified subluxation of left ring finger, initial encounter	ICD10
S63.205D	Unspecified subluxation of left ring finger, subsequent encounter	ICD10
S63.205S	Unspecified subluxation of left ring finger, sequela	ICD10
S63.206A	Unspecified subluxation of right little finger, initial encounter	ICD10
S63.206D	Unspecified subluxation of right little finger, subsequent encounter	ICD10
S63.206S	Unspecified subluxation of right little finger, sequela	ICD10
S63.207A	Unspecified subluxation of left little finger, initial encounter	ICD10
S63.207D	Unspecified subluxation of left little finger, subsequent encounter	ICD10
S63.207S	Unspecified subluxation of left little finger, sequela	ICD10
S63.208A	Unspecified subluxation of other finger, initial encounter	ICD10
S63.208D	Unspecified subluxation of other finger, subsequent encounter	ICD10
S63.208S	Unspecified subluxation of other finger, sequela	ICD10
S63.209A	Unspecified subluxation of unspecified finger, initial encounter	ICD10
S63.209D	Unspecified subluxation of unspecified finger, subsequent encounter	ICD10
S63.209S	Unspecified subluxation of unspecified finger, sequela	ICD10
S63.210A	Subluxation of metacarpophalangeal joint of right index finger, initial encounter	ICD10
S63.210D	Subluxation of metacarpophalangeal joint of right index finger, subsequent encounter	ICD10
S63.210S	Subluxation of metacarpophalangeal joint of right index finger, sequela	ICD10
S63.211A	Subluxation of metacarpophalangeal joint of left index finger, initial encounter	ICD10
S63.211D	Subluxation of metacarpophalangeal joint of left index finger, subsequent encounter	ICD10
S63.211S	Subluxation of metacarpophalangeal joint of left index finger, sequela	ICD10
S63.212A	Subluxation of metacarpophalangeal joint of right middle finger, initial encounter	ICD10
S63.212D	Subluxation of metacarpophalangeal joint of right middle finger, subsequent encounter	ICD10
S63.212S	Subluxation of metacarpophalangeal joint of right middle finger, sequela	ICD10
S63.213A	Subluxation of metacarpophalangeal joint of left middle finger, initial encounter	ICD10
S63.213D	Subluxation of metacarpophalangeal joint of left middle finger, subsequent encounter	ICD10
S63.213S	Subluxation of metacarpophalangeal joint of left middle finger, sequela	ICD10
S63.214A	Subluxation of metacarpophalangeal joint of right ring finger, initial encounter	ICD10
S63.214D	Subluxation of metacarpophalangeal joint of right ring finger, subsequent encounter	ICD10
S63.214S	Subluxation of metacarpophalangeal joint of right ring finger, sequela	ICD10
S63.215A	Subluxation of metacarpophalangeal joint of left ring finger, initial encounter	ICD10
S63.215D	Subluxation of metacarpophalangeal joint of left ring finger, subsequent encounter	ICD10
S63.215S	Subluxation of metacarpophalangeal joint of left ring finger, sequela	ICD10
S63.216A	Subluxation of metacarpophalangeal joint of right little finger, initial encounter	ICD10
S63.216D	Subluxation of metacarpophalangeal joint of right little finger, subsequent encounter	ICD10
S63.216S	Subluxation of metacarpophalangeal joint of right little finger, sequela	ICD10
S63.217A	Subluxation of metacarpophalangeal joint of left little finger, initial encounter	ICD10
S63.217D	Subluxation of metacarpophalangeal joint of left little finger, subsequent encounter	ICD10
S63.217S	Subluxation of metacarpophalangeal joint of left little finger, sequela	ICD10
S63.218A	Subluxation of metacarpophalangeal joint of other finger, initial encounter	ICD10
S63.218D	Subluxation of metacarpophalangeal joint of other finger, subsequent encounter	ICD10
S63.218S	Subluxation of metacarpophalangeal joint of other finger, sequela	ICD10
S63.219A	Subluxation of metacarpophalangeal joint of unspecified finger, initial encounter	ICD10
S63.219D	Subluxation of metacarpophalangeal joint of unspecified finger, subsequent encounter	ICD10
S63.219S	Subluxation of metacarpophalangeal joint of unspecified finger, sequela	ICD10
S63.220A	Subluxation of unspecified interphalangeal joint of right index finger, initial encounter	ICD10
S63.220D	Subluxation of unspecified interphalangeal joint of right index finger, subsequent encounter	ICD10
S63.220S	Subluxation of unspecified interphalangeal joint of right index finger, sequela	ICD10
S63.221A	Subluxation of unspecified interphalangeal joint of left index finger, initial encounter	ICD10
S63.221D	Subluxation of unspecified interphalangeal joint of left index finger, subsequent encounter	ICD10
S63.221S	Subluxation of unspecified interphalangeal joint of left index finger, sequela	ICD10

S63.222A	Subluxation of unspecified interphalangeal joint of right middle finger, initial encounter	ICD10
S63.222D	Subluxation of unspecified interphalangeal joint of right middle finger, subsequent encounter	ICD10
S63.222S	Subluxation of unspecified interphalangeal joint of right middle finger, sequela	ICD10
S63.223A	Subluxation of unspecified interphalangeal joint of left middle finger, initial encounter	ICD10
S63.223D	Subluxation of unspecified interphalangeal joint of left middle finger, subsequent encounter	ICD10
S63.223S	Subluxation of unspecified interphalangeal joint of left middle finger, sequela	ICD10
S63.224A	Subluxation of unspecified interphalangeal joint of right ring finger, initial encounter	ICD10
S63.224D	Subluxation of unspecified interphalangeal joint of right ring finger, subsequent encounter	ICD10
S63.224S	Subluxation of unspecified interphalangeal joint of right ring finger, sequela	ICD10
S63.225A	Subluxation of unspecified interphalangeal joint of left ring finger, initial encounter	ICD10
S63.225D	Subluxation of unspecified interphalangeal joint of left ring finger, subsequent encounter	ICD10
S63.225S	Subluxation of unspecified interphalangeal joint of left ring finger, sequela	ICD10
S63.226A	Subluxation of unspecified interphalangeal joint of right little finger, initial encounter	ICD10
S63.226D	Subluxation of unspecified interphalangeal joint of right little finger, subsequent encounter	ICD10
S63.226S	Subluxation of unspecified interphalangeal joint of right little finger, sequela	ICD10
S63.227A	Subluxation of unspecified interphalangeal joint of left little finger, initial encounter	ICD10
S63.227D	Subluxation of unspecified interphalangeal joint of left little finger, subsequent encounter	ICD10
S63.227S	Subluxation of unspecified interphalangeal joint of left little finger, sequela	ICD10
S63.228A	Subluxation of unspecified interphalangeal joint of other finger, initial encounter	ICD10
S63.228D	Subluxation of unspecified interphalangeal joint of other finger, subsequent encounter	ICD10
S63.228S	Subluxation of unspecified interphalangeal joint of other finger, sequela	ICD10
S63.229A	Subluxation of unspecified interphalangeal joint of unspecified finger, initial encounter	ICD10
S63.229D	Subluxation of unspecified interphalangeal joint of unspecified finger, subsequent encounter	ICD10
S63.229S	Subluxation of unspecified interphalangeal joint of unspecified finger, sequela	ICD10
S63.230A	Subluxation of proximal interphalangeal joint of right index finger, initial encounter	ICD10
S63.230D	Subluxation of proximal interphalangeal joint of right index finger, subsequent encounter	ICD10
S63.230S	Subluxation of proximal interphalangeal joint of right index finger, sequela	ICD10
S63.231A	Subluxation of proximal interphalangeal joint of left index finger, initial encounter	ICD10
S63.231D	Subluxation of proximal interphalangeal joint of left index finger, subsequent encounter	ICD10
S63.231S	Subluxation of proximal interphalangeal joint of left index finger, sequela	ICD10
S63.232A	Subluxation of proximal interphalangeal joint of right middle finger, initial encounter	ICD10
S63.232D	Subluxation of proximal interphalangeal joint of right middle finger, subsequent encounter	ICD10
S63.232S	Subluxation of proximal interphalangeal joint of right middle finger, sequela	ICD10
S63.233A	Subluxation of proximal interphalangeal joint of left middle finger, initial encounter	ICD10
S63.233D	Subluxation of proximal interphalangeal joint of left middle finger, subsequent encounter	ICD10
S63.233S	Subluxation of proximal interphalangeal joint of left middle finger, sequela	ICD10
S63.234A	Subluxation of proximal interphalangeal joint of right ring finger, initial encounter	ICD10
S63.234D	Subluxation of proximal interphalangeal joint of right ring finger, subsequent encounter	ICD10
S63.234S	Subluxation of proximal interphalangeal joint of right ring finger, sequela	ICD10
S63.235A	Subluxation of proximal interphalangeal joint of left ring finger, initial encounter	ICD10
S63.235D	Subluxation of proximal interphalangeal joint of left ring finger, subsequent encounter	ICD10
S63.235S	Subluxation of proximal interphalangeal joint of left ring finger, sequela	ICD10
S63.236A	Subluxation of proximal interphalangeal joint of right little finger, initial encounter	ICD10
S63.236D	Subluxation of proximal interphalangeal joint of right little finger, subsequent encounter	ICD10
S63.236S	Subluxation of proximal interphalangeal joint of right little finger, sequela	ICD10
S63.237A	Subluxation of proximal interphalangeal joint of left little finger, initial encounter	ICD10
S63.237D	Subluxation of proximal interphalangeal joint of left little finger, subsequent encounter	ICD10
S63.237S	Subluxation of proximal interphalangeal joint of left little finger, sequela	ICD10
S63.238A	Subluxation of proximal interphalangeal joint of other finger, initial encounter	ICD10
S63.238D	Subluxation of proximal interphalangeal joint of other finger, subsequent encounter	ICD10
S63.238S	Subluxation of proximal interphalangeal joint of other finger, sequela	ICD10

S63.239A	Subluxation of proximal interphalangeal joint of unspecified finger, initial encounter	ICD10
S63.239D	Subluxation of proximal interphalangeal joint of unspecified finger, subsequent encounter	ICD10
S63.239S	Subluxation of proximal interphalangeal joint of unspecified finger, sequela	ICD10
S63.240A	Subluxation of distal interphalangeal joint of right index finger, initial encounter	ICD10
S63.240D	Subluxation of distal interphalangeal joint of right index finger, subsequent encounter	ICD10
S63.240S	Subluxation of distal interphalangeal joint of right index finger, sequela	ICD10
S63.241A	Subluxation of distal interphalangeal joint of left index finger, initial encounter	ICD10
S63.241D	Subluxation of distal interphalangeal joint of left index finger, subsequent encounter	ICD10
S63.241S	Subluxation of distal interphalangeal joint of left index finger, sequela	ICD10
S63.242A	Subluxation of distal interphalangeal joint of right middle finger, initial encounter	ICD10
S63.242D	Subluxation of distal interphalangeal joint of right middle finger, subsequent encounter	ICD10
S63.242S	Subluxation of distal interphalangeal joint of right middle finger, sequela	ICD10
S63.243A	Subluxation of distal interphalangeal joint of left middle finger, initial encounter	ICD10
S63.243D	Subluxation of distal interphalangeal joint of left middle finger, subsequent encounter	ICD10
S63.243S	Subluxation of distal interphalangeal joint of left middle finger, sequela	ICD10
S63.244A	Subluxation of distal interphalangeal joint of right ring finger, initial encounter	ICD10
S63.244D	Subluxation of distal interphalangeal joint of right ring finger, subsequent encounter	ICD10
S63.244S	Subluxation of distal interphalangeal joint of right ring finger, sequela	ICD10
S63.245A	Subluxation of distal interphalangeal joint of left ring finger, initial encounter	ICD10
S63.245D	Subluxation of distal interphalangeal joint of left ring finger, subsequent encounter	ICD10
S63.245S	Subluxation of distal interphalangeal joint of left ring finger, sequela	ICD10
S63.246A	Subluxation of distal interphalangeal joint of right little finger, initial encounter	ICD10
S63.246D	Subluxation of distal interphalangeal joint of right little finger, subsequent encounter	ICD10
S63.246S	Subluxation of distal interphalangeal joint of right little finger, sequela	ICD10
S63.247A	Subluxation of distal interphalangeal joint of left little finger, initial encounter	ICD10
S63.247D	Subluxation of distal interphalangeal joint of left little finger, subsequent encounter	ICD10
S63.247S	Subluxation of distal interphalangeal joint of left little finger, sequela	ICD10
S63.248A	Subluxation of distal interphalangeal joint of other finger, initial encounter	ICD10
S63.248D	Subluxation of distal interphalangeal joint of other finger, subsequent encounter	ICD10
S63.248S	Subluxation of distal interphalangeal joint of other finger, sequela	ICD10
S63.249A	Subluxation of distal interphalangeal joint of unspecified finger, initial encounter	ICD10
S63.249D	Subluxation of distal interphalangeal joint of unspecified finger, subsequent encounter	ICD10
S63.249S	Subluxation of distal interphalangeal joint of unspecified finger, sequela	ICD10
S63.250A	Unspecified dislocation of right index finger, initial encounter	ICD10
S63.250D	Unspecified dislocation of right index finger, subsequent encounter	ICD10
S63.250S	Unspecified dislocation of right index finger, sequela	ICD10
S63.251A	Unspecified dislocation of left index finger, initial encounter	ICD10
S63.251D	Unspecified dislocation of left index finger, subsequent encounter	ICD10
S63.251S	Unspecified dislocation of left index finger, sequela	ICD10
S63.252A	Unspecified dislocation of right middle finger, initial encounter	ICD10
S63.252D	Unspecified dislocation of right middle finger, subsequent encounter	ICD10
S63.252S	Unspecified dislocation of right middle finger, sequela	ICD10
S63.253A	Unspecified dislocation of left middle finger, initial encounter	ICD10
S63.253D	Unspecified dislocation of left middle finger, subsequent encounter	ICD10
S63.253S	Unspecified dislocation of left middle finger, sequela	ICD10
S63.254A	Unspecified dislocation of right ring finger, initial encounter	ICD10
S63.254D	Unspecified dislocation of right ring finger, subsequent encounter	ICD10
S63.254S	Unspecified dislocation of right ring finger, sequela	ICD10
S63.255A	Unspecified dislocation of left ring finger, initial encounter	ICD10
S63.255D	Unspecified dislocation of left ring finger, subsequent encounter	ICD10
S63.255S	Unspecified dislocation of left ring finger, sequela	ICD10

S63.256A	Unspecified dislocation of right little finger, initial encounter	ICD10
S63.256D	Unspecified dislocation of right little finger, subsequent encounter	ICD10
S63.256S	Unspecified dislocation of right little finger, sequela	ICD10
S63.257A	Unspecified dislocation of left little finger, initial encounter	ICD10
S63.257D	Unspecified dislocation of left little finger, subsequent encounter	ICD10
S63.257S	Unspecified dislocation of left little finger, sequela	ICD10
S63.258A	Unspecified dislocation of other finger, initial encounter	ICD10
S63.258D	Unspecified dislocation of other finger, subsequent encounter	ICD10
S63.258S	Unspecified dislocation of other finger, sequela	ICD10
S63.259A	Unspecified dislocation of unspecified finger, initial encounter	ICD10
S63.259D	Unspecified dislocation of unspecified finger, subsequent encounter	ICD10
S63.259S	Unspecified dislocation of unspecified finger, sequela	ICD10
S63.260A	Dislocation of metacarpophalangeal joint of right index finger, initial encounter	ICD10
S63.260D	Dislocation of metacarpophalangeal joint of right index finger, subsequent encounter	ICD10
S63.260S	Dislocation of metacarpophalangeal joint of right index finger, sequela	ICD10
S63.261A	Dislocation of metacarpophalangeal joint of left index finger, initial encounter	ICD10
S63.261D	Dislocation of metacarpophalangeal joint of left index finger, subsequent encounter	ICD10
S63.261S	Dislocation of metacarpophalangeal joint of left index finger, sequela	ICD10
S63.262A	Dislocation of metacarpophalangeal joint of right middle finger, initial encounter	ICD10
S63.262D	Dislocation of metacarpophalangeal joint of right middle finger, subsequent encounter	ICD10
S63.262S	Dislocation of metacarpophalangeal joint of right middle finger, sequela	ICD10
S63.263A	Dislocation of metacarpophalangeal joint of left middle finger, initial encounter	ICD10
S63.263D	Dislocation of metacarpophalangeal joint of left middle finger, subsequent encounter	ICD10
S63.263S	Dislocation of metacarpophalangeal joint of left middle finger, sequela	ICD10
S63.264A	Dislocation of metacarpophalangeal joint of right ring finger, initial encounter	ICD10
S63.264D	Dislocation of metacarpophalangeal joint of right ring finger, subsequent encounter	ICD10
S63.264S	Dislocation of metacarpophalangeal joint of right ring finger, sequela	ICD10
S63.265A	Dislocation of metacarpophalangeal joint of left ring finger, initial encounter	ICD10
S63.265D	Dislocation of metacarpophalangeal joint of left ring finger, subsequent encounter	ICD10
S63.265S	Dislocation of metacarpophalangeal joint of left ring finger, sequela	ICD10
S63.266A	Dislocation of metacarpophalangeal joint of right little finger, initial encounter	ICD10
S63.266D	Dislocation of metacarpophalangeal joint of right little finger, subsequent encounter	ICD10
S63.266S	Dislocation of metacarpophalangeal joint of right little finger, sequela	ICD10
S63.267A	Dislocation of metacarpophalangeal joint of left little finger, initial encounter	ICD10
S63.267D	Dislocation of metacarpophalangeal joint of left little finger, subsequent encounter	ICD10
S63.267S	Dislocation of metacarpophalangeal joint of left little finger, sequela	ICD10
S63.268A	Dislocation of metacarpophalangeal joint of other finger, initial encounter	ICD10
S63.268D	Dislocation of metacarpophalangeal joint of other finger, subsequent encounter	ICD10
S63.268S	Dislocation of metacarpophalangeal joint of other finger, sequela	ICD10
S63.269A	Dislocation of metacarpophalangeal joint of unspecified finger, initial encounter	ICD10
S63.269D	Dislocation of metacarpophalangeal joint of unspecified finger, subsequent encounter	ICD10
S63.269S	Dislocation of metacarpophalangeal joint of unspecified finger, sequela	ICD10
S63.270A	Dislocation of unspecified interphalangeal joint of right index finger, initial encounter	ICD10
S63.270D	Dislocation of unspecified interphalangeal joint of right index finger, subsequent encounter	ICD10
S63.270S	Dislocation of unspecified interphalangeal joint of right index finger, sequela	ICD10
S63.271A	Dislocation of unspecified interphalangeal joint of left index finger, initial encounter	ICD10
S63.271D	Dislocation of unspecified interphalangeal joint of left index finger, subsequent encounter	ICD10
S63.271S	Dislocation of unspecified interphalangeal joint of left index finger, sequela	ICD10
S63.272A	Dislocation of unspecified interphalangeal joint of right middle finger, initial encounter	ICD10
S63.272D	Dislocation of unspecified interphalangeal joint of right middle finger, subsequent encounter	ICD10
S63.272S	Dislocation of unspecified interphalangeal joint of right middle finger, sequela	ICD10

S63.273A	Dislocation of unspecified interphalangeal joint of left middle finger, initial encounter	ICD10
S63.273D	Dislocation of unspecified interphalangeal joint of left middle finger, subsequent encounter	ICD10
S63.273S	Dislocation of unspecified interphalangeal joint of left middle finger, sequela	ICD10
S63.274A	Dislocation of unspecified interphalangeal joint of right ring finger, initial encounter	ICD10
S63.274D	Dislocation of unspecified interphalangeal joint of right ring finger, subsequent encounter	ICD10
S63.274S	Dislocation of unspecified interphalangeal joint of right ring finger, sequela	ICD10
S63.275A	Dislocation of unspecified interphalangeal joint of left ring finger, initial encounter	ICD10
S63.275D	Dislocation of unspecified interphalangeal joint of left ring finger, subsequent encounter	ICD10
S63.275S	Dislocation of unspecified interphalangeal joint of left ring finger, sequela	ICD10
S63.276A	Dislocation of unspecified interphalangeal joint of right little finger, initial encounter	ICD10
S63.276D	Dislocation of unspecified interphalangeal joint of right little finger, subsequent encounter	ICD10
S63.276S	Dislocation of unspecified interphalangeal joint of right little finger, sequela	ICD10
S63.277A	Dislocation of unspecified interphalangeal joint of left little finger, initial encounter	ICD10
S63.277D	Dislocation of unspecified interphalangeal joint of left little finger, subsequent encounter	ICD10
S63.277S	Dislocation of unspecified interphalangeal joint of left little finger, sequela	ICD10
S63.278A	Dislocation of unspecified interphalangeal joint of other finger, initial encounter	ICD10
S63.278D	Dislocation of unspecified interphalangeal joint of other finger, subsequent encounter	ICD10
S63.278S	Dislocation of unspecified interphalangeal joint of other finger, sequela	ICD10
S63.279A	Dislocation of unspecified interphalangeal joint of unspecified finger, initial encounter	ICD10
S63.279D	Dislocation of unspecified interphalangeal joint of unspecified finger, subsequent encounter	ICD10
S63.279S	Dislocation of unspecified interphalangeal joint of unspecified finger, sequela	ICD10
S63.280A	Dislocation of proximal interphalangeal joint of right index finger, initial encounter	ICD10
S63.280D	Dislocation of proximal interphalangeal joint of right index finger, subsequent encounter	ICD10
S63.280S	Dislocation of proximal interphalangeal joint of right index finger, sequela	ICD10
S63.281A	Dislocation of proximal interphalangeal joint of left index finger, initial encounter	ICD10
S63.281D	Dislocation of proximal interphalangeal joint of left index finger, subsequent encounter	ICD10
S63.281S	Dislocation of proximal interphalangeal joint of left index finger, sequela	ICD10
S63.282A	Dislocation of proximal interphalangeal joint of right middle finger, initial encounter	ICD10
S63.282D	Dislocation of proximal interphalangeal joint of right middle finger, subsequent encounter	ICD10
S63.282S	Dislocation of proximal interphalangeal joint of right middle finger, sequela	ICD10
S63.283A	Dislocation of proximal interphalangeal joint of left middle finger, initial encounter	ICD10
S63.283D	Dislocation of proximal interphalangeal joint of left middle finger, subsequent encounter	ICD10
S63.283S	Dislocation of proximal interphalangeal joint of left middle finger, sequela	ICD10
S63.284A	Dislocation of proximal interphalangeal joint of right ring finger, initial encounter	ICD10
S63.284D	Dislocation of proximal interphalangeal joint of right ring finger, subsequent encounter	ICD10
S63.284S	Dislocation of proximal interphalangeal joint of right ring finger, sequela	ICD10
S63.285A	Dislocation of proximal interphalangeal joint of left ring finger, initial encounter	ICD10
S63.285D	Dislocation of proximal interphalangeal joint of left ring finger, subsequent encounter	ICD10
S63.285S	Dislocation of proximal interphalangeal joint of left ring finger, sequela	ICD10
S63.286A	Dislocation of proximal interphalangeal joint of right little finger, initial encounter	ICD10
S63.286D	Dislocation of proximal interphalangeal joint of right little finger, subsequent encounter	ICD10
S63.286S	Dislocation of proximal interphalangeal joint of right little finger, sequela	ICD10
S63.287A	Dislocation of proximal interphalangeal joint of left little finger, initial encounter	ICD10
S63.287D	Dislocation of proximal interphalangeal joint of left little finger, subsequent encounter	ICD10
S63.287S	Dislocation of proximal interphalangeal joint of left little finger, sequela	ICD10
S63.288A	Dislocation of proximal interphalangeal joint of other finger, initial encounter	ICD10
S63.288D	Dislocation of proximal interphalangeal joint of other finger, subsequent encounter	ICD10
S63.288S	Dislocation of proximal interphalangeal joint of other finger, sequela	ICD10
S63.289A	Dislocation of proximal interphalangeal joint of unspecified finger, initial encounter	ICD10
S63.289D	Dislocation of proximal interphalangeal joint of unspecified finger, subsequent encounter	ICD10
S63.289S	Dislocation of proximal interphalangeal joint of unspecified finger, sequela	ICD10

S63.290A	Dislocation of distal interphalangeal joint of right index finger, initial encounter	ICD10
S63.290D	Dislocation of distal interphalangeal joint of right index finger, subsequent encounter	ICD10
S63.290S	Dislocation of distal interphalangeal joint of right index finger, sequela	ICD10
S63.291A	Dislocation of distal interphalangeal joint of left index finger, initial encounter	ICD10
S63.291D	Dislocation of distal interphalangeal joint of left index finger, subsequent encounter	ICD10
S63.291S	Dislocation of distal interphalangeal joint of left index finger, sequela	ICD10
S63.292A	Dislocation of distal interphalangeal joint of right middle finger, initial encounter	ICD10
S63.292D	Dislocation of distal interphalangeal joint of right middle finger, subsequent encounter	ICD10
S63.292S	Dislocation of distal interphalangeal joint of right middle finger, sequela	ICD10
S63.293A	Dislocation of distal interphalangeal joint of left middle finger, initial encounter	ICD10
S63.293D	Dislocation of distal interphalangeal joint of left middle finger, subsequent encounter	ICD10
S63.293S	Dislocation of distal interphalangeal joint of left middle finger, sequela	ICD10
S63.294A	Dislocation of distal interphalangeal joint of right ring finger, initial encounter	ICD10
S63.294D	Dislocation of distal interphalangeal joint of right ring finger, subsequent encounter	ICD10
S63.294S	Dislocation of distal interphalangeal joint of right ring finger, sequela	ICD10
S63.295A	Dislocation of distal interphalangeal joint of left ring finger, initial encounter	ICD10
S63.295D	Dislocation of distal interphalangeal joint of left ring finger, subsequent encounter	ICD10
S63.295S	Dislocation of distal interphalangeal joint of left ring finger, sequela	ICD10
S63.296A	Dislocation of distal interphalangeal joint of right little finger, initial encounter	ICD10
S63.296D	Dislocation of distal interphalangeal joint of right little finger, subsequent encounter	ICD10
S63.296S	Dislocation of distal interphalangeal joint of right little finger, sequela	ICD10
S63.297A	Dislocation of distal interphalangeal joint of left little finger, initial encounter	ICD10
S63.297D	Dislocation of distal interphalangeal joint of left little finger, subsequent encounter	ICD10
S63.297S	Dislocation of distal interphalangeal joint of left little finger, sequela	ICD10
S63.298A	Dislocation of distal interphalangeal joint of other finger, initial encounter	ICD10
S63.298D	Dislocation of distal interphalangeal joint of other finger, subsequent encounter	ICD10
S63.298S	Dislocation of distal interphalangeal joint of other finger, sequela	ICD10
S63.299A	Dislocation of distal interphalangeal joint of unspecified finger, initial encounter	ICD10
S63.299D	Dislocation of distal interphalangeal joint of unspecified finger, subsequent encounter	ICD10
S63.299S	Dislocation of distal interphalangeal joint of unspecified finger, sequela	ICD10
S66.001A	Unspecified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD10
S66.001D	Unspecified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD10
S66.001S	Unspecified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD10
S66.002A	Unspecified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD10
S66.002D	Unspecified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD10
S66.002S	Unspecified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD10
S66.009A	Unspecified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD10
S66.009D	Unspecified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD10
S66.009S	Unspecified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD10
S66.091A	Other specified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD10

S66.091D	Other specified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD10
S66.091S	Other specified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD10
S66.092A	Other specified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD10
S66.092D	Other specified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD10
S66.092S	Other specified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD10
S66.099A	Other specified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD10
S66.099D	Other specified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD10
S66.099S	Other specified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD10
S66.100A	Unspecified injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD10
S66.100D	Unspecified injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD10
S66.100S	Unspecified injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD10
S66.101A	Unspecified injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD10
S66.101D	Unspecified injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD10
S66.101S	Unspecified injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD10
S66.102A	Unspecified injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD10
S66.102D	Unspecified injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD10
S66.102S	Unspecified injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD10
S66.103A	Unspecified injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD10
S66.103D	Unspecified injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD10
S66.103S	Unspecified injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD10
S66.104A	Unspecified injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD10
S66.104D	Unspecified injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD10
S66.104S	Unspecified injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD10
S66.105A	Unspecified injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD10
S66.105D	Unspecified injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD10

S66.105S	Unspecified injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD10
S66.106A	Unspecified injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD10
S66.106D	Unspecified injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD10
S66.106S	Unspecified injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD10
S66.107A	Unspecified injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD10
S66.107D	Unspecified injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD10
S66.107S	Unspecified injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD10
S66.108A	Unspecified injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD10
S66.108D	Unspecified injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD10
S66.108S	Unspecified injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD10
S66.109A	Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD10
S66.109D	Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD10
S66.109S	Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD10
S66.190A	Other injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD10
S66.190D	Other injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD10
S66.190S	Other injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD10
S66.191A	Other injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD10
S66.191D	Other injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD10
S66.191S	Other injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD10
S66.192A	Other injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD10
S66.192D	Other injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD10
S66.192S	Other injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD10
S66.193A	Other injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD10
S66.193D	Other injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD10
S66.193S	Other injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD10

S66.194A	Other injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD10
S66.194D	Other injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD10
S66.194S	Other injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD10
S66.195A	Other injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD10
S66.195D	Other injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD10
S66.195S	Other injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD10
S66.196A	Other injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD10
S66.196D	Other injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD10
S66.196S	Other injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD10
S66.197A	Other injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD10
S66.197D	Other injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD10
S66.197S	Other injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD10
S66.198A	Other injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD10
S66.198D	Other injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD10
S66.198S	Other injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD10
S66.199A	Other injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD10
S66.199D	Other injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD10
S66.199S	Other injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD10
S66.201A	Unspecified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD10
S66.201D	Unspecified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD10
S66.201S	Unspecified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD10
S66.202A	Unspecified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD10
S66.202D	Unspecified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD10
S66.202S	Unspecified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD10
S66.209A	Unspecified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD10
S66.209D	Unspecified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD10

S66.209S	Unspecified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD10
S66.291A	Other specified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD10
S66.291D	Other specified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD10
S66.291S	Other specified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD10
S66.292A	Other specified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD10
S66.292D	Other specified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD10
S66.292S	Other specified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD10
S66.299A	Other specified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD10
S66.299D	Other specified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD10
S66.299S	Other specified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD10
S66.300A	Unspecified injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD10
S66.300D	Unspecified injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD10
S66.300S	Unspecified injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD10
S66.301A	Unspecified injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD10
S66.301D	Unspecified injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD10
S66.301S	Unspecified injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD10
S66.302A	Unspecified injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD10
S66.302D	Unspecified injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD10
S66.302S	Unspecified injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD10
S66.303A	Unspecified injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD10
S66.303D	Unspecified injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD10
S66.303S	Unspecified injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD10
S66.304A	Unspecified injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD10
S66.304D	Unspecified injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD10
S66.304S	Unspecified injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD10

S66.305A	Unspecified injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD10
S66.305D	Unspecified injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD10
S66.305S	Unspecified injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD10
S66.306A	Unspecified injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD10
S66.306D	Unspecified injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD10
S66.306S	Unspecified injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD10
S66.307A	Unspecified injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD10
S66.307D	Unspecified injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD10
S66.307S	Unspecified injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD10
S66.308A	Unspecified injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD10
S66.308D	Unspecified injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD10
S66.308S	Unspecified injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD10
S66.309A	Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD10
S66.309D	Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD10
S66.309S	Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD10
S66.390A	Other injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD10
S66.390D	Other injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD10
S66.390S	Other injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD10
S66.391A	Other injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD10
S66.391D	Other injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD10
S66.391S	Other injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD10
S66.392A	Other injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD10
S66.392D	Other injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD10
S66.392S	Other injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD10
S66.393A	Other injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD10

S66.393D	Other injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD10
S66.393S	Other injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD10
S66.394A	Other injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD10
S66.394D	Other injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD10
S66.394S	Other injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD10
S66.395A	Other injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD10
S66.395D	Other injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD10
S66.395S	Other injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD10
S66.396A	Other injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD10
S66.396D	Other injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD10
S66.396S	Other injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD10
S66.397A	Other injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD10
S66.397D	Other injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD10
S66.397S	Other injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD10
S66.398A	Other injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD10
S66.398D	Other injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD10
S66.398S	Other injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD10
S66.399A	Other injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD10
S66.399D	Other injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD10
S66.399S	Other injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD10
S66.401A	Unspecified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD10
S66.401D	Unspecified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD10
S66.401S	Unspecified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD10
S66.402A	Unspecified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD10
S66.402D	Unspecified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD10

S66.402S	Unspecified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD10
S66.409A	Unspecified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD10
S66.409D	Unspecified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD10
S66.409S	Unspecified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD10
S66.491A	Other specified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD10
S66.491D	Other specified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD10
S66.491S	Other specified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD10
S66.492A	Other specified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD10
S66.492D	Other specified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD10
S66.492S	Other specified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD10
S66.499A	Other specified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD10
S66.499D	Other specified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD10
S66.499S	Other specified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD10
S66.500A	Unspecified injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD10
S66.500D	Unspecified injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD10
S66.500S	Unspecified injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD10
S66.501A	Unspecified injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD10
S66.501D	Unspecified injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD10
S66.501S	Unspecified injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD10
S66.502A	Unspecified injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD10
S66.502D	Unspecified injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD10
S66.502S	Unspecified injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD10
S66.503A	Unspecified injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD10
S66.503D	Unspecified injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD10
S66.503S	Unspecified injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD10

S66.504A	Unspecified injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD10
S66.504D	Unspecified injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD10
S66.504S	Unspecified injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD10
S66.505A	Unspecified injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD10
S66.505D	Unspecified injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD10
S66.505S	Unspecified injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD10
S66.506A	Unspecified injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD10
S66.506D	Unspecified injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD10
S66.506S	Unspecified injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD10
S66.507A	Unspecified injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD10
S66.507D	Unspecified injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD10
S66.507S	Unspecified injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD10
S66.508A	Unspecified injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD10
S66.508D	Unspecified injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD10
S66.508S	Unspecified injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD10
S66.509A	Unspecified injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD10
S66.509D	Unspecified injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD10
S66.509S	Unspecified injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD10
S66.590A	Other injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD10
S66.590D	Other injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD10
S66.590S	Other injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD10
S66.591A	Other injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD10
S66.591D	Other injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD10
S66.591S	Other injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD10
S66.592A	Other injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD10

S66.592D	Other injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD10
S66.592S	Other injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD10
S66.593A	Other injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD10
S66.593D	Other injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD10
S66.593S	Other injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD10
S66.594A	Other injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD10
S66.594D	Other injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD10
S66.594S	Other injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD10
S66.595A	Other injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD10
S66.595D	Other injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD10
S66.595S	Other injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD10
S66.596A	Other injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD10
S66.596D	Other injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD10
S66.596S	Other injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD10
S66.597A	Other injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD10
S66.597D	Other injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD10
S66.597S	Other injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD10
S66.598A	Other injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD10
S66.598D	Other injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD10
S66.598S	Other injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD10
S66.599A	Other injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD10
S66.599D	Other injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD10
S66.599S	Other injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD10
S66.801A	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, initial encounter	ICD10
S66.801D	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, subsequent encounter	ICD10

S66.801S	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela	ICD10
S66.802A	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, initial encounter	ICD10
S66.802D	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, subsequent encounter	ICD10
S66.802S	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela	ICD10
S66.809A	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, initial encounter	ICD10
S66.809D	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, subsequent encounter	ICD10
S66.809S	Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela	ICD10
S66.891A	Other injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, initial encounter	ICD10
S66.891D	Other injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, subsequent encounter	ICD10
S66.891S	Other injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela	ICD10
S66.892A	Other injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, initial encounter	ICD10
S66.892D	Other injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, subsequent encounter	ICD10
S66.892S	Other injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela	ICD10
S66.899A	Other injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, initial encounter	ICD10
S66.899D	Other injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, subsequent encounter	ICD10
S66.899S	Other injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela	ICD10
S66.901A	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter	ICD10
S66.901D	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter	ICD10
S66.901S	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela	ICD10
S66.902A	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, initial encounter	ICD10
S66.902D	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, subsequent encounter	ICD10
S66.902S	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela	ICD10
S66.909A	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, initial encounter	ICD10
S66.909D	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter	ICD10
S66.909S	Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela	ICD10

S66.991A	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter	ICD10
S66.991D	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter	ICD10
S66.991S	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela	ICD10
S66.992A	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, initial encounter	ICD10
S66.992D	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, subsequent encounter	ICD10
S66.992S	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela	ICD10
S66.999A	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, initial encounter	ICD10
S66.999D	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter	ICD10
S66.999S	Other injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela	ICD10
S69.80XA	Other specified injuries of unspecified wrist, hand and finger(s), initial encounter	ICD10
S69.80XD	Other specified injuries of unspecified wrist, hand and finger(s), subsequent encounter	ICD10
S69.80XS	Other specified injuries of unspecified wrist, hand and finger(s), sequela	ICD10
S69.81XA	Other specified injuries of right wrist, hand and finger(s), initial encounter	ICD10
S69.81XD	Other specified injuries of right wrist, hand and finger(s), subsequent encounter	ICD10
S69.81XS	Other specified injuries of right wrist, hand and finger(s), sequela	ICD10
S69.82XA	Other specified injuries of left wrist, hand and finger(s), initial encounter	ICD10
S69.82XD	Other specified injuries of left wrist, hand and finger(s), subsequent encounter	ICD10
S69.82XS	Other specified injuries of left wrist, hand and finger(s), sequela	ICD10
S69.90XA	Unspecified injury of unspecified wrist, hand and finger(s), initial encounter	ICD10
S69.90XD	Unspecified injury of unspecified wrist, hand and finger(s), subsequent encounter	ICD10
S69.90XS	Unspecified injury of unspecified wrist, hand and finger(s), sequela	ICD10
S69.91XA	Unspecified injury of right wrist, hand and finger(s), initial encounter	ICD10
S69.91XD	Unspecified injury of right wrist, hand and finger(s), subsequent encounter	ICD10
S69.91XS	Unspecified injury of right wrist, hand and finger(s), sequela	ICD10
S69.92XA	Unspecified injury of left wrist, hand and finger(s), initial encounter	ICD10
S69.92XD	Unspecified injury of left wrist, hand and finger(s), subsequent encounter	ICD10
S69.92XS	Unspecified injury of left wrist, hand and finger(s), sequela	ICD10
S72.001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture	ICD10
S72.001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II	ICD10
S72.001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.001D	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.001E	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.001F	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.001G	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.001H	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.001J	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S72.001K	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.001M	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.001N	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.001P	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.001Q	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.001R	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.001S	Fracture of unspecified part of neck of right femur, sequela	ICD10
S72.002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture	ICD10
S72.002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II	ICD10
S72.002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.002D	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.002E	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.002F	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.002G	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.002H	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.002J	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.002K	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.002M	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.002N	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.002P	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.002Q	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.002R	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.002S	Fracture of unspecified part of neck of left femur, sequela	ICD10
S72.009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture	ICD10
S72.009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.009D	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.009E	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.009F	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.009G	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.009H	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.009J	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.009K	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.009M	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.009N	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.009P	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.009Q	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.009R	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.009S	Fracture of unspecified part of neck of unspecified femur, sequela	ICD10
S72.011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture	ICD10
S72.011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.011D	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.011E	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.011F	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.011G	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.011H	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.011J	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.011K	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.011M	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.011N	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.011P	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.011Q	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.011R	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.011S	Unspecified intracapsular fracture of right femur, sequela	ICD10
S72.012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture	ICD10

S72.012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.012D	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.012E	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.012F	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.012G	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.012H	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.012J	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.012K	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.012M	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.012N	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.012P	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.012Q	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.012R	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.012S	Unspecified intracapsular fracture of left femur, sequela	ICD10
S72.019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.019D	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.019E	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.019F	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.019G	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.019H	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.019J	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.019K	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.019M	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.019N	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S72.019P	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.019Q	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.019R	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.019S	Unspecified intracapsular fracture of unspecified femur, sequela	ICD10
S72.021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	ICD10
S72.021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD10
S72.021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.021D	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.021E	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.021F	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.021G	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.021H	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.021J	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.021K	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.021M	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.021N	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.021P	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.021Q	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.021R	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.021S	Displaced fracture of epiphysis (separation) (upper) of right femur, sequela	ICD10
S72.022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	ICD10
S72.022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD10
S72.022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.022D	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.022E	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.022F	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S72.022G	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.022H	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.022J	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.022K	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.022M	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.022N	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.022P	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.022Q	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.022R	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.022S	Displaced fracture of epiphysis (separation) (upper) of left femur, sequela	ICD10
S72.023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	ICD10
S72.023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.023D	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.023E	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.023F	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.023G	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.023H	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.023J	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.023K	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.023M	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.023N	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.023P	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.023Q	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.023R	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.023S	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela	ICD10

S72.024A	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	ICD10
S72.024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD10
S72.024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.024D	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.024E	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.024F	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.024G	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.024H	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.024J	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.024K	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.024M	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.024N	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.024P	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.024Q	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.024R	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.024S	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, sequela	ICD10
S72.025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	ICD10
S72.025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD10
S72.025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.025D	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.025E	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.025F	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.025G	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.025H	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.025J	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.025K	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion	ICD10

S72.025M	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.025N	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.025P	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.025Q	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.025R	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.025S	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, sequela	ICD10
S72.026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	ICD10
S72.026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.026D	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.026E	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.026F	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.026G	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.026H	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.026J	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.026K	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.026M	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.026N	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.026P	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.026Q	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.026R	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.026S	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela	ICD10
S72.031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture	ICD10
S72.031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.031D	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.031E	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.031F	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.031G	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.031H	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.031J	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.031K	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.031M	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.031N	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.031P	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.031Q	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.031R	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.031S	Displaced midcervical fracture of right femur, sequela	ICD10
S72.032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture	ICD10
S72.032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.032D	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.032E	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.032F	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.032G	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.032H	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.032J	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.032K	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.032M	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.032N	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.032P	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.032Q	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.032R	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.032S	Displaced midcervical fracture of left femur, sequela	ICD10
S72.033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture	ICD10

S72.033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.033D	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.033E	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.033F	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.033G	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.033H	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.033J	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.033K	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.033M	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.033N	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.033P	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.033Q	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.033R	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.033S	Displaced midcervical fracture of unspecified femur, sequela	ICD10
S72.034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture	ICD10
S72.034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.034D	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.034E	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.034F	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.034G	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.034H	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.034J	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.034K	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.034M	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.034N	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S72.034P	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.034Q	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.034R	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.034S	Nondisplaced midcervical fracture of right femur, sequela	ICD10
S72.035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture	ICD10
S72.035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.035D	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.035E	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.035F	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.035G	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.035H	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.035J	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.035K	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.035M	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.035N	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.035P	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.035Q	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.035R	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.035S	Nondisplaced midcervical fracture of left femur, sequela	ICD10
S72.036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.036D	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.036E	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.036F	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.036G	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.036H	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S72.036J	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.036K	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.036M	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.036N	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.036P	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.036Q	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.036R	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.036S	Nondisplaced midcervical fracture of unspecified femur, sequela	ICD10
S72.041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture	ICD10
S72.041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD10
S72.041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.041D	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.041E	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.041F	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.041G	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.041H	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.041J	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.041K	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.041M	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.041N	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.041P	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.041Q	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.041R	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.041S	Displaced fracture of base of neck of right femur, sequela	ICD10
S72.042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture	ICD10
S72.042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD10
S72.042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.042D	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing	ICD10

S72.042E	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.042F	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.042G	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.042H	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.042J	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.042K	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.042M	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.042N	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.042P	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.042Q	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.042R	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.042S	Displaced fracture of base of neck of left femur, sequela	ICD10
S72.043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	ICD10
S72.043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.043D	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.043E	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.043F	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.043G	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.043H	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.043J	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.043K	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.043M	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.043N	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.043P	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.043Q	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10

	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.043R		
S72.043S	Displaced fracture of base of neck of unspecified femur, sequela	ICD10
S72.044A	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture	ICD10
S72.044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD10
S72.044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.044D	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.044E	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.044F	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.044G	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.044H	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.044J	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.044K	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.044M	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.044N	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.044P	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.044Q	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.044R	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.044S	Nondisplaced fracture of base of neck of right femur, sequela	ICD10
S72.045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture	ICD10
S72.045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD10
S72.045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.045D	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.045E	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.045F	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.045G	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.045H	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.045J	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S72.045K	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.045M	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.045N	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.045P	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.045Q	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.045R	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.045S	Nondisplaced fracture of base of neck of left femur, sequela	ICD10
S72.046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	ICD10
S72.046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.046D	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.046E	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.046F	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.046G	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.046H	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.046J	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.046K	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.046M	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.046N	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.046P	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.046Q	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.046R	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.046S	Nondisplaced fracture of base of neck of unspecified femur, sequela	ICD10
S72.051A	Unspecified fracture of head of right femur, initial encounter for closed fracture	ICD10
S72.051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II	ICD10
S72.051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.051D	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.051E	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.051F	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.051G	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.051H	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.051J	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.051K	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.051M	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.051N	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.051P	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.051Q	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.051R	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.051S	Unspecified fracture of head of right femur, sequela	ICD10
S72.052A	Unspecified fracture of head of left femur, initial encounter for closed fracture	ICD10
S72.052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II	ICD10
S72.052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.052D	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.052E	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.052F	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.052G	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.052H	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.052J	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.052K	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.052M	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.052N	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.052P	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.052Q	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.052R	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.052S	Unspecified fracture of head of left femur, sequela	ICD10
S72.059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture	ICD10

S72.059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.059D	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.059E	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.059F	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.059G	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.059H	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.059J	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.059K	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.059M	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.059N	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.059P	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.059Q	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.059R	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.059S	Unspecified fracture of head of unspecified femur, sequela	ICD10
S72.061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture	ICD10
S72.061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD10
S72.061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.061D	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.061E	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.061F	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.061G	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.061H	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.061J	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.061K	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.061M	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.061N	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S72.061P	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.061Q	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.061R	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.061S	Displaced articular fracture of head of right femur, sequela	ICD10
S72.062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture	ICD10
S72.062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD10
S72.062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.062D	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.062E	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.062F	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.062G	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.062H	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.062J	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.062K	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.062M	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.062N	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.062P	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.062Q	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.062R	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.062S	Displaced articular fracture of head of left femur, sequela	ICD10
S72.063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture	ICD10
S72.063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.063D	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.063E	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.063F	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.063G	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.063H	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S72.063J	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.063K	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.063M	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.063N	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.063P	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.063Q	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.063R	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.063S	Displaced articular fracture of head of unspecified femur, sequela	ICD10
S72.064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture	ICD10
S72.064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD10
S72.064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.064D	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.064E	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.064F	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.064G	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.064H	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.064J	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.064K	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.064M	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.064N	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.064P	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.064Q	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.064R	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.064S	Nondisplaced articular fracture of head of right femur, sequela	ICD10
S72.065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture	ICD10
S72.065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD10
S72.065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S72.065D	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.065E	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.065F	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.065G	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.065H	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.065J	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.065K	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.065M	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.065N	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.065P	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.065Q	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.065R	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.065S	Nondisplaced articular fracture of head of left femur, sequela	ICD10
S72.066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture	ICD10
S72.066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.066D	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.066E	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.066F	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.066G	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.066H	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.066J	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.066K	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.066M	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.066N	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.066P	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10

S72.066Q	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.066R	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.066S	Nondisplaced articular fracture of head of unspecified femur, sequela	ICD10
S72.091A	Other fracture of head and neck of right femur, initial encounter for closed fracture	ICD10
S72.091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II	ICD10
S72.091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.091D	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.091E	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.091F	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.091G	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.091H	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.091J	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.091K	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.091M	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.091N	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.091P	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.091Q	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.091R	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.091S	Other fracture of head and neck of right femur, sequela	ICD10
S72.092A	Other fracture of head and neck of left femur, initial encounter for closed fracture	ICD10
S72.092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II	ICD10
S72.092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.092D	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.092E	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.092F	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.092G	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.092H	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.092J	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S72.092K	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.092M	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.092N	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.092P	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.092Q	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.092R	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.092S	Other fracture of head and neck of left femur, sequela	ICD10
S72.099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture	ICD10
S72.099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.099D	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.099E	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.099F	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.099G	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.099H	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.099J	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.099K	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.099M	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.099N	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.099P	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.099Q	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.099R	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.099S	Other fracture of head and neck of unspecified femur, sequela	ICD10
S72.101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture	ICD10
S72.101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.101D	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.101E	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.101F	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.101G	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.101H	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.101J	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.101K	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.101M	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.101N	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.101P	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.101Q	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.101R	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.101S	Unspecified trochanteric fracture of right femur, sequela	ICD10
S72.102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture	ICD10
S72.102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.102D	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.102E	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.102F	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.102G	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.102H	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.102J	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.102K	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.102M	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.102N	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.102P	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.102Q	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.102R	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.102S	Unspecified trochanteric fracture of left femur, sequela	ICD10
S72.109A	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD10

S72.109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.109D	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.109E	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.109F	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.109G	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.109H	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.109J	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.109K	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.109M	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.109N	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.109P	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.109Q	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.109R	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.109S	Unspecified trochanteric fracture of unspecified femur, sequela	ICD10
S72.111A	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture	ICD10
S72.111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD10
S72.111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.111D	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.111E	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.111F	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.111G	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.111H	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.111J	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.111K	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.111M	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.111N	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.111P	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.111Q	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.111R	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.111S	Displaced fracture of greater trochanter of right femur, sequela	ICD10
S72.112A	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture	ICD10
S72.112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD10
S72.112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.112D	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.112E	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.112F	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.112G	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.112H	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.112J	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.112K	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.112M	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.112N	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.112P	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.112Q	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.112R	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.112S	Displaced fracture of greater trochanter of left femur, sequela	ICD10
S72.113A	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	ICD10
S72.113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.113D	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.113E	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.113F	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S72.113G	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.113H	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.113J	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.113K	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.113M	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.113N	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.113P	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.113Q	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.113R	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.113S	Displaced fracture of greater trochanter of unspecified femur, sequela	ICD10
S72.114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture	ICD10
S72.114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD10
S72.114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.114D	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.114E	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.114F	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.114G	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.114H	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.114J	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.114K	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.114M	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.114N	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.114P	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.114Q	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.114R	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.114S	Nondisplaced fracture of greater trochanter of right femur, sequela	ICD10
S72.115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture	ICD10

S72.115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD10
S72.115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.115D	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.115E	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.115F	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.115G	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.115H	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.115J	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.115K	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.115M	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.115N	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.115P	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.115Q	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.115R	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.115S	Nondisplaced fracture of greater trochanter of left femur, sequela	ICD10
S72.116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	ICD10
S72.116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.116D	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.116E	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.116F	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.116G	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.116H	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.116J	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.116K	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.116M	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.116N	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.116P	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.116Q	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.116R	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.116S	Nondisplaced fracture of greater trochanter of unspecified femur, sequela	ICD10
S72.121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	ICD10
S72.121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD10
S72.121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.121D	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.121E	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.121F	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.121G	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.121H	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.121J	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.121K	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.121M	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.121N	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.121P	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.121Q	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.121R	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.121S	Displaced fracture of lesser trochanter of right femur, sequela	ICD10
S72.122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	ICD10
S72.122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD10
S72.122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.122D	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.122E	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.122F	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S72.122G	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.122H	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.122J	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.122K	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.122M	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.122N	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.122P	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.122Q	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.122R	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.122S	Displaced fracture of lesser trochanter of left femur, sequela	ICD10
S72.123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	ICD10
S72.123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.123D	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.123E	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.123F	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.123G	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.123H	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.123J	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.123K	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.123M	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.123N	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.123P	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.123Q	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.123R	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.123S	Displaced fracture of lesser trochanter of unspecified femur, sequela	ICD10
S72.124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	ICD10

S72.124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD10
S72.124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.124D	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.124E	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.124F	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.124G	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.124H	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.124J	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.124K	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.124M	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.124N	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.124P	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.124Q	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.124R	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.124S	Nondisplaced fracture of lesser trochanter of right femur, sequela	ICD10
S72.125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	ICD10
S72.125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD10
S72.125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.125D	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.125E	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.125F	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.125G	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.125H	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.125J	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.125K	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.125M	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.125N	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.125P	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.125Q	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.125R	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.125S	Nondisplaced fracture of lesser trochanter of left femur, sequela	ICD10
S72.126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	ICD10
S72.126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.126D	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.126E	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.126F	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.126G	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.126H	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.126J	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.126K	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.126M	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.126N	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.126P	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.126Q	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.126R	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.126S	Nondisplaced fracture of lesser trochanter of unspecified femur, sequela	ICD10
S72.131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture	ICD10
S72.131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.131D	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.131E	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.131F	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S72.131G	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.131H	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.131J	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.131K	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.131M	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.131N	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.131P	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.131Q	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.131R	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.131S	Displaced apophyseal fracture of right femur, sequela	ICD10
S72.132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture	ICD10
S72.132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.132D	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.132E	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.132F	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.132G	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.132H	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.132J	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.132K	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.132M	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.132N	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.132P	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.132Q	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.132R	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.132S	Displaced apophyseal fracture of left femur, sequela	ICD10
S72.133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10

S72.133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.133D	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.133E	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.133F	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.133G	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.133H	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.133J	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.133K	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.133M	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.133N	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.133P	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.133Q	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.133R	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.133S	Displaced apophyseal fracture of unspecified femur, sequela	ICD10
S72.134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture	ICD10
S72.134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.134D	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.134E	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.134F	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.134G	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.134H	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.134J	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.134K	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.134M	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.134N	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.134P	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10

S72.134Q	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.134R	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.134S	Nondisplaced apophyseal fracture of right femur, sequela	ICD10
S72.135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture	ICD10
S72.135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.135D	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.135E	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.135F	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.135G	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.135H	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.135J	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.135K	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.135M	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.135N	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.135P	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.135Q	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.135R	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.135S	Nondisplaced apophyseal fracture of left femur, sequela	ICD10
S72.136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.136D	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.136E	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.136F	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.136G	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.136H	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.136J	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S72.136K	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.136M	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.136N	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.136P	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.136Q	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.136R	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.136S	Nondisplaced apophyseal fracture of unspecified femur, sequela	ICD10
S72.141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture	ICD10
S72.141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.141D	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.141E	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.141F	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.141G	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.141H	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.141J	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.141K	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.141M	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.141N	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.141P	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.141Q	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.141R	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.141S	Displaced intertrochanteric fracture of right femur, sequela	ICD10
S72.142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture	ICD10
S72.142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.142D	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.142E	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.142F	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.142G	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.142H	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.142J	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.142K	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.142M	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.142N	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.142P	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.142Q	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.142R	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.142S	Displaced intertrochanteric fracture of left femur, sequela	ICD10
S72.143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.143D	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.143E	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.143F	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.143G	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.143H	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.143J	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.143K	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.143M	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.143N	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.143P	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.143Q	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.143R	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.143S	Displaced intertrochanteric fracture of unspecified femur, sequela	ICD10

S72.144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture	ICD10
S72.144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.144D	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.144E	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.144F	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.144G	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.144H	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.144J	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.144K	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.144M	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.144N	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.144P	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.144Q	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.144R	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.144S	Nondisplaced intertrochanteric fracture of right femur, sequela	ICD10
S72.145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture	ICD10
S72.145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.145D	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.145E	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.145F	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.145G	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.145H	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.145J	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.145K	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.145M	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.145N	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.145P	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.145Q	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.145R	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.145S	Nondisplaced intertrochanteric fracture of left femur, sequela	ICD10
S72.146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.146D	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.146E	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.146F	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.146G	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.146H	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.146J	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.146K	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.146M	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.146N	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.146P	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.146Q	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.146R	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.146S	Nondisplaced intertrochanteric fracture of unspecified femur, sequela	ICD10
S72.21XA	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture	ICD10
S72.21XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.21XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.21XD	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.21XE	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.21XF	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S72.21XG	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.21XH	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.21XJ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.21XK	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.21XM	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.21XN	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.21XP	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.21XQ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.21XR	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.21XS	Displaced subtrochanteric fracture of right femur, sequela	ICD10
S72.22XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture	ICD10
S72.22XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.22XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.22XD	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.22XE	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.22XF	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.22XG	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.22XH	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.22XJ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.22XK	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.22XM	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.22XN	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.22XP	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.22XQ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.22XR	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.22XS	Displaced subtrochanteric fracture of left femur, sequela	ICD10
S72.23XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.23XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10

S72.23XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.23XD	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.23XE	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.23XF	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.23XG	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.23XH	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.23XJ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.23XK	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.23XM	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.23XN	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.23XP	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.23XQ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.23XR	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.23XS	Displaced subtrochanteric fracture of unspecified femur, sequela	ICD10
S72.24XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture	ICD10
S72.24XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.24XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.24XD	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.24XE	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.24XF	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.24XG	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.24XH	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.24XJ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.24XK	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.24XM	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.24XN	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S72.24XP	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.24XQ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.24XR	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.24XS	Nondisplaced subtrochanteric fracture of right femur, sequela	ICD10
S72.25XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture	ICD10
S72.25XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.25XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.25XD	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.25XE	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.25XF	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.25XG	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.25XH	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.25XJ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.25XK	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.25XM	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.25XN	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.25XP	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.25XQ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.25XR	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.25XS	Nondisplaced subtrochanteric fracture of left femur, sequela	ICD10
S72.26XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.26XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.26XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.26XD	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.26XE	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.26XF	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.26XG	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10

S72.26XH	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.26XJ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.26XK	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.26XM	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.26XN	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.26XP	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.26XQ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.26XR	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.26XS	Nondisplaced subtrochanteric fracture of unspecified femur, sequela	ICD10
S72.301A	Unspecified fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.301B	Unspecified fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.301C	Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.301D	Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.301E	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.301F	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.301G	Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.301H	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.301J	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.301K	Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.301M	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.301N	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.301P	Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.301Q	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.301R	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.301S	Unspecified fracture of shaft of right femur, sequela	ICD10
S72.302A	Unspecified fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.302B	Unspecified fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.302C	Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S72.302D	Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.302E	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.302F	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.302G	Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.302H	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.302J	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.302K	Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.302M	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.302N	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.302P	Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.302Q	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.302R	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.302S	Unspecified fracture of shaft of left femur, sequela	ICD10
S72.309A	Unspecified fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.309B	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.309C	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.309D	Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.309E	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.309F	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.309G	Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.309H	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.309J	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.309K	Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.309M	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.309N	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.309P	Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.309Q	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10

S72.309R	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.309S	Unspecified fracture of shaft of unspecified femur, sequela	ICD10
S72.321A	Displaced transverse fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.321B	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.321C	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.321D	Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.321E	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.321F	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.321G	Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.321H	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.321J	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.321K	Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.321M	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.321N	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.321P	Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.321Q	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.321R	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.321S	Displaced transverse fracture of shaft of right femur, sequela	ICD10
S72.322A	Displaced transverse fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.322B	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.322C	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.322D	Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.322E	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.322F	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.322G	Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.322H	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.322J	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.322K	Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10

S72.322M	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.322N	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.322P	Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.322Q	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.322R	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.322S	Displaced transverse fracture of shaft of left femur, sequela	ICD10
S72.323A	Displaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.323B	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.323C	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.323D	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.323E	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.323F	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.323G	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.323H	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.323J	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.323K	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.323M	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.323N	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.323P	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.323Q	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.323R	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.323S	Displaced transverse fracture of shaft of unspecified femur, sequela	ICD10
S72.324A	Nondisplaced transverse fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.324B	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.324C	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.324D	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.324E	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.324F	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.324G	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.324H	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.324J	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.324K	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.324M	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.324N	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.324P	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.324Q	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.324R	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.324S	Nondisplaced transverse fracture of shaft of right femur, sequela	ICD10
S72.325A	Nondisplaced transverse fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.325B	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.325C	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.325D	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.325E	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.325F	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.325G	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.325H	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.325J	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.325K	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.325M	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.325N	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.325P	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.325Q	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.325R	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.325S	Nondisplaced transverse fracture of shaft of left femur, sequela	ICD10

S72.326A	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.326B	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.326C	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.326D	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.326E	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.326F	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.326G	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.326H	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.326J	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.326K	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.326M	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.326N	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.326P	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.326Q	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.326R	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.326S	Nondisplaced transverse fracture of shaft of unspecified femur, sequela	ICD10
S72.331A	Displaced oblique fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.331B	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.331C	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.331D	Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.331E	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.331F	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.331G	Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.331H	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.331J	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.331K	Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.331M	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.331N	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.331P	Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.331Q	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.331R	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.331S	Displaced oblique fracture of shaft of right femur, sequela	ICD10
S72.332A	Displaced oblique fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.332B	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.332C	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.332D	Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.332E	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.332F	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.332G	Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.332H	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.332J	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.332K	Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.332M	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.332N	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.332P	Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.332Q	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.332R	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.332S	Displaced oblique fracture of shaft of left femur, sequela	ICD10
S72.333A	Displaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.333B	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.333C	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.333D	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.333E	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.333F	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.333G	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10

S72.333H	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.333J	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.333K	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.333M	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.333N	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.333P	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.333Q	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.333R	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.333S	Displaced oblique fracture of shaft of unspecified femur, sequela	ICD10
S72.334A	Nondisplaced oblique fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.334B	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.334C	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.334D	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.334E	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.334F	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.334G	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.334H	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.334J	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.334K	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.334M	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.334N	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.334P	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.334Q	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.334R	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.334S	Nondisplaced oblique fracture of shaft of right femur, sequela	ICD10
S72.335A	Nondisplaced oblique fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.335B	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10

S72.335C	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.335D	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.335E	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.335F	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.335G	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.335H	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.335J	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.335K	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.335M	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.335N	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.335P	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.335Q	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.335R	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.335S	Nondisplaced oblique fracture of shaft of left femur, sequela	ICD10
S72.336A	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.336B	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.336C	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.336D	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.336E	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.336F	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.336G	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.336H	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.336J	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.336K	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.336M	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.336N	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S72.336P	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.336Q	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.336R	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.336S	Nondisplaced oblique fracture of shaft of unspecified femur, sequela	ICD10
S72.341A	Displaced spiral fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.341B	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.341C	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.341D	Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.341E	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.341F	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.341G	Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.341H	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.341J	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.341K	Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.341M	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.341N	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.341P	Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.341Q	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.341R	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.341S	Displaced spiral fracture of shaft of right femur, sequela	ICD10
S72.342A	Displaced spiral fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.342B	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.342C	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.342D	Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.342E	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.342F	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.342G	Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.342H	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S72.342J	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.342K	Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.342M	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.342N	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.342P	Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.342Q	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.342R	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.342S	Displaced spiral fracture of shaft of left femur, sequela	ICD10
S72.343A	Displaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.343B	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.343C	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.343D	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.343E	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.343F	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.343G	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.343H	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.343J	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.343K	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.343M	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.343N	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.343P	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.343Q	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.343R	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.343S	Displaced spiral fracture of shaft of unspecified femur, sequela	ICD10
S72.344A	Nondisplaced spiral fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.344B	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.344C	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S72.344D	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.344E	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.344F	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.344G	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.344H	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.344J	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.344K	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.344M	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.344N	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.344P	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.344Q	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.344R	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.344S	Nondisplaced spiral fracture of shaft of right femur, sequela	ICD10
S72.345A	Nondisplaced spiral fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.345B	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.345C	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.345D	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.345E	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.345F	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.345G	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.345H	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.345J	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.345K	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.345M	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.345N	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.345P	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.345Q	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10

S72.345R	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.345S	Nondisplaced spiral fracture of shaft of left femur, sequela	ICD10
S72.346A	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.346B	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.346C	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.346D	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.346E	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.346F	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.346G	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.346H	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.346J	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.346K	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.346M	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.346N	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.346P	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.346Q	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.346R	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.346S	Nondisplaced spiral fracture of shaft of unspecified femur, sequela	ICD10
S72.351A	Displaced comminuted fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.351B	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.351C	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.351D	Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.351E	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.351F	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.351G	Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.351H	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.351J	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S72.351K	Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.351M	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.351N	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.351P	Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.351Q	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.351R	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.351S	Displaced comminuted fracture of shaft of right femur, sequela	ICD10
S72.352A	Displaced comminuted fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.352B	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.352C	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.352D	Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.352E	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.352F	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.352G	Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.352H	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.352J	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.352K	Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.352M	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.352N	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.352P	Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.352Q	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.352R	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.352S	Displaced comminuted fracture of shaft of left femur, sequela	ICD10
S72.353A	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.353B	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.353C	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.353D	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10

S72.353E	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.353F	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.353G	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.353H	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.353J	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.353K	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.353M	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.353N	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.353P	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.353Q	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.353R	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.353S	Displaced comminuted fracture of shaft of unspecified femur, sequela	ICD10
S72.354A	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.354B	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.354C	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.354D	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.354E	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.354F	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.354G	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.354H	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.354J	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.354K	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.354M	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.354N	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.354P	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.354Q	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10

S72.354R	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.354S	Nondisplaced comminuted fracture of shaft of right femur, sequela	ICD10
S72.355A	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.355B	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.355C	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.355D	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.355E	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.355F	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.355G	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.355H	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.355J	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.355K	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.355M	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.355N	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.355P	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.355Q	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.355R	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.355S	Nondisplaced comminuted fracture of shaft of left femur, sequela	ICD10
S72.356A	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.356B	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.356C	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.356D	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.356E	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.356F	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.356G	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.356H	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.356J	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S72.356K	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.356M	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.356N	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.356P	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.356Q	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.356R	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.356S	Nondisplaced comminuted fracture of shaft of unspecified femur, sequela	ICD10
S72.361A	Displaced segmental fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.361B	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.361C	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.361D	Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.361E	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.361F	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.361G	Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.361H	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.361J	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.361K	Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.361M	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.361N	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.361P	Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.361Q	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.361R	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.361S	Displaced segmental fracture of shaft of right femur, sequela	ICD10
S72.362A	Displaced segmental fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.362B	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.362C	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.362D	Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.362E	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.362F	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.362G	Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.362H	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.362J	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.362K	Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.362M	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.362N	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.362P	Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.362Q	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.362R	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.362S	Displaced segmental fracture of shaft of left femur, sequela	ICD10
S72.363A	Displaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.363B	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.363C	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.363D	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.363E	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.363F	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.363G	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.363H	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.363J	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.363K	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.363M	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.363N	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.363P	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.363Q	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.363R	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.363S	Displaced segmental fracture of shaft of unspecified femur, sequela	ICD10

S72.364A	Nondisplaced segmental fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.364B	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.364C	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.364D	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.364E	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.364F	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.364G	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.364H	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.364J	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.364K	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.364M	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.364N	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.364P	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.364Q	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.364R	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.364S	Nondisplaced segmental fracture of shaft of right femur, sequela	ICD10
S72.365A	Nondisplaced segmental fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.365B	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.365C	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.365D	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.365E	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.365F	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.365G	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.365H	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.365J	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.365K	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.365M	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.365N	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.365P	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.365Q	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.365R	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.365S	Nondisplaced segmental fracture of shaft of left femur, sequela	ICD10
S72.366A	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.366B	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.366C	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.366D	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.366E	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.366F	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.366G	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.366H	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.366J	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.366K	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.366M	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.366N	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.366P	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.366Q	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.366R	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.366S	Nondisplaced segmental fracture of shaft of unspecified femur, sequela	ICD10
S72.391A	Other fracture of shaft of right femur, initial encounter for closed fracture	ICD10
S72.391B	Other fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD10
S72.391C	Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.391D	Other fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.391E	Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.391F	Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.391G	Other fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD10

S72.391H	Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.391J	Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.391K	Other fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.391M	Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.391N	Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.391P	Other fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.391Q	Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.391R	Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.391S	Other fracture of shaft of right femur, sequela	ICD10
S72.392A	Other fracture of shaft of left femur, initial encounter for closed fracture	ICD10
S72.392B	Other fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD10
S72.392C	Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.392D	Other fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.392E	Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.392F	Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.392G	Other fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.392H	Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.392J	Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.392K	Other fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.392M	Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.392N	Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.392P	Other fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.392Q	Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.392R	Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.392S	Other fracture of shaft of left femur, sequela	ICD10
S72.399A	Other fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD10
S72.399B	Other fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.399C	Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.399D	Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.399E	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.399F	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S72.399G	Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.399H	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.399J	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.399K	Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.399M	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.399N	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.399P	Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.399Q	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.399R	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.399S	Other fracture of shaft of unspecified femur, sequela	ICD10
S72.401A	Unspecified fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S72.401B	Unspecified fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD10
S72.401C	Unspecified fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.401D	Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.401E	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.401F	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.401G	Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.401H	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.401J	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.401K	Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.401M	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.401N	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.401P	Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.401Q	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.401R	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.401S	Unspecified fracture of lower end of right femur, sequela	ICD10
S72.402A	Unspecified fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S72.402B	Unspecified fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD10

S72.402C	Unspecified fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.402D	Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.402E	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.402F	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.402G	Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.402H	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.402J	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.402K	Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.402M	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.402N	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.402P	Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.402Q	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.402R	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.402S	Unspecified fracture of lower end of left femur, sequela	ICD10
S72.409A	Unspecified fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.409B	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.409C	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.409D	Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.409E	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.409F	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.409G	Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.409H	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.409J	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.409K	Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.409M	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.409N	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S72.409P	Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.409Q	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.409R	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.409S	Unspecified fracture of lower end of unspecified femur, sequela	ICD10
S72.411A	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S72.411B	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD10
S72.411C	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.411D	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.411E	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.411F	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.411G	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.411H	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.411J	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.411K	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.411M	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.411N	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.411P	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.411Q	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.411R	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.411S	Displaced unspecified condyle fracture of lower end of right femur, sequela	ICD10
S72.412A	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S72.412B	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD10
S72.412C	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.412D	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.412E	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.412F	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S72.412G	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.412H	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.412J	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.412K	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.412M	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.412N	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.412P	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.412Q	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.412R	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.412S	Displaced unspecified condyle fracture of lower end of left femur, sequela	ICD10
S72.413A	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.413B	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.413C	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.413D	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.413E	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.413F	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.413G	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.413H	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.413J	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.413K	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.413M	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.413N	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.413P	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.413Q	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.413R	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.413S	Displaced unspecified condyle fracture of lower end of unspecified femur, sequela	ICD10

S72.414A	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S72.414B	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD10
S72.414C	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.414D	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.414E	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.414F	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.414G	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.414H	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.414J	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.414K	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.414M	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.414N	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.414P	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.414Q	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.414R	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.414S	Nondisplaced unspecified condyle fracture of lower end of right femur, sequela	ICD10
S72.415A	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S72.415B	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD10
S72.415C	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.415D	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.415E	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.415F	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.415G	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.415H	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.415J	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.415K	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD10

S72.415M	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.415N	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.415P	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.415Q	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.415R	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.415S	Nondisplaced unspecified condyle fracture of lower end of left femur, sequela	ICD10
S72.416A	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.416B	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.416C	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.416D	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.416E	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.416F	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.416G	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.416H	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.416J	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.416K	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.416M	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.416N	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.416P	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.416Q	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.416R	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.416S	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, sequela	ICD10
S72.421A	Displaced fracture of lateral condyle of right femur, initial encounter for closed fracture	ICD10
S72.421B	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	ICD10
S72.421C	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.421D	Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.421E	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.421F	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.421G	Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.421H	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.421J	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.421K	Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.421M	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.421N	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.421P	Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.421Q	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.421R	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.421S	Displaced fracture of lateral condyle of right femur, sequela	ICD10
S72.422A	Displaced fracture of lateral condyle of left femur, initial encounter for closed fracture	ICD10
S72.422B	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	ICD10
S72.422C	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.422D	Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.422E	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.422F	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.422G	Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.422H	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.422J	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.422K	Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.422M	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.422N	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.422P	Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.422Q	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.422R	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.422S	Displaced fracture of lateral condyle of left femur, sequela	ICD10
S72.423A	Displaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	ICD10

S72.423B	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.423C	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.423D	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.423E	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.423F	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.423G	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.423H	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.423J	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.423K	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.423M	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.423N	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.423P	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.423Q	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.423R	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.423S	Displaced fracture of lateral condyle of unspecified femur, sequela	ICD10
S72.424A	Nondisplaced fracture of lateral condyle of right femur, initial encounter for closed fracture	ICD10
S72.424B	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	ICD10
S72.424C	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.424D	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.424E	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.424F	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.424G	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.424H	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.424J	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.424K	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.424M	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.424N	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.424P	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.424Q	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.424R	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.424S	Nondisplaced fracture of lateral condyle of right femur, sequela	ICD10
S72.425A	Nondisplaced fracture of lateral condyle of left femur, initial encounter for closed fracture	ICD10
S72.425B	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	ICD10
S72.425C	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.425D	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.425E	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.425F	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.425G	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.425H	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.425J	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.425K	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.425M	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.425N	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.425P	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.425Q	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.425R	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.425S	Nondisplaced fracture of lateral condyle of left femur, sequela	ICD10
S72.426A	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	ICD10
S72.426B	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.426C	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.426D	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.426E	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.426F	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S72.426G	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.426H	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.426J	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.426K	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.426M	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.426N	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.426P	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.426Q	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.426R	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.426S	Nondisplaced fracture of lateral condyle of unspecified femur, sequela	ICD10
S72.431A	Displaced fracture of medial condyle of right femur, initial encounter for closed fracture	ICD10
S72.431B	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II	ICD10
S72.431C	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.431D	Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.431E	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.431F	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.431G	Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.431H	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.431J	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.431K	Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.431M	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.431N	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.431P	Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.431Q	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.431R	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.431S	Displaced fracture of medial condyle of right femur, sequela	ICD10
S72.432A	Displaced fracture of medial condyle of left femur, initial encounter for closed fracture	ICD10
S72.432B	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	ICD10

S72.432C	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.432D	Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.432E	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.432F	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.432G	Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.432H	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.432J	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.432K	Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.432M	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.432N	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.432P	Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.432Q	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.432R	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.432S	Displaced fracture of medial condyle of left femur, sequela	ICD10
S72.433A	Displaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	ICD10
S72.433B	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.433C	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.433D	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.433E	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.433F	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.433G	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.433H	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.433J	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.433K	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.433M	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.433N	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S72.433P	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.433Q	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.433R	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.433S	Displaced fracture of medial condyle of unspecified femur, sequela	ICD10
S72.434A	Nondisplaced fracture of medial condyle of right femur, initial encounter for closed fracture	ICD10
S72.434B	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II	ICD10
S72.434C	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.434D	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.434E	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.434F	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.434G	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.434H	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.434J	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.434K	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.434M	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.434N	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.434P	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.434Q	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.434R	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.434S	Nondisplaced fracture of medial condyle of right femur, sequela	ICD10
S72.435A	Nondisplaced fracture of medial condyle of left femur, initial encounter for closed fracture	ICD10
S72.435B	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	ICD10
S72.435C	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.435D	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.435E	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.435F	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.435G	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with delayed healing	ICD10

S72.435H	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.435J	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.435K	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.435M	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.435N	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.435P	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.435Q	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.435R	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.435S	Nondisplaced fracture of medial condyle of left femur, sequela	ICD10
S72.436A	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	ICD10
S72.436B	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.436C	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.436D	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.436E	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.436F	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.436G	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.436H	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.436J	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.436K	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.436M	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.436N	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.436P	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.436Q	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.436R	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.436S	Nondisplaced fracture of medial condyle of unspecified femur, sequela	ICD10
S72.441A	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	ICD10

S72.441B	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	ICD10
S72.441C	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.441D	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.441E	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.441F	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.441G	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.441H	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.441J	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.441K	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.441M	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.441N	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.441P	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.441Q	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.441R	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.441S	Displaced fracture of lower epiphysis (separation) of right femur, sequela	ICD10
S72.442A	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture	ICD10
S72.442B	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II	ICD10
S72.442C	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.442D	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.442E	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.442F	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.442G	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.442H	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.442J	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.442K	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.442M	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.442N	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.442P	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.442Q	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.442R	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.442S	Displaced fracture of lower epiphysis (separation) of left femur, sequela	ICD10
S72.443A	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture	ICD10
S72.443B	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.443C	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.443D	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.443E	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.443F	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.443G	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.443H	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.443J	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.443K	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.443M	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.443N	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.443P	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.443Q	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.443R	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.443S	Displaced fracture of lower epiphysis (separation) of unspecified femur, sequela	ICD10
S72.444A	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	ICD10
S72.444B	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	ICD10
S72.444C	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.444D	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.444E	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.444F	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.444G	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.444H	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.444J	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.444K	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.444M	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.444N	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.444P	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.444Q	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.444R	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.444S	Nondisplaced fracture of lower epiphysis (separation) of right femur, sequela	ICD10
S72.445A	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture	ICD10
S72.445B	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II	ICD10
S72.445C	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.445D	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.445E	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.445F	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.445G	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.445H	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.445J	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.445K	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.445M	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.445N	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.445P	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.445Q	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.445R	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10

S72.445S	Nondisplaced fracture of lower epiphysis (separation) of left femur, sequela	ICD10
S72.446A	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture	ICD10
S72.446B	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.446C	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.446D	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.446E	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.446F	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.446G	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.446H	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.446J	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S72.446K	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.446M	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.446N	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S72.446P	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.446Q	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.446R	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S72.446S	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, sequela	ICD10
S72.451A	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD10
S72.451B	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD10
S72.451C	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S72.451D	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.451E	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.451F	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S72.451G	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.451H	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.451J	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10

S72.451K	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.451M	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.451N	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.451P	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.451Q	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.451R	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.451S	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, sequela	ICD10
S72.452A	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD10
S72.452B	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD10
S72.452C	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.452D	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.452E	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.452F	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.452G	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.452H	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.452J	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.452K	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.452M	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.452N	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.452P	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.452Q	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.452R	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.452S	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, sequela	ICD10
S72.453A	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.453B	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD10

S72.453C	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.453D	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.453E	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.453F	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.453G	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.453H	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.453J	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.453K	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.453M	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.453N	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.453P	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.453Q	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.453R	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.453S	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, sequela	ICD10
S72.454A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD10
S72.454B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD10
S72.454C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.454D	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.454E	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.454F	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.454G	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.454H	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.454J	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.454K	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.454M	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10

S72.454N	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.454P	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.454Q	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.454R	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.454S	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, sequela	ICD10
S72.455A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD10
S72.455B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD10
S72.455C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.455D	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.455E	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.455F	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.455G	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.455H	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.455J	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.455K	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.455M	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.455N	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.455P	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.455Q	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.455R	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.455S	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, sequela	ICD10
S72.456A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.456B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.456C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.456D	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10

S72.456E	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.456F	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.456G	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.456H	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.456J	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.456K	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.456M	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.456N	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.456P	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.456Q	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.456R	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.456S	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, sequela	ICD10
S72.461A	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD10
S72.461B	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD10
S72.461C	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.461D	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.461E	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.461F	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.461G	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.461H	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.461J	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.461K	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.461M	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.461N	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S72.461P	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.461Q	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.461R	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.461S	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, sequela	ICD10
S72.462A	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD10
S72.462B	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD10
S72.462C	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.462D	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.462E	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.462F	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.462G	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.462H	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.462J	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.462K	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.462M	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.462N	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.462P	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.462Q	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.462R	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.462S	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, sequela	ICD10
S72.463A	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.463B	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.463C	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.463D	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.463E	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10

S72.463F	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.463G	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.463H	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.463J	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.463K	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.463M	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.463N	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.463P	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.463Q	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.463R	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.463S	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela	ICD10
S72.464A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD10
S72.464B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD10
S72.464C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.464D	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.464E	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.464F	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.464G	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.464H	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.464J	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.464K	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.464M	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.464N	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.464P	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.464Q	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10

S72.464R	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.464S	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, sequela	ICD10
S72.465A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD10
S72.465B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD10
S72.465C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.465D	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.465E	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.465F	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.465G	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.465H	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.465J	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.465K	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.465M	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.465N	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.465P	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.465Q	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.465R	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.465S	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, sequela	ICD10
S72.466A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.466B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.466C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.466D	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.466E	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.466F	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.466G	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10

S72.466H	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.466J	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.466K	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.466M	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.466N	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.466P	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.466Q	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.466R	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.466S	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela	ICD10
S72.471A	Torus fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S72.471D	Torus fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD10
S72.471G	Torus fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S72.471K	Torus fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD10
S72.471P	Torus fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD10
S72.471S	Torus fracture of lower end of right femur, sequela	ICD10
S72.472A	Torus fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S72.472D	Torus fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD10
S72.472G	Torus fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S72.472K	Torus fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD10
S72.472P	Torus fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD10
S72.472S	Torus fracture of lower end of left femur, sequela	ICD10
S72.479A	Torus fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.479D	Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S72.479G	Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S72.479K	Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S72.479P	Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S72.479S	Torus fracture of lower end of unspecified femur, sequela	ICD10
S72.491A	Other fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S72.491B	Other fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD10
S72.491C	Other fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.491D	Other fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD10

S72.491E	Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.491F	Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.491G	Other fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.491H	Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.491J	Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.491K	Other fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.491M	Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.491N	Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.491P	Other fracture of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.491Q	Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.491R	Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.491S	Other fracture of lower end of right femur, sequela	ICD10
S72.492A	Other fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S72.492B	Other fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD10
S72.492C	Other fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.492D	Other fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.492E	Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.492F	Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.492G	Other fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.492H	Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.492J	Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.492K	Other fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.492M	Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.492N	Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.492P	Other fracture of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.492Q	Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.492R	Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.492S	Other fracture of lower end of left femur, sequela	ICD10

S72.499A	Other fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S72.499B	Other fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.499C	Other fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.499D	Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.499E	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.499F	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.499G	Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.499H	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.499J	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.499K	Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.499M	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.499N	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.499P	Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.499Q	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.499R	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.499S	Other fracture of lower end of unspecified femur, sequela	ICD10
S72.8X1A	Other fracture of right femur, initial encounter for closed fracture	ICD10
S72.8X1B	Other fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.8X1C	Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.8X1D	Other fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.8X1E	Other fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.8X1F	Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.8X1G	Other fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.8X1H	Other fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.8X1J	Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.8X1K	Other fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.8X1M	Other fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.8X1N	Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.8X1P	Other fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.8X1Q	Other fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.8X1R	Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.8X1S	Other fracture of right femur, sequela	ICD10

S72.8X2A	Other fracture of left femur, initial encounter for closed fracture	ICD10
S72.8X2B	Other fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.8X2C	Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.8X2D	Other fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.8X2E	Other fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.8X2F	Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.8X2G	Other fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.8X2H	Other fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.8X2J	Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.8X2K	Other fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.8X2M	Other fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.8X2N	Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.8X2P	Other fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.8X2Q	Other fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.8X2R	Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.8X2S	Other fracture of left femur, sequela	ICD10
S72.8X9A	Other fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.8X9B	Other fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10
S72.8X9C	Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.8X9D	Other fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.8X9E	Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.8X9F	Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.8X9G	Other fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.8X9H	Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.8X9J	Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.8X9K	Other fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.8X9M	Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.8X9N	Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.8X9P	Other fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.8X9Q	Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.8X9R	Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.8X9S	Other fracture of unspecified femur, sequela	ICD10
S72.90XA	Unspecified fracture of unspecified femur, initial encounter for closed fracture	ICD10
S72.90XB	Unspecified fracture of unspecified femur, initial encounter for open fracture type I or II	ICD10

S72.90XC	Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.90XD	Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.90XE	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.90XF	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.90XG	Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.90XH	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.90XJ	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.90XK	Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.90XM	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.90XN	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.90XP	Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD10
S72.90XQ	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.90XR	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.90XS	Unspecified fracture of unspecified femur, sequela	ICD10
S72.91XA	Unspecified fracture of right femur, initial encounter for closed fracture	ICD10
S72.91XB	Unspecified fracture of right femur, initial encounter for open fracture type I or II	ICD10
S72.91XC	Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.91XD	Unspecified fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.91XE	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.91XF	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.91XG	Unspecified fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.91XH	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.91XJ	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.91XK	Unspecified fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.91XM	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.91XN	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.91XP	Unspecified fracture of right femur, subsequent encounter for closed fracture with malunion	ICD10
S72.91XQ	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD10

S72.91XR	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.91XS	Unspecified fracture of right femur, sequela	ICD10
S72.92XA	Unspecified fracture of left femur, initial encounter for closed fracture	ICD10
S72.92XB	Unspecified fracture of left femur, initial encounter for open fracture type I or II	ICD10
S72.92XC	Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S72.92XD	Unspecified fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD10
S72.92XE	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD10
S72.92XF	Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S72.92XG	Unspecified fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD10
S72.92XH	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S72.92XJ	Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S72.92XK	Unspecified fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD10
S72.92XM	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD10
S72.92XN	Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S72.92XP	Unspecified fracture of left femur, subsequent encounter for closed fracture with malunion	ICD10
S72.92XQ	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD10
S72.92XR	Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S72.92XS	Unspecified fracture of left femur, sequela	ICD10
S73.001A	Unspecified subluxation of right hip, initial encounter	ICD10
S73.001D	Unspecified subluxation of right hip, subsequent encounter	ICD10
S73.001S	Unspecified subluxation of right hip, sequela	ICD10
S73.002A	Unspecified subluxation of left hip, initial encounter	ICD10
S73.002D	Unspecified subluxation of left hip, subsequent encounter	ICD10
S73.002S	Unspecified subluxation of left hip, sequela	ICD10
S73.003A	Unspecified subluxation of unspecified hip, initial encounter	ICD10
S73.003D	Unspecified subluxation of unspecified hip, subsequent encounter	ICD10
S73.003S	Unspecified subluxation of unspecified hip, sequela	ICD10
S73.004A	Unspecified dislocation of right hip, initial encounter	ICD10
S73.004D	Unspecified dislocation of right hip, subsequent encounter	ICD10
S73.004S	Unspecified dislocation of right hip, sequela	ICD10
S73.005A	Unspecified dislocation of left hip, initial encounter	ICD10
S73.005D	Unspecified dislocation of left hip, subsequent encounter	ICD10
S73.005S	Unspecified dislocation of left hip, sequela	ICD10
S73.006A	Unspecified dislocation of unspecified hip, initial encounter	ICD10
S73.006D	Unspecified dislocation of unspecified hip, subsequent encounter	ICD10
S73.006S	Unspecified dislocation of unspecified hip, sequela	ICD10
S73.011A	Posterior subluxation of right hip, initial encounter	ICD10
S73.011D	Posterior subluxation of right hip, subsequent encounter	ICD10
S73.011S	Posterior subluxation of right hip, sequela	ICD10
S73.012A	Posterior subluxation of left hip, initial encounter	ICD10

S73.012D	Posterior subluxation of left hip, subsequent encounter	ICD10
S73.012S	Posterior subluxation of left hip, sequela	ICD10
S73.013A	Posterior subluxation of unspecified hip, initial encounter	ICD10
S73.013D	Posterior subluxation of unspecified hip, subsequent encounter	ICD10
S73.013S	Posterior subluxation of unspecified hip, sequela	ICD10
S73.014A	Posterior dislocation of right hip, initial encounter	ICD10
S73.014D	Posterior dislocation of right hip, subsequent encounter	ICD10
S73.014S	Posterior dislocation of right hip, sequela	ICD10
S73.015A	Posterior dislocation of left hip, initial encounter	ICD10
S73.015D	Posterior dislocation of left hip, subsequent encounter	ICD10
S73.015S	Posterior dislocation of left hip, sequela	ICD10
S73.016A	Posterior dislocation of unspecified hip, initial encounter	ICD10
S73.016D	Posterior dislocation of unspecified hip, subsequent encounter	ICD10
S73.016S	Posterior dislocation of unspecified hip, sequela	ICD10
S73.021A	Obturator subluxation of right hip, initial encounter	ICD10
S73.021D	Obturator subluxation of right hip, subsequent encounter	ICD10
S73.021S	Obturator subluxation of right hip, sequela	ICD10
S73.022A	Obturator subluxation of left hip, initial encounter	ICD10
S73.022D	Obturator subluxation of left hip, subsequent encounter	ICD10
S73.022S	Obturator subluxation of left hip, sequela	ICD10
S73.023A	Obturator subluxation of unspecified hip, initial encounter	ICD10
S73.023D	Obturator subluxation of unspecified hip, subsequent encounter	ICD10
S73.023S	Obturator subluxation of unspecified hip, sequela	ICD10
S73.024A	Obturator dislocation of right hip, initial encounter	ICD10
S73.024D	Obturator dislocation of right hip, subsequent encounter	ICD10
S73.024S	Obturator dislocation of right hip, sequela	ICD10
S73.025A	Obturator dislocation of left hip, initial encounter	ICD10
S73.025D	Obturator dislocation of left hip, subsequent encounter	ICD10
S73.025S	Obturator dislocation of left hip, sequela	ICD10
S73.026A	Obturator dislocation of unspecified hip, initial encounter	ICD10
S73.026D	Obturator dislocation of unspecified hip, subsequent encounter	ICD10
S73.026S	Obturator dislocation of unspecified hip, sequela	ICD10
S73.031A	Other anterior subluxation of right hip, initial encounter	ICD10
S73.031D	Other anterior subluxation of right hip, subsequent encounter	ICD10
S73.031S	Other anterior subluxation of right hip, sequela	ICD10
S73.032A	Other anterior subluxation of left hip, initial encounter	ICD10
S73.032D	Other anterior subluxation of left hip, subsequent encounter	ICD10
S73.032S	Other anterior subluxation of left hip, sequela	ICD10
S73.033A	Other anterior subluxation of unspecified hip, initial encounter	ICD10
S73.033D	Other anterior subluxation of unspecified hip, subsequent encounter	ICD10
S73.033S	Other anterior subluxation of unspecified hip, sequela	ICD10
S73.034A	Other anterior dislocation of right hip, initial encounter	ICD10
S73.034D	Other anterior dislocation of right hip, subsequent encounter	ICD10
S73.034S	Other anterior dislocation of right hip, sequela	ICD10
S73.035A	Other anterior dislocation of left hip, initial encounter	ICD10
S73.035D	Other anterior dislocation of left hip, subsequent encounter	ICD10
S73.035S	Other anterior dislocation of left hip, sequela	ICD10
S73.036A	Other anterior dislocation of unspecified hip, initial encounter	ICD10
S73.036D	Other anterior dislocation of unspecified hip, subsequent encounter	ICD10
S73.036S	Other anterior dislocation of unspecified hip, sequela	ICD10
S73.041A	Central subluxation of right hip, initial encounter	ICD10

S73.041D	Central subluxation of right hip, subsequent encounter	ICD10
S73.041S	Central subluxation of right hip, sequela	ICD10
S73.042A	Central subluxation of left hip, initial encounter	ICD10
S73.042D	Central subluxation of left hip, subsequent encounter	ICD10
S73.042S	Central subluxation of left hip, sequela	ICD10
S73.043A	Central subluxation of unspecified hip, initial encounter	ICD10
S73.043D	Central subluxation of unspecified hip, subsequent encounter	ICD10
S73.043S	Central subluxation of unspecified hip, sequela	ICD10
S73.044A	Central dislocation of right hip, initial encounter	ICD10
S73.044D	Central dislocation of right hip, subsequent encounter	ICD10
S73.044S	Central dislocation of right hip, sequela	ICD10
S73.045A	Central dislocation of left hip, initial encounter	ICD10
S73.045D	Central dislocation of left hip, subsequent encounter	ICD10
S73.045S	Central dislocation of left hip, sequela	ICD10
S73.046A	Central dislocation of unspecified hip, initial encounter	ICD10
S73.046D	Central dislocation of unspecified hip, subsequent encounter	ICD10
S73.046S	Central dislocation of unspecified hip, sequela	ICD10
S76.091A	Other specified injury of muscle, fascia and tendon of right hip, initial encounter	ICD10
S76.091D	Other specified injury of muscle, fascia and tendon of right hip, subsequent encounter	ICD10
S76.091S	Other specified injury of muscle, fascia and tendon of right hip, sequela	ICD10
S76.092A	Other specified injury of muscle, fascia and tendon of left hip, initial encounter	ICD10
S76.092D	Other specified injury of muscle, fascia and tendon of left hip, subsequent encounter	ICD10
S76.092S	Other specified injury of muscle, fascia and tendon of left hip, sequela	ICD10
S76.099A	Other specified injury of muscle, fascia and tendon of unspecified hip, initial encounter	ICD10
S76.099D	Other specified injury of muscle, fascia and tendon of unspecified hip, subsequent encounter	ICD10
S76.099S	Other specified injury of muscle, fascia and tendon of unspecified hip, sequela	ICD10
S76.101A	Unspecified injury of right quadriceps muscle, fascia and tendon, initial encounter	ICD10
S76.101D	Unspecified injury of right quadriceps muscle, fascia and tendon, subsequent encounter	ICD10
S76.101S	Unspecified injury of right quadriceps muscle, fascia and tendon, sequela	ICD10
S76.102A	Unspecified injury of left quadriceps muscle, fascia and tendon, initial encounter	ICD10
S76.102D	Unspecified injury of left quadriceps muscle, fascia and tendon, subsequent encounter	ICD10
S76.102S	Unspecified injury of left quadriceps muscle, fascia and tendon, sequela	ICD10
S76.109A	Unspecified injury of unspecified quadriceps muscle, fascia and tendon, initial encounter	ICD10
S76.109D	Unspecified injury of unspecified quadriceps muscle, fascia and tendon, subsequent encounter	ICD10
S76.109S	Unspecified injury of unspecified quadriceps muscle, fascia and tendon, sequela	ICD10
S76.191A	Other specified injury of right quadriceps muscle, fascia and tendon, initial encounter	ICD10
S76.191D	Other specified injury of right quadriceps muscle, fascia and tendon, subsequent encounter	ICD10
S76.191S	Other specified injury of right quadriceps muscle, fascia and tendon, sequela	ICD10
S76.192A	Other specified injury of left quadriceps muscle, fascia and tendon, initial encounter	ICD10
S76.192D	Other specified injury of left quadriceps muscle, fascia and tendon, subsequent encounter	ICD10
S76.192S	Other specified injury of left quadriceps muscle, fascia and tendon, sequela	ICD10
S76.199A	Other specified injury of unspecified quadriceps muscle, fascia and tendon, initial encounter	ICD10
S76.199D	Other specified injury of unspecified quadriceps muscle, fascia and tendon, subsequent encounter	ICD10
S76.199S	Other specified injury of unspecified quadriceps muscle, fascia and tendon, sequela	ICD10
S76.201A	Unspecified injury of adductor muscle, fascia and tendon of right thigh, initial encounter	ICD10
S76.201D	Unspecified injury of adductor muscle, fascia and tendon of right thigh, subsequent encounter	ICD10
S76.201S	Unspecified injury of adductor muscle, fascia and tendon of right thigh, sequela	ICD10
S76.202A	Unspecified injury of adductor muscle, fascia and tendon of left thigh, initial encounter	ICD10
S76.202D	Unspecified injury of adductor muscle, fascia and tendon of left thigh, subsequent encounter	ICD10
S76.202S	Unspecified injury of adductor muscle, fascia and tendon of left thigh, sequela	ICD10

S76.209A	Unspecified injury of adductor muscle, fascia and tendon of unspecified thigh, initial encounter	ICD10
S76.209D	Unspecified injury of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter	ICD10
S76.209S	Unspecified injury of adductor muscle, fascia and tendon of unspecified thigh, sequela	ICD10
S76.291A	Other injury of adductor muscle, fascia and tendon of right thigh, initial encounter	ICD10
S76.291D	Other injury of adductor muscle, fascia and tendon of right thigh, subsequent encounter	ICD10
S76.291S	Other injury of adductor muscle, fascia and tendon of right thigh, sequela	ICD10
S76.292A	Other injury of adductor muscle, fascia and tendon of left thigh, initial encounter	ICD10
S76.292D	Other injury of adductor muscle, fascia and tendon of left thigh, subsequent encounter	ICD10
S76.292S	Other injury of adductor muscle, fascia and tendon of left thigh, sequela	ICD10
S76.299A	Other injury of adductor muscle, fascia and tendon of unspecified thigh, initial encounter	ICD10
S76.299D	Other injury of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter	ICD10
S76.299S	Other injury of adductor muscle, fascia and tendon of unspecified thigh, sequela	ICD10
S76.301A	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, initial encounter	ICD10
S76.301D	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter	ICD10
S76.301S	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela	ICD10
S76.302A	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, initial encounter	ICD10
S76.302D	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter	ICD10
S76.302S	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela	ICD10
S76.309A	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, initial encounter	ICD10
S76.309D	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter	ICD10
S76.309S	Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela	ICD10
S76.391A	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, initial encounter	ICD10
S76.391D	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter	ICD10
S76.391S	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela	ICD10
S76.392A	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, initial encounter	ICD10
S76.392D	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter	ICD10
S76.392S	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela	ICD10
S76.399A	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, initial encounter	ICD10
S76.399D	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter	ICD10
S76.399S	Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela	ICD10
S76.801A	Unspecified injury of other specified muscles, fascia and tendons at thigh level, right thigh, initial encounter	ICD10

S76.801D	Unspecified injury of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter	ICD10
S76.801S	Unspecified injury of other specified muscles, fascia and tendons at thigh level, right thigh, sequela	ICD10
S76.802A	Unspecified injury of other specified muscles, fascia and tendons at thigh level, left thigh, initial encounter	ICD10
S76.802D	Unspecified injury of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter	ICD10
S76.802S	Unspecified injury of other specified muscles, fascia and tendons at thigh level, left thigh, sequela	ICD10
S76.809A	Unspecified injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter	ICD10
S76.809D	Unspecified injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter	ICD10
S76.809S	Unspecified injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela	ICD10
S76.891A	Other injury of other specified muscles, fascia and tendons at thigh level, right thigh, initial encounter	ICD10
S76.891D	Other injury of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter	ICD10
S76.891S	Other injury of other specified muscles, fascia and tendons at thigh level, right thigh, sequela	ICD10
S76.892A	Other injury of other specified muscles, fascia and tendons at thigh level, left thigh, initial encounter	ICD10
S76.892D	Other injury of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter	ICD10
S76.892S	Other injury of other specified muscles, fascia and tendons at thigh level, left thigh, sequela	ICD10
S76.899A	Other injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter	ICD10
S76.899D	Other injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter	ICD10
S76.899S	Other injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela	ICD10
S76.901A	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, initial encounter	ICD10
S76.901D	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter	ICD10
S76.901S	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela	ICD10
S76.902A	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, initial encounter	ICD10
S76.902D	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter	ICD10
S76.902S	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela	ICD10
S76.909A	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter	ICD10
S76.909D	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter	ICD10
S76.909S	Unspecified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela	ICD10
S76.991A	Other specified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, initial encounter	ICD10

S76.991D	Other specified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter	ICD10
S76.991S	Other specified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela	ICD10
S76.992A	Other specified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, initial encounter	ICD10
S76.992D	Other specified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter	ICD10
S76.992S	Other specified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela	ICD10
S76.999A	Other specified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter	ICD10
S76.999D	Other specified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter	ICD10
S76.999S	Other specified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela	ICD10
S79.001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD10
S79.001D	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing	ICD10
S79.001G	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.001K	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.001P	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.001S	Unspecified physeal fracture of upper end of right femur, sequela	ICD10
S79.002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD10
S79.002D	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.002G	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.002K	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.002P	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.002S	Unspecified physeal fracture of upper end of left femur, sequela	ICD10
S79.009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD10
S79.009D	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.009G	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S79.009K	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.009P	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.009S	Unspecified physeal fracture of upper end of unspecified femur, sequela	ICD10
S79.011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD10
S79.011D	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing	ICD10

S79.011G	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.011K	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.011P	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.011S	Salter-Harris Type I physeal fracture of upper end of right femur, sequela	ICD10
S79.012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD10
S79.012D	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.012G	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.012K	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.012P	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.012S	Salter-Harris Type I physeal fracture of upper end of left femur, sequela	ICD10
S79.019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD10
S79.019D	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.019G	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S79.019K	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.019P	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.019S	Salter-Harris Type I physeal fracture of upper end of unspecified femur, sequela	ICD10
S79.091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD10
S79.091D	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing	ICD10
S79.091G	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.091K	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.091P	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.091S	Other physeal fracture of upper end of right femur, sequela	ICD10
S79.092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD10
S79.092D	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.092G	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.092K	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.092P	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.092S	Other physeal fracture of upper end of left femur, sequela	ICD10
S79.099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD10

S79.099D	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.099G	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S79.099K	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.099P	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.099S	Other physeal fracture of upper end of unspecified femur, sequela	ICD10
S79.101A	Unspecified physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S79.101D	Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD10
S79.101G	Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.101K	Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.101P	Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.101S	Unspecified physeal fracture of lower end of right femur, sequela	ICD10
S79.102A	Unspecified physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S79.102D	Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.102G	Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.102K	Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.102P	Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.102S	Unspecified physeal fracture of lower end of left femur, sequela	ICD10
S79.109A	Unspecified physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S79.109D	Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.109G	Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S79.109K	Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.109P	Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.109S	Unspecified physeal fracture of lower end of unspecified femur, sequela	ICD10
S79.111A	Salter-Harris Type I physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S79.111D	Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD10
S79.111G	Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.111K	Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.111P	Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.111S	Salter-Harris Type I physeal fracture of lower end of right femur, sequela	ICD10

S79.112A	Salter-Harris Type I physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S79.112D	Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.112G	Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.112K	Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.112P	Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.112S	Salter-Harris Type I physeal fracture of lower end of left femur, sequela	ICD10
S79.119A	Salter-Harris Type I physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S79.119D	Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.119G	Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S79.119K	Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.119P	Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.119S	Salter-Harris Type I physeal fracture of lower end of unspecified femur, sequela	ICD10
S79.121A	Salter-Harris Type II physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S79.121D	Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD10
S79.121G	Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.121K	Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.121P	Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.121S	Salter-Harris Type II physeal fracture of lower end of right femur, sequela	ICD10
S79.122A	Salter-Harris Type II physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S79.122D	Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.122G	Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.122K	Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.122P	Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.122S	Salter-Harris Type II physeal fracture of lower end of left femur, sequela	ICD10
S79.129A	Salter-Harris Type II physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S79.129D	Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.129G	Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10

S79.129K	Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.129P	Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.129S	Salter-Harris Type II physeal fracture of lower end of unspecified femur, sequela	ICD10
S79.131A	Salter-Harris Type III physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S79.131D	Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD10
S79.131G	Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.131K	Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.131P	Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.131S	Salter-Harris Type III physeal fracture of lower end of right femur, sequela	ICD10
S79.132A	Salter-Harris Type III physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S79.132D	Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.132G	Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.132K	Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.132P	Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.132S	Salter-Harris Type III physeal fracture of lower end of left femur, sequela	ICD10
S79.139A	Salter-Harris Type III physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S79.139D	Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.139G	Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S79.139K	Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.139P	Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.139S	Salter-Harris Type III physeal fracture of lower end of unspecified femur, sequela	ICD10
S79.141A	Salter-Harris Type IV physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S79.141D	Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD10
S79.141G	Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.141K	Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.141P	Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.141S	Salter-Harris Type IV physeal fracture of lower end of right femur, sequela	ICD10
S79.142A	Salter-Harris Type IV physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD10

S79.142D	Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.142G	Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.142K	Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.142P	Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.142S	Salter-Harris Type IV physeal fracture of lower end of left femur, sequela	ICD10
S79.149A	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S79.149D	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.149G	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S79.149K	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.149P	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.149S	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, sequela	ICD10
S79.191A	Other physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD10
S79.191D	Other physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD10
S79.191G	Other physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD10
S79.191K	Other physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD10
S79.191P	Other physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD10
S79.191S	Other physeal fracture of lower end of right femur, sequela	ICD10
S79.192A	Other physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD10
S79.192D	Other physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD10
S79.192G	Other physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD10
S79.192K	Other physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD10
S79.192P	Other physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD10
S79.192S	Other physeal fracture of lower end of left femur, sequela	ICD10
S79.199A	Other physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD10
S79.199D	Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD10
S79.199G	Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD10
S79.199K	Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD10
S79.199P	Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD10
S79.199S	Other physeal fracture of lower end of unspecified femur, sequela	ICD10
S79.811A	Other specified injuries of right hip, initial encounter	ICD10

S79.811D	Other specified injuries of right hip, subsequent encounter	ICD10
S79.811S	Other specified injuries of right hip, sequela	ICD10
S79.812A	Other specified injuries of left hip, initial encounter	ICD10
S79.812D	Other specified injuries of left hip, subsequent encounter	ICD10
S79.812S	Other specified injuries of left hip, sequela	ICD10
S79.819A	Other specified injuries of unspecified hip, initial encounter	ICD10
S79.819D	Other specified injuries of unspecified hip, subsequent encounter	ICD10
S79.819S	Other specified injuries of unspecified hip, sequela	ICD10
S79.821A	Other specified injuries of right thigh, initial encounter	ICD10
S79.821D	Other specified injuries of right thigh, subsequent encounter	ICD10
S79.821S	Other specified injuries of right thigh, sequela	ICD10
S79.822A	Other specified injuries of left thigh, initial encounter	ICD10
S79.822D	Other specified injuries of left thigh, subsequent encounter	ICD10
S79.822S	Other specified injuries of left thigh, sequela	ICD10
S79.829A	Other specified injuries of unspecified thigh, initial encounter	ICD10
S79.829D	Other specified injuries of unspecified thigh, subsequent encounter	ICD10
S79.829S	Other specified injuries of unspecified thigh, sequela	ICD10
S79.911A	Unspecified injury of right hip, initial encounter	ICD10
S79.911D	Unspecified injury of right hip, subsequent encounter	ICD10
S79.911S	Unspecified injury of right hip, sequela	ICD10
S79.912A	Unspecified injury of left hip, initial encounter	ICD10
S79.912D	Unspecified injury of left hip, subsequent encounter	ICD10
S79.912S	Unspecified injury of left hip, sequela	ICD10
S79.919A	Unspecified injury of unspecified hip, initial encounter	ICD10
S79.919D	Unspecified injury of unspecified hip, subsequent encounter	ICD10
S79.919S	Unspecified injury of unspecified hip, sequela	ICD10
S79.921A	Unspecified injury of right thigh, initial encounter	ICD10
S79.921D	Unspecified injury of right thigh, subsequent encounter	ICD10
S79.921S	Unspecified injury of right thigh, sequela	ICD10
S79.922A	Unspecified injury of left thigh, initial encounter	ICD10
S79.922D	Unspecified injury of left thigh, subsequent encounter	ICD10
S79.922S	Unspecified injury of left thigh, sequela	ICD10
S79.929A	Unspecified injury of unspecified thigh, initial encounter	ICD10
S79.929D	Unspecified injury of unspecified thigh, subsequent encounter	ICD10
S79.929S	Unspecified injury of unspecified thigh, sequela	ICD10
S82.001A	Unspecified fracture of right patella, initial encounter for closed fracture	ICD10
S82.001B	Unspecified fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.001C	Unspecified fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.001D	Unspecified fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.001E	Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.001F	Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.001G	Unspecified fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.001H	Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.001I	Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.001K	Unspecified fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10

S82.001M	Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.001N	Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.001P	Unspecified fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.001Q	Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.001R	Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.001S	Unspecified fracture of right patella, sequela	ICD10
S82.002A	Unspecified fracture of left patella, initial encounter for closed fracture	ICD10
S82.002B	Unspecified fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.002C	Unspecified fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.002D	Unspecified fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.002E	Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.002F	Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.002G	Unspecified fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.002H	Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.002J	Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.002K	Unspecified fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.002M	Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.002N	Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.002P	Unspecified fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.002Q	Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.002R	Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.002S	Unspecified fracture of left patella, sequela	ICD10
S82.009A	Unspecified fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.009B	Unspecified fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.009C	Unspecified fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.009D	Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.009E	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.009F	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.009G	Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.009H	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.009J	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.009K	Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.009M	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.009N	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.009P	Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.009Q	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.009R	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.009S	Unspecified fracture of unspecified patella, sequela	ICD10
S82.011A	Displaced osteochondral fracture of right patella, initial encounter for closed fracture	ICD10
S82.011B	Displaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.011C	Displaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.011D	Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.011E	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.011F	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.011G	Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.011H	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.011J	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.011K	Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.011M	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.011N	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.011P	Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.011Q	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.011R	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.011S	Displaced osteochondral fracture of right patella, sequela	ICD10
S82.012A	Displaced osteochondral fracture of left patella, initial encounter for closed fracture	ICD10
S82.012B	Displaced osteochondral fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.012C	Displaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.012D	Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10

S82.012E	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.012F	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.012G	Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.012H	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.012J	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.012K	Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.012M	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.012N	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.012P	Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.012Q	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.012R	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.012S	Displaced osteochondral fracture of left patella, sequela	ICD10
S82.013A	Displaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.013B	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.013C	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.013D	Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.013E	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.013F	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.013G	Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.013H	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.013J	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.013K	Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.013M	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.013N	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.013P	Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.013Q	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.013R	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.013S	Displaced osteochondral fracture of unspecified patella, sequela	ICD10
S82.014A	Nondisplaced osteochondral fracture of right patella, initial encounter for closed fracture	ICD10
S82.014B	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.014C	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.014D	Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.014E	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.014F	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.014G	Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.014H	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.014J	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.014K	Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.014M	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.014N	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.014P	Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.014Q	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.014R	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.014S	Nondisplaced osteochondral fracture of right patella, sequela	ICD10
S82.015A	Nondisplaced osteochondral fracture of left patella, initial encounter for closed fracture	ICD10
S82.015B	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.015C	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.015D	Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.015E	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.015F	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.015G	Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.015H	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.015J	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S82.015K	Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.015M	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.015N	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.015P	Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.015Q	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.015R	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.015S	Nondisplaced osteochondral fracture of left patella, sequela	ICD10
S82.016A	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.016B	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.016C	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.016D	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.016E	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.016F	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.016G	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.016H	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.016J	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.016K	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.016M	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.016N	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.016P	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.016Q	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.016R	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.016S	Nondisplaced osteochondral fracture of unspecified patella, sequela	ICD10
S82.021A	Displaced longitudinal fracture of right patella, initial encounter for closed fracture	ICD10
S82.021B	Displaced longitudinal fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.021C	Displaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.021D	Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.021E	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10

S82.021F	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.021G	Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.021H	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.021J	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.021K	Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.021M	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.021N	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.021P	Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.021Q	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.021R	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.021S	Displaced longitudinal fracture of right patella, sequela	ICD10
S82.022A	Displaced longitudinal fracture of left patella, initial encounter for closed fracture	ICD10
S82.022B	Displaced longitudinal fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.022C	Displaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.022D	Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.022E	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.022F	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.022G	Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.022H	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.022J	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.022K	Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.022M	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.022N	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.022P	Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.022Q	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.022R	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.022S	Displaced longitudinal fracture of left patella, sequela	ICD10
S82.023A	Displaced longitudinal fracture of unspecified patella, initial encounter for closed fracture	ICD10

S82.023B	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.023C	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.023D	Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.023E	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.023F	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.023G	Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.023H	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.023J	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.023K	Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.023M	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.023N	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.023P	Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.023Q	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.023R	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.023S	Displaced longitudinal fracture of unspecified patella, sequela	ICD10
S82.024A	Nondisplaced longitudinal fracture of right patella, initial encounter for closed fracture	ICD10
S82.024B	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.024C	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.024D	Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.024E	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.024F	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.024G	Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.024H	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.024J	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.024K	Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.024M	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.024N	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.024P	Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.024Q	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.024R	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.024S	Nondisplaced longitudinal fracture of right patella, sequela	ICD10
S82.025A	Nondisplaced longitudinal fracture of left patella, initial encounter for closed fracture	ICD10
S82.025B	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.025C	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.025D	Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.025E	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.025F	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.025G	Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.025H	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.025J	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.025K	Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.025M	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.025N	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.025P	Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.025Q	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.025R	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.025S	Nondisplaced longitudinal fracture of left patella, sequela	ICD10
S82.026A	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.026B	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.026C	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.026D	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.026E	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.026F	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.026G	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.026H	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.026J	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.026K	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.026M	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.026N	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.026P	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.026Q	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.026R	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.026S	Nondisplaced longitudinal fracture of unspecified patella, sequela	ICD10
S82.031A	Displaced transverse fracture of right patella, initial encounter for closed fracture	ICD10
S82.031B	Displaced transverse fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.031C	Displaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.031D	Displaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.031E	Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.031F	Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.031G	Displaced transverse fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.031H	Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.031J	Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.031K	Displaced transverse fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.031M	Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.031N	Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.031P	Displaced transverse fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.031Q	Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.031R	Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.031S	Displaced transverse fracture of right patella, sequela	ICD10
S82.032A	Displaced transverse fracture of left patella, initial encounter for closed fracture	ICD10
S82.032B	Displaced transverse fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.032C	Displaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.032D	Displaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10

S82.032E	Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.032F	Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.032G	Displaced transverse fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.032H	Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.032J	Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.032K	Displaced transverse fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.032M	Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.032N	Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.032P	Displaced transverse fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.032Q	Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.032R	Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.032S	Displaced transverse fracture of left patella, sequela	ICD10
S82.033A	Displaced transverse fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.033B	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.033C	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.033D	Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.033E	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.033F	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.033G	Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.033H	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.033J	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.033K	Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.033M	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.033N	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.033P	Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.033Q	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.033R	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.033S	Displaced transverse fracture of unspecified patella, sequela	ICD10
S82.034A	Nondisplaced transverse fracture of right patella, initial encounter for closed fracture	ICD10
S82.034B	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.034C	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.034D	Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.034E	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.034F	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.034G	Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.034H	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.034J	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.034K	Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.034M	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.034N	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.034P	Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.034Q	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.034R	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.034S	Nondisplaced transverse fracture of right patella, sequela	ICD10
S82.035A	Nondisplaced transverse fracture of left patella, initial encounter for closed fracture	ICD10
S82.035B	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.035C	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.035D	Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.035E	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.035F	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.035G	Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.035H	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.035J	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.035K	Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10

S82.035M	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.035N	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.035P	Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.035Q	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.035R	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.035S	Nondisplaced transverse fracture of left patella, sequela	ICD10
S82.036A	Nondisplaced transverse fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.036B	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.036C	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.036D	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.036E	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.036F	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.036G	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.036H	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.036J	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.036K	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.036M	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.036N	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.036P	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.036Q	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.036R	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.036S	Nondisplaced transverse fracture of unspecified patella, sequela	ICD10
S82.041A	Displaced comminuted fracture of right patella, initial encounter for closed fracture	ICD10
S82.041B	Displaced comminuted fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.041C	Displaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.041D	Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.041E	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.041F	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S82.041G	Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.041H	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.041J	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.041K	Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.041M	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.041N	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.041P	Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.041Q	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.041R	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.041S	Displaced comminuted fracture of right patella, sequela	ICD10
S82.042A	Displaced comminuted fracture of left patella, initial encounter for closed fracture	ICD10
S82.042B	Displaced comminuted fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.042C	Displaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.042D	Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.042E	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.042F	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.042G	Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.042H	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.042J	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.042K	Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.042M	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.042N	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.042P	Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.042Q	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.042R	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.042S	Displaced comminuted fracture of left patella, sequela	ICD10
S82.043A	Displaced comminuted fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.043B	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10

S82.043C	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.043D	Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.043E	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.043F	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.043G	Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.043H	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.043J	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.043K	Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.043M	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.043N	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.043P	Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.043Q	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.043R	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.043S	Displaced comminuted fracture of unspecified patella, sequela	ICD10
S82.044A	Nondisplaced comminuted fracture of right patella, initial encounter for closed fracture	ICD10
S82.044B	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.044C	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.044D	Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.044E	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.044F	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.044G	Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.044H	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.044J	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.044K	Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.044M	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.044N	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.044P	Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.044Q	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.044R	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.044S	Nondisplaced comminuted fracture of right patella, sequela	ICD10
S82.045A	Nondisplaced comminuted fracture of left patella, initial encounter for closed fracture	ICD10
S82.045B	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.045C	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.045D	Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.045E	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.045F	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.045G	Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.045H	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.045J	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.045K	Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.045M	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.045N	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.045P	Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.045Q	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.045R	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.045S	Nondisplaced comminuted fracture of left patella, sequela	ICD10
S82.046A	Nondisplaced comminuted fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.046B	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.046C	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.046D	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.046E	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.046F	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.046G	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.046H	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.046J	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.046K	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.046M	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.046N	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.046P	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.046Q	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.046R	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.046S	Nondisplaced comminuted fracture of unspecified patella, sequela	ICD10
S82.091A	Other fracture of right patella, initial encounter for closed fracture	ICD10
S82.091B	Other fracture of right patella, initial encounter for open fracture type I or II	ICD10
S82.091C	Other fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.091D	Other fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.091E	Other fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.091F	Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.091G	Other fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.091H	Other fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.091J	Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.091K	Other fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.091M	Other fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.091N	Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.091P	Other fracture of right patella, subsequent encounter for closed fracture with malunion	ICD10
S82.091Q	Other fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.091R	Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.091S	Other fracture of right patella, sequela	ICD10
S82.092A	Other fracture of left patella, initial encounter for closed fracture	ICD10
S82.092B	Other fracture of left patella, initial encounter for open fracture type I or II	ICD10
S82.092C	Other fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.092D	Other fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.092E	Other fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.092F	Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.092G	Other fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.092H	Other fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.092J	Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S82.092K	Other fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.092M	Other fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.092N	Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.092P	Other fracture of left patella, subsequent encounter for closed fracture with malunion	ICD10
S82.092Q	Other fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.092R	Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.092S	Other fracture of left patella, sequela	ICD10
S82.099A	Other fracture of unspecified patella, initial encounter for closed fracture	ICD10
S82.099B	Other fracture of unspecified patella, initial encounter for open fracture type I or II	ICD10
S82.099C	Other fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.099D	Other fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD10
S82.099E	Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.099F	Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.099G	Other fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD10
S82.099H	Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.099J	Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.099K	Other fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD10
S82.099M	Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.099N	Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.099P	Other fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD10
S82.099Q	Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.099R	Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.099S	Other fracture of unspecified patella, sequela	ICD10
S82.101A	Unspecified fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S82.101B	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type I or II	ICD10
S82.101C	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.101D	Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.101E	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.101F	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.101G	Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.101H	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.101J	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S82.101K	Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.101M	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.101N	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.101P	Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.101Q	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.101R	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.101S	Unspecified fracture of upper end of right tibia, sequela	ICD10
S82.102A	Unspecified fracture of upper end of left tibia, initial encounter for closed fracture	ICD10
S82.102B	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type I or II	ICD10
S82.102C	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.102D	Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.102E	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.102F	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.102G	Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.102H	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.102J	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.102K	Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.102M	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.102N	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.102P	Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.102Q	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.102R	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.102S	Unspecified fracture of upper end of left tibia, sequela	ICD10
S82.109A	Unspecified fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10
S82.109B	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.109C	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.109D	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.109E	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10

S82.109F	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.109G	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.109H	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.109J	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.109K	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.109M	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.109N	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.109P	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.109Q	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.109R	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.109S	Unspecified fracture of upper end of unspecified tibia, sequela	ICD10
S82.111A	Displaced fracture of right tibial spine, initial encounter for closed fracture	ICD10
S82.111B	Displaced fracture of right tibial spine, initial encounter for open fracture type I or II	ICD10
S82.111C	Displaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.111D	Displaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing	ICD10
S82.111E	Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.111F	Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.111G	Displaced fracture of right tibial spine, subsequent encounter for closed fracture with delayed healing	ICD10
S82.111H	Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.111J	Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.111K	Displaced fracture of right tibial spine, subsequent encounter for closed fracture with nonunion	ICD10
S82.111M	Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.111N	Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.111P	Displaced fracture of right tibial spine, subsequent encounter for closed fracture with malunion	ICD10
S82.111Q	Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.111R	Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.111S	Displaced fracture of right tibial spine, sequela	ICD10
S82.112A	Displaced fracture of left tibial spine, initial encounter for closed fracture	ICD10
S82.112B	Displaced fracture of left tibial spine, initial encounter for open fracture type I or II	ICD10
S82.112C	Displaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.112D	Displaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing	ICD10
S82.112E	Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.112F	Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.112G	Displaced fracture of left tibial spine, subsequent encounter for closed fracture with delayed healing	ICD10
S82.112H	Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.112J	Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.112K	Displaced fracture of left tibial spine, subsequent encounter for closed fracture with nonunion	ICD10
S82.112M	Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.112N	Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.112P	Displaced fracture of left tibial spine, subsequent encounter for closed fracture with malunion	ICD10
S82.112Q	Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.112R	Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.112S	Displaced fracture of left tibial spine, sequela	ICD10
S82.113A	Displaced fracture of unspecified tibial spine, initial encounter for closed fracture	ICD10
S82.113B	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II	ICD10
S82.113C	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.113D	Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with routine healing	ICD10
S82.113E	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.113F	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.113G	Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with delayed healing	ICD10
S82.113H	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.113J	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.113K	Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with nonunion	ICD10
S82.113M	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.113N	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.113P	Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with malunion	ICD10
S82.113Q	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.113R	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10

S82.113S	Displaced fracture of unspecified tibial spine, sequela	ICD10
S82.114A	Nondisplaced fracture of right tibial spine, initial encounter for closed fracture	ICD10
S82.114B	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type I or II	ICD10
S82.114C	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.114D	Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing	ICD10
S82.114E	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.114F	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.114G	Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with delayed healing	ICD10
S82.114H	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.114J	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.114K	Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with nonunion	ICD10
S82.114M	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.114N	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.114P	Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with malunion	ICD10
S82.114Q	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.114R	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.114S	Nondisplaced fracture of right tibial spine, sequela	ICD10
S82.115A	Nondisplaced fracture of left tibial spine, initial encounter for closed fracture	ICD10
S82.115B	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type I or II	ICD10
S82.115C	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.115D	Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing	ICD10
S82.115E	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.115F	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.115G	Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with delayed healing	ICD10
S82.115H	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.115J	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.115K	Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with nonunion	ICD10
S82.115M	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.115N	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.115P	Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with malunion	ICD10
S82.115Q	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.115R	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.115S	Nondisplaced fracture of left tibial spine, sequela	ICD10
S82.116A	Nondisplaced fracture of unspecified tibial spine, initial encounter for closed fracture	ICD10
S82.116B	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II	ICD10
S82.116C	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.116D	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with routine healing	ICD10
S82.116E	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.116F	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.116G	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with delayed healing	ICD10
S82.116H	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.116J	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.116K	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with nonunion	ICD10
S82.116M	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.116N	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.116P	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with malunion	ICD10
S82.116Q	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.116R	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.116S	Nondisplaced fracture of unspecified tibial spine, sequela	ICD10
S82.121A	Displaced fracture of lateral condyle of right tibia, initial encounter for closed fracture	ICD10
S82.121B	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II	ICD10
S82.121C	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.121D	Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.121E	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.121F	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.121G	Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.121H	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.121J	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.121K	Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.121M	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.121N	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.121P	Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.121Q	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.121R	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.121S	Displaced fracture of lateral condyle of right tibia, sequela	ICD10
S82.122A	Displaced fracture of lateral condyle of left tibia, initial encounter for closed fracture	ICD10
S82.122B	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II	ICD10
S82.122C	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.122D	Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.122E	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.122F	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.122G	Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.122H	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.122J	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.122K	Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.122M	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.122N	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.122P	Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.122Q	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.122R	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.122S	Displaced fracture of lateral condyle of left tibia, sequela	ICD10
S82.123A	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture	ICD10
S82.123B	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.123C	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.123D	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10

S82.123E	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.123F	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.123G	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.123H	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.123J	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.123K	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.123M	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.123N	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.123P	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.123Q	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.123R	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.123S	Displaced fracture of lateral condyle of unspecified tibia, sequela	ICD10
S82.124A	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for closed fracture	ICD10
S82.124B	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II	ICD10
S82.124C	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.124D	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.124E	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.124F	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.124G	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.124H	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.124J	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.124K	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.124M	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.124N	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.124P	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.124Q	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.124R	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.124S	Nondisplaced fracture of lateral condyle of right tibia, sequela	ICD10
S82.125A	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for closed fracture	ICD10
S82.125B	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II	ICD10
S82.125C	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.125D	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.125E	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.125F	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.125G	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.125H	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.125J	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.125K	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.125M	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.125N	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.125P	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.125Q	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.125R	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.125S	Nondisplaced fracture of lateral condyle of left tibia, sequela	ICD10
S82.126A	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture	ICD10
S82.126B	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.126C	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.126D	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.126E	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.126F	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.126G	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.126H	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.126J	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S82.126K	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.126M	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.126N	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.126P	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.126Q	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.126R	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.126S	Nondisplaced fracture of lateral condyle of unspecified tibia, sequela	ICD10
S82.131A	Displaced fracture of medial condyle of right tibia, initial encounter for closed fracture	ICD10
S82.131B	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	ICD10
S82.131C	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.131D	Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.131E	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.131F	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.131G	Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.131H	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.131J	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.131K	Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.131M	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.131N	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.131P	Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.131Q	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.131R	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.131S	Displaced fracture of medial condyle of right tibia, sequela	ICD10
S82.132A	Displaced fracture of medial condyle of left tibia, initial encounter for closed fracture	ICD10
S82.132B	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	ICD10
S82.132C	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.132D	Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.132E	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10

S82.132F	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.132G	Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.132H	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.132J	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.132K	Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.132M	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.132N	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.132P	Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.132Q	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.132R	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.132S	Displaced fracture of medial condyle of left tibia, sequela	ICD10
S82.133A	Displaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	ICD10
S82.133B	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.133C	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.133D	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.133E	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.133F	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.133G	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.133H	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.133J	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.133K	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.133M	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.133N	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.133P	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.133Q	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.133R	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.133S	Displaced fracture of medial condyle of unspecified tibia, sequela	ICD10

S82.134A	Nondisplaced fracture of medial condyle of right tibia, initial encounter for closed fracture	ICD10
S82.134B	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	ICD10
S82.134C	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S82.134D	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.134E	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.134F	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S82.134G	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.134H	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.134J	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S82.134K	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.134M	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.134N	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S82.134P	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.134Q	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.134R	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S82.134S	Nondisplaced fracture of medial condyle of right tibia, sequela	ICD10
S82.135A	Nondisplaced fracture of medial condyle of left tibia, initial encounter for closed fracture	ICD10
S82.135B	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	ICD10
S82.135C	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S82.135D	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.135E	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.135F	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S82.135G	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.135H	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.135J	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S82.135K	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.135M	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10

S82.135N	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.135P	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.135Q	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.135R	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.135S	Nondisplaced fracture of medial condyle of left tibia, sequela	ICD10
S82.136A	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	ICD10
S82.136B	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.136C	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.136D	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.136E	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.136F	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.136G	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.136H	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.136J	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.136K	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.136M	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.136N	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.136P	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.136Q	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.136R	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.136S	Nondisplaced fracture of medial condyle of unspecified tibia, sequela	ICD10
S82.141A	Displaced bicondylar fracture of right tibia, initial encounter for closed fracture	ICD10
S82.141B	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	ICD10
S82.141C	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.141D	Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.141E	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.141F	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S82.141G	Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.141H	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.141J	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.141K	Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.141M	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.141N	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.141P	Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.141Q	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.141R	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.141S	Displaced bicondylar fracture of right tibia, sequela	ICD10
S82.142A	Displaced bicondylar fracture of left tibia, initial encounter for closed fracture	ICD10
S82.142B	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	ICD10
S82.142C	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.142D	Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.142E	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.142F	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.142G	Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.142H	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.142J	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.142K	Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.142M	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.142N	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.142P	Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.142Q	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.142R	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.142S	Displaced bicondylar fracture of left tibia, sequela	ICD10
S82.143A	Displaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	ICD10
S82.143B	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.143C	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.143D	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.143E	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.143F	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.143G	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.143H	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.143J	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.143K	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.143M	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.143N	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.143P	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.143Q	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.143R	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.143S	Displaced bicondylar fracture of unspecified tibia, sequela	ICD10
S82.144A	Nondisplaced bicondylar fracture of right tibia, initial encounter for closed fracture	ICD10
S82.144B	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	ICD10
S82.144C	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.144D	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.144E	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.144F	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.144G	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.144H	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.144J	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.144K	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.144M	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.144N	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.144P	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.144Q	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.144R	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.144S	Nondisplaced bicondylar fracture of right tibia, sequela	ICD10
S82.145A	Nondisplaced bicondylar fracture of left tibia, initial encounter for closed fracture	ICD10
S82.145B	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	ICD10
S82.145C	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.145D	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.145E	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.145F	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.145G	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.145H	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.145J	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.145K	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.145M	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.145N	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.145P	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.145Q	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.145R	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.145S	Nondisplaced bicondylar fracture of left tibia, sequela	ICD10
S82.146A	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	ICD10
S82.146B	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.146C	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.146D	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.146E	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.146F	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.146G	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.146H	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.146J	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.146K	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10

S82.146M	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.146N	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.146P	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.146Q	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.146R	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.146S	Nondisplaced bicondylar fracture of unspecified tibia, sequela	ICD10
S82.151A	Displaced fracture of right tibial tuberosity, initial encounter for closed fracture	ICD10
S82.151B	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	ICD10
S82.151C	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.151D	Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD10
S82.151E	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.151F	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.151G	Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD10
S82.151H	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.151J	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.151K	Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD10
S82.151M	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.151N	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.151P	Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD10
S82.151Q	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.151R	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.151S	Displaced fracture of right tibial tuberosity, sequela	ICD10
S82.152A	Displaced fracture of left tibial tuberosity, initial encounter for closed fracture	ICD10
S82.152B	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	ICD10
S82.152C	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.152D	Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD10
S82.152E	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.152F	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S82.152G	Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD10
S82.152H	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.152J	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.152K	Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD10
S82.152M	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.152N	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.152P	Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD10
S82.152Q	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.152R	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.152S	Displaced fracture of left tibial tuberosity, sequela	ICD10
S82.153A	Displaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	ICD10
S82.153B	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	ICD10
S82.153C	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.153D	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD10
S82.153E	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.153F	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.153G	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD10
S82.153H	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.153J	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.153K	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD10
S82.153M	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.153N	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.153P	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD10
S82.153Q	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.153R	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.153S	Displaced fracture of unspecified tibial tuberosity, sequela	ICD10
S82.154A	Nondisplaced fracture of right tibial tuberosity, initial encounter for closed fracture	ICD10
S82.154B	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	ICD10

S82.154C	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.154D	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD10
S82.154E	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.154F	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.154G	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD10
S82.154H	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.154J	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.154K	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD10
S82.154M	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.154N	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.154P	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD10
S82.154Q	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.154R	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.154S	Nondisplaced fracture of right tibial tuberosity, sequela	ICD10
S82.155A	Nondisplaced fracture of left tibial tuberosity, initial encounter for closed fracture	ICD10
S82.155B	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	ICD10
S82.155C	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.155D	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD10
S82.155E	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.155F	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.155G	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD10
S82.155H	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.155J	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.155K	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD10
S82.155M	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.155N	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.155P	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD10

S82.155Q	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.155R	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.155S	Nondisplaced fracture of left tibial tuberosity, sequela	ICD10
S82.156A	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	ICD10
S82.156B	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	ICD10
S82.156C	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.156D	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD10
S82.156E	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.156F	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.156G	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD10
S82.156H	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.156J	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.156K	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD10
S82.156M	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.156N	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.156P	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD10
S82.156Q	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.156R	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.156S	Nondisplaced fracture of unspecified tibial tuberosity, sequela	ICD10
S82.161A	Torus fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S82.161D	Torus fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S82.161G	Torus fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S82.161K	Torus fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S82.161P	Torus fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD10
S82.161S	Torus fracture of upper end of right tibia, sequela	ICD10
S82.162A	Torus fracture of upper end of left tibia, initial encounter for closed fracture	ICD10
S82.162D	Torus fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S82.162G	Torus fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S82.162K	Torus fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S82.162P	Torus fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD10
S82.162S	Torus fracture of upper end of left tibia, sequela	ICD10
S82.169A	Torus fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10

S82.169D	Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S82.169G	Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S82.169K	Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S82.169P	Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S82.169S	Torus fracture of upper end of unspecified tibia, sequela	ICD10
S82.191A	Other fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S82.191B	Other fracture of upper end of right tibia, initial encounter for open fracture type I or II	ICD10
S82.191C	Other fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.191D	Other fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.191E	Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.191F	Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.191G	Other fracture of upper end of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.191H	Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.191J	Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.191K	Other fracture of upper end of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.191M	Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.191N	Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.191P	Other fracture of upper end of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.191Q	Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.191R	Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.191S	Other fracture of upper end of right tibia, sequela	ICD10
S82.192A	Other fracture of upper end of left tibia, initial encounter for closed fracture	ICD10
S82.192B	Other fracture of upper end of left tibia, initial encounter for open fracture type I or II	ICD10
S82.192C	Other fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.192D	Other fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.192E	Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.192F	Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.192G	Other fracture of upper end of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.192H	Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.192J	Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.192K	Other fracture of upper end of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.192M	Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.192N	Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.192P	Other fracture of upper end of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.192Q	Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.192R	Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.192S	Other fracture of upper end of left tibia, sequela	ICD10
S82.199A	Other fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10
S82.199B	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.199C	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.199D	Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.199E	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.199F	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.199G	Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.199H	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.199J	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.199K	Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.199M	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.199N	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.199P	Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.199Q	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.199R	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.199S	Other fracture of upper end of unspecified tibia, sequela	ICD10
S82.201A	Unspecified fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.201B	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.201C	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.201D	Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10

S82.201E	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.201F	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.201G	Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.201H	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.201J	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.201K	Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.201M	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.201N	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.201P	Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.201Q	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.201R	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.201S	Unspecified fracture of shaft of right tibia, sequela	ICD10
S82.202A	Unspecified fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.202B	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.202C	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.202D	Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.202E	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.202F	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.202G	Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.202H	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.202J	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.202K	Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.202M	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.202N	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.202P	Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.202Q	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.202R	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.202S	Unspecified fracture of shaft of left tibia, sequela	ICD10

S82.209A	Unspecified fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.209B	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.209C	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.209D	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.209E	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.209F	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.209G	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.209H	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.209J	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.209K	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.209M	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.209N	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.209P	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.209Q	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.209R	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.209S	Unspecified fracture of shaft of unspecified tibia, sequela	ICD10
S82.221A	Displaced transverse fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.221B	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.221C	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.221D	Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.221E	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.221F	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.221G	Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.221H	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.221J	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.221K	Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.221M	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.221N	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.221P	Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.221Q	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.221R	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.221S	Displaced transverse fracture of shaft of right tibia, sequela	ICD10
S82.222A	Displaced transverse fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.222B	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.222C	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.222D	Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.222E	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.222F	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.222G	Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.222H	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.222J	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.222K	Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.222M	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.222N	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.222P	Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.222Q	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.222R	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.222S	Displaced transverse fracture of shaft of left tibia, sequela	ICD10
S82.223A	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.223B	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.223C	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.223D	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.223E	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.223F	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.223G	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.223H	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.223J	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.223K	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.223M	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.223N	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.223P	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.223Q	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.223R	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.223S	Displaced transverse fracture of shaft of unspecified tibia, sequela	ICD10
S82.224A	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.224B	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.224C	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.224D	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.224E	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.224F	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.224G	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.224H	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.224J	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.224K	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.224M	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.224N	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.224P	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.224Q	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.224R	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.224S	Nondisplaced transverse fracture of shaft of right tibia, sequela	ICD10
S82.225A	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.225B	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.225C	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.225D	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.225E	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.225F	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.225G	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.225H	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.225J	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.225K	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.225M	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.225N	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.225P	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.225Q	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.225R	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.225S	Nondisplaced transverse fracture of shaft of left tibia, sequela	ICD10
S82.226A	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.226B	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.226C	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.226D	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.226E	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.226F	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.226G	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.226H	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.226J	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.226K	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.226M	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.226N	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.226P	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10

S82.226Q	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.226R	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.226S	Nondisplaced transverse fracture of shaft of unspecified tibia, sequela	ICD10
S82.231A	Displaced oblique fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.231B	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.231C	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.231D	Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.231E	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.231F	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.231G	Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.231H	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.231J	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.231K	Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.231M	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.231N	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.231P	Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.231Q	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.231R	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.231S	Displaced oblique fracture of shaft of right tibia, sequela	ICD10
S82.232A	Displaced oblique fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.232B	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.232C	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.232D	Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.232E	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.232F	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.232G	Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.232H	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.232J	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S82.232K	Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.232M	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.232N	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.232P	Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.232Q	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.232R	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.232S	Displaced oblique fracture of shaft of left tibia, sequela	ICD10
S82.233A	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.233B	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.233C	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.233D	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.233E	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.233F	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.233G	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.233H	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.233J	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.233K	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.233M	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.233N	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.233P	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.233Q	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.233R	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.233S	Displaced oblique fracture of shaft of unspecified tibia, sequela	ICD10
S82.234A	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.234B	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.234C	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.234D	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10

S82.234E	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.234F	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.234G	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.234H	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.234J	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.234K	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.234M	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.234N	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.234P	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.234Q	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.234R	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.234S	Nondisplaced oblique fracture of shaft of right tibia, sequela	ICD10
S82.235A	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.235B	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.235C	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.235D	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.235E	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.235F	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.235G	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.235H	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.235J	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.235K	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.235M	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.235N	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.235P	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.235Q	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.235R	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10

S82.235S	Nondisplaced oblique fracture of shaft of left tibia, sequela	ICD10
S82.236A	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.236B	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	
S82.236C	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.236D	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.236E	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.236F	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.236G	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.236H	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.236J	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.236K	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.236M	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.236N	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.236P	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.236Q	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.236R	Nondisplaced oblique fracture of shaft of unspecified tibia, sequela	ICD10
S82.236S	Displaced spiral fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.241A	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.241B	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.241C	Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.241D	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.241E	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.241F	Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.241G	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.241H	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.241J	Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.241K	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.241M	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.241N	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.241P	Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.241Q	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.241R	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.241S	Displaced spiral fracture of shaft of right tibia, sequela	ICD10
S82.242A	Displaced spiral fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.242B	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.242C	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.242D	Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.242E	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.242F	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.242G	Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.242H	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.242J	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.242K	Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.242M	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.242N	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.242P	Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.242Q	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.242R	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.242S	Displaced spiral fracture of shaft of left tibia, sequela	ICD10
S82.243A	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.243B	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.243C	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.243D	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.243E	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.243F	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.243G	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10

S82.243H	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.243J	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.243K	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.243M	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.243N	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.243P	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.243Q	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.243R	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.243S	Displaced spiral fracture of shaft of unspecified tibia, sequela	ICD10
S82.244A	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.244B	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.244C	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.244D	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.244E	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.244F	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.244G	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.244H	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.244J	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.244K	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.244M	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.244N	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.244P	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.244Q	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.244R	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.244S	Nondisplaced spiral fracture of shaft of right tibia, sequela	ICD10
S82.245A	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.245B	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.245C	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.245D	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.245E	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.245F	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.245G	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.245H	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.245J	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.245K	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.245M	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.245N	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.245P	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.245Q	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.245R	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.245S	Nondisplaced spiral fracture of shaft of left tibia, sequela	ICD10
S82.246A	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.246B	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.246C	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.246D	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.246E	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.246F	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.246G	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.246H	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.246J	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.246K	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.246M	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.246N	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.246P	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10

S82.246Q	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.246R	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.246S	Nondisplaced spiral fracture of shaft of unspecified tibia, sequela	ICD10
S82.251A	Displaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.251B	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.251C	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.251D	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.251E	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.251F	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.251G	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.251H	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.251J	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.251K	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.251M	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.251N	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.251P	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.251Q	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.251R	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.251S	Displaced comminuted fracture of shaft of right tibia, sequela	ICD10
S82.252A	Displaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.252B	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.252C	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.252D	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.252E	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.252F	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.252G	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.252H	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.252J	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.252K	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.252M	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.252N	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.252P	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.252Q	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.252R	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.252S	Displaced comminuted fracture of shaft of left tibia, sequela	ICD10
S82.253A	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.253B	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.253C	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.253D	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.253E	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.253F	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.253G	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.253H	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.253J	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.253K	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.253M	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.253N	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.253P	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.253Q	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.253R	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.253S	Displaced comminuted fracture of shaft of unspecified tibia, sequela	ICD10
S82.254A	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.254B	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.254C	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.254D	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.254E	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.254F	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.254G	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.254H	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.254J	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.254K	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.254M	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.254N	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.254P	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.254Q	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.254R	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.254S	Nondisplaced comminuted fracture of shaft of right tibia, sequela	ICD10
S82.255A	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.255B	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.255C	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.255D	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.255E	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.255F	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.255G	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.255H	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.255J	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.255K	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.255M	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.255N	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.255P	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10

S82.255Q	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.255R	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.255S	Nondisplaced comminuted fracture of shaft of left tibia, sequela	ICD10
S82.256A	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.256B	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.256C	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.256D	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.256E	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.256F	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.256G	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.256H	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.256J	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.256K	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.256M	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.256N	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.256P	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.256Q	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.256R	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.256S	Nondisplaced comminuted fracture of shaft of unspecified tibia, sequela	ICD10
S82.261A	Displaced segmental fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.261B	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.261C	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.261D	Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.261E	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.261F	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.261G	Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.261H	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.261J	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.261K	Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.261M	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.261N	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.261P	Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.261Q	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.261R	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.261S	Displaced segmental fracture of shaft of right tibia, sequela	ICD10
S82.262A	Displaced segmental fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.262B	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.262C	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.262D	Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.262E	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.262F	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.262G	Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.262H	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.262J	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.262K	Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.262M	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.262N	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.262P	Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.262Q	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.262R	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.262S	Displaced segmental fracture of shaft of left tibia, sequela	ICD10
S82.263A	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.263B	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.263C	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.263D	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10

S82.263E	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.263F	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.263G	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.263H	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.263J	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.263K	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.263M	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.263N	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.263P	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.263Q	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.263R	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.263S	Displaced segmental fracture of shaft of unspecified tibia, sequela	ICD10
S82.264A	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.264B	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.264C	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.264D	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.264E	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.264F	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.264G	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.264H	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.264J	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.264K	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.264M	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.264N	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.264P	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.264Q	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.264R	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.264S	Nondisplaced segmental fracture of shaft of right tibia, sequela	ICD10
S82.265A	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.265B	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.265C	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.265D	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.265E	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.265F	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.265G	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.265H	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.265J	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.265K	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.265M	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.265N	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.265P	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.265Q	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.265R	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.265S	Nondisplaced segmental fracture of shaft of left tibia, sequela	ICD10
S82.266A	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.266B	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.266C	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.266D	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.266E	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.266F	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.266G	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.266H	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.266J	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S82.266K	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.266M	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.266N	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.266P	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.266Q	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.266R	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.266S	Nondisplaced segmental fracture of shaft of unspecified tibia, sequela	ICD10
S82.291A	Other fracture of shaft of right tibia, initial encounter for closed fracture	ICD10
S82.291B	Other fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD10
S82.291C	Other fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.291D	Other fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.291E	Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.291F	Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.291G	Other fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.291H	Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.291J	Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.291K	Other fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.291M	Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.291N	Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.291P	Other fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.291Q	Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.291R	Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.291S	Other fracture of shaft of right tibia, sequela	ICD10
S82.292A	Other fracture of shaft of left tibia, initial encounter for closed fracture	ICD10
S82.292B	Other fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD10
S82.292C	Other fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.292D	Other fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.292E	Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.292F	Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.292G	Other fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10

S82.292H	Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.292J	Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.292K	Other fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.292M	Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.292N	Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.292P	Other fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.292Q	Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.292R	Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.292S	Other fracture of shaft of left tibia, sequela	ICD10
S82.299A	Other fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD10
S82.299B	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.299C	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.299D	Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.299E	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.299F	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.299G	Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.299H	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.299J	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.299K	Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.299M	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.299N	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.299P	Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.299Q	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.299R	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.299S	Other fracture of shaft of unspecified tibia, sequela	ICD10
S82.301A	Unspecified fracture of lower end of right tibia, initial encounter for closed fracture	ICD10
S82.301B	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type I or II	ICD10
S82.301C	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.301D	Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing	ICD10

S82.301E	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.301F	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.301G	Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.301H	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.301J	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.301K	Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.301M	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.301N	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.301P	Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.301Q	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.301R	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.301S	Unspecified fracture of lower end of right tibia, sequela	ICD10
S82.302A	Unspecified fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S82.302B	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type I or II	ICD10
S82.302C	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.302D	Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.302E	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.302F	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.302G	Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.302H	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.302J	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.302K	Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.302M	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.302N	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.302P	Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.302Q	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.302R	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10

S82.302S	Unspecified fracture of lower end of left tibia, sequela	ICD10
S82.309A	Unspecified fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S82.309B	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.309C	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S82.309D	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.309E	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.309F	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S82.309G	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.309H	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.309J	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S82.309K	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.309M	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.309N	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S82.309P	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.309Q	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.309R	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S82.309S	Unspecified fracture of lower end of unspecified tibia, sequela	ICD10
S82.311A	Torus fracture of lower end of right tibia, initial encounter for closed fracture	ICD10
S82.311D	Torus fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S82.311G	Torus fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S82.311K	Torus fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S82.311P	Torus fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD10
S82.311S	Torus fracture of lower end of right tibia, sequela	ICD10
S82.312A	Torus fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S82.312D	Torus fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S82.312G	Torus fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S82.312K	Torus fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S82.312P	Torus fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD10
S82.312S	Torus fracture of lower end of left tibia, sequela	ICD10
S82.319A	Torus fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S82.319D	Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S82.319G	Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10

S82.319K	Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S82.319P	Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S82.319S	Torus fracture of lower end of unspecified tibia, sequela	ICD10
S82.391A	Other fracture of lower end of right tibia, initial encounter for closed fracture	ICD10
S82.391B	Other fracture of lower end of right tibia, initial encounter for open fracture type I or II	ICD10
S82.391C	Other fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.391D	Other fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.391E	Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.391F	Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.391G	Other fracture of lower end of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.391H	Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.391J	Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.391K	Other fracture of lower end of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.391M	Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.391N	Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.391P	Other fracture of lower end of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.391Q	Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.391R	Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.391S	Other fracture of lower end of right tibia, sequela	ICD10
S82.392A	Other fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S82.392B	Other fracture of lower end of left tibia, initial encounter for open fracture type I or II	ICD10
S82.392C	Other fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.392D	Other fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.392E	Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.392F	Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.392G	Other fracture of lower end of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.392H	Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.392J	Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.392K	Other fracture of lower end of left tibia, subsequent encounter for closed fracture with nonunion	ICD10

S82.392M	Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.392N	Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.392P	Other fracture of lower end of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.392Q	Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.392R	Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.392S	Other fracture of lower end of left tibia, sequela	ICD10
S82.399A	Other fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S82.399B	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.399C	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.399D	Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.399E	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.399F	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.399G	Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.399H	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.399J	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.399K	Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.399M	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.399N	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.399P	Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.399Q	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.399R	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.399S	Other fracture of lower end of unspecified tibia, sequela	ICD10
S82.401A	Unspecified fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.401B	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.401C	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.401D	Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.401E	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.401F	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S82.401G	Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.401H	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.401J	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.401K	Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.401M	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.401N	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.401P	Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.401Q	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.401R	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.401S	Unspecified fracture of shaft of right fibula, sequela	ICD10
S82.402A	Unspecified fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.402B	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.402C	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.402D	Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.402E	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.402F	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.402G	Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.402H	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.402J	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.402K	Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.402M	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.402N	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.402P	Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.402Q	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.402R	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.402S	Unspecified fracture of shaft of left fibula, sequela	ICD10
S82.409A	Unspecified fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.409B	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10

S82.409C	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.409D	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.409E	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.409F	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.409G	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.409H	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.409J	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.409K	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.409M	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.409N	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.409P	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.409Q	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.409R	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.409S	Unspecified fracture of shaft of unspecified fibula, sequela	ICD10
S82.421A	Displaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.421B	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.421C	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.421D	Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.421E	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.421F	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.421G	Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.421H	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.421J	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.421K	Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.421M	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.421N	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.421P	Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.421Q	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.421R	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.421S	Displaced transverse fracture of shaft of right fibula, sequela	ICD10
S82.422A	Displaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.422B	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.422C	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.422D	Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.422E	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.422F	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.422G	Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.422H	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.422J	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.422K	Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.422M	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.422N	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.422P	Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.422Q	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.422R	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.422S	Displaced transverse fracture of shaft of left fibula, sequela	ICD10
S82.423A	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.423B	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.423C	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.423D	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.423E	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.423F	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.423G	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.423H	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.423J	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.423K	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.423M	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.423N	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.423P	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.423Q	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.423R	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.423S	Displaced transverse fracture of shaft of unspecified fibula, sequela	ICD10
S82.424A	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.424B	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.424C	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.424D	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.424E	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.424F	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.424G	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.424H	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.424J	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.424K	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.424M	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.424N	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.424P	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.424Q	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.424R	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.424S	Nondisplaced transverse fracture of shaft of right fibula, sequela	ICD10
S82.425A	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.425B	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.425C	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.425D	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.425E	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.425F	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.425G	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.425H	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.425J	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.425K	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.425M	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.425N	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.425P	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.425Q	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.425R	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.425S	Nondisplaced transverse fracture of shaft of left fibula, sequela	ICD10
S82.426A	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.426B	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.426C	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.426D	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.426E	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.426F	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.426G	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.426H	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.426J	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.426K	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.426M	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.426N	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.426P	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10

S82.426Q	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.426R	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.426S	Nondisplaced transverse fracture of shaft of unspecified fibula, sequela	ICD10
S82.431A	Displaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.431B	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.431C	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.431D	Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.431E	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.431F	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.431G	Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.431H	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.431J	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.431K	Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.431M	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.431N	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.431P	Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.431Q	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.431R	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.431S	Displaced oblique fracture of shaft of right fibula, sequela	ICD10
S82.432A	Displaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.432B	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.432C	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.432D	Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.432E	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.432F	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.432G	Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.432H	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.432J	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S82.432K	Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.432M	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.432N	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.432P	Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.432Q	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.432R	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.432S	Displaced oblique fracture of shaft of left fibula, sequela	ICD10
S82.433A	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.433B	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.433C	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.433D	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.433E	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.433F	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.433G	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.433H	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.433J	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.433K	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.433M	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.433N	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.433P	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.433Q	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.433R	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.433S	Displaced oblique fracture of shaft of unspecified fibula, sequela	ICD10
S82.434A	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.434B	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.434C	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.434D	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10

S82.434E	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.434F	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.434G	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.434H	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.434J	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.434K	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.434M	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.434N	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.434P	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.434Q	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.434R	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.434S	Nondisplaced oblique fracture of shaft of right fibula, sequela	ICD10
S82.435A	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.435B	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.435C	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.435D	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.435E	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.435F	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.435G	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.435H	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.435J	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.435K	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.435M	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.435N	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.435P	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.435Q	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.435R	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.435S	Nondisplaced oblique fracture of shaft of left fibula, sequela	ICD10
S82.436A	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.436B	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.436C	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.436D	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.436E	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.436F	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.436G	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.436H	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.436J	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.436K	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.436M	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.436N	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.436P	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.436Q	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.436R	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.436S	Nondisplaced oblique fracture of shaft of unspecified fibula, sequela	ICD10
S82.441A	Displaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.441B	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.441C	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.441D	Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.441E	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.441F	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.441G	Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.441H	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.441J	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.441K	Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10

S82.441M	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.441N	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.441P	Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.441Q	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.441R	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.441S	Displaced spiral fracture of shaft of right fibula, sequela	ICD10
S82.442A	Displaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.442B	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.442C	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.442D	Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.442E	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.442F	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.442G	Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.442H	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.442J	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.442K	Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.442M	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.442N	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.442P	Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.442Q	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.442R	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.442S	Displaced spiral fracture of shaft of left fibula, sequela	ICD10
S82.443A	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.443B	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.443C	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.443D	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.443E	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.443F	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S82.443G	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.443H	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.443J	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.443K	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.443M	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.443N	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.443P	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.443Q	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.443R	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.443S	Displaced spiral fracture of shaft of unspecified fibula, sequela	ICD10
S82.444A	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.444B	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.444C	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.444D	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.444E	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.444F	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.444G	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.444H	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.444J	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.444K	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.444M	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.444N	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.444P	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.444Q	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.444R	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.444S	Nondisplaced spiral fracture of shaft of right fibula, sequela	ICD10
S82.445A	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.445B	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10

S82.445C	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.445D	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.445E	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.445F	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.445G	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.445H	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.445J	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.445K	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.445M	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.445N	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.445P	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.445Q	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.445R	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.445S	Nondisplaced spiral fracture of shaft of left fibula, sequela	ICD10
S82.446A	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.446B	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.446C	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.446D	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.446E	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.446F	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.446G	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.446H	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.446J	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.446K	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.446M	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.446N	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.446P	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.446Q	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.446R	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.446S	Nondisplaced spiral fracture of shaft of unspecified fibula, sequela	ICD10
S82.451A	Displaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.451B	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.451C	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.451D	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.451E	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.451F	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.451G	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.451H	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.451J	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.451K	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.451M	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.451N	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.451P	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.451Q	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.451R	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.451S	Displaced comminuted fracture of shaft of right fibula, sequela	ICD10
S82.452A	Displaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.452B	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.452C	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.452D	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.452E	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.452F	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.452G	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10

S82.452H	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.452J	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.452K	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.452M	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.452N	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.452P	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.452Q	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.452R	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.452S	Displaced comminuted fracture of shaft of left fibula, sequela	ICD10
S82.453A	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.453B	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.453C	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.453D	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.453E	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.453F	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.453G	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.453H	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.453J	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.453K	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.453M	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.453N	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.453P	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.453Q	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.453R	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.453S	Displaced comminuted fracture of shaft of unspecified fibula, sequela	ICD10
S82.454A	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.454B	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10

S82.454C	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.454D	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.454E	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.454F	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.454G	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.454H	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.454J	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.454K	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.454M	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.454N	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.454P	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.454Q	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.454R	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.454S	Nondisplaced comminuted fracture of shaft of right fibula, sequela	ICD10
S82.455A	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.455B	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.455C	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.455D	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.455E	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.455F	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.455G	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.455H	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.455J	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.455K	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.455M	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.455N	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.455P	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.455Q	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.455R	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.455S	Nondisplaced comminuted fracture of shaft of left fibula, sequela	ICD10
S82.456A	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.456B	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.456C	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.456D	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.456E	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.456F	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.456G	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.456H	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.456J	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.456K	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.456M	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.456N	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.456P	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.456Q	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.456R	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.456S	Nondisplaced comminuted fracture of shaft of unspecified fibula, sequela	ICD10
S82.461A	Displaced segmental fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.461B	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.461C	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.461D	Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.461E	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.461F	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.461G	Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10

S82.461H	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.461J	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.461K	Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.461M	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.461N	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.461P	Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.461Q	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.461R	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.461S	Displaced segmental fracture of shaft of right fibula, sequela	ICD10
S82.462A	Displaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.462B	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.462C	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.462D	Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.462E	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.462F	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.462G	Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.462H	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.462J	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.462K	Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.462M	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.462N	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.462P	Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.462Q	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.462R	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.462S	Displaced segmental fracture of shaft of left fibula, sequela	ICD10
S82.463A	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.463B	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.463C	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.463D	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.463E	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.463F	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.463G	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.463H	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.463J	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.463K	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.463M	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.463N	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.463P	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.463Q	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.463R	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.463S	Displaced segmental fracture of shaft of unspecified fibula, sequela	ICD10
S82.464A	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.464B	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.464C	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.464D	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.464E	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.464F	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.464G	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.464H	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.464J	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.464K	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.464M	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.464N	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.464P	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10

S82.464Q	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.464R	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.464S	Nondisplaced segmental fracture of shaft of right fibula, sequela	ICD10
S82.465A	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.465B	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.465C	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.465D	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.465E	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.465F	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.465G	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.465H	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.465J	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.465K	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.465M	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.465N	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.465P	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.465Q	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.465R	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.465S	Nondisplaced segmental fracture of shaft of left fibula, sequela	ICD10
S82.466A	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.466B	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.466C	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.466D	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.466E	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.466F	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.466G	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.466H	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.466J	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.466K	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.466M	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.466N	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.466P	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.466Q	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.466R	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.466S	Nondisplaced segmental fracture of shaft of unspecified fibula, sequela	ICD10
S82.491A	Other fracture of shaft of right fibula, initial encounter for closed fracture	ICD10
S82.491B	Other fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD10
S82.491C	Other fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.491D	Other fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.491E	Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.491F	Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.491G	Other fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.491H	Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.491J	Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.491K	Other fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.491M	Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.491N	Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.491P	Other fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.491Q	Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.491R	Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.491S	Other fracture of shaft of right fibula, sequela	ICD10
S82.492A	Other fracture of shaft of left fibula, initial encounter for closed fracture	ICD10
S82.492B	Other fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD10
S82.492C	Other fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.492D	Other fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.492E	Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.492F	Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S82.492G	Other fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.492H	Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.492J	Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.492K	Other fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.492M	Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.492N	Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.492P	Other fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.492Q	Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.492R	Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.492S	Other fracture of shaft of left fibula, sequela	ICD10
S82.499A	Other fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD10
S82.499B	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.499C	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.499D	Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.499E	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.499F	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.499G	Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.499H	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.499J	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.499K	Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.499M	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.499N	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.499P	Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.499Q	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.499R	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.499S	Other fracture of shaft of unspecified fibula, sequela	ICD10
S82.51XA	Displaced fracture of medial malleolus of right tibia, initial encounter for closed fracture	ICD10
S82.51XB	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II	ICD10
S82.51XC	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.51XD	Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.51XE	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.51XF	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.51XG	Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.51XH	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.51XJ	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.51XK	Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.51XM	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.51XN	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.51XP	Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.51XQ	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.51XR	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.51XS	Displaced fracture of medial malleolus of right tibia, sequela	ICD10
S82.52XA	Displaced fracture of medial malleolus of left tibia, initial encounter for closed fracture	ICD10
S82.52XB	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II	ICD10
S82.52XC	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.52XD	Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.52XE	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.52XF	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.52XG	Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.52XH	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.52XJ	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.52XK	Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.52XM	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.52XN	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.52XP	Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.52XQ	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.52XR	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.52XS	Displaced fracture of medial malleolus of left tibia, sequela	ICD10
S82.53XA	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture	ICD10
S82.53XB	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.53XC	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.53XD	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.53XE	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.53XF	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.53XG	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.53XH	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.53XJ	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.53XK	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.53XM	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.53XN	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.53XP	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.53XQ	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.53XR	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.53XS	Displaced fracture of medial malleolus of unspecified tibia, sequela	ICD10
S82.54XA	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for closed fracture	ICD10
S82.54XB	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II	ICD10
S82.54XC	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.54XD	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.54XE	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.54XF	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.54XG	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.54XH	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.54XJ	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10

S82.54XK	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.54XM	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.54XN	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.54XP	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.54XQ	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.54XR	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.54XS	Nondisplaced fracture of medial malleolus of right tibia, sequela	ICD10
S82.55XA	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for closed fracture	ICD10
S82.55XB	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II	ICD10
S82.55XC	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.55XD	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.55XE	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.55XF	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.55XG	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.55XH	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.55XJ	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.55XK	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.55XM	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.55XN	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.55XP	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.55XQ	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.55XR	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.55XS	Nondisplaced fracture of medial malleolus of left tibia, sequela	ICD10
S82.56XA	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture	ICD10
S82.56XB	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.56XC	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.56XD	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10

S82.56XE	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.56XF	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S82.56XG	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.56XH	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.56XJ	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S82.56XK	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.56XM	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.56XN	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S82.56XP	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.56XQ	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.56XR	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S82.56XS	Nondisplaced fracture of medial malleolus of unspecified tibia, sequela	ICD10
S82.61XA	Displaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture	ICD10
S82.61XB	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II	ICD10
S82.61XC	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S82.61XD	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.61XE	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.61XF	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S82.61XG	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.61XH	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.61XJ	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S82.61XK	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.61XM	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.61XN	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S82.61XP	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.61XQ	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.61XR	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S82.61XS	Displaced fracture of lateral malleolus of right fibula, sequela	ICD10
S82.62XA	Displaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture	ICD10
S82.62XB	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II	ICD10
S82.62XC	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S82.62XD	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.62XE	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.62XF	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S82.62XG	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.62XH	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.62XJ	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10
S82.62XK	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.62XM	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.62XN	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with nonunion	ICD10
S82.62XP	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.62XQ	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.62XR	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with malunion	ICD10
S82.62XS	Displaced fracture of lateral malleolus of left fibula, sequela	ICD10
S82.63XA	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture	ICD10
S82.63XB	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.63XC	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIB, or IIC	ICD10
S82.63XD	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.63XE	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.63XF	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing	ICD10
S82.63XG	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.63XH	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.63XJ	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing	ICD10

S82.63XK	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.63XM	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.63XN	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.63XP	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.63XQ	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.63XR	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.63XS	Displaced fracture of lateral malleolus of unspecified fibula, sequela	ICD10
S82.64XA	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture	ICD10
S82.64XB	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II	ICD10
S82.64XC	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.64XD	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.64XE	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.64XF	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.64XG	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.64XH	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.64XJ	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.64XK	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.64XM	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.64XN	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.64XP	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.64XQ	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.64XR	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.64XS	Nondisplaced fracture of lateral malleolus of right fibula, sequela	ICD10
S82.65XA	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture	ICD10
S82.65XB	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II	ICD10
S82.65XC	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.65XD	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing	ICD10

S82.65XE	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.65XF	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.65XG	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.65XH	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.65XJ	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.65XK	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.65XM	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.65XN	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.65XP	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.65XQ	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.65XR	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.65XS	Nondisplaced fracture of lateral malleolus of left fibula, sequela	ICD10
S82.66XA	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture	ICD10
S82.66XB	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.66XC	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.66XD	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.66XE	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.66XF	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.66XG	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.66XH	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.66XJ	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.66XK	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.66XM	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.66XN	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.66XP	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.66XQ	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.66XR	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.66XS	Nondisplaced fracture of lateral malleolus of unspecified fibula, sequela	ICD10
S82.811A	Torus fracture of upper end of right fibula, initial encounter for closed fracture	ICD10
S82.811D	Torus fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S82.811G	Torus fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S82.811K	Torus fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S82.811P	Torus fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD10
S82.811S	Torus fracture of upper end of right fibula, sequela	ICD10
S82.812A	Torus fracture of upper end of left fibula, initial encounter for closed fracture	ICD10
S82.812D	Torus fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S82.812G	Torus fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S82.812K	Torus fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S82.812P	Torus fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD10
S82.812S	Torus fracture of upper end of left fibula, sequela	ICD10
S82.819A	Torus fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD10
S82.819D	Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S82.819G	Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10
S82.819K	Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S82.819P	Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S82.819S	Torus fracture of upper end of unspecified fibula, sequela	ICD10
S82.821A	Torus fracture of lower end of right fibula, initial encounter for closed fracture	ICD10
S82.821D	Torus fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S82.821G	Torus fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S82.821K	Torus fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S82.821P	Torus fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD10
S82.821S	Torus fracture of lower end of right fibula, sequela	ICD10
S82.822A	Torus fracture of lower end of left fibula, initial encounter for closed fracture	ICD10
S82.822D	Torus fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S82.822G	Torus fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S82.822K	Torus fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S82.822P	Torus fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD10
S82.822S	Torus fracture of lower end of left fibula, sequela	ICD10
S82.829A	Torus fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD10
S82.829D	Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S82.829G	Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10

S82.829K	Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S82.829P	Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S82.829S	Torus fracture of lower end of unspecified fibula, sequela	ICD10
S82.831A	Other fracture of upper and lower end of right fibula, initial encounter for closed fracture	ICD10
S82.831B	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type I or II	ICD10
S82.831C	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.831D	Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.831E	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.831F	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.831G	Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.831H	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.831J	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.831K	Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.831M	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.831N	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.831P	Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.831Q	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.831R	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.831S	Other fracture of upper and lower end of right fibula, sequela	ICD10
S82.832A	Other fracture of upper and lower end of left fibula, initial encounter for closed fracture	ICD10
S82.832B	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type I or II	ICD10
S82.832C	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.832D	Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.832E	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.832F	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.832G	Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.832H	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.832J	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.832K	Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.832M	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.832N	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.832P	Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.832Q	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.832R	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.832S	Other fracture of upper and lower end of left fibula, sequela	ICD10
S82.839A	Other fracture of upper and lower end of unspecified fibula, initial encounter for closed fracture	ICD10
S82.839B	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type I or II	ICD10
S82.839C	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.839D	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD10
S82.839E	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.839F	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.839G	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD10
S82.839H	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.839J	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.839K	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD10
S82.839M	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.839N	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.839P	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD10
S82.839Q	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.839R	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.839S	Other fracture of upper and lower end of unspecified fibula, sequela	ICD10
S82.841A	Displaced bimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD10
S82.841B	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD10
S82.841C	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.841D	Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD10

S82.841E	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.841F	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.841G	Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.841H	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.841J	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.841K	Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.841M	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.841N	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.841P	Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.841Q	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.841R	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.841S	Displaced bimalleolar fracture of right lower leg, sequela	ICD10
S82.842A	Displaced bimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD10
S82.842B	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD10
S82.842C	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.842D	Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.842E	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.842F	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.842G	Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.842H	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.842J	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.842K	Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.842M	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.842N	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.842P	Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.842Q	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.842R	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10

S82.842S	Displaced bimalleolar fracture of left lower leg, sequela	ICD10
S82.843A	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD10
S82.843B	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD10
S82.843C	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.843D	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.843E	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.843F	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.843G	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.843H	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.843J	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.843K	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.843M	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.843N	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.843P	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.843Q	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.843R	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.843S	Displaced bimalleolar fracture of unspecified lower leg, sequela	ICD10
S82.844A	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD10
S82.844B	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD10
S82.844C	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.844D	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.844E	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.844F	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.844G	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.844H	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.844J	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.844K	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD10

S82.844M	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.844N	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.844P	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.844Q	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.844R	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.844S	Nondisplaced bimalleolar fracture of right lower leg, sequela	ICD10
S82.845A	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD10
S82.845B	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD10
S82.845C	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.845D	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.845E	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.845F	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.845G	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.845H	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.845J	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.845K	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.845M	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.845N	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.845P	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.845Q	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.845R	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.845S	Nondisplaced bimalleolar fracture of left lower leg, sequela	ICD10
S82.846A	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD10
S82.846B	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD10
S82.846C	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.846D	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.846E	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10

S82.846F	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.846G	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.846H	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.846J	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.846K	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.846M	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.846N	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.846P	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.846Q	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.846R	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.846S	Nondisplaced bimalleolar fracture of unspecified lower leg, sequela	ICD10
S82.851A	Displaced trimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD10
S82.851B	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD10
S82.851C	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.851D	Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.851E	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.851F	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.851G	Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.851H	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.851J	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.851K	Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.851M	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.851N	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.851P	Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.851Q	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.851R	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.851S	Displaced trimalleolar fracture of right lower leg, sequela	ICD10
S82.852A	Displaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD10

S82.852B	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD10
S82.852C	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.852D	Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.852E	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.852F	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.852G	Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.852H	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.852J	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.852K	Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.852M	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.852N	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.852P	Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.852Q	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.852R	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.852S	Displaced trimalleolar fracture of left lower leg, sequela	ICD10
S82.853A	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD10
S82.853B	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD10
S82.853C	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.853D	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.853E	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.853F	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.853G	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.853H	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.853J	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.853K	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.853M	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.853N	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10

S82.853P	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.853Q	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.853R	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.853S	Displaced trimalleolar fracture of unspecified lower leg, sequela	ICD10
S82.854A	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD10
S82.854B	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD10
S82.854C	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.854D	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.854E	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.854F	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.854G	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.854H	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.854J	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.854K	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.854M	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.854N	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.854P	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.854Q	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.854R	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.854S	Nondisplaced trimalleolar fracture of right lower leg, sequela	ICD10
S82.855A	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD10
S82.855B	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD10
S82.855C	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.855D	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.855E	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.855F	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.855G	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD10

S82.855H	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.855J	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.855K	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.855M	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.855N	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.855P	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.855Q	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.855R	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.855S	Nondisplaced trimalleolar fracture of left lower leg, sequela	ICD10
S82.856A	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD10
S82.856B	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD10
S82.856C	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.856D	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.856E	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.856F	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.856G	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.856H	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.856J	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.856K	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.856M	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.856N	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.856P	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.856Q	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.856R	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.856S	Nondisplaced trimalleolar fracture of unspecified lower leg, sequela	ICD10
S82.861A	Displaced Maisonneuve's fracture of right leg, initial encounter for closed fracture	ICD10
S82.861B	Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II	ICD10
S82.861C	Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10

S82.861D	Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.861E	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.861F	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.861G	Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.861H	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.861J	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.861K	Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.861M	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.861N	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.861P	Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with malunion	ICD10
S82.861Q	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.861R	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.861S	Displaced Maisonneuve's fracture of right leg, sequela	ICD10
S82.862A	Displaced Maisonneuve's fracture of left leg, initial encounter for closed fracture	ICD10
S82.862B	Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II	ICD10
S82.862C	Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.862D	Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.862E	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.862F	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.862G	Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.862H	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.862J	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.862K	Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.862M	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.862N	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.862P	Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with malunion	ICD10
S82.862Q	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with malunion	ICD10

S82.862R	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.862S	Displaced Maisonneuve's fracture of left leg, sequela	ICD10
S82.863A	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture	ICD10
S82.863B	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II	ICD10
S82.863C	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.863D	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.863E	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.863F	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.863G	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.863H	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.863J	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.863K	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.863M	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.863N	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.863P	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with malunion	ICD10
S82.863Q	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.863R	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.863S	Displaced Maisonneuve's fracture of unspecified leg, sequela	ICD10
S82.864A	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for closed fracture	ICD10
S82.864B	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II	ICD10
S82.864C	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.864D	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.864E	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.864F	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.864G	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.864H	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.864J	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.864K	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with nonunion	ICD10

S82.864M	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.864N	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.864P	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with malunion	ICD10
S82.864Q	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.864R	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.864S	Nondisplaced Maisonneuve's fracture of right leg, sequela	ICD10
S82.865A	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for closed fracture	ICD10
S82.865B	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II	ICD10
S82.865C	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.865D	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.865E	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.865F	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.865G	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.865H	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.865J	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.865K	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.865M	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.865N	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.865P	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with malunion	ICD10
S82.865Q	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.865R	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.865S	Nondisplaced Maisonneuve's fracture of left leg, sequela	ICD10
S82.866A	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture	ICD10
S82.866B	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II	ICD10
S82.866C	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.866D	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.866E	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.866F	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10

S82.866G	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.866H	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.866J	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.866K	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.866M	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.866N	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.866P	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with malunion	ICD10
S82.866Q	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.866R	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.866S	Nondisplaced Maisonneuve's fracture of unspecified leg, sequela	ICD10
S82.871A	Displaced pilon fracture of right tibia, initial encounter for closed fracture	ICD10
S82.871B	Displaced pilon fracture of right tibia, initial encounter for open fracture type I or II	ICD10
S82.871C	Displaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.871D	Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.871E	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.871F	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.871G	Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.871H	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.871J	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.871K	Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.871M	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.871N	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.871P	Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.871Q	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.871R	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.871S	Displaced pilon fracture of right tibia, sequela	ICD10
S82.872A	Displaced pilon fracture of left tibia, initial encounter for closed fracture	ICD10
S82.872B	Displaced pilon fracture of left tibia, initial encounter for open fracture type I or II	ICD10
S82.872C	Displaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.872D	Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing	ICD10

S82.872E	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.872F	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.872G	Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.872H	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.872J	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.872K	Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.872M	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.872N	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.872P	Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.872Q	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.872R	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.872S	Displaced pilon fracture of left tibia, sequela	ICD10
S82.873A	Displaced pilon fracture of unspecified tibia, initial encounter for closed fracture	ICD10
S82.873B	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.873C	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.873D	Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.873E	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.873F	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.873G	Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.873H	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.873J	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.873K	Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.873M	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.873N	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.873P	Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.873Q	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.873R	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.873S	Displaced pilon fracture of unspecified tibia, sequela	ICD10
S82.874A	Nondisplaced pilon fracture of right tibia, initial encounter for closed fracture	ICD10

S82.874B	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type I or II	ICD10
S82.874C	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.874D	Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.874E	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.874F	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.874G	Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.874H	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.874J	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.874K	Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.874M	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.874N	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.874P	Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.874Q	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.874R	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.874S	Nondisplaced pilon fracture of right tibia, sequela	ICD10
S82.875A	Nondisplaced pilon fracture of left tibia, initial encounter for closed fracture	ICD10
S82.875B	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type I or II	ICD10
S82.875C	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.875D	Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.875E	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.875F	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.875G	Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.875H	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.875J	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.875K	Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.875M	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.875N	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.875P	Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with malunion	ICD10

S82.875Q	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.875R	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.875S	Nondisplaced pilon fracture of left tibia, sequela	ICD10
S82.876A	Nondisplaced pilon fracture of unspecified tibia, initial encounter for closed fracture	ICD10
S82.876B	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD10
S82.876C	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.876D	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD10
S82.876E	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.876F	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.876G	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD10
S82.876H	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.876J	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.876K	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD10
S82.876M	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.876N	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.876P	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD10
S82.876Q	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.876R	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.876S	Nondisplaced pilon fracture of unspecified tibia, sequela	ICD10
S82.891A	Other fracture of right lower leg, initial encounter for closed fracture	ICD10
S82.891B	Other fracture of right lower leg, initial encounter for open fracture type I or II	ICD10
S82.891C	Other fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.891D	Other fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.891E	Other fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.891F	Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.891G	Other fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.891H	Other fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.891J	Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.891K	Other fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.891M	Other fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10

S82.891N	Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.891P	Other fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.891Q	Other fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.891R	Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.891S	Other fracture of right lower leg, sequela	ICD10
S82.892A	Other fracture of left lower leg, initial encounter for closed fracture	ICD10
S82.892B	Other fracture of left lower leg, initial encounter for open fracture type I or II	ICD10
S82.892C	Other fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.892D	Other fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.892E	Other fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.892F	Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.892G	Other fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.892H	Other fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.892J	Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.892K	Other fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.892M	Other fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.892N	Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.892P	Other fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.892Q	Other fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.892R	Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.892S	Other fracture of left lower leg, sequela	ICD10
S82.899A	Other fracture of unspecified lower leg, initial encounter for closed fracture	ICD10
S82.899B	Other fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD10
S82.899C	Other fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.899D	Other fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.899E	Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.899F	Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.899G	Other fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.899H	Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.899J	Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.899K	Other fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.899M	Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10

S82.899N	Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.899P	Other fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.899Q	Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.899R	Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.899S	Other fracture of unspecified lower leg, sequela	ICD10
S82.90XA	Unspecified fracture of unspecified lower leg, initial encounter for closed fracture	ICD10
S82.90XB	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD10
S82.90XC	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.90XD	Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.90XE	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.90XF	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.90XG	Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.90XH	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.90XJ	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.90XK	Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.90XM	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.90XN	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.90XP	Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.90XQ	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.90XR	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.90XS	Unspecified fracture of unspecified lower leg, sequela	ICD10
S82.91XA	Unspecified fracture of right lower leg, initial encounter for closed fracture	ICD10
S82.91XB	Unspecified fracture of right lower leg, initial encounter for open fracture type I or II	ICD10
S82.91XC	Unspecified fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.91XD	Unspecified fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.91XE	Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.91XF	Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.91XG	Unspecified fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.91XH	Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10

S82.91XJ	Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.91XK	Unspecified fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.91XM	Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.91XN	Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.91XP	Unspecified fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.91XQ	Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.91XR	Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.91XS	Unspecified fracture of right lower leg, sequela	ICD10
S82.92XA	Unspecified fracture of left lower leg, initial encounter for closed fracture	ICD10
S82.92XB	Unspecified fracture of left lower leg, initial encounter for open fracture type I or II	ICD10
S82.92XC	Unspecified fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD10
S82.92XD	Unspecified fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD10
S82.92XE	Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD10
S82.92XF	Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD10
S82.92XG	Unspecified fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD10
S82.92XH	Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD10
S82.92XJ	Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD10
S82.92XK	Unspecified fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD10
S82.92XM	Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD10
S82.92XN	Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD10
S82.92XP	Unspecified fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD10
S82.92XQ	Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD10
S82.92XR	Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD10
S82.92XS	Unspecified fracture of left lower leg, sequela	ICD10
S83.001A	Unspecified subluxation of right patella, initial encounter	ICD10
S83.001D	Unspecified subluxation of right patella, subsequent encounter	ICD10
S83.001S	Unspecified subluxation of right patella, sequela	ICD10
S83.002A	Unspecified subluxation of left patella, initial encounter	ICD10
S83.002D	Unspecified subluxation of left patella, subsequent encounter	ICD10
S83.002S	Unspecified subluxation of left patella, sequela	ICD10
S83.003A	Unspecified subluxation of unspecified patella, initial encounter	ICD10
S83.003D	Unspecified subluxation of unspecified patella, subsequent encounter	ICD10
S83.003S	Unspecified subluxation of unspecified patella, sequela	ICD10
S83.004A	Unspecified dislocation of right patella, initial encounter	ICD10
S83.004D	Unspecified dislocation of right patella, subsequent encounter	ICD10
S83.004S	Unspecified dislocation of right patella, sequela	ICD10

S83.005A	Unspecified dislocation of left patella, initial encounter	ICD10
S83.005D	Unspecified dislocation of left patella, subsequent encounter	ICD10
S83.005S	Unspecified dislocation of left patella, sequela	ICD10
S83.006A	Unspecified dislocation of unspecified patella, initial encounter	ICD10
S83.006D	Unspecified dislocation of unspecified patella, subsequent encounter	ICD10
S83.006S	Unspecified dislocation of unspecified patella, sequela	ICD10
S83.011A	Lateral subluxation of right patella, initial encounter	ICD10
S83.011D	Lateral subluxation of right patella, subsequent encounter	ICD10
S83.011S	Lateral subluxation of right patella, sequela	ICD10
S83.012A	Lateral subluxation of left patella, initial encounter	ICD10
S83.012D	Lateral subluxation of left patella, subsequent encounter	ICD10
S83.012S	Lateral subluxation of left patella, sequela	ICD10
S83.013A	Lateral subluxation of unspecified patella, initial encounter	ICD10
S83.013D	Lateral subluxation of unspecified patella, subsequent encounter	ICD10
S83.013S	Lateral subluxation of unspecified patella, sequela	ICD10
S83.014A	Lateral dislocation of right patella, initial encounter	ICD10
S83.014D	Lateral dislocation of right patella, subsequent encounter	ICD10
S83.014S	Lateral dislocation of right patella, sequela	ICD10
S83.015A	Lateral dislocation of left patella, initial encounter	ICD10
S83.015D	Lateral dislocation of left patella, subsequent encounter	ICD10
S83.015S	Lateral dislocation of left patella, sequela	ICD10
S83.016A	Lateral dislocation of unspecified patella, initial encounter	ICD10
S83.016D	Lateral dislocation of unspecified patella, subsequent encounter	ICD10
S83.016S	Lateral dislocation of unspecified patella, sequela	ICD10
S83.091A	Other subluxation of right patella, initial encounter	ICD10
S83.091D	Other subluxation of right patella, subsequent encounter	ICD10
S83.091S	Other subluxation of right patella, sequela	ICD10
S83.092A	Other subluxation of left patella, initial encounter	ICD10
S83.092D	Other subluxation of left patella, subsequent encounter	ICD10
S83.092S	Other subluxation of left patella, sequela	ICD10
S83.093A	Other subluxation of unspecified patella, initial encounter	ICD10
S83.093D	Other subluxation of unspecified patella, subsequent encounter	ICD10
S83.093S	Other subluxation of unspecified patella, sequela	ICD10
S83.094A	Other dislocation of right patella, initial encounter	ICD10
S83.094D	Other dislocation of right patella, subsequent encounter	ICD10
S83.094S	Other dislocation of right patella, sequela	ICD10
S83.095A	Other dislocation of left patella, initial encounter	ICD10
S83.095D	Other dislocation of left patella, subsequent encounter	ICD10
S83.095S	Other dislocation of left patella, sequela	ICD10
S83.096A	Other dislocation of unspecified patella, initial encounter	ICD10
S83.096D	Other dislocation of unspecified patella, subsequent encounter	ICD10
S83.096S	Other dislocation of unspecified patella, sequela	ICD10
S83.101A	Unspecified subluxation of right knee, initial encounter	ICD10
S83.101D	Unspecified subluxation of right knee, subsequent encounter	ICD10
S83.101S	Unspecified subluxation of right knee, sequela	ICD10
S83.102A	Unspecified subluxation of left knee, initial encounter	ICD10
S83.102D	Unspecified subluxation of left knee, subsequent encounter	ICD10
S83.102S	Unspecified subluxation of left knee, sequela	ICD10
S83.103A	Unspecified subluxation of unspecified knee, initial encounter	ICD10
S83.103D	Unspecified subluxation of unspecified knee, subsequent encounter	ICD10
S83.103S	Unspecified subluxation of unspecified knee, sequela	ICD10

S83.104A	Unspecified dislocation of right knee, initial encounter	ICD10
S83.104D	Unspecified dislocation of right knee, subsequent encounter	ICD10
S83.104S	Unspecified dislocation of right knee, sequela	ICD10
S83.105A	Unspecified dislocation of left knee, initial encounter	ICD10
S83.105D	Unspecified dislocation of left knee, subsequent encounter	ICD10
S83.105S	Unspecified dislocation of left knee, sequela	ICD10
S83.106A	Unspecified dislocation of unspecified knee, initial encounter	ICD10
S83.106D	Unspecified dislocation of unspecified knee, subsequent encounter	ICD10
S83.106S	Unspecified dislocation of unspecified knee, sequela	ICD10
S83.111A	Anterior subluxation of proximal end of tibia, right knee, initial encounter	ICD10
S83.111D	Anterior subluxation of proximal end of tibia, right knee, subsequent encounter	ICD10
S83.111S	Anterior subluxation of proximal end of tibia, right knee, sequela	ICD10
S83.112A	Anterior subluxation of proximal end of tibia, left knee, initial encounter	ICD10
S83.112D	Anterior subluxation of proximal end of tibia, left knee, subsequent encounter	ICD10
S83.112S	Anterior subluxation of proximal end of tibia, left knee, sequela	ICD10
S83.113A	Anterior subluxation of proximal end of tibia, unspecified knee, initial encounter	ICD10
S83.113D	Anterior subluxation of proximal end of tibia, unspecified knee, subsequent encounter	ICD10
S83.113S	Anterior subluxation of proximal end of tibia, unspecified knee, sequela	ICD10
S83.114A	Anterior dislocation of proximal end of tibia, right knee, initial encounter	ICD10
S83.114D	Anterior dislocation of proximal end of tibia, right knee, subsequent encounter	ICD10
S83.114S	Anterior dislocation of proximal end of tibia, right knee, sequela	ICD10
S83.115A	Anterior dislocation of proximal end of tibia, left knee, initial encounter	ICD10
S83.115D	Anterior dislocation of proximal end of tibia, left knee, subsequent encounter	ICD10
S83.115S	Anterior dislocation of proximal end of tibia, left knee, sequela	ICD10
S83.116A	Anterior dislocation of proximal end of tibia, unspecified knee, initial encounter	ICD10
S83.116D	Anterior dislocation of proximal end of tibia, unspecified knee, subsequent encounter	ICD10
S83.116S	Anterior dislocation of proximal end of tibia, unspecified knee, sequela	ICD10
S83.121A	Posterior subluxation of proximal end of tibia, right knee, initial encounter	ICD10
S83.121D	Posterior subluxation of proximal end of tibia, right knee, subsequent encounter	ICD10
S83.121S	Posterior subluxation of proximal end of tibia, right knee, sequela	ICD10
S83.122A	Posterior subluxation of proximal end of tibia, left knee, initial encounter	ICD10
S83.122D	Posterior subluxation of proximal end of tibia, left knee, subsequent encounter	ICD10
S83.122S	Posterior subluxation of proximal end of tibia, left knee, sequela	ICD10
S83.123A	Posterior subluxation of proximal end of tibia, unspecified knee, initial encounter	ICD10
S83.123D	Posterior subluxation of proximal end of tibia, unspecified knee, subsequent encounter	ICD10
S83.123S	Posterior subluxation of proximal end of tibia, unspecified knee, sequela	ICD10
S83.124A	Posterior dislocation of proximal end of tibia, right knee, initial encounter	ICD10
S83.124D	Posterior dislocation of proximal end of tibia, right knee, subsequent encounter	ICD10
S83.124S	Posterior dislocation of proximal end of tibia, right knee, sequela	ICD10
S83.125A	Posterior dislocation of proximal end of tibia, left knee, initial encounter	ICD10
S83.125D	Posterior dislocation of proximal end of tibia, left knee, subsequent encounter	ICD10
S83.125S	Posterior dislocation of proximal end of tibia, left knee, sequela	ICD10
S83.126A	Posterior dislocation of proximal end of tibia, unspecified knee, initial encounter	ICD10
S83.126D	Posterior dislocation of proximal end of tibia, unspecified knee, subsequent encounter	ICD10
S83.126S	Posterior dislocation of proximal end of tibia, unspecified knee, sequela	ICD10
S83.131A	Medial subluxation of proximal end of tibia, right knee, initial encounter	ICD10
S83.131D	Medial subluxation of proximal end of tibia, right knee, subsequent encounter	ICD10
S83.131S	Medial subluxation of proximal end of tibia, right knee, sequela	ICD10
S83.132A	Medial subluxation of proximal end of tibia, left knee, initial encounter	ICD10
S83.132D	Medial subluxation of proximal end of tibia, left knee, subsequent encounter	ICD10
S83.132S	Medial subluxation of proximal end of tibia, left knee, sequela	ICD10

S83.133A	Medial subluxation of proximal end of tibia, unspecified knee, initial encounter	ICD10
S83.133D	Medial subluxation of proximal end of tibia, unspecified knee, subsequent encounter	ICD10
S83.133S	Medial subluxation of proximal end of tibia, unspecified knee, sequela	ICD10
S83.134A	Medial dislocation of proximal end of tibia, right knee, initial encounter	ICD10
S83.134D	Medial dislocation of proximal end of tibia, right knee, subsequent encounter	ICD10
S83.134S	Medial dislocation of proximal end of tibia, right knee, sequela	ICD10
S83.135A	Medial dislocation of proximal end of tibia, left knee, initial encounter	ICD10
S83.135D	Medial dislocation of proximal end of tibia, left knee, subsequent encounter	ICD10
S83.135S	Medial dislocation of proximal end of tibia, left knee, sequela	ICD10
S83.136A	Medial dislocation of proximal end of tibia, unspecified knee, initial encounter	ICD10
S83.136D	Medial dislocation of proximal end of tibia, unspecified knee, subsequent encounter	ICD10
S83.136S	Medial dislocation of proximal end of tibia, unspecified knee, sequela	ICD10
S83.141A	Lateral subluxation of proximal end of tibia, right knee, initial encounter	ICD10
S83.141D	Lateral subluxation of proximal end of tibia, right knee, subsequent encounter	ICD10
S83.141S	Lateral subluxation of proximal end of tibia, right knee, sequela	ICD10
S83.142A	Lateral subluxation of proximal end of tibia, left knee, initial encounter	ICD10
S83.142D	Lateral subluxation of proximal end of tibia, left knee, subsequent encounter	ICD10
S83.142S	Lateral subluxation of proximal end of tibia, left knee, sequela	ICD10
S83.143A	Lateral subluxation of proximal end of tibia, unspecified knee, initial encounter	ICD10
S83.143D	Lateral subluxation of proximal end of tibia, unspecified knee, subsequent encounter	ICD10
S83.143S	Lateral subluxation of proximal end of tibia, unspecified knee, sequela	ICD10
S83.144A	Lateral dislocation of proximal end of tibia, right knee, initial encounter	ICD10
S83.144D	Lateral dislocation of proximal end of tibia, right knee, subsequent encounter	ICD10
S83.144S	Lateral dislocation of proximal end of tibia, right knee, sequela	ICD10
S83.145A	Lateral dislocation of proximal end of tibia, left knee, initial encounter	ICD10
S83.145D	Lateral dislocation of proximal end of tibia, left knee, subsequent encounter	ICD10
S83.145S	Lateral dislocation of proximal end of tibia, left knee, sequela	ICD10
S83.146A	Lateral dislocation of proximal end of tibia, unspecified knee, initial encounter	ICD10
S83.146D	Lateral dislocation of proximal end of tibia, unspecified knee, subsequent encounter	ICD10
S83.146S	Lateral dislocation of proximal end of tibia, unspecified knee, sequela	ICD10
S83.191A	Other subluxation of right knee, initial encounter	ICD10
S83.191D	Other subluxation of right knee, subsequent encounter	ICD10
S83.191S	Other subluxation of right knee, sequela	ICD10
S83.192A	Other subluxation of left knee, initial encounter	ICD10
S83.192D	Other subluxation of left knee, subsequent encounter	ICD10
S83.192S	Other subluxation of left knee, sequela	ICD10
S83.193A	Other subluxation of unspecified knee, initial encounter	ICD10
S83.193D	Other subluxation of unspecified knee, subsequent encounter	ICD10
S83.193S	Other subluxation of unspecified knee, sequela	ICD10
S83.194A	Other dislocation of right knee, initial encounter	ICD10
S83.194D	Other dislocation of right knee, subsequent encounter	ICD10
S83.194S	Other dislocation of right knee, sequela	ICD10
S83.195A	Other dislocation of left knee, initial encounter	ICD10
S83.195D	Other dislocation of left knee, subsequent encounter	ICD10
S83.195S	Other dislocation of left knee, sequela	ICD10
S83.196A	Other dislocation of unspecified knee, initial encounter	ICD10
S83.196D	Other dislocation of unspecified knee, subsequent encounter	ICD10
S83.196S	Other dislocation of unspecified knee, sequela	ICD10
S86.001A	Unspecified injury of right Achilles tendon, initial encounter	ICD10
S86.001D	Unspecified injury of right Achilles tendon, subsequent encounter	ICD10
S86.001S	Unspecified injury of right Achilles tendon, sequela	ICD10

S86.201A	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, initial encounter	ICD10
S86.201D	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter	ICD10
S86.201S	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela	ICD10
S86.202A	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, initial encounter	ICD10
S86.202D	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter	ICD10
S86.202S	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela	ICD10
S86.209A	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, initial encounter	ICD10
S86.209D	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter	ICD10
S86.209S	Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela	ICD10
S86.291A	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, initial encounter	ICD10
S86.291D	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter	ICD10
S86.291S	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela	ICD10
S86.292A	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, initial encounter	ICD10
S86.292D	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter	ICD10
S86.292S	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela	ICD10
S86.299A	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, initial encounter	ICD10
S86.299D	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter	ICD10
S86.299S	Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela	ICD10
S86.301A	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, initial encounter	ICD10
S86.301D	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter	ICD10
S86.301S	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela	ICD10
S86.302A	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, initial encounter	ICD10
S86.302D	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter	ICD10
S86.302S	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela	ICD10
S86.309A	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, initial encounter	ICD10

S86.309D	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter	ICD10
S86.309S	Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela	ICD10
S86.391A	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, initial encounter	ICD10
S86.391D	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter	ICD10
S86.391S	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela	ICD10
S86.392A	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, initial encounter	ICD10
S86.392D	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter	ICD10
S86.392S	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela	ICD10
S86.399A	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, initial encounter	ICD10
S86.399D	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter	ICD10
S86.399S	Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela	ICD10
S86.801A	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, right leg, initial encounter	ICD10
S86.801D	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter	ICD10
S86.801S	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, right leg, sequela	ICD10
S86.802A	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, left leg, initial encounter	ICD10
S86.802D	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter	ICD10
S86.802S	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, left leg, sequela	ICD10
S86.809A	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter	ICD10
S86.809D	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter	ICD10
S86.809S	Unspecified injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela	ICD10
S86.891A	Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, initial encounter	ICD10
S86.891D	Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter	ICD10
S86.891S	Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, sequela	ICD10
S86.892A	Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, initial encounter	ICD10
S86.892D	Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter	ICD10
S86.892S	Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, sequela	ICD10
S86.899A	Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter	ICD10
S86.899D	Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter	ICD10
S86.899S	Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela	ICD10
S86.901A	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, initial encounter	ICD10

S86.901D	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter	ICD10
S86.901S	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela	ICD10
S86.902A	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, initial encounter	ICD10
S86.902D	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter	ICD10
S86.902S	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela	ICD10
S86.909A	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter	ICD10
S86.909D	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter	ICD10
S86.909S	Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela	ICD10
S86.991A	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, initial encounter	ICD10
S86.991D	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter	ICD10
S86.991S	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela	ICD10
S86.992A	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, initial encounter	ICD10
S86.992D	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter	ICD10
S86.992S	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela	ICD10
S86.999A	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter	ICD10
S86.999D	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter	ICD10
S86.999S	Other injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela	ICD10
S89.001A	Unspecified physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S89.001D	Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.001G	Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.001K	Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.001P	Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.001S	Unspecified physeal fracture of upper end of right tibia, sequela	ICD10
S89.002A	Unspecified physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD10
S89.002D	Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.002G	Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.002K	Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.002P	Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.002S	Unspecified physeal fracture of upper end of left tibia, sequela	ICD10
S89.009A	Unspecified physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10

S89.009D	Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.009G	Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.009K	Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.009P	Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.009S	Unspecified physeal fracture of upper end of unspecified tibia, sequela	ICD10
S89.011A	Salter-Harris Type I physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S89.011D	Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.011G	Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.011K	Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.011P	Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.011S	Salter-Harris Type I physeal fracture of upper end of right tibia, sequela	ICD10
S89.012A	Salter-Harris Type I physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD10
S89.012D	Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.012G	Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.012K	Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.012P	Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.012S	Salter-Harris Type I physeal fracture of upper end of left tibia, sequela	ICD10
S89.019A	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.019D	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.019G	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.019K	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.019P	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.019S	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, sequela	ICD10
S89.021A	Salter-Harris Type II physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S89.021D	Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.021G	Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.021K	Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD10

S89.021P	Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.021S	Salter-Harris Type II physeal fracture of upper end of right tibia, sequela	ICD10
S89.022A	Salter-Harris Type II physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD10
S89.022D	Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.022G	Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.022K	Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.022P	Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.022S	Salter-Harris Type II physeal fracture of upper end of left tibia, sequela	ICD10
S89.029A	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.029D	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.029G	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.029K	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.029P	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.029S	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, sequela	ICD10
S89.031A	Salter-Harris Type III physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S89.031D	Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.031G	Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.031K	Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.031P	Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.031S	Salter-Harris Type III physeal fracture of upper end of right tibia, sequela	ICD10
S89.032A	Salter-Harris Type III physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD10
S89.032D	Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.032G	Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.032K	Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.032P	Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.032S	Salter-Harris Type III physeal fracture of upper end of left tibia, sequela	ICD10
S89.039A	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.039D	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10

S89.039G	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.039K	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.039P	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.039S	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, sequela	ICD10
S89.041A	Salter-Harris Type IV physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S89.041D	Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.041G	Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.041K	Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.041P	Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.041S	Salter-Harris Type IV physeal fracture of upper end of right tibia, sequela	ICD10
S89.042A	Salter-Harris Type IV physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD10
S89.042D	Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.042G	Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.042K	Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.042P	Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.042S	Salter-Harris Type IV physeal fracture of upper end of left tibia, sequela	ICD10
S89.049A	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.049D	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.049G	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.049K	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.049P	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.049S	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, sequela	ICD10
S89.091A	Other physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD10
S89.091D	Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.091G	Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.091K	Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.091P	Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.091S	Other physeal fracture of upper end of right tibia, sequela	ICD10
S89.092A	Other physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD10

S89.092D	Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.092G	Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.092K	Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.092P	Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.092S	Other physeal fracture of upper end of left tibia, sequela	ICD10
S89.099A	Other physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.099D	Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.099G	Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.099K	Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.099P	Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.099S	Other physeal fracture of upper end of unspecified tibia, sequela	ICD10
S89.101A	Unspecified physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD10
S89.101D	Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.101G	Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.101K	Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.101P	Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.101S	Unspecified physeal fracture of lower end of right tibia, sequela	ICD10
S89.102A	Unspecified physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S89.102D	Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.102G	Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.102K	Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.102P	Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.102S	Unspecified physeal fracture of lower end of left tibia, sequela	ICD10
S89.109A	Unspecified physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.109D	Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.109G	Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.109K	Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.109P	Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.109S	Unspecified physeal fracture of lower end of unspecified tibia, sequela	ICD10

S89.111A	Salter-Harris Type I physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD10
S89.111D	Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.111G	Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.111K	Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.111P	Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.111S	Salter-Harris Type I physeal fracture of lower end of right tibia, sequela	ICD10
S89.112A	Salter-Harris Type I physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S89.112D	Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.112G	Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.112K	Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.112P	Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.112S	Salter-Harris Type I physeal fracture of lower end of left tibia, sequela	ICD10
S89.119A	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.119D	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.119G	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.119K	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.119P	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.119S	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, sequela	ICD10
S89.121A	Salter-Harris Type II physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD10
S89.121D	Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.121G	Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.121K	Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.121P	Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.121S	Salter-Harris Type II physeal fracture of lower end of right tibia, sequela	ICD10
S89.122A	Salter-Harris Type II physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S89.122D	Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.122G	Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD10

S89.122K	Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.122P	Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.122S	Salter-Harris Type II physeal fracture of lower end of left tibia, sequela	ICD10
S89.129A	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.129D	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.129G	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.129K	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.129P	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.129S	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, sequela	ICD10
S89.131A	Salter-Harris Type III physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD10
S89.131D	Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.131G	Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.131K	Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.131P	Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.131S	Salter-Harris Type III physeal fracture of lower end of right tibia, sequela	ICD10
S89.132A	Salter-Harris Type III physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S89.132D	Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.132G	Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.132K	Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.132P	Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.132S	Salter-Harris Type III physeal fracture of lower end of left tibia, sequela	ICD10
S89.139A	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.139D	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.139G	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.139K	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.139P	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.139S	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, sequela	ICD10
S89.141A	Salter-Harris Type IV physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD10

S89.141D	Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.141G	Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.141K	Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.141P	Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.141S	Salter-Harris Type IV physeal fracture of lower end of right tibia, sequela	ICD10
S89.142A	Salter-Harris Type IV physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S89.142D	Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.142G	Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.142K	Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.142P	Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.142S	Salter-Harris Type IV physeal fracture of lower end of left tibia, sequela	ICD10
S89.149A	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.149D	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.149G	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.149K	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.149P	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.149S	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, sequela	ICD10
S89.191A	Other physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD10
S89.191D	Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD10
S89.191G	Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.191K	Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD10
S89.191P	Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD10
S89.191S	Other physeal fracture of lower end of right tibia, sequela	ICD10
S89.192A	Other physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD10
S89.192D	Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD10
S89.192G	Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.192K	Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD10
S89.192P	Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD10
S89.192S	Other physeal fracture of lower end of left tibia, sequela	ICD10

S89.199A	Other physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD10
S89.199D	Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD10
S89.199G	Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD10
S89.199K	Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD10
S89.199P	Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD10
S89.199S	Other physeal fracture of lower end of unspecified tibia, sequela	ICD10
S89.201A	Unspecified physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD10
S89.201D	Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S89.201G	Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.201K	Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S89.201P	Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD10
S89.201S	Unspecified physeal fracture of upper end of right fibula, sequela	ICD10
S89.202A	Unspecified physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD10
S89.202D	Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S89.202G	Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.202K	Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S89.202P	Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD10
S89.202S	Unspecified physeal fracture of upper end of left fibula, sequela	ICD10
S89.209A	Unspecified physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD10
S89.209D	Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S89.209G	Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.209K	Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S89.209P	Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S89.209S	Unspecified physeal fracture of upper end of unspecified fibula, sequela	ICD10
S89.211A	Salter-Harris Type I physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD10
S89.211D	Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S89.211G	Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.211K	Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S89.211P	Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD10

S89.211S	Salter-Harris Type I physeal fracture of upper end of right fibula, sequela	ICD10
S89.212A	Salter-Harris Type I physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD10
S89.212D	Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S89.212G	Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.212K	Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S89.212P	Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD10
S89.212S	Salter-Harris Type I physeal fracture of upper end of left fibula, sequela	ICD10
S89.219A	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD10
S89.219D	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S89.219G	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.219K	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S89.219P	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S89.219S	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, sequela	ICD10
S89.221A	Salter-Harris Type II physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD10
S89.221D	Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S89.221G	Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.221K	Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S89.221P	Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD10
S89.221S	Salter-Harris Type II physeal fracture of upper end of right fibula, sequela	ICD10
S89.222A	Salter-Harris Type II physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD10
S89.222D	Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S89.222G	Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.222K	Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S89.222P	Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD10
S89.222S	Salter-Harris Type II physeal fracture of upper end of left fibula, sequela	ICD10
S89.229A	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD10
S89.229D	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S89.229G	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10

S89.229K	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S89.229P	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S89.229S	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, sequela	ICD10
S89.291A	Other physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD10
S89.291D	Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S89.291G	Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.291K	Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S89.291P	Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD10
S89.291S	Other physeal fracture of upper end of right fibula, sequela	ICD10
S89.292A	Other physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD10
S89.292D	Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S89.292G	Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.292K	Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S89.292P	Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD10
S89.292S	Other physeal fracture of upper end of left fibula, sequela	ICD10
S89.299A	Other physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD10
S89.299D	Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S89.299G	Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.299K	Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S89.299P	Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S89.299S	Other physeal fracture of upper end of unspecified fibula, sequela	ICD10
S89.301A	Unspecified physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD10
S89.301D	Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S89.301G	Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.301K	Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S89.301P	Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD10
S89.301S	Unspecified physeal fracture of lower end of right fibula, sequela	ICD10
S89.302A	Unspecified physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD10
S89.302D	Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S89.302G	Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD10

S89.302K	Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S89.302P	Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD10
S89.302S	Unspecified physeal fracture of lower end of left fibula, sequela	ICD10
S89.309A	Unspecified physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD10
S89.309D	Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S89.309G	Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.309K	Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S89.309P	Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S89.309S	Unspecified physeal fracture of lower end of unspecified fibula, sequela	ICD10
S89.311A	Salter-Harris Type I physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD10
S89.311D	Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S89.311G	Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.311K	Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S89.311P	Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD10
S89.311S	Salter-Harris Type I physeal fracture of lower end of right fibula, sequela	ICD10
S89.312A	Salter-Harris Type I physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD10
S89.312D	Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S89.312G	Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.312K	Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S89.312P	Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD10
S89.312S	Salter-Harris Type I physeal fracture of lower end of left fibula, sequela	ICD10
S89.319A	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD10
S89.319D	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S89.319G	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.319K	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S89.319P	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S89.319S	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, sequela	ICD10
S89.321A	Salter-Harris Type II physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD10

S89.321D	Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S89.321G	Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.321K	Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S89.321P	Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD10
S89.321S	Salter-Harris Type II physeal fracture of lower end of right fibula, sequela	ICD10
S89.322A	Salter-Harris Type II physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD10
S89.322D	Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S89.322G	Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.322K	Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S89.322P	Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD10
S89.322S	Salter-Harris Type II physeal fracture of lower end of left fibula, sequela	ICD10
S89.329A	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD10
S89.329D	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S89.329G	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.329K	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S89.329P	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S89.329S	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, sequela	ICD10
S89.391A	Other physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD10
S89.391D	Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD10
S89.391G	Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.391K	Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD10
S89.391P	Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD10
S89.391S	Other physeal fracture of lower end of right fibula, sequela	ICD10
S89.392A	Other physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD10
S89.392D	Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD10
S89.392G	Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.392K	Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD10
S89.392P	Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD10
S89.392S	Other physeal fracture of lower end of left fibula, sequela	ICD10

S89.399A	Other physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD10
S89.399D	Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD10
S89.399G	Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD10
S89.399K	Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD10
S89.399P	Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD10
S89.399S	Other physeal fracture of lower end of unspecified fibula, sequela	ICD10
S89.80XA	Other specified injuries of unspecified lower leg, initial encounter	ICD10
S89.80XD	Other specified injuries of unspecified lower leg, subsequent encounter	ICD10
S89.80XS	Other specified injuries of unspecified lower leg, sequela	ICD10
S89.81XA	Other specified injuries of right lower leg, initial encounter	ICD10
S89.81XD	Other specified injuries of right lower leg, subsequent encounter	ICD10
S89.81XS	Other specified injuries of right lower leg, sequela	ICD10
S89.82XA	Other specified injuries of left lower leg, initial encounter	ICD10
S89.82XD	Other specified injuries of left lower leg, subsequent encounter	ICD10
S89.82XS	Other specified injuries of left lower leg, sequela	ICD10
S89.90XA	Unspecified injury of unspecified lower leg, initial encounter	ICD10
S89.90XD	Unspecified injury of unspecified lower leg, subsequent encounter	ICD10
S89.90XS	Unspecified injury of unspecified lower leg, sequela	ICD10
S89.91XA	Unspecified injury of right lower leg, initial encounter	ICD10
S89.91XD	Unspecified injury of right lower leg, subsequent encounter	ICD10
S89.91XS	Unspecified injury of right lower leg, sequela	ICD10
S89.92XA	Unspecified injury of left lower leg, initial encounter	ICD10
S89.92XD	Unspecified injury of left lower leg, subsequent encounter	ICD10
S89.92XS	Unspecified injury of left lower leg, sequela	ICD10
S92.001A	Unspecified fracture of right calcaneus, initial encounter for closed fracture	ICD10
S92.001B	Unspecified fracture of right calcaneus, initial encounter for open fracture	ICD10
S92.001D	Unspecified fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.001G	Unspecified fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.001K	Unspecified fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.001P	Unspecified fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.001S	Unspecified fracture of right calcaneus, sequela	ICD10
S92.002A	Unspecified fracture of left calcaneus, initial encounter for closed fracture	ICD10
S92.002B	Unspecified fracture of left calcaneus, initial encounter for open fracture	ICD10
S92.002D	Unspecified fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.002G	Unspecified fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.002K	Unspecified fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.002P	Unspecified fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.002S	Unspecified fracture of left calcaneus, sequela	ICD10
S92.009A	Unspecified fracture of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.009B	Unspecified fracture of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.009D	Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.009G	Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.009K	Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.009P	Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.009S	Unspecified fracture of unspecified calcaneus, sequela	ICD10

S92.011A	Displaced fracture of body of right calcaneus, initial encounter for closed fracture	ICD10
S92.011B	Displaced fracture of body of right calcaneus, initial encounter for open fracture	ICD10
S92.011D	Displaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.011G	Displaced fracture of body of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.011K	Displaced fracture of body of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.011P	Displaced fracture of body of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.011S	Displaced fracture of body of right calcaneus, sequela	ICD10
S92.012A	Displaced fracture of body of left calcaneus, initial encounter for closed fracture	ICD10
S92.012B	Displaced fracture of body of left calcaneus, initial encounter for open fracture	ICD10
S92.012D	Displaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.012G	Displaced fracture of body of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.012K	Displaced fracture of body of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.012P	Displaced fracture of body of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.012S	Displaced fracture of body of left calcaneus, sequela	ICD10
S92.013A	Displaced fracture of body of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.013B	Displaced fracture of body of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.013D	Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.013G	Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.013K	Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.013P	Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.013S	Displaced fracture of body of unspecified calcaneus, sequela	ICD10
S92.014A	Nondisplaced fracture of body of right calcaneus, initial encounter for closed fracture	ICD10
S92.014B	Nondisplaced fracture of body of right calcaneus, initial encounter for open fracture	ICD10
S92.014D	Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.014G	Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.014K	Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.014P	Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.014S	Nondisplaced fracture of body of right calcaneus, sequela	ICD10
S92.015A	Nondisplaced fracture of body of left calcaneus, initial encounter for closed fracture	ICD10
S92.015B	Nondisplaced fracture of body of left calcaneus, initial encounter for open fracture	ICD10
S92.015D	Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.015G	Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.015K	Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.015P	Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.015S	Nondisplaced fracture of body of left calcaneus, sequela	ICD10

S92.016A	Nondisplaced fracture of body of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.016B	Nondisplaced fracture of body of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.016D	Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.016G	Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.016K	Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.016P	Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.016S	Nondisplaced fracture of body of unspecified calcaneus, sequela	ICD10
S92.021A	Displaced fracture of anterior process of right calcaneus, initial encounter for closed fracture	ICD10
S92.021B	Displaced fracture of anterior process of right calcaneus, initial encounter for open fracture	ICD10
S92.021D	Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.021G	Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.021K	Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.021P	Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.021S	Displaced fracture of anterior process of right calcaneus, sequela	ICD10
S92.022A	Displaced fracture of anterior process of left calcaneus, initial encounter for closed fracture	ICD10
S92.022B	Displaced fracture of anterior process of left calcaneus, initial encounter for open fracture	ICD10
S92.022D	Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.022G	Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.022K	Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.022P	Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.022S	Displaced fracture of anterior process of left calcaneus, sequela	ICD10
S92.023A	Displaced fracture of anterior process of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.023B	Displaced fracture of anterior process of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.023D	Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.023G	Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.023K	Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.023P	Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.023S	Displaced fracture of anterior process of unspecified calcaneus, sequela	ICD10
S92.024A	Nondisplaced fracture of anterior process of right calcaneus, initial encounter for closed fracture	ICD10
S92.024B	Nondisplaced fracture of anterior process of right calcaneus, initial encounter for open fracture	ICD10
S92.024D	Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing	ICD10

S92.024G	Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.024K	Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.024P	Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.024S	Nondisplaced fracture of anterior process of right calcaneus, sequela	ICD10
S92.025A	Nondisplaced fracture of anterior process of left calcaneus, initial encounter for closed fracture	ICD10
S92.025B	Nondisplaced fracture of anterior process of left calcaneus, initial encounter for open fracture	ICD10
S92.025D	Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.025G	Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.025K	Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.025P	Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.025S	Nondisplaced fracture of anterior process of left calcaneus, sequela	ICD10
S92.026A	Nondisplaced fracture of anterior process of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.026B	Nondisplaced fracture of anterior process of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.026D	Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.026G	Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.026K	Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.026P	Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.026S	Nondisplaced fracture of anterior process of unspecified calcaneus, sequela	ICD10
S92.031A	Displaced avulsion fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD10
S92.031B	Displaced avulsion fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD10
S92.031D	Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.031G	Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.031K	Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.031P	Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.031S	Displaced avulsion fracture of tuberosity of right calcaneus, sequela	ICD10
S92.032A	Displaced avulsion fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD10
S92.032B	Displaced avulsion fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD10
S92.032D	Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.032G	Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.032K	Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion	ICD10

S92.032P	Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.032S	Displaced avulsion fracture of tuberosity of left calcaneus, sequela	ICD10
S92.033A	Displaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.033B	Displaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.033D	Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.033G	Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.033K	Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.033P	Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.033S	Displaced avulsion fracture of tuberosity of unspecified calcaneus, sequela	ICD10
S92.034A	Nondisplaced avulsion fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD10
S92.034B	Nondisplaced avulsion fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD10
S92.034D	Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.034G	Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.034K	Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.034P	Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.034S	Nondisplaced avulsion fracture of tuberosity of right calcaneus, sequela	ICD10
S92.035A	Nondisplaced avulsion fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD10
S92.035B	Nondisplaced avulsion fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD10
S92.035D	Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.035G	Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.035K	Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.035P	Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.035S	Nondisplaced avulsion fracture of tuberosity of left calcaneus, sequela	ICD10
S92.036A	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.036B	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.036D	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.036G	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10

S92.036K	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.036P	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.036S	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, sequela	ICD10
S92.041A	Displaced other fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD10
S92.041B	Displaced other fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD10
S92.041D	Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.041G	Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.041K	Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.041P	Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.041S	Displaced other fracture of tuberosity of right calcaneus, sequela	ICD10
S92.042A	Displaced other fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD10
S92.042B	Displaced other fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD10
S92.042D	Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.042G	Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.042K	Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.042P	Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.042S	Displaced other fracture of tuberosity of left calcaneus, sequela	ICD10
S92.043A	Displaced other fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.043B	Displaced other fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.043D	Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.043G	Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.043K	Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.043P	Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.043S	Displaced other fracture of tuberosity of unspecified calcaneus, sequela	ICD10
S92.044A	Nondisplaced other fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD10
S92.044B	Nondisplaced other fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD10
S92.044D	Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.044G	Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.044K	Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.044P	Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.044S	Nondisplaced other fracture of tuberosity of right calcaneus, sequela	ICD10

S92.045A	Nondisplaced other fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD10
S92.045B	Nondisplaced other fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD10
S92.045D	Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.045G	Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.045K	Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.045P	Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.045S	Nondisplaced other fracture of tuberosity of left calcaneus, sequela	ICD10
S92.046A	Nondisplaced other fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.046B	Nondisplaced other fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.046D	Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.046G	Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.046K	Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.046P	Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.046S	Nondisplaced other fracture of tuberosity of unspecified calcaneus, sequela	ICD10
S92.051A	Displaced other extraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD10
S92.051B	Displaced other extraarticular fracture of right calcaneus, initial encounter for open fracture	ICD10
S92.051D	Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.051G	Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.051K	Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.051P	Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.051S	Displaced other extraarticular fracture of right calcaneus, sequela	ICD10
S92.052A	Displaced other extraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD10
S92.052B	Displaced other extraarticular fracture of left calcaneus, initial encounter for open fracture	ICD10
S92.052D	Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.052G	Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.052K	Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.052P	Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.052S	Displaced other extraarticular fracture of left calcaneus, sequela	ICD10
S92.053A	Displaced other extraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.053B	Displaced other extraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD10

S92.053D	Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.053G	Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.053K	Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.053P	Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.053S	Displaced other extraarticular fracture of unspecified calcaneus, sequela	ICD10
S92.054A	Nondisplaced other extraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD10
S92.054B	Nondisplaced other extraarticular fracture of right calcaneus, initial encounter for open fracture	ICD10
S92.054D	Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.054G	Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.054K	Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.054P	Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.054S	Nondisplaced other extraarticular fracture of right calcaneus, sequela	ICD10
S92.055A	Nondisplaced other extraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD10
S92.055B	Nondisplaced other extraarticular fracture of left calcaneus, initial encounter for open fracture	ICD10
S92.055D	Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.055G	Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.055K	Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.055P	Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.055S	Nondisplaced other extraarticular fracture of left calcaneus, sequela	ICD10
S92.056A	Nondisplaced other extraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.056B	Nondisplaced other extraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.056D	Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.056G	Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.056K	Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.056P	Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.056S	Nondisplaced other extraarticular fracture of unspecified calcaneus, sequela	ICD10
S92.061A	Displaced intraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD10
S92.061B	Displaced intraarticular fracture of right calcaneus, initial encounter for open fracture	ICD10
S92.061D	Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.061G	Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10

S92.061K	Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.061P	Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.061S	Displaced intraarticular fracture of right calcaneus, sequela	ICD10
S92.062A	Displaced intraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD10
S92.062B	Displaced intraarticular fracture of left calcaneus, initial encounter for open fracture	ICD10
S92.062D	Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.062G	Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.062K	Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.062P	Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.062S	Displaced intraarticular fracture of left calcaneus, sequela	ICD10
S92.063A	Displaced intraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD10
S92.063B	Displaced intraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.063D	Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.063G	Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.063K	Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.063P	Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.063S	Displaced intraarticular fracture of unspecified calcaneus, sequela	ICD10
S92.064A	Nondisplaced intraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD10
S92.064B	Nondisplaced intraarticular fracture of right calcaneus, initial encounter for open fracture	ICD10
S92.064D	Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.064G	Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.064K	Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.064P	Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.064S	Nondisplaced intraarticular fracture of right calcaneus, sequela	ICD10
S92.065A	Nondisplaced intraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD10
S92.065B	Nondisplaced intraarticular fracture of left calcaneus, initial encounter for open fracture	ICD10
S92.065D	Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.065G	Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.065K	Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.065P	Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.065S	Nondisplaced intraarticular fracture of left calcaneus, sequela	ICD10
S92.066A	Nondisplaced intraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD10

S92.066B	Nondisplaced intraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD10
S92.066D	Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD10
S92.066G	Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD10
S92.066K	Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD10
S92.066P	Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD10
S92.066S	Nondisplaced intraarticular fracture of unspecified calcaneus, sequela	ICD10
S92.101A	Unspecified fracture of right talus, initial encounter for closed fracture	ICD10
S92.101B	Unspecified fracture of right talus, initial encounter for open fracture	ICD10
S92.101D	Unspecified fracture of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.101G	Unspecified fracture of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.101K	Unspecified fracture of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.101P	Unspecified fracture of right talus, subsequent encounter for fracture with malunion	ICD10
S92.101S	Unspecified fracture of right talus, sequela	ICD10
S92.102A	Unspecified fracture of left talus, initial encounter for closed fracture	ICD10
S92.102B	Unspecified fracture of left talus, initial encounter for open fracture	ICD10
S92.102D	Unspecified fracture of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.102G	Unspecified fracture of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.102K	Unspecified fracture of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.102P	Unspecified fracture of left talus, subsequent encounter for fracture with malunion	ICD10
S92.102S	Unspecified fracture of left talus, sequela	ICD10
S92.109A	Unspecified fracture of unspecified talus, initial encounter for closed fracture	ICD10
S92.109B	Unspecified fracture of unspecified talus, initial encounter for open fracture	ICD10
S92.109D	Unspecified fracture of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.109G	Unspecified fracture of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.109K	Unspecified fracture of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.109P	Unspecified fracture of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.109S	Unspecified fracture of unspecified talus, sequela	ICD10
S92.111A	Displaced fracture of neck of right talus, initial encounter for closed fracture	ICD10
S92.111B	Displaced fracture of neck of right talus, initial encounter for open fracture	ICD10
S92.111D	Displaced fracture of neck of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.111G	Displaced fracture of neck of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.111K	Displaced fracture of neck of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.111P	Displaced fracture of neck of right talus, subsequent encounter for fracture with malunion	ICD10
S92.111S	Displaced fracture of neck of right talus, sequela	ICD10
S92.112A	Displaced fracture of neck of left talus, initial encounter for closed fracture	ICD10
S92.112B	Displaced fracture of neck of left talus, initial encounter for open fracture	ICD10
S92.112D	Displaced fracture of neck of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.112G	Displaced fracture of neck of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.112K	Displaced fracture of neck of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.112P	Displaced fracture of neck of left talus, subsequent encounter for fracture with malunion	ICD10
S92.112S	Displaced fracture of neck of left talus, sequela	ICD10
S92.113A	Displaced fracture of neck of unspecified talus, initial encounter for closed fracture	ICD10
S92.113B	Displaced fracture of neck of unspecified talus, initial encounter for open fracture	ICD10
S92.113D	Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with routine healing	ICD10

S92.113G	Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.113K	Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.113P	Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.113S	Displaced fracture of neck of unspecified talus, sequela	ICD10
S92.114A	Nondisplaced fracture of neck of right talus, initial encounter for closed fracture	ICD10
S92.114B	Nondisplaced fracture of neck of right talus, initial encounter for open fracture	ICD10
S92.114D	Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.114G	Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.114K	Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.114P	Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with malunion	ICD10
S92.114S	Nondisplaced fracture of neck of right talus, sequela	ICD10
S92.115A	Nondisplaced fracture of neck of left talus, initial encounter for closed fracture	ICD10
S92.115B	Nondisplaced fracture of neck of left talus, initial encounter for open fracture	ICD10
S92.115D	Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.115G	Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.115K	Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.115P	Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with malunion	ICD10
S92.115S	Nondisplaced fracture of neck of left talus, sequela	ICD10
S92.116A	Nondisplaced fracture of neck of unspecified talus, initial encounter for closed fracture	ICD10
S92.116B	Nondisplaced fracture of neck of unspecified talus, initial encounter for open fracture	ICD10
S92.116D	Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.116G	Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.116K	Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.116P	Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.116S	Nondisplaced fracture of neck of unspecified talus, sequela	ICD10
S92.121A	Displaced fracture of body of right talus, initial encounter for closed fracture	ICD10
S92.121B	Displaced fracture of body of right talus, initial encounter for open fracture	ICD10
S92.121D	Displaced fracture of body of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.121G	Displaced fracture of body of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.121K	Displaced fracture of body of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.121P	Displaced fracture of body of right talus, subsequent encounter for fracture with malunion	ICD10
S92.121S	Displaced fracture of body of right talus, sequela	ICD10
S92.122A	Displaced fracture of body of left talus, initial encounter for closed fracture	ICD10
S92.122B	Displaced fracture of body of left talus, initial encounter for open fracture	ICD10
S92.122D	Displaced fracture of body of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.122G	Displaced fracture of body of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.122K	Displaced fracture of body of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.122P	Displaced fracture of body of left talus, subsequent encounter for fracture with malunion	ICD10
S92.122S	Displaced fracture of body of left talus, sequela	ICD10

S92.123A	Displaced fracture of body of unspecified talus, initial encounter for closed fracture	ICD10
S92.123B	Displaced fracture of body of unspecified talus, initial encounter for open fracture	ICD10
S92.123D	Displaced fracture of body of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.123G	Displaced fracture of body of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.123K	Displaced fracture of body of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.123P	Displaced fracture of body of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.123S	Displaced fracture of body of unspecified talus, sequela	ICD10
S92.124A	Nondisplaced fracture of body of right talus, initial encounter for closed fracture	ICD10
S92.124B	Nondisplaced fracture of body of right talus, initial encounter for open fracture	ICD10
S92.124D	Nondisplaced fracture of body of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.124G	Nondisplaced fracture of body of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.124K	Nondisplaced fracture of body of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.124P	Nondisplaced fracture of body of right talus, subsequent encounter for fracture with malunion	ICD10
S92.124S	Nondisplaced fracture of body of right talus, sequela	ICD10
S92.125A	Nondisplaced fracture of body of left talus, initial encounter for closed fracture	ICD10
S92.125B	Nondisplaced fracture of body of left talus, initial encounter for open fracture	ICD10
S92.125D	Nondisplaced fracture of body of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.125G	Nondisplaced fracture of body of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.125K	Nondisplaced fracture of body of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.125P	Nondisplaced fracture of body of left talus, subsequent encounter for fracture with malunion	ICD10
S92.125S	Nondisplaced fracture of body of left talus, sequela	ICD10
S92.126A	Nondisplaced fracture of body of unspecified talus, initial encounter for closed fracture	ICD10
S92.126B	Nondisplaced fracture of body of unspecified talus, initial encounter for open fracture	ICD10
S92.126D	Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.126G	Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.126K	Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.126P	Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.126S	Nondisplaced fracture of body of unspecified talus, sequela	ICD10
S92.131A	Displaced fracture of posterior process of right talus, initial encounter for closed fracture	ICD10
S92.131B	Displaced fracture of posterior process of right talus, initial encounter for open fracture	ICD10
S92.131D	Displaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.131G	Displaced fracture of posterior process of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.131K	Displaced fracture of posterior process of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.131P	Displaced fracture of posterior process of right talus, subsequent encounter for fracture with malunion	ICD10
S92.131S	Displaced fracture of posterior process of right talus, sequela	ICD10

S92.132A	Displaced fracture of posterior process of left talus, initial encounter for closed fracture	ICD10
S92.132B	Displaced fracture of posterior process of left talus, initial encounter for open fracture	ICD10
S92.132D	Displaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.132G	Displaced fracture of posterior process of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.132K	Displaced fracture of posterior process of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.132P	Displaced fracture of posterior process of left talus, subsequent encounter for fracture with malunion	ICD10
S92.132S	Displaced fracture of posterior process of left talus, sequela	ICD10
S92.133A	Displaced fracture of posterior process of unspecified talus, initial encounter for closed fracture	ICD10
S92.133B	Displaced fracture of posterior process of unspecified talus, initial encounter for open fracture	ICD10
S92.133D	Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.133G	Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.133K	Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.133P	Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.133S	Displaced fracture of posterior process of unspecified talus, sequela	ICD10
S92.134A	Nondisplaced fracture of posterior process of right talus, initial encounter for closed fracture	ICD10
S92.134B	Nondisplaced fracture of posterior process of right talus, initial encounter for open fracture	ICD10
S92.134D	Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.134G	Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.134K	Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.134P	Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with malunion	ICD10
S92.134S	Nondisplaced fracture of posterior process of right talus, sequela	ICD10
S92.135A	Nondisplaced fracture of posterior process of left talus, initial encounter for closed fracture	ICD10
S92.135B	Nondisplaced fracture of posterior process of left talus, initial encounter for open fracture	ICD10
S92.135D	Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.135G	Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.135K	Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.135P	Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with malunion	ICD10
S92.135S	Nondisplaced fracture of posterior process of left talus, sequela	ICD10
S92.136A	Nondisplaced fracture of posterior process of unspecified talus, initial encounter for closed fracture	ICD10
S92.136B	Nondisplaced fracture of posterior process of unspecified talus, initial encounter for open fracture	ICD10
S92.136D	Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with routine healing	ICD10

S92.136G	Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.136K	Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.136P	Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.136S	Nondisplaced fracture of posterior process of unspecified talus, sequela	ICD10
S92.141A	Displaced dome fracture of right talus, initial encounter for closed fracture	ICD10
S92.141B	Displaced dome fracture of right talus, initial encounter for open fracture	ICD10
S92.141D	Displaced dome fracture of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.141G	Displaced dome fracture of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.141K	Displaced dome fracture of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.141P	Displaced dome fracture of right talus, subsequent encounter for fracture with malunion	ICD10
S92.141S	Displaced dome fracture of right talus, sequela	ICD10
S92.142A	Displaced dome fracture of left talus, initial encounter for closed fracture	ICD10
S92.142B	Displaced dome fracture of left talus, initial encounter for open fracture	ICD10
S92.142D	Displaced dome fracture of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.142G	Displaced dome fracture of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.142K	Displaced dome fracture of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.142P	Displaced dome fracture of left talus, subsequent encounter for fracture with malunion	ICD10
S92.142S	Displaced dome fracture of left talus, sequela	ICD10
S92.143A	Displaced dome fracture of unspecified talus, initial encounter for closed fracture	ICD10
S92.143B	Displaced dome fracture of unspecified talus, initial encounter for open fracture	ICD10
S92.143D	Displaced dome fracture of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.143G	Displaced dome fracture of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.143K	Displaced dome fracture of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.143P	Displaced dome fracture of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.143S	Displaced dome fracture of unspecified talus, sequela	ICD10
S92.144A	Nondisplaced dome fracture of right talus, initial encounter for closed fracture	ICD10
S92.144B	Nondisplaced dome fracture of right talus, initial encounter for open fracture	ICD10
S92.144D	Nondisplaced dome fracture of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.144G	Nondisplaced dome fracture of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.144K	Nondisplaced dome fracture of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.144P	Nondisplaced dome fracture of right talus, subsequent encounter for fracture with malunion	ICD10
S92.144S	Nondisplaced dome fracture of right talus, sequela	ICD10
S92.145A	Nondisplaced dome fracture of left talus, initial encounter for closed fracture	ICD10
S92.145B	Nondisplaced dome fracture of left talus, initial encounter for open fracture	ICD10
S92.145D	Nondisplaced dome fracture of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.145G	Nondisplaced dome fracture of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.145K	Nondisplaced dome fracture of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.145P	Nondisplaced dome fracture of left talus, subsequent encounter for fracture with malunion	ICD10
S92.145S	Nondisplaced dome fracture of left talus, sequela	ICD10
S92.146A	Nondisplaced dome fracture of unspecified talus, initial encounter for closed fracture	ICD10
S92.146B	Nondisplaced dome fracture of unspecified talus, initial encounter for open fracture	ICD10

S92.146D	Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.146G	Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.146K	Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.146P	Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.146S	Nondisplaced dome fracture of unspecified talus, sequela	ICD10
S92.151A	Displaced avulsion fracture (chip fracture) of right talus, initial encounter for closed fracture	ICD10
S92.151B	Displaced avulsion fracture (chip fracture) of right talus, initial encounter for open fracture	ICD10
S92.151D	Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.151G	Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.151K	Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.151P	Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with malunion	ICD10
S92.151S	Displaced avulsion fracture (chip fracture) of right talus, sequela	ICD10
S92.152A	Displaced avulsion fracture (chip fracture) of left talus, initial encounter for closed fracture	ICD10
S92.152B	Displaced avulsion fracture (chip fracture) of left talus, initial encounter for open fracture	ICD10
S92.152D	Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.152G	Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.152K	Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.152P	Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with malunion	ICD10
S92.152S	Displaced avulsion fracture (chip fracture) of left talus, sequela	ICD10
S92.153A	Displaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for closed fracture	ICD10
S92.153B	Displaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for open fracture	ICD10
S92.153D	Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.153G	Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.153K	Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.153P	Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.153S	Displaced avulsion fracture (chip fracture) of unspecified talus, sequela	ICD10
S92.154A	Nondisplaced avulsion fracture (chip fracture) of right talus, initial encounter for closed fracture	ICD10
S92.154B	Nondisplaced avulsion fracture (chip fracture) of right talus, initial encounter for open fracture	ICD10
S92.154D	Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.154G	Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with delayed healing	ICD10

S92.154K	Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.154P	Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with malunion	ICD10
S92.154S	Nondisplaced avulsion fracture (chip fracture) of right talus, sequela	ICD10
S92.155A	Nondisplaced avulsion fracture (chip fracture) of left talus, initial encounter for closed fracture	ICD10
S92.155B	Nondisplaced avulsion fracture (chip fracture) of left talus, initial encounter for open fracture	ICD10
S92.155D	Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.155G	Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.155K	Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.155P	Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with malunion	ICD10
S92.155S	Nondisplaced avulsion fracture (chip fracture) of left talus, sequela	ICD10
S92.156A	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for closed fracture	ICD10
S92.156B	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for open fracture	ICD10
S92.156D	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.156G	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.156K	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.156P	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.156S	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, sequela	ICD10
S92.191A	Other fracture of right talus, initial encounter for closed fracture	ICD10
S92.191B	Other fracture of right talus, initial encounter for open fracture	ICD10
S92.191D	Other fracture of right talus, subsequent encounter for fracture with routine healing	ICD10
S92.191G	Other fracture of right talus, subsequent encounter for fracture with delayed healing	ICD10
S92.191K	Other fracture of right talus, subsequent encounter for fracture with nonunion	ICD10
S92.191P	Other fracture of right talus, subsequent encounter for fracture with malunion	ICD10
S92.191S	Other fracture of right talus, sequela	ICD10
S92.192A	Other fracture of left talus, initial encounter for closed fracture	ICD10
S92.192B	Other fracture of left talus, initial encounter for open fracture	ICD10
S92.192D	Other fracture of left talus, subsequent encounter for fracture with routine healing	ICD10
S92.192G	Other fracture of left talus, subsequent encounter for fracture with delayed healing	ICD10
S92.192K	Other fracture of left talus, subsequent encounter for fracture with nonunion	ICD10
S92.192P	Other fracture of left talus, subsequent encounter for fracture with malunion	ICD10
S92.192S	Other fracture of left talus, sequela	ICD10
S92.199A	Other fracture of unspecified talus, initial encounter for closed fracture	ICD10
S92.199B	Other fracture of unspecified talus, initial encounter for open fracture	ICD10
S92.199D	Other fracture of unspecified talus, subsequent encounter for fracture with routine healing	ICD10
S92.199G	Other fracture of unspecified talus, subsequent encounter for fracture with delayed healing	ICD10
S92.199K	Other fracture of unspecified talus, subsequent encounter for fracture with nonunion	ICD10
S92.199P	Other fracture of unspecified talus, subsequent encounter for fracture with malunion	ICD10
S92.199S	Other fracture of unspecified talus, sequela	ICD10
S92.201A	Fracture of unspecified tarsal bone(s) of right foot, initial encounter for closed fracture	ICD10

S92.201B	Fracture of unspecified tarsal bone(s) of right foot, initial encounter for open fracture	ICD10
S92.201D	Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.201G	Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.201K	Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.201P	Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with malunion	ICD10
S92.201S	Fracture of unspecified tarsal bone(s) of right foot, sequela	ICD10
S92.202A	Fracture of unspecified tarsal bone(s) of left foot, initial encounter for closed fracture	ICD10
S92.202B	Fracture of unspecified tarsal bone(s) of left foot, initial encounter for open fracture	ICD10
S92.202D	Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.202G	Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.202K	Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.202P	Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with malunion	ICD10
S92.202S	Fracture of unspecified tarsal bone(s) of left foot, sequela	ICD10
S92.209A	Fracture of unspecified tarsal bone(s) of unspecified foot, initial encounter for closed fracture	ICD10
S92.209B	Fracture of unspecified tarsal bone(s) of unspecified foot, initial encounter for open fracture	ICD10
S92.209D	Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.209G	Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.209K	Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.209P	Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.209S	Fracture of unspecified tarsal bone(s) of unspecified foot, sequela	ICD10
S92.211A	Displaced fracture of cuboid bone of right foot, initial encounter for closed fracture	ICD10
S92.211B	Displaced fracture of cuboid bone of right foot, initial encounter for open fracture	ICD10
S92.211D	Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.211G	Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.211K	Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.211P	Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with malunion	ICD10
S92.211S	Displaced fracture of cuboid bone of right foot, sequela	ICD10
S92.212A	Displaced fracture of cuboid bone of left foot, initial encounter for closed fracture	ICD10
S92.212B	Displaced fracture of cuboid bone of left foot, initial encounter for open fracture	ICD10
S92.212D	Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.212G	Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.212K	Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.212P	Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with malunion	ICD10

S92.212S	Displaced fracture of cuboid bone of left foot, sequela	ICD10
S92.213A	Displaced fracture of cuboid bone of unspecified foot, initial encounter for closed fracture	ICD10
S92.213B	Displaced fracture of cuboid bone of unspecified foot, initial encounter for open fracture	ICD10
S92.213D	Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.213G	Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.213K	Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.213P	Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.213S	Displaced fracture of cuboid bone of unspecified foot, sequela	ICD10
S92.214A	Nondisplaced fracture of cuboid bone of right foot, initial encounter for closed fracture	ICD10
S92.214B	Nondisplaced fracture of cuboid bone of right foot, initial encounter for open fracture	ICD10
S92.214D	Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.214G	Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.214K	Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.214P	Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with malunion	ICD10
S92.214S	Nondisplaced fracture of cuboid bone of right foot, sequela	ICD10
S92.215A	Nondisplaced fracture of cuboid bone of left foot, initial encounter for closed fracture	ICD10
S92.215B	Nondisplaced fracture of cuboid bone of left foot, initial encounter for open fracture	ICD10
S92.215D	Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.215G	Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.215K	Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.215P	Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with malunion	ICD10
S92.215S	Nondisplaced fracture of cuboid bone of left foot, sequela	ICD10
S92.216A	Nondisplaced fracture of cuboid bone of unspecified foot, initial encounter for closed fracture	ICD10
S92.216B	Nondisplaced fracture of cuboid bone of unspecified foot, initial encounter for open fracture	ICD10
S92.216D	Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.216G	Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.216K	Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.216P	Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.216S	Nondisplaced fracture of cuboid bone of unspecified foot, sequela	ICD10
S92.221A	Displaced fracture of lateral cuneiform of right foot, initial encounter for closed fracture	ICD10
S92.221B	Displaced fracture of lateral cuneiform of right foot, initial encounter for open fracture	ICD10
S92.221D	Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.221G	Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD10

S92.221K	Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.221P	Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with malunion	ICD10
S92.221S	Displaced fracture of lateral cuneiform of right foot, sequela	ICD10
S92.222A	Displaced fracture of lateral cuneiform of left foot, initial encounter for closed fracture	ICD10
S92.222B	Displaced fracture of lateral cuneiform of left foot, initial encounter for open fracture	ICD10
S92.222D	Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.222G	Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.222K	Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.222P	Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with malunion	ICD10
S92.222S	Displaced fracture of lateral cuneiform of left foot, sequela	ICD10
S92.223A	Displaced fracture of lateral cuneiform of unspecified foot, initial encounter for closed fracture	ICD10
S92.223B	Displaced fracture of lateral cuneiform of unspecified foot, initial encounter for open fracture	ICD10
S92.223D	Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.223G	Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.223K	Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.223P	Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.223S	Displaced fracture of lateral cuneiform of unspecified foot, sequela	ICD10
S92.224A	Nondisplaced fracture of lateral cuneiform of right foot, initial encounter for closed fracture	ICD10
S92.224B	Nondisplaced fracture of lateral cuneiform of right foot, initial encounter for open fracture	ICD10
S92.224D	Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.224G	Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.224K	Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.224P	Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with malunion	ICD10
S92.224S	Nondisplaced fracture of lateral cuneiform of right foot, sequela	ICD10
S92.225A	Nondisplaced fracture of lateral cuneiform of left foot, initial encounter for closed fracture	ICD10
S92.225B	Nondisplaced fracture of lateral cuneiform of left foot, initial encounter for open fracture	ICD10
S92.225D	Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.225G	Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.225K	Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.225P	Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with malunion	ICD10
S92.225S	Nondisplaced fracture of lateral cuneiform of left foot, sequela	ICD10
S92.226A	Nondisplaced fracture of lateral cuneiform of unspecified foot, initial encounter for closed fracture	ICD10

S92.226B	Nondisplaced fracture of lateral cuneiform of unspecified foot, initial encounter for open fracture	ICD10
S92.226D	Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.226G	Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.226K	Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.226P	Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.226S	Nondisplaced fracture of lateral cuneiform of unspecified foot, sequela	ICD10
S92.231A	Displaced fracture of intermediate cuneiform of right foot, initial encounter for closed fracture	ICD10
S92.231B	Displaced fracture of intermediate cuneiform of right foot, initial encounter for open fracture	ICD10
S92.231D	Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.231G	Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.231K	Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.231P	Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with malunion	ICD10
S92.231S	Displaced fracture of intermediate cuneiform of right foot, sequela	ICD10
S92.232A	Displaced fracture of intermediate cuneiform of left foot, initial encounter for closed fracture	ICD10
S92.232B	Displaced fracture of intermediate cuneiform of left foot, initial encounter for open fracture	ICD10
S92.232D	Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.232G	Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.232K	Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.232P	Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with malunion	ICD10
S92.232S	Displaced fracture of intermediate cuneiform of left foot, sequela	ICD10
S92.233A	Displaced fracture of intermediate cuneiform of unspecified foot, initial encounter for closed fracture	ICD10
S92.233B	Displaced fracture of intermediate cuneiform of unspecified foot, initial encounter for open fracture	ICD10
S92.233D	Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.233G	Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.233K	Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.233P	Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.233S	Displaced fracture of intermediate cuneiform of unspecified foot, sequela	ICD10
S92.234A	Nondisplaced fracture of intermediate cuneiform of right foot, initial encounter for closed fracture	ICD10
S92.234B	Nondisplaced fracture of intermediate cuneiform of right foot, initial encounter for open fracture	ICD10

S92.234D	Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.234G	Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.234K	Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.234P	Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with malunion	ICD10
S92.234S	Nondisplaced fracture of intermediate cuneiform of right foot, sequela	ICD10
S92.235A	Nondisplaced fracture of intermediate cuneiform of left foot, initial encounter for closed fracture	ICD10
S92.235B	Nondisplaced fracture of intermediate cuneiform of left foot, initial encounter for open fracture	ICD10
S92.235D	Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.235G	Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.235K	Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.235P	Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with malunion	ICD10
S92.235S	Nondisplaced fracture of intermediate cuneiform of left foot, sequela	ICD10
S92.236A	Nondisplaced fracture of intermediate cuneiform of unspecified foot, initial encounter for closed fracture	ICD10
S92.236B	Nondisplaced fracture of intermediate cuneiform of unspecified foot, initial encounter for open fracture	ICD10
S92.236D	Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.236G	Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.236K	Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.236P	Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.236S	Nondisplaced fracture of intermediate cuneiform of unspecified foot, sequela	ICD10
S92.241A	Displaced fracture of medial cuneiform of right foot, initial encounter for closed fracture	ICD10
S92.241B	Displaced fracture of medial cuneiform of right foot, initial encounter for open fracture	ICD10
S92.241D	Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.241G	Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.241K	Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.241P	Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with malunion	ICD10
S92.241S	Displaced fracture of medial cuneiform of right foot, sequela	ICD10
S92.242A	Displaced fracture of medial cuneiform of left foot, initial encounter for closed fracture	ICD10
S92.242B	Displaced fracture of medial cuneiform of left foot, initial encounter for open fracture	ICD10
S92.242D	Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.242G	Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD10

S92.242K	Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.242P	Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with malunion	ICD10
S92.242S	Displaced fracture of medial cuneiform of left foot, sequela	ICD10
S92.243A	Displaced fracture of medial cuneiform of unspecified foot, initial encounter for closed fracture	ICD10
S92.243B	Displaced fracture of medial cuneiform of unspecified foot, initial encounter for open fracture	ICD10
S92.243D	Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.243G	Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.243K	Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.243P	Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.243S	Displaced fracture of medial cuneiform of unspecified foot, sequela	ICD10
S92.244A	Nondisplaced fracture of medial cuneiform of right foot, initial encounter for closed fracture	ICD10
S92.244B	Nondisplaced fracture of medial cuneiform of right foot, initial encounter for open fracture	ICD10
S92.244D	Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.244G	Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.244K	Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.244P	Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with malunion	ICD10
S92.244S	Nondisplaced fracture of medial cuneiform of right foot, sequela	ICD10
S92.245A	Nondisplaced fracture of medial cuneiform of left foot, initial encounter for closed fracture	ICD10
S92.245B	Nondisplaced fracture of medial cuneiform of left foot, initial encounter for open fracture	ICD10
S92.245D	Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.245G	Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.245K	Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.245P	Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with malunion	ICD10
S92.245S	Nondisplaced fracture of medial cuneiform of left foot, sequela	ICD10
S92.246A	Nondisplaced fracture of medial cuneiform of unspecified foot, initial encounter for closed fracture	ICD10
S92.246B	Nondisplaced fracture of medial cuneiform of unspecified foot, initial encounter for open fracture	ICD10
S92.246D	Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.246G	Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.246K	Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.246P	Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.246S	Nondisplaced fracture of medial cuneiform of unspecified foot, sequela	ICD10

S92.251A	Displaced fracture of navicular [scaphoid] of right foot, initial encounter for closed fracture	ICD10
S92.251B	Displaced fracture of navicular [scaphoid] of right foot, initial encounter for open fracture	ICD10
S92.251D	Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.251G	Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.251K	Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.251P	Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with malunion	ICD10
S92.251S	Displaced fracture of navicular [scaphoid] of right foot, sequela	ICD10
S92.252A	Displaced fracture of navicular [scaphoid] of left foot, initial encounter for closed fracture	ICD10
S92.252B	Displaced fracture of navicular [scaphoid] of left foot, initial encounter for open fracture	ICD10
S92.252D	Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.252G	Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.252K	Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.252P	Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with malunion	ICD10
S92.252S	Displaced fracture of navicular [scaphoid] of left foot, sequela	ICD10
S92.253A	Displaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for closed fracture	ICD10
S92.253B	Displaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for open fracture	ICD10
S92.253D	Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.253G	Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.253K	Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.253P	Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.253S	Displaced fracture of navicular [scaphoid] of unspecified foot, sequela	ICD10
S92.254A	Nondisplaced fracture of navicular [scaphoid] of right foot, initial encounter for closed fracture	ICD10
S92.254B	Nondisplaced fracture of navicular [scaphoid] of right foot, initial encounter for open fracture	ICD10
S92.254D	Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.254G	Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.254K	Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.254P	Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with malunion	ICD10
S92.254S	Nondisplaced fracture of navicular [scaphoid] of right foot, sequela	ICD10
S92.255A	Nondisplaced fracture of navicular [scaphoid] of left foot, initial encounter for closed fracture	ICD10
S92.255B	Nondisplaced fracture of navicular [scaphoid] of left foot, initial encounter for open fracture	ICD10
S92.255D	Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.255G	Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with delayed healing	ICD10

S92.255K	Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.255P	Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with malunion	ICD10
S92.255S	Nondisplaced fracture of navicular [scaphoid] of left foot, sequela	ICD10
S92.256A	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for closed fracture	ICD10
S92.256B	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for open fracture	ICD10
S92.256D	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.256G	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.256K	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.256P	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.256S	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, sequela	ICD10
S92.301A	Fracture of unspecified metatarsal bone(s), right foot, initial encounter for closed fracture	ICD10
S92.301B	Fracture of unspecified metatarsal bone(s), right foot, initial encounter for open fracture	ICD10
S92.301D	Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with routine healing	ICD10
S92.301G	Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.301K	Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with nonunion	ICD10
S92.301P	Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with malunion	ICD10
S92.301S	Fracture of unspecified metatarsal bone(s), right foot, sequela	ICD10
S92.302A	Fracture of unspecified metatarsal bone(s), left foot, initial encounter for closed fracture	ICD10
S92.302B	Fracture of unspecified metatarsal bone(s), left foot, initial encounter for open fracture	ICD10
S92.302D	Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with routine healing	ICD10
S92.302G	Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.302K	Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with nonunion	ICD10
S92.302P	Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with malunion	ICD10
S92.302S	Fracture of unspecified metatarsal bone(s), left foot, sequela	ICD10
S92.309A	Fracture of unspecified metatarsal bone(s), unspecified foot, initial encounter for closed fracture	ICD10
S92.309B	Fracture of unspecified metatarsal bone(s), unspecified foot, initial encounter for open fracture	ICD10
S92.309D	Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.309G	Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.309K	Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.309P	Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with malunion	ICD10

S92.309S	Fracture of unspecified metatarsal bone(s), unspecified foot, sequela	ICD10
S92.311A	Displaced fracture of first metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.311B	Displaced fracture of first metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.311D	Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.311G	Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.311K	Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.311P	Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.311S	Displaced fracture of first metatarsal bone, right foot, sequela	ICD10
S92.312A	Displaced fracture of first metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.312B	Displaced fracture of first metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.312D	Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.312G	Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.312K	Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.312P	Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.312S	Displaced fracture of first metatarsal bone, left foot, sequela	ICD10
S92.313A	Displaced fracture of first metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.313B	Displaced fracture of first metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.313D	Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.313G	Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.313K	Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.313P	Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.313S	Displaced fracture of first metatarsal bone, unspecified foot, sequela	ICD10
S92.314A	Nondisplaced fracture of first metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.314B	Nondisplaced fracture of first metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.314D	Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.314G	Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.314K	Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.314P	Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.314S	Nondisplaced fracture of first metatarsal bone, right foot, sequela	ICD10
S92.315A	Nondisplaced fracture of first metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.315B	Nondisplaced fracture of first metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.315D	Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.315G	Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10

S92.315K	Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.315P	Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.315S	Nondisplaced fracture of first metatarsal bone, left foot, sequela	ICD10
S92.316A	Nondisplaced fracture of first metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.316B	Nondisplaced fracture of first metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.316D	Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.316G	Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.316K	Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.316P	Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.316S	Nondisplaced fracture of first metatarsal bone, unspecified foot, sequela	ICD10
S92.321A	Displaced fracture of second metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.321B	Displaced fracture of second metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.321D	Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.321G	Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.321K	Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.321P	Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.321S	Displaced fracture of second metatarsal bone, right foot, sequela	ICD10
S92.322A	Displaced fracture of second metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.322B	Displaced fracture of second metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.322D	Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.322G	Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.322K	Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.322P	Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.322S	Displaced fracture of second metatarsal bone, left foot, sequela	ICD10
S92.323A	Displaced fracture of second metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.323B	Displaced fracture of second metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.323D	Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.323G	Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.323K	Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10

S92.323P	Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.323S	Displaced fracture of second metatarsal bone, unspecified foot, sequela	ICD10
S92.324A	Nondisplaced fracture of second metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.324B	Nondisplaced fracture of second metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.324D	Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.324G	Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.324K	Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.324P	Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.324S	Nondisplaced fracture of second metatarsal bone, right foot, sequela	ICD10
S92.325A	Nondisplaced fracture of second metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.325B	Nondisplaced fracture of second metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.325D	Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.325G	Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.325K	Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.325P	Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.325S	Nondisplaced fracture of second metatarsal bone, left foot, sequela	ICD10
S92.326A	Nondisplaced fracture of second metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.326B	Nondisplaced fracture of second metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.326D	Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.326G	Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.326K	Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.326P	Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.326S	Nondisplaced fracture of second metatarsal bone, unspecified foot, sequela	ICD10
S92.331A	Displaced fracture of third metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.331B	Displaced fracture of third metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.331D	Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.331G	Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.331K	Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.331P	Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.331S	Displaced fracture of third metatarsal bone, right foot, sequela	ICD10
S92.332A	Displaced fracture of third metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.332B	Displaced fracture of third metatarsal bone, left foot, initial encounter for open fracture	ICD10

S92.332D	Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.332G	Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.332K	Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.332P	Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.332S	Displaced fracture of third metatarsal bone, left foot, sequela	ICD10
S92.333A	Displaced fracture of third metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.333B	Displaced fracture of third metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.333D	Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.333G	Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.333K	Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.333P	Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.333S	Displaced fracture of third metatarsal bone, unspecified foot, sequela	ICD10
S92.334A	Nondisplaced fracture of third metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.334B	Nondisplaced fracture of third metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.334D	Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.334G	Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.334K	Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.334P	Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.334S	Nondisplaced fracture of third metatarsal bone, right foot, sequela	ICD10
S92.335A	Nondisplaced fracture of third metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.335B	Nondisplaced fracture of third metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.335D	Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.335G	Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.335K	Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.335P	Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.335S	Nondisplaced fracture of third metatarsal bone, left foot, sequela	ICD10
S92.336A	Nondisplaced fracture of third metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.336B	Nondisplaced fracture of third metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.336D	Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.336G	Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10

S92.336K	Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.336P	Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.336S	Nondisplaced fracture of third metatarsal bone, unspecified foot, sequela	ICD10
S92.341A	Displaced fracture of fourth metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.341B	Displaced fracture of fourth metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.341D	Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.341G	Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.341K	Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.341P	Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.341S	Displaced fracture of fourth metatarsal bone, right foot, sequela	ICD10
S92.342A	Displaced fracture of fourth metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.342B	Displaced fracture of fourth metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.342D	Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.342G	Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.342K	Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.342P	Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.342S	Displaced fracture of fourth metatarsal bone, left foot, sequela	ICD10
S92.343A	Displaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.343B	Displaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.343D	Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.343G	Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.343K	Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.343P	Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.343S	Displaced fracture of fourth metatarsal bone, unspecified foot, sequela	ICD10
S92.344A	Nondisplaced fracture of fourth metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.344B	Nondisplaced fracture of fourth metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.344D	Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.344G	Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.344K	Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.344P	Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.344S	Nondisplaced fracture of fourth metatarsal bone, right foot, sequela	ICD10

S92.345A	Nondisplaced fracture of fourth metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.345B	Nondisplaced fracture of fourth metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.345D	Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.345G	Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.345K	Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.345P	Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.345S	Nondisplaced fracture of fourth metatarsal bone, left foot, sequela	ICD10
S92.346A	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.346B	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.346D	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.346G	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.346K	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.346P	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.346S	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, sequela	ICD10
S92.351A	Displaced fracture of fifth metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.351B	Displaced fracture of fifth metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.351D	Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.351G	Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.351K	Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.351P	Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.351S	Displaced fracture of fifth metatarsal bone, right foot, sequela	ICD10
S92.352A	Displaced fracture of fifth metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.352B	Displaced fracture of fifth metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.352D	Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.352G	Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.352K	Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.352P	Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.352S	Displaced fracture of fifth metatarsal bone, left foot, sequela	ICD10
S92.353A	Displaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.353B	Displaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.353D	Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10

S92.353G	Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.353K	Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.353P	Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.353S	Displaced fracture of fifth metatarsal bone, unspecified foot, sequela	ICD10
S92.354A	Nondisplaced fracture of fifth metatarsal bone, right foot, initial encounter for closed fracture	ICD10
S92.354B	Nondisplaced fracture of fifth metatarsal bone, right foot, initial encounter for open fracture	ICD10
S92.354D	Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD10
S92.354G	Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.354K	Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD10
S92.354P	Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD10
S92.354S	Nondisplaced fracture of fifth metatarsal bone, right foot, sequela	ICD10
S92.355A	Nondisplaced fracture of fifth metatarsal bone, left foot, initial encounter for closed fracture	ICD10
S92.355B	Nondisplaced fracture of fifth metatarsal bone, left foot, initial encounter for open fracture	ICD10
S92.355D	Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD10
S92.355G	Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.355K	Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD10
S92.355P	Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD10
S92.355S	Nondisplaced fracture of fifth metatarsal bone, left foot, sequela	ICD10
S92.356A	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD10
S92.356B	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD10
S92.356D	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.356G	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.356K	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.356P	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.356S	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, sequela	ICD10
S92.401A	Displaced unspecified fracture of right great toe, initial encounter for closed fracture	ICD10
S92.401B	Displaced unspecified fracture of right great toe, initial encounter for open fracture	ICD10
S92.401D	Displaced unspecified fracture of right great toe, subsequent encounter for fracture with routine healing	ICD10
S92.401G	Displaced unspecified fracture of right great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.401K	Displaced unspecified fracture of right great toe, subsequent encounter for fracture with nonunion	ICD10

S92.401P	Displaced unspecified fracture of right great toe, subsequent encounter for fracture with malunion	ICD10
S92.401S	Displaced unspecified fracture of right great toe, sequela	ICD10
S92.402A	Displaced unspecified fracture of left great toe, initial encounter for closed fracture	ICD10
S92.402B	Displaced unspecified fracture of left great toe, initial encounter for open fracture	ICD10
S92.402D	Displaced unspecified fracture of left great toe, subsequent encounter for fracture with routine healing	ICD10
S92.402G	Displaced unspecified fracture of left great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.402K	Displaced unspecified fracture of left great toe, subsequent encounter for fracture with nonunion	ICD10
S92.402P	Displaced unspecified fracture of left great toe, subsequent encounter for fracture with malunion	ICD10
S92.402S	Displaced unspecified fracture of left great toe, sequela	ICD10
S92.403A	Displaced unspecified fracture of unspecified great toe, initial encounter for closed fracture	ICD10
S92.403B	Displaced unspecified fracture of unspecified great toe, initial encounter for open fracture	ICD10
S92.403D	Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with routine healing	ICD10
S92.403G	Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.403K	Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with nonunion	ICD10
S92.403P	Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with malunion	ICD10
S92.403S	Displaced unspecified fracture of unspecified great toe, sequela	ICD10
S92.404A	Nondisplaced unspecified fracture of right great toe, initial encounter for closed fracture	ICD10
S92.404B	Nondisplaced unspecified fracture of right great toe, initial encounter for open fracture	ICD10
S92.404D	Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with routine healing	ICD10
S92.404G	Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.404K	Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with nonunion	ICD10
S92.404P	Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with malunion	ICD10
S92.404S	Nondisplaced unspecified fracture of right great toe, sequela	ICD10
S92.405A	Nondisplaced unspecified fracture of left great toe, initial encounter for closed fracture	ICD10
S92.405B	Nondisplaced unspecified fracture of left great toe, initial encounter for open fracture	ICD10
S92.405D	Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with routine healing	ICD10
S92.405G	Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.405K	Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with nonunion	ICD10
S92.405P	Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with malunion	ICD10
S92.405S	Nondisplaced unspecified fracture of left great toe, sequela	ICD10
S92.406A	Nondisplaced unspecified fracture of unspecified great toe, initial encounter for closed fracture	ICD10
S92.406B	Nondisplaced unspecified fracture of unspecified great toe, initial encounter for open fracture	ICD10
S92.406D	Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with routine healing	ICD10

S92.406G	Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.406K	Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with nonunion	ICD10
S92.406P	Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with malunion	ICD10
S92.406S	Nondisplaced unspecified fracture of unspecified great toe, sequela	ICD10
S92.411A	Displaced fracture of proximal phalanx of right great toe, initial encounter for closed fracture	ICD10
S92.411B	Displaced fracture of proximal phalanx of right great toe, initial encounter for open fracture	ICD10
S92.411D	Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing	ICD10
S92.411G	Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.411K	Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with nonunion	ICD10
S92.411P	Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with malunion	ICD10
S92.411S	Displaced fracture of proximal phalanx of right great toe, sequela	ICD10
S92.412A	Displaced fracture of proximal phalanx of left great toe, initial encounter for closed fracture	ICD10
S92.412B	Displaced fracture of proximal phalanx of left great toe, initial encounter for open fracture	ICD10
S92.412D	Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing	ICD10
S92.412G	Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.412K	Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with nonunion	ICD10
S92.412P	Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with malunion	ICD10
S92.412S	Displaced fracture of proximal phalanx of left great toe, sequela	ICD10
S92.413A	Displaced fracture of proximal phalanx of unspecified great toe, initial encounter for closed fracture	ICD10
S92.413B	Displaced fracture of proximal phalanx of unspecified great toe, initial encounter for open fracture	ICD10
S92.413D	Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing	ICD10
S92.413G	Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.413K	Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion	ICD10
S92.413P	Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with malunion	ICD10
S92.413S	Displaced fracture of proximal phalanx of unspecified great toe, sequela	ICD10
S92.414A	Nondisplaced fracture of proximal phalanx of right great toe, initial encounter for closed fracture	ICD10
S92.414B	Nondisplaced fracture of proximal phalanx of right great toe, initial encounter for open fracture	ICD10
S92.414D	Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing	ICD10
S92.414G	Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.414K	Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with nonunion	ICD10

S92.414P	Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with malunion	ICD10
S92.414S	Nondisplaced fracture of proximal phalanx of right great toe, sequela	ICD10
S92.415A	Nondisplaced fracture of proximal phalanx of left great toe, initial encounter for closed fracture	ICD10
S92.415B	Nondisplaced fracture of proximal phalanx of left great toe, initial encounter for open fracture	ICD10
S92.415D	Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing	ICD10
S92.415G	Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.415K	Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with nonunion	ICD10
S92.415P	Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with malunion	ICD10
S92.415S	Nondisplaced fracture of proximal phalanx of left great toe, sequela	ICD10
S92.416A	Nondisplaced fracture of proximal phalanx of unspecified great toe, initial encounter for closed fracture	ICD10
S92.416B	Nondisplaced fracture of proximal phalanx of unspecified great toe, initial encounter for open fracture	ICD10
S92.416D	Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing	ICD10
S92.416G	Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.416K	Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion	ICD10
S92.416P	Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with malunion	ICD10
S92.416S	Nondisplaced fracture of proximal phalanx of unspecified great toe, sequela	ICD10
S92.421A	Displaced fracture of distal phalanx of right great toe, initial encounter for closed fracture	ICD10
S92.421B	Displaced fracture of distal phalanx of right great toe, initial encounter for open fracture	ICD10
S92.421D	Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing	ICD10
S92.421G	Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.421K	Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with nonunion	ICD10
S92.421P	Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with malunion	ICD10
S92.421S	Displaced fracture of distal phalanx of right great toe, sequela	ICD10
S92.422A	Displaced fracture of distal phalanx of left great toe, initial encounter for closed fracture	ICD10
S92.422B	Displaced fracture of distal phalanx of left great toe, initial encounter for open fracture	ICD10
S92.422D	Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing	ICD10
S92.422G	Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.422K	Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with nonunion	ICD10
S92.422P	Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with malunion	ICD10
S92.422S	Displaced fracture of distal phalanx of left great toe, sequela	ICD10
S92.423A	Displaced fracture of distal phalanx of unspecified great toe, initial encounter for closed fracture	ICD10
S92.423B	Displaced fracture of distal phalanx of unspecified great toe, initial encounter for open fracture	ICD10

S92.423D	Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing	ICD10
S92.423G	Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.423K	Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion	ICD10
S92.423P	Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with malunion	ICD10
S92.423S	Displaced fracture of distal phalanx of unspecified great toe, sequela	ICD10
S92.424A	Nondisplaced fracture of distal phalanx of right great toe, initial encounter for closed fracture	ICD10
S92.424B	Nondisplaced fracture of distal phalanx of right great toe, initial encounter for open fracture	ICD10
S92.424D	Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing	ICD10
S92.424G	Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.424K	Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with nonunion	ICD10
S92.424P	Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with malunion	ICD10
S92.424S	Nondisplaced fracture of distal phalanx of right great toe, sequela	ICD10
S92.425A	Nondisplaced fracture of distal phalanx of left great toe, initial encounter for closed fracture	ICD10
S92.425B	Nondisplaced fracture of distal phalanx of left great toe, initial encounter for open fracture	ICD10
S92.425D	Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing	ICD10
S92.425G	Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.425K	Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with nonunion	ICD10
S92.425P	Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with malunion	ICD10
S92.425S	Nondisplaced fracture of distal phalanx of left great toe, sequela	ICD10
S92.426A	Nondisplaced fracture of distal phalanx of unspecified great toe, initial encounter for closed fracture	ICD10
S92.426B	Nondisplaced fracture of distal phalanx of unspecified great toe, initial encounter for open fracture	ICD10
S92.426D	Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing	ICD10
S92.426G	Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.426K	Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion	ICD10
S92.426P	Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with malunion	ICD10
S92.426S	Nondisplaced fracture of distal phalanx of unspecified great toe, sequela	ICD10
S92.491A	Other fracture of right great toe, initial encounter for closed fracture	ICD10
S92.491B	Other fracture of right great toe, initial encounter for open fracture	ICD10
S92.491D	Other fracture of right great toe, subsequent encounter for fracture with routine healing	ICD10
S92.491G	Other fracture of right great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.491K	Other fracture of right great toe, subsequent encounter for fracture with nonunion	ICD10
S92.491P	Other fracture of right great toe, subsequent encounter for fracture with malunion	ICD10
S92.491S	Other fracture of right great toe, sequela	ICD10

S92.492A	Other fracture of left great toe, initial encounter for closed fracture	ICD10
S92.492B	Other fracture of left great toe, initial encounter for open fracture	ICD10
S92.492D	Other fracture of left great toe, subsequent encounter for fracture with routine healing	ICD10
S92.492G	Other fracture of left great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.492K	Other fracture of left great toe, subsequent encounter for fracture with nonunion	ICD10
S92.492P	Other fracture of left great toe, subsequent encounter for fracture with malunion	ICD10
S92.492S	Other fracture of left great toe, sequela	ICD10
S92.499A	Other fracture of unspecified great toe, initial encounter for closed fracture	ICD10
S92.499B	Other fracture of unspecified great toe, initial encounter for open fracture	ICD10
S92.499D	Other fracture of unspecified great toe, subsequent encounter for fracture with routine healing	ICD10
S92.499G	Other fracture of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD10
S92.499K	Other fracture of unspecified great toe, subsequent encounter for fracture with nonunion	ICD10
S92.499P	Other fracture of unspecified great toe, subsequent encounter for fracture with malunion	ICD10
S92.499S	Other fracture of unspecified great toe, sequela	ICD10
S92.501A	Displaced unspecified fracture of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.501B	Displaced unspecified fracture of right lesser toe(s), initial encounter for open fracture	ICD10
S92.501D	Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.501G	Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.501K	Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.501P	Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.501S	Displaced unspecified fracture of right lesser toe(s), sequela	ICD10
S92.502A	Displaced unspecified fracture of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.502B	Displaced unspecified fracture of left lesser toe(s), initial encounter for open fracture	ICD10
S92.502D	Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.502G	Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.502K	Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.502P	Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.502S	Displaced unspecified fracture of left lesser toe(s), sequela	ICD10
S92.503A	Displaced unspecified fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.503B	Displaced unspecified fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.503D	Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.503G	Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.503K	Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.503P	Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.503S	Displaced unspecified fracture of unspecified lesser toe(s), sequela	ICD10
S92.504A	Nondisplaced unspecified fracture of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.504B	Nondisplaced unspecified fracture of right lesser toe(s), initial encounter for open fracture	ICD10
S92.504D	Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10

S92.504G	Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.504K	Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.504P	Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.504S	Nondisplaced unspecified fracture of right lesser toe(s), sequela	ICD10
S92.505A	Nondisplaced unspecified fracture of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.505B	Nondisplaced unspecified fracture of left lesser toe(s), initial encounter for open fracture	ICD10
S92.505D	Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.505G	Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.505K	Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.505P	Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.505S	Nondisplaced unspecified fracture of left lesser toe(s), sequela	ICD10
S92.506A	Nondisplaced unspecified fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.506B	Nondisplaced unspecified fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.506D	Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.506G	Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.506K	Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.506P	Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.506S	Nondisplaced unspecified fracture of unspecified lesser toe(s), sequela	ICD10
S92.511A	Displaced fracture of proximal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.511B	Displaced fracture of proximal phalanx of right lesser toe(s), initial encounter for open fracture	ICD10
S92.511D	Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.511G	Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.511K	Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.511P	Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.511S	Displaced fracture of proximal phalanx of right lesser toe(s), sequela	ICD10
S92.512A	Displaced fracture of proximal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.512B	Displaced fracture of proximal phalanx of left lesser toe(s), initial encounter for open fracture	ICD10
S92.512D	Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.512G	Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.512K	Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10

S92.512P	Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.512S	Displaced fracture of proximal phalanx of left lesser toe(s), sequela	ICD10
S92.513A	Displaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.513B	Displaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.513D	Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.513G	Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.513K	Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.513P	Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.513S	Displaced fracture of proximal phalanx of unspecified lesser toe(s), sequela	ICD10
S92.514A	Nondisplaced fracture of proximal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.514B	Nondisplaced fracture of proximal phalanx of right lesser toe(s), initial encounter for open fracture	ICD10
S92.514D	Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.514G	Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.514K	Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.514P	Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.514S	Nondisplaced fracture of proximal phalanx of right lesser toe(s), sequela	ICD10
S92.515A	Nondisplaced fracture of proximal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.515B	Nondisplaced fracture of proximal phalanx of left lesser toe(s), initial encounter for open fracture	ICD10
S92.515D	Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.515G	Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.515K	Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.515P	Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.515S	Nondisplaced fracture of proximal phalanx of left lesser toe(s), sequela	ICD10
S92.516A	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.516B	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.516D	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.516G	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10

S92.516K	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.516P	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.516S	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), sequela	ICD10
S92.521A	Displaced fracture of medial phalanx of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.521B	Displaced fracture of medial phalanx of right lesser toe(s), initial encounter for open fracture	ICD10
S92.521D	Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.521G	Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.521K	Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.521P	Displaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.521S	Displaced fracture of medial phalanx of right lesser toe(s), sequela	ICD10
S92.522A	Displaced fracture of medial phalanx of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.522B	Displaced fracture of medial phalanx of left lesser toe(s), initial encounter for open fracture	ICD10
S92.522D	Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.522G	Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.522K	Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.522P	Displaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.522S	Displaced fracture of medial phalanx of left lesser toe(s), sequela	ICD10
S92.523A	Displaced fracture of medial phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.523B	Displaced fracture of medial phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.523D	Displaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.523G	Displaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.523K	Displaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.523P	Displaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.523S	Displaced fracture of medial phalanx of unspecified lesser toe(s), sequela	ICD10
S92.524A	Nondisplaced fracture of medial phalanx of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.524B	Nondisplaced fracture of medial phalanx of right lesser toe(s), initial encounter for open fracture	ICD10
S92.524D	Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.524G	Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.524K	Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10

S92.524P	Nondisplaced fracture of medial phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.524S	Nondisplaced fracture of medial phalanx of right lesser toe(s), sequela	ICD10
S92.525A	Nondisplaced fracture of medial phalanx of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.525B	Nondisplaced fracture of medial phalanx of left lesser toe(s), initial encounter for open fracture	ICD10
S92.525D	Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.525G	Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.525K	Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.525P	Nondisplaced fracture of medial phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.525S	Nondisplaced fracture of medial phalanx of left lesser toe(s), sequela	ICD10
S92.526A	Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.526B	Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.526D	Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.526G	Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.526K	Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.526P	Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.526S	Nondisplaced fracture of medial phalanx of unspecified lesser toe(s), sequela	ICD10
S92.531A	Displaced fracture of distal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.531B	Displaced fracture of distal phalanx of right lesser toe(s), initial encounter for open fracture	ICD10
S92.531D	Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.531G	Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.531K	Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.531P	Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.531S	Displaced fracture of distal phalanx of right lesser toe(s), sequela	ICD10
S92.532A	Displaced fracture of distal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.532B	Displaced fracture of distal phalanx of left lesser toe(s), initial encounter for open fracture	ICD10
S92.532D	Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.532G	Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.532K	Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.532P	Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.532S	Displaced fracture of distal phalanx of left lesser toe(s), sequela	ICD10

S92.533A	Displaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.533B	Displaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.533D	Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.533G	Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.533K	Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.533P	Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.533S	Displaced fracture of distal phalanx of unspecified lesser toe(s), sequela	ICD10
S92.534A	Nondisplaced fracture of distal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.534B	Nondisplaced fracture of distal phalanx of right lesser toe(s), initial encounter for open fracture	ICD10
S92.534D	Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.534G	Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.534K	Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.534P	Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.534S	Nondisplaced fracture of distal phalanx of right lesser toe(s), sequela	ICD10
S92.535A	Nondisplaced fracture of distal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.535B	Nondisplaced fracture of distal phalanx of left lesser toe(s), initial encounter for open fracture	ICD10
S92.535D	Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.535G	Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.535K	Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.535P	Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.535S	Nondisplaced fracture of distal phalanx of left lesser toe(s), sequela	ICD10
S92.536A	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.536B	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.536D	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.536G	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.536K	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.536P	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.536S	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), sequela	ICD10
S92.591A	Other fracture of right lesser toe(s), initial encounter for closed fracture	ICD10
S92.591B	Other fracture of right lesser toe(s), initial encounter for open fracture	ICD10

S92.591D	Other fracture of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.591G	Other fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.591K	Other fracture of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.591P	Other fracture of right lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.591S	Other fracture of right lesser toe(s), sequela	ICD10
S92.592A	Other fracture of left lesser toe(s), initial encounter for closed fracture	ICD10
S92.592B	Other fracture of left lesser toe(s), initial encounter for open fracture	ICD10
S92.592D	Other fracture of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.592G	Other fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.592K	Other fracture of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.592P	Other fracture of left lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.592S	Other fracture of left lesser toe(s), sequela	ICD10
S92.599A	Other fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD10
S92.599B	Other fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD10
S92.599D	Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.599G	Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.599K	Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.599P	Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD10
S92.599S	Other fracture of unspecified lesser toe(s), sequela	ICD10
S92.901A	Unspecified fracture of right foot, initial encounter for closed fracture	ICD10
S92.901B	Unspecified fracture of right foot, initial encounter for open fracture	ICD10
S92.901D	Unspecified fracture of right foot, subsequent encounter for fracture with routine healing	ICD10
S92.901G	Unspecified fracture of right foot, subsequent encounter for fracture with delayed healing	ICD10
S92.901K	Unspecified fracture of right foot, subsequent encounter for fracture with nonunion	ICD10
S92.901P	Unspecified fracture of right foot, subsequent encounter for fracture with malunion	ICD10
S92.901S	Unspecified fracture of right foot, sequela	ICD10
S92.902A	Unspecified fracture of left foot, initial encounter for closed fracture	ICD10
S92.902B	Unspecified fracture of left foot, initial encounter for open fracture	ICD10
S92.902D	Unspecified fracture of left foot, subsequent encounter for fracture with routine healing	ICD10
S92.902G	Unspecified fracture of left foot, subsequent encounter for fracture with delayed healing	ICD10
S92.902K	Unspecified fracture of left foot, subsequent encounter for fracture with nonunion	ICD10
S92.902P	Unspecified fracture of left foot, subsequent encounter for fracture with malunion	ICD10
S92.902S	Unspecified fracture of left foot, sequela	ICD10
S92.909A	Unspecified fracture of unspecified foot, initial encounter for closed fracture	ICD10
S92.909B	Unspecified fracture of unspecified foot, initial encounter for open fracture	ICD10
S92.909D	Unspecified fracture of unspecified foot, subsequent encounter for fracture with routine healing	ICD10
S92.909G	Unspecified fracture of unspecified foot, subsequent encounter for fracture with delayed healing	ICD10
S92.909K	Unspecified fracture of unspecified foot, subsequent encounter for fracture with nonunion	ICD10
S92.909P	Unspecified fracture of unspecified foot, subsequent encounter for fracture with malunion	ICD10
S92.909S	Unspecified fracture of unspecified foot, sequela	ICD10
S92.911A	Unspecified fracture of right toe(s), initial encounter for closed fracture	ICD10
S92.911B	Unspecified fracture of right toe(s), initial encounter for open fracture	ICD10
S92.911D	Unspecified fracture of right toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.911G	Unspecified fracture of right toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.911K	Unspecified fracture of right toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.911P	Unspecified fracture of right toe(s), subsequent encounter for fracture with malunion	ICD10
S92.911S	Unspecified fracture of right toe(s), sequela	ICD10

S92.912A	Unspecified fracture of left toe(s), initial encounter for closed fracture	ICD10
S92.912B	Unspecified fracture of left toe(s), initial encounter for open fracture	ICD10
S92.912D	Unspecified fracture of left toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.912G	Unspecified fracture of left toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.912K	Unspecified fracture of left toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.912P	Unspecified fracture of left toe(s), subsequent encounter for fracture with malunion	ICD10
S92.912S	Unspecified fracture of left toe(s), sequela	ICD10
S92.919A	Unspecified fracture of unspecified toe(s), initial encounter for closed fracture	ICD10
S92.919B	Unspecified fracture of unspecified toe(s), initial encounter for open fracture	ICD10
S92.919D	Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with routine healing	ICD10
S92.919G	Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with delayed healing	ICD10
S92.919K	Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with nonunion	ICD10
S92.919P	Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with malunion	ICD10
S92.919S	Unspecified fracture of unspecified toe(s), sequela	ICD10
S93.01XA	Subluxation of right ankle joint, initial encounter	ICD10
S93.01XD	Subluxation of right ankle joint, subsequent encounter	ICD10
S93.01XS	Subluxation of right ankle joint, sequela	ICD10
S93.02XA	Subluxation of left ankle joint, initial encounter	ICD10
S93.02XD	Subluxation of left ankle joint, subsequent encounter	ICD10
S93.02XS	Subluxation of left ankle joint, sequela	ICD10
S93.03XA	Subluxation of unspecified ankle joint, initial encounter	ICD10
S93.03XD	Subluxation of unspecified ankle joint, subsequent encounter	ICD10
S93.03XS	Subluxation of unspecified ankle joint, sequela	ICD10
S93.04XA	Dislocation of right ankle joint, initial encounter	ICD10
S93.04XD	Dislocation of right ankle joint, subsequent encounter	ICD10
S93.04XS	Dislocation of right ankle joint, sequela	ICD10
S93.05XA	Dislocation of left ankle joint, initial encounter	ICD10
S93.05XD	Dislocation of left ankle joint, subsequent encounter	ICD10
S93.05XS	Dislocation of left ankle joint, sequela	ICD10
S93.06XA	Dislocation of unspecified ankle joint, initial encounter	ICD10
S93.06XD	Dislocation of unspecified ankle joint, subsequent encounter	ICD10
S93.06XS	Dislocation of unspecified ankle joint, sequela	ICD10
S93.101A	Unspecified subluxation of right toe(s), initial encounter	ICD10
S93.101D	Unspecified subluxation of right toe(s), subsequent encounter	ICD10
S93.101S	Unspecified subluxation of right toe(s), sequela	ICD10
S93.102A	Unspecified subluxation of left toe(s), initial encounter	ICD10
S93.102D	Unspecified subluxation of left toe(s), subsequent encounter	ICD10
S93.102S	Unspecified subluxation of left toe(s), sequela	ICD10
S93.103A	Unspecified subluxation of unspecified toe(s), initial encounter	ICD10
S93.103D	Unspecified subluxation of unspecified toe(s), subsequent encounter	ICD10
S93.103S	Unspecified subluxation of unspecified toe(s), sequela	ICD10
S93.104A	Unspecified dislocation of right toe(s), initial encounter	ICD10
S93.104D	Unspecified dislocation of right toe(s), subsequent encounter	ICD10
S93.104S	Unspecified dislocation of right toe(s), sequela	ICD10
S93.105A	Unspecified dislocation of left toe(s), initial encounter	ICD10
S93.105D	Unspecified dislocation of left toe(s), subsequent encounter	ICD10
S93.105S	Unspecified dislocation of left toe(s), sequela	ICD10
S93.106A	Unspecified dislocation of unspecified toe(s), initial encounter	ICD10
S93.106D	Unspecified dislocation of unspecified toe(s), subsequent encounter	ICD10

S93.106S	Unspecified dislocation of unspecified toe(s), sequela	ICD10
S93.111A	Dislocation of interphalangeal joint of right great toe, initial encounter	ICD10
S93.111D	Dislocation of interphalangeal joint of right great toe, subsequent encounter	ICD10
S93.111S	Dislocation of interphalangeal joint of right great toe, sequela	ICD10
S93.112A	Dislocation of interphalangeal joint of left great toe, initial encounter	ICD10
S93.112D	Dislocation of interphalangeal joint of left great toe, subsequent encounter	ICD10
S93.112S	Dislocation of interphalangeal joint of left great toe, sequela	ICD10
S93.113A	Dislocation of interphalangeal joint of unspecified great toe, initial encounter	ICD10
S93.113D	Dislocation of interphalangeal joint of unspecified great toe, subsequent encounter	ICD10
S93.113S	Dislocation of interphalangeal joint of unspecified great toe, sequela	ICD10
S93.114A	Dislocation of interphalangeal joint of right lesser toe(s), initial encounter	ICD10
S93.114D	Dislocation of interphalangeal joint of right lesser toe(s), subsequent encounter	ICD10
S93.114S	Dislocation of interphalangeal joint of right lesser toe(s), sequela	ICD10
S93.115A	Dislocation of interphalangeal joint of left lesser toe(s), initial encounter	ICD10
S93.115D	Dislocation of interphalangeal joint of left lesser toe(s), subsequent encounter	ICD10
S93.115S	Dislocation of interphalangeal joint of left lesser toe(s), sequela	ICD10
S93.116A	Dislocation of interphalangeal joint of unspecified lesser toe(s), initial encounter	ICD10
S93.116D	Dislocation of interphalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD10
S93.116S	Dislocation of interphalangeal joint of unspecified lesser toe(s), sequela	ICD10
S93.119A	Dislocation of interphalangeal joint of unspecified toe(s), initial encounter	ICD10
S93.119D	Dislocation of interphalangeal joint of unspecified toe(s), subsequent encounter	ICD10
S93.119S	Dislocation of interphalangeal joint of unspecified toe(s), sequela	ICD10
S93.121A	Dislocation of metatarsophalangeal joint of right great toe, initial encounter	ICD10
S93.121D	Dislocation of metatarsophalangeal joint of right great toe, subsequent encounter	ICD10
S93.121S	Dislocation of metatarsophalangeal joint of right great toe, sequela	ICD10
S93.122A	Dislocation of metatarsophalangeal joint of left great toe, initial encounter	ICD10
S93.122D	Dislocation of metatarsophalangeal joint of left great toe, subsequent encounter	ICD10
S93.122S	Dislocation of metatarsophalangeal joint of left great toe, sequela	ICD10
S93.123A	Dislocation of metatarsophalangeal joint of unspecified great toe, initial encounter	ICD10
S93.123D	Dislocation of metatarsophalangeal joint of unspecified great toe, subsequent encounter	ICD10
S93.123S	Dislocation of metatarsophalangeal joint of unspecified great toe, sequela	ICD10
S93.124A	Dislocation of metatarsophalangeal joint of right lesser toe(s), initial encounter	ICD10
S93.124D	Dislocation of metatarsophalangeal joint of right lesser toe(s), subsequent encounter	ICD10
S93.124S	Dislocation of metatarsophalangeal joint of right lesser toe(s), sequela	ICD10
S93.125A	Dislocation of metatarsophalangeal joint of left lesser toe(s), initial encounter	ICD10
S93.125D	Dislocation of metatarsophalangeal joint of left lesser toe(s), subsequent encounter	ICD10
S93.125S	Dislocation of metatarsophalangeal joint of left lesser toe(s), sequela	ICD10
S93.126A	Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter	ICD10
S93.126D	Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD10
S93.126S	Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), sequela	ICD10
S93.129A	Dislocation of metatarsophalangeal joint of unspecified toe(s), initial encounter	ICD10
S93.129D	Dislocation of metatarsophalangeal joint of unspecified toe(s), subsequent encounter	ICD10
S93.129S	Dislocation of metatarsophalangeal joint of unspecified toe(s), sequela	ICD10
S93.131A	Subluxation of interphalangeal joint of right great toe, initial encounter	ICD10
S93.131D	Subluxation of interphalangeal joint of right great toe, subsequent encounter	ICD10
S93.131S	Subluxation of interphalangeal joint of right great toe, sequela	ICD10
S93.132A	Subluxation of interphalangeal joint of left great toe, initial encounter	ICD10
S93.132D	Subluxation of interphalangeal joint of left great toe, subsequent encounter	ICD10
S93.132S	Subluxation of interphalangeal joint of left great toe, sequela	ICD10
S93.133A	Subluxation of interphalangeal joint of unspecified great toe, initial encounter	ICD10
S93.133D	Subluxation of interphalangeal joint of unspecified great toe, subsequent encounter	ICD10

S93.133S	Subluxation of interphalangeal joint of unspecified great toe, sequela	ICD10
S93.134A	Subluxation of interphalangeal joint of right lesser toe(s), initial encounter	ICD10
S93.134D	Subluxation of interphalangeal joint of right lesser toe(s), subsequent encounter	ICD10
S93.134S	Subluxation of interphalangeal joint of right lesser toe(s), sequela	ICD10
S93.135A	Subluxation of interphalangeal joint of left lesser toe(s), initial encounter	ICD10
S93.135D	Subluxation of interphalangeal joint of left lesser toe(s), subsequent encounter	ICD10
S93.135S	Subluxation of interphalangeal joint of left lesser toe(s), sequela	ICD10
S93.136A	Subluxation of interphalangeal joint of unspecified lesser toe(s), initial encounter	ICD10
S93.136D	Subluxation of interphalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD10
S93.136S	Subluxation of interphalangeal joint of unspecified lesser toe(s), sequela	ICD10
S93.139A	Subluxation of interphalangeal joint of unspecified toe(s), initial encounter	ICD10
S93.139D	Subluxation of interphalangeal joint of unspecified toe(s), subsequent encounter	ICD10
S93.139S	Subluxation of interphalangeal joint of unspecified toe(s), sequela	ICD10
S93.141A	Subluxation of metatarsophalangeal joint of right great toe, initial encounter	ICD10
S93.141D	Subluxation of metatarsophalangeal joint of right great toe, subsequent encounter	ICD10
S93.141S	Subluxation of metatarsophalangeal joint of right great toe, sequela	ICD10
S93.142A	Subluxation of metatarsophalangeal joint of left great toe, initial encounter	ICD10
S93.142D	Subluxation of metatarsophalangeal joint of left great toe, subsequent encounter	ICD10
S93.142S	Subluxation of metatarsophalangeal joint of left great toe, sequela	ICD10
S93.143A	Subluxation of metatarsophalangeal joint of unspecified great toe, initial encounter	ICD10
S93.143D	Subluxation of metatarsophalangeal joint of unspecified great toe, subsequent encounter	ICD10
S93.143S	Subluxation of metatarsophalangeal joint of unspecified great toe, sequela	ICD10
S93.144A	Subluxation of metatarsophalangeal joint of right lesser toe(s), initial encounter	ICD10
S93.144D	Subluxation of metatarsophalangeal joint of right lesser toe(s), subsequent encounter	ICD10
S93.144S	Subluxation of metatarsophalangeal joint of right lesser toe(s), sequela	ICD10
S93.145A	Subluxation of metatarsophalangeal joint of left lesser toe(s), initial encounter	ICD10
S93.145D	Subluxation of metatarsophalangeal joint of left lesser toe(s), subsequent encounter	ICD10
S93.145S	Subluxation of metatarsophalangeal joint of left lesser toe(s), sequela	ICD10
S93.146A	Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter	ICD10
S93.146D	Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD10
S93.146S	Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), sequela	ICD10
S93.149A	Subluxation of metatarsophalangeal joint of unspecified toe(s), initial encounter	ICD10
S93.149D	Subluxation of metatarsophalangeal joint of unspecified toe(s), subsequent encounter	ICD10
S93.149S	Subluxation of metatarsophalangeal joint of unspecified toe(s), sequela	ICD10
S93.301A	Unspecified subluxation of right foot, initial encounter	ICD10
S93.301D	Unspecified subluxation of right foot, subsequent encounter	ICD10
S93.301S	Unspecified subluxation of right foot, sequela	ICD10
S93.302A	Unspecified subluxation of left foot, initial encounter	ICD10
S93.302D	Unspecified subluxation of left foot, subsequent encounter	ICD10
S93.302S	Unspecified subluxation of left foot, sequela	ICD10
S93.303A	Unspecified subluxation of unspecified foot, initial encounter	ICD10
S93.303D	Unspecified subluxation of unspecified foot, subsequent encounter	ICD10
S93.303S	Unspecified subluxation of unspecified foot, sequela	ICD10
S93.304A	Unspecified dislocation of right foot, initial encounter	ICD10
S93.304D	Unspecified dislocation of right foot, subsequent encounter	ICD10
S93.304S	Unspecified dislocation of right foot, sequela	ICD10
S93.305A	Unspecified dislocation of left foot, initial encounter	ICD10
S93.305D	Unspecified dislocation of left foot, subsequent encounter	ICD10
S93.305S	Unspecified dislocation of left foot, sequela	ICD10
S93.306A	Unspecified dislocation of unspecified foot, initial encounter	ICD10
S93.306D	Unspecified dislocation of unspecified foot, subsequent encounter	ICD10

S93.306S	Unspecified dislocation of unspecified foot, sequela	ICD10
S93.311A	Subluxation of tarsal joint of right foot, initial encounter	ICD10
S93.311D	Subluxation of tarsal joint of right foot, subsequent encounter	ICD10
S93.311S	Subluxation of tarsal joint of right foot, sequela	ICD10
S93.312A	Subluxation of tarsal joint of left foot, initial encounter	ICD10
S93.312D	Subluxation of tarsal joint of left foot, subsequent encounter	ICD10
S93.312S	Subluxation of tarsal joint of left foot, sequela	ICD10
S93.313A	Subluxation of tarsal joint of unspecified foot, initial encounter	ICD10
S93.313D	Subluxation of tarsal joint of unspecified foot, subsequent encounter	ICD10
S93.313S	Subluxation of tarsal joint of unspecified foot, sequela	ICD10
S93.314A	Dislocation of tarsal joint of right foot, initial encounter	ICD10
S93.314D	Dislocation of tarsal joint of right foot, subsequent encounter	ICD10
S93.314S	Dislocation of tarsal joint of right foot, sequela	ICD10
S93.315A	Dislocation of tarsal joint of left foot, initial encounter	ICD10
S93.315D	Dislocation of tarsal joint of left foot, subsequent encounter	ICD10
S93.315S	Dislocation of tarsal joint of left foot, sequela	ICD10
S93.316A	Dislocation of tarsal joint of unspecified foot, initial encounter	ICD10
S93.316D	Dislocation of tarsal joint of unspecified foot, subsequent encounter	ICD10
S93.316S	Dislocation of tarsal joint of unspecified foot, sequela	ICD10
S93.321A	Subluxation of tarsometatarsal joint of right foot, initial encounter	ICD10
S93.321D	Subluxation of tarsometatarsal joint of right foot, subsequent encounter	ICD10
S93.321S	Subluxation of tarsometatarsal joint of right foot, sequela	ICD10
S93.322A	Subluxation of tarsometatarsal joint of left foot, initial encounter	ICD10
S93.322D	Subluxation of tarsometatarsal joint of left foot, subsequent encounter	ICD10
S93.322S	Subluxation of tarsometatarsal joint of left foot, sequela	ICD10
S93.323A	Subluxation of tarsometatarsal joint of unspecified foot, initial encounter	ICD10
S93.323D	Subluxation of tarsometatarsal joint of unspecified foot, subsequent encounter	ICD10
S93.323S	Subluxation of tarsometatarsal joint of unspecified foot, sequela	ICD10
S93.324A	Dislocation of tarsometatarsal joint of right foot, initial encounter	ICD10
S93.324D	Dislocation of tarsometatarsal joint of right foot, subsequent encounter	ICD10
S93.324S	Dislocation of tarsometatarsal joint of right foot, sequela	ICD10
S93.325A	Dislocation of tarsometatarsal joint of left foot, initial encounter	ICD10
S93.325D	Dislocation of tarsometatarsal joint of left foot, subsequent encounter	ICD10
S93.325S	Dislocation of tarsometatarsal joint of left foot, sequela	ICD10
S93.326A	Dislocation of tarsometatarsal joint of unspecified foot, initial encounter	ICD10
S93.326D	Dislocation of tarsometatarsal joint of unspecified foot, subsequent encounter	ICD10
S93.326S	Dislocation of tarsometatarsal joint of unspecified foot, sequela	ICD10
S93.331A	Other subluxation of right foot, initial encounter	ICD10
S93.331D	Other subluxation of right foot, subsequent encounter	ICD10
S93.331S	Other subluxation of right foot, sequela	ICD10
S93.332A	Other subluxation of left foot, initial encounter	ICD10
S93.332D	Other subluxation of left foot, subsequent encounter	ICD10
S93.332S	Other subluxation of left foot, sequela	ICD10
S93.333A	Other subluxation of unspecified foot, initial encounter	ICD10
S93.333D	Other subluxation of unspecified foot, subsequent encounter	ICD10
S93.333S	Other subluxation of unspecified foot, sequela	ICD10
S93.334A	Other dislocation of right foot, initial encounter	ICD10
S93.334D	Other dislocation of right foot, subsequent encounter	ICD10
S93.334S	Other dislocation of right foot, sequela	ICD10
S93.335A	Other dislocation of left foot, initial encounter	ICD10
S93.335D	Other dislocation of left foot, subsequent encounter	ICD10

S93.335S	Other dislocation of left foot, sequela	ICD10
S93.336A	Other dislocation of unspecified foot, initial encounter	ICD10
S93.336D	Other dislocation of unspecified foot, subsequent encounter	ICD10
S93.336S	Other dislocation of unspecified foot, sequela	ICD10
S96.001A	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, initial encounter	ICD10
S96.001D	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter	ICD10
S96.001S	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela	ICD10
S96.002A	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, initial encounter	ICD10
S96.002D	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter	ICD10
S96.002S	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela	ICD10
S96.009A	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.009D	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.009S	Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela	ICD10
S96.091A	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, initial encounter	ICD10
S96.091D	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter	ICD10
S96.091S	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela	ICD10
S96.092A	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, initial encounter	ICD10
S96.092D	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter	ICD10
S96.092S	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela	ICD10
S96.099A	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.099D	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.099S	Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela	ICD10
S96.101A	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, initial encounter	ICD10
S96.101D	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter	ICD10
S96.101S	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela	ICD10
S96.102A	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, initial encounter	ICD10
S96.102D	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter	ICD10

S96.102S	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela	ICD10
S96.109A	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.109D	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.109S	Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela	ICD10
S96.191A	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, initial encounter	ICD10
S96.191D	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter	ICD10
S96.191S	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela	ICD10
S96.192A	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, initial encounter	ICD10
S96.192D	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter	ICD10
S96.192S	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela	ICD10
S96.199A	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.199D	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.199S	Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela	ICD10
S96.201A	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, right foot, initial encounter	ICD10
S96.201D	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter	ICD10
S96.201S	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, right foot, sequela	ICD10
S96.202A	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, left foot, initial encounter	ICD10
S96.202D	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter	ICD10
S96.202S	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, left foot, sequela	ICD10
S96.209A	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.209D	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.209S	Unspecified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela	ICD10
S96.291A	Other specified injury of intrinsic muscle and tendon at ankle and foot level, right foot, initial encounter	ICD10
S96.291D	Other specified injury of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter	ICD10
S96.291S	Other specified injury of intrinsic muscle and tendon at ankle and foot level, right foot, sequela	ICD10
S96.292A	Other specified injury of intrinsic muscle and tendon at ankle and foot level, left foot, initial encounter	ICD10
S96.292D	Other specified injury of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter	ICD10

S96.292S	Other specified injury of intrinsic muscle and tendon at ankle and foot level, left foot, sequela	ICD10
S96.299A	Other specified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.299D	Other specified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.299S	Other specified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela	ICD10
S96.801A	Unspecified injury of other specified muscles and tendons at ankle and foot level, right foot, initial encounter	ICD10
S96.801D	Unspecified injury of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter	ICD10
S96.801S	Unspecified injury of other specified muscles and tendons at ankle and foot level, right foot, sequela	ICD10
S96.802A	Unspecified injury of other specified muscles and tendons at ankle and foot level, left foot, initial encounter	ICD10
S96.802D	Unspecified injury of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter	ICD10
S96.802S	Unspecified injury of other specified muscles and tendons at ankle and foot level, left foot, sequela	ICD10
S96.809A	Unspecified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.809D	Unspecified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.809S	Unspecified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela	ICD10
S96.891A	Other specified injury of other specified muscles and tendons at ankle and foot level, right foot, initial encounter	ICD10
S96.891D	Other specified injury of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter	ICD10
S96.891S	Other specified injury of other specified muscles and tendons at ankle and foot level, right foot, sequela	ICD10
S96.892A	Other specified injury of other specified muscles and tendons at ankle and foot level, left foot, initial encounter	ICD10
S96.892D	Other specified injury of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter	ICD10
S96.892S	Other specified injury of other specified muscles and tendons at ankle and foot level, left foot, sequela	ICD10
S96.899A	Other specified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.899D	Other specified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.899S	Other specified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela	ICD10
S96.901A	Unspecified injury of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter	ICD10
S96.901D	Unspecified injury of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter	ICD10
S96.901S	Unspecified injury of unspecified muscle and tendon at ankle and foot level, right foot, sequela	ICD10
S96.902A	Unspecified injury of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter	ICD10

S96.902D	Unspecified injury of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter	ICD10
S96.902S	Unspecified injury of unspecified muscle and tendon at ankle and foot level, left foot, sequela	ICD10
S96.909A	Unspecified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.909D	Unspecified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.909S	Unspecified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela	ICD10
S96.991A	Other specified injury of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter	ICD10
S96.991D	Other specified injury of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter	ICD10
S96.991S	Other specified injury of unspecified muscle and tendon at ankle and foot level, right foot, sequela	ICD10
S96.992A	Other specified injury of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter	ICD10
S96.992D	Other specified injury of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter	ICD10
S96.992S	Other specified injury of unspecified muscle and tendon at ankle and foot level, left foot, sequela	ICD10
S96.999A	Other specified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, initial encounter	ICD10
S96.999D	Other specified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter	ICD10
S96.999S	Other specified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela	ICD10
S99.811A	Other specified injuries of right ankle, initial encounter	ICD10
S99.811D	Other specified injuries of right ankle, subsequent encounter	ICD10
S99.811S	Other specified injuries of right ankle, sequela	ICD10
S99.812A	Other specified injuries of left ankle, initial encounter	ICD10
S99.812D	Other specified injuries of left ankle, subsequent encounter	ICD10
S99.812S	Other specified injuries of left ankle, sequela	ICD10
S99.819A	Other specified injuries of unspecified ankle, initial encounter	ICD10
S99.819D	Other specified injuries of unspecified ankle, subsequent encounter	ICD10
S99.819S	Other specified injuries of unspecified ankle, sequela	ICD10
S99.821A	Other specified injuries of right foot, initial encounter	ICD10
S99.821D	Other specified injuries of right foot, subsequent encounter	ICD10
S99.821S	Other specified injuries of right foot, sequela	ICD10
S99.822A	Other specified injuries of left foot, initial encounter	ICD10
S99.822D	Other specified injuries of left foot, subsequent encounter	ICD10
S99.822S	Other specified injuries of left foot, sequela	ICD10
S99.829A	Other specified injuries of unspecified foot, initial encounter	ICD10
S99.829D	Other specified injuries of unspecified foot, subsequent encounter	ICD10
S99.829S	Other specified injuries of unspecified foot, sequela	ICD10
S99.911A	Unspecified injury of right ankle, initial encounter	ICD10
S99.911D	Unspecified injury of right ankle, subsequent encounter	ICD10
S99.911S	Unspecified injury of right ankle, sequela	ICD10
S99.912A	Unspecified injury of left ankle, initial encounter	ICD10
S99.912D	Unspecified injury of left ankle, subsequent encounter	ICD10
S99.912S	Unspecified injury of left ankle, sequela	ICD10

S99.919A	Unspecified injury of unspecified ankle, initial encounter	ICD10
S99.919D	Unspecified injury of unspecified ankle, subsequent encounter	ICD10
S99.919S	Unspecified injury of unspecified ankle, sequela	ICD10
S99.921A	Unspecified injury of right foot, initial encounter	ICD10
S99.921D	Unspecified injury of right foot, subsequent encounter	ICD10
S99.921S	Unspecified injury of right foot, sequela	ICD10
S99.922A	Unspecified injury of left foot, initial encounter	ICD10
S99.922D	Unspecified injury of left foot, subsequent encounter	ICD10
S99.922S	Unspecified injury of left foot, sequela	ICD10
S99.929A	Unspecified injury of unspecified foot, initial encounter	ICD10
S99.929D	Unspecified injury of unspecified foot, subsequent encounter	ICD10
S99.929S	Unspecified injury of unspecified foot, sequela	ICD10
T07	Unspecified multiple injuries	ICD10
T14.8	Other injury of unspecified body region	ICD10
T14.90	Injury, unspecified	ICD10
T79.0XXA	Air embolism (traumatic), initial encounter	ICD10
T79.0XXD	Air embolism (traumatic), subsequent encounter	ICD10
T79.0XXS	Air embolism (traumatic), sequela	ICD10
T79.1XXA	Fat embolism (traumatic), initial encounter	ICD10
T79.1XXD	Fat embolism (traumatic), subsequent encounter	ICD10
T79.1XXS	Fat embolism (traumatic), sequela	ICD10
T79.2XXA	Traumatic secondary and recurrent hemorrhage and seroma, initial encounter	ICD10
T79.2XXD	Traumatic secondary and recurrent hemorrhage and seroma, subsequent encounter	ICD10
T79.2XXS	Traumatic secondary and recurrent hemorrhage and seroma, sequela	ICD10
T79.4XXA	Traumatic shock, initial encounter	ICD10
T79.4XXD	Traumatic shock, subsequent encounter	ICD10
T79.4XXS	Traumatic shock, sequela	ICD10
T79.5XXA	Traumatic anuria, initial encounter	ICD10
T79.5XXD	Traumatic anuria, subsequent encounter	ICD10
T79.5XXS	Traumatic anuria, sequela	ICD10
T79.6XXA	Traumatic ischemia of muscle, initial encounter	ICD10
T79.6XXD	Traumatic ischemia of muscle, subsequent encounter	ICD10
T79.6XXS	Traumatic ischemia of muscle, sequela	ICD10
T79.7XXA	Traumatic subcutaneous emphysema, initial encounter	ICD10
T79.7XXD	Traumatic subcutaneous emphysema, subsequent encounter	ICD10
T79.7XXS	Traumatic subcutaneous emphysema, sequela	ICD10
T79.8XXA	Other early complications of trauma, initial encounter	ICD10
T79.8XXD	Other early complications of trauma, subsequent encounter	ICD10
T79.8XXS	Other early complications of trauma, sequela	ICD10
T79.9XXA	Unspecified early complication of trauma, initial encounter	ICD10
T79.9XXD	Unspecified early complication of trauma, subsequent encounter	ICD10
T79.9XXS	Unspecified early complication of trauma, sequela	ICD10
T79.A0XA	Compartment syndrome, unspecified, initial encounter	ICD10
T79.A0XD	Compartment syndrome, unspecified, subsequent encounter	ICD10
T79.A0XS	Compartment syndrome, unspecified, sequela	ICD10
T79.A11A	Traumatic compartment syndrome of right upper extremity, initial encounter	ICD10
T79.A11D	Traumatic compartment syndrome of right upper extremity, subsequent encounter	ICD10
T79.A11S	Traumatic compartment syndrome of right upper extremity, sequela	ICD10
T79.A12A	Traumatic compartment syndrome of left upper extremity, initial encounter	ICD10
T79.A12D	Traumatic compartment syndrome of left upper extremity, subsequent encounter	ICD10
T79.A12S	Traumatic compartment syndrome of left upper extremity, sequela	ICD10

T79.A19A	Traumatic compartment syndrome of unspecified upper extremity, initial encounter	ICD10
T79.A19D	Traumatic compartment syndrome of unspecified upper extremity, subsequent encounter	ICD10
T79.A19S	Traumatic compartment syndrome of unspecified upper extremity, sequela	ICD10
T79.A21A	Traumatic compartment syndrome of right lower extremity, initial encounter	ICD10
T79.A21D	Traumatic compartment syndrome of right lower extremity, subsequent encounter	ICD10
T79.A21S	Traumatic compartment syndrome of right lower extremity, sequela	ICD10
T79.A22A	Traumatic compartment syndrome of left lower extremity, initial encounter	ICD10
T79.A22D	Traumatic compartment syndrome of left lower extremity, subsequent encounter	ICD10
T79.A22S	Traumatic compartment syndrome of left lower extremity, sequela	ICD10
T79.A29A	Traumatic compartment syndrome of unspecified lower extremity, initial encounter	ICD10
T79.A29D	Traumatic compartment syndrome of unspecified lower extremity, subsequent encounter	ICD10
T79.A29S	Traumatic compartment syndrome of unspecified lower extremity, sequela	ICD10
T79.A3XA	Traumatic compartment syndrome of abdomen, initial encounter	ICD10
T79.A3XD	Traumatic compartment syndrome of abdomen, subsequent encounter	ICD10
T79.A3XS	Traumatic compartment syndrome of abdomen, sequela	ICD10
T79.A9XA	Traumatic compartment syndrome of other sites, initial encounter	ICD10
T79.A9XD	Traumatic compartment syndrome of other sites, subsequent encounter	ICD10
T79.A9XS	Traumatic compartment syndrome of other sites, sequela	ICD10
10061007	Brain stem contusion without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
10256000	Brain stem laceration without open intracranial wound AND with loss of consciousness (disorder)	SNOMED
10310006	Open fracture of C1-C4 level with incomplete spinal cord lesion (disorder)	SNOMED
105606008	Injury of musculoskeletal system (disorder)	SNOMED
105612003	Injury of internal organ (disorder)	SNOMED
105621002	Early traumatic complication of injury (disorder)	SNOMED
10568008	Open fracture of eight OR more ribs (disorder)	SNOMED
10575009	Open fracture of vertebral column with spinal cord injury (disorder)	SNOMED
10771002	Closed traumatic dislocation of first cervical vertebra (disorder)	SNOMED
108367008	Dislocation of joint (disorder)	SNOMED
109379000	Traumatic interventricular septal defect (disorder)	SNOMED
10998006	Injury of sigmoid colon with open wound into abdominal cavity (disorder)	SNOMED
110016007	Rupture of corpus cavernosum of penis (disorder)	SNOMED
110017003	Closed fracture of zygomatic tripod (disorder)	SNOMED
110018008	Open fracture of zygomatic tripod (disorder)	SNOMED
110019000	Closed fracture of orbital portion of zygomatic bone (disorder)	SNOMED
110020006	Open fracture of orbital portion of zygomatic bone (disorder)	SNOMED
110021005	Closed fracture of alveolar ridge of maxilla (disorder)	SNOMED
110022003	Closed horizontal fracture of maxilla (disorder)	SNOMED
110023008	Closed pyramidal fracture of maxilla (disorder)	SNOMED
110024002	Complete closed fracture of maxilla (disorder)	SNOMED
110025001	Open fracture of alveolar ridge of maxilla (disorder)	SNOMED
110026000	Open horizontal fracture of maxilla (disorder)	SNOMED
110027009	Open pyramidal fracture of maxilla (disorder)	SNOMED
110028004	Complete open fracture of maxilla (disorder)	SNOMED
110029007	Traumatic dislocation of lunate bone (disorder)	SNOMED
110030002	Concussion injury of brain (disorder)	SNOMED
11008006	Closed traumatic dislocation of seventh cervical vertebra (disorder)	SNOMED
110150000	Spinal cord concussion (disorder)	SNOMED
111245009	Compartment syndrome (disorder)	SNOMED
111593004	Closed fracture of vault of skull with intracranial hemorrhage (disorder)	SNOMED

111597003	Open fracture of vault of skull with intracranial hemorrhage (disorder)	SNOMED
111601003	Closed fracture of base of skull with intracranial hemorrhage (disorder)	SNOMED
111603000	Closed fracture of base of skull with intracranial injury (disorder)	SNOMED
111605007	Open fracture of base of skull with intracranial hemorrhage (disorder)	SNOMED
111607004	Open fracture of base of skull with intracranial injury (disorder)	SNOMED
111609001	Open fracture of facial bones (disorder)	SNOMED
111611005	Closed skull fracture with intracranial hemorrhage (disorder)	SNOMED
111613008	Closed skull fracture with intracranial injury (disorder)	SNOMED
111615001	Open skull fracture with intracranial hemorrhage (disorder)	SNOMED
111617009	Open skull fracture with intracranial injury (disorder)	SNOMED
111622009	Closed fracture of third cervical vertebra without spinal cord injury (disorder)	SNOMED
111633007	Open fracture of sacrum AND/OR coccyx with complete cauda equina lesion (disorder)	SNOMED
111637008	Open fracture of clavicle (disorder)	SNOMED
111638003	Open fracture of sternal end of clavicle (disorder)	SNOMED
111639006	Closed fracture of acromial process of scapula (disorder)	SNOMED
111640008	Closed fracture of radius (disorder)	SNOMED
111641007	Open fracture of neck of radius (disorder)	SNOMED
111642000	Open fracture of base of thumb (disorder)	SNOMED
111643005	Open fracture of patella (disorder)	SNOMED
111644004	Closed fracture of upper end of lower leg (disorder)	SNOMED
111645003	Open fracture of upper end of tibia (disorder)	SNOMED
111646002	Open fracture of shaft of fibula (disorder)	SNOMED
111647006	Closed fracture of third metatarsal bone (disorder)	SNOMED
111648001	Closed traumatic dislocation of cervical vertebra (disorder)	SNOMED
111649009	Closed anterior dislocation of hip (disorder)	SNOMED
111651008	Closed traumatic dislocation of navicular bone of foot (disorder)	SNOMED
111671004	Intracranial hemorrhage following injury with open intracranial wound and prolonged loss of consciousness (more than 24 hours) without return to pre-existing level (disorder)	SNOMED
111673001	Subarachnoid hemorrhage following injury without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
111677000	Subdural hemorrhage following injury with open intracranial wound and prolonged loss of consciousness (more than 24 hours) and without return to pre-existing conscious level (disorder)	SNOMED
111681000	Extradural hemorrhage following injury with open intracranial wound AND loss of consciousness (disorder)	SNOMED
111683002	Injury of duodenum without open wound into abdominal cavity (disorder)	SNOMED
111684008	Capsular tear without major disruption of parenchyma of spleen AND with open wound in abdominal cavity (disorder)	SNOMED
111691006	Crushing injury of multiple sites (disorder)	SNOMED
111727008	Late effect of superficial injury (disorder)	SNOMED
111729006	Late effect of injury to nerve (disorder)	SNOMED
111731002	Late effect of injury to internal organ (disorder)	SNOMED
111733004	Late effect of complications of trauma (disorder)	SNOMED
11229008	Laceration of heart without penetration of heart chambers (disorder)	SNOMED
11254008	Closed fracture of fourth metatarsal bone (disorder)	SNOMED
11413003	Incomplete spinal cord lesion at T1-T6 level without bone injury (disorder)	SNOMED
11782000	Closed fracture of second cervical vertebra without spinal cord injury (disorder)	SNOMED
11805005	Injury of groin (disorder)	SNOMED
11807002	Injury at C5-C7 level with spinal cord injury AND without bone injury (disorder)	SNOMED
11920000	Open dislocation of elbow (disorder)	SNOMED
12204004	Closed fracture of multiple ribs (disorder)	SNOMED

	Capsular tear without major disruption of parenchyma of spleen AND without open wound into abdominal cavity (disorder)	SNOMED
12227007		
122773008	Open fracture of lower epiphysis of humerus (disorder)	SNOMED
123534001	Closed fracture of sacrum AND/OR coccyx with cauda equina injury (disorder)	SNOMED
123535000	Open fracture of sacrum AND/OR coccyx with cauda equina injury (disorder)	SNOMED
123618009	Closed reverse Colles' fracture (disorder)	SNOMED
123619001	Open reverse Colles' fracture (disorder)	SNOMED
123971006	Colles' fracture (disorder)	SNOMED
123972004	Reversed Colles' fracture (disorder)	SNOMED
123973009	Monteggia's fracture (disorder)	SNOMED
123975002	Trimalleolar fracture (disorder)	SNOMED
12412005	Open fracture of multiple bones of upper limbs (disorder)	SNOMED
12462000	Closed traumatic dislocation of vertebra (disorder)	SNOMED
125588009	Injury of larynx (disorder)	SNOMED
125589001	Injury of upper respiratory tract (disorder)	SNOMED
125591009	Injury of pharynx (disorder)	SNOMED
125593007	Injury of face (disorder)	SNOMED
125594001	Injury of shoulder region (disorder)	SNOMED
125595000	Injury of upper arm (disorder)	SNOMED
125596004	Injury of elbow (disorder)	SNOMED
125597008	Injury of forearm (disorder)	SNOMED
125598003	Injury of wrist (disorder)	SNOMED
125599006	Injury of hand (disorder)	SNOMED
125600009	Injury of hip region (disorder)	SNOMED
125601008	Injury of knee (disorder)	SNOMED
125602001	Injury of lower leg (disorder)	SNOMED
125603006	Injury of ankle (disorder)	SNOMED
125604000	Injury of foot (disorder)	SNOMED
125605004	Fracture of bone (disorder)	SNOMED
125606003	Fracture of cervical spine (disorder)	SNOMED
125607007	Fracture of thoracic spine (disorder)	SNOMED
125608002	Fracture of lumbar spine (disorder)	SNOMED
125609005	Open fracture of cervical region with spinal cord injury (disorder)	SNOMED
125610000	Joint injury (disorder)	SNOMED
125612008	Traumatic dislocation of sternum (disorder)	SNOMED
125613003	Traumatic dislocation of pelvis (disorder)	SNOMED
125614009	Closed traumatic dislocation of glenohumeral joint (disorder)	SNOMED
125615005	Traumatic dislocation of shoulder region (disorder)	SNOMED
125616006	Traumatic dislocation of clavicle (disorder)	SNOMED
125617002	Traumatic dislocation of elbow joint (disorder)	SNOMED
125618007	Traumatic dislocation of joint of wrist (disorder)	SNOMED
125619004	Traumatic dislocation of joint of finger (disorder)	SNOMED
125620005	Traumatic dislocation of joint of thumb (disorder)	SNOMED
125621009	Traumatic dislocation of hip joint (disorder)	SNOMED
125622002	Traumatic dislocation of ankle joint (disorder)	SNOMED
125623007	Traumatic dislocation of joint of foot (disorder)	SNOMED
125625000	Injury of intestine (disorder)	SNOMED
125626004	Injury of stomach (disorder)	SNOMED
125627008	Injury of small intestine (disorder)	SNOMED
125628003	Injury of duodenum (disorder)	SNOMED
125629006	Injury of colon (disorder)	SNOMED

125630001	Injury of appendix (disorder)	SNOMED
125631002	Injury of ascending colon (disorder)	SNOMED
125632009	Injury of transverse colon (disorder)	SNOMED
125633004	Injury of descending colon (disorder)	SNOMED
125634005	Injury of sigmoid colon (disorder)	SNOMED
125635006	Injury of rectum (disorder)	SNOMED
125636007	Injury of large intestine (disorder)	SNOMED
125637003	Injury of uterus (disorder)	SNOMED
125638008	Injury of Fallopian tube (disorder)	SNOMED
125639000	Injury of ovary (disorder)	SNOMED
125640003	Injury of prostate (disorder)	SNOMED
125641004	Injury of seminal vesicle (disorder)	SNOMED
125642006	Injury of vas deferens (disorder)	SNOMED
125802004	Closed traumatic dislocation of interphalangeal joint of finger (disorder)	SNOMED
125871005	Fracture of coccyx (disorder)	SNOMED
125872003	Fracture of sacrum (disorder)	SNOMED
12588000	Closed traumatic dislocation of distal end of ulna (disorder)	SNOMED
12589008	Brain stem laceration with open intracranial wound (disorder)	SNOMED
1261007	Fracture of multiple ribs (disorder)	SNOMED
1264004	Injury of descending left colon without open wound into abdominal cavity (disorder)	SNOMED
12676007	Fracture of radius (disorder)	SNOMED
12694001	Anterior tibial compartment syndrome (disorder)	SNOMED
127275008	Injury of respiratory system (disorder)	SNOMED
127276009	Injury of head with rhinorrhagia (disorder)	SNOMED
127278005	Injury of upper extremity (disorder)	SNOMED
127279002	Injury of lower extremity (disorder)	SNOMED
127280004	Fracture of basilar portion of occipital bone (disorder)	SNOMED
127281000	Fracture of occipital condyle (disorder)	SNOMED
127282007	Fracture of clivus of occipital bone (disorder)	SNOMED
127283002	Fracture of ethmoid bone (disorder)	SNOMED
127284008	Fracture of orbital plate of ethmoid bone (disorder)	SNOMED
127285009	Fracture of lacrimal bone (disorder)	SNOMED
127286005	Fracture of upper end of humerus (disorder)	SNOMED
127287001	Intertrochanteric fracture (disorder)	SNOMED
127288006	Closed traumatic medial dislocation of subtalar joint (disorder)	SNOMED
127289003	Closed traumatic lateral dislocation of subtalar joint (disorder)	SNOMED
127290007	Open medial dislocation of subtalar joint (disorder)	SNOMED
127291006	Open lateral dislocation of subtalar joint (disorder)	SNOMED
127295002	Traumatic brain injury (disorder)	SNOMED
127296001	Intracranial injury (disorder)	SNOMED
127297005	Intracranial injury with loss of consciousness (disorder)	SNOMED
127298000	Traumatic brain injury with loss of consciousness (disorder)	SNOMED
127299008	Traumatic brain injury with brief loss of consciousness (disorder)	SNOMED
127300000	Traumatic brain injury with moderate loss of consciousness (disorder)	SNOMED
127301001	Traumatic brain injury with prolonged loss of consciousness (disorder)	SNOMED
127302008	Traumatic brain injury with no loss of consciousness (disorder)	SNOMED
127303003	Cortex laceration (disorder)	SNOMED
127304009	Cerebellar contusion (disorder)	SNOMED
127305005	Brain stem contusion (disorder)	SNOMED
127306006	Cerebellar laceration (disorder)	SNOMED
127307002	Brain stem laceration (disorder)	SNOMED

127313006	Injury of bile duct (disorder)	SNOMED
12746007	Open transcervical fracture of femur (disorder)	SNOMED
128069005	Injury of abdomen (disorder)	SNOMED
128125000	Injury of bronchus (disorder)	SNOMED
128126004	Injury of central nervous system (disorder)	SNOMED
12912004	Brain injury with open intracranial wound AND no loss of consciousness (disorder)	SNOMED
129156001	Traumatic dislocation of joint (disorder)	SNOMED
129157005	Traumatic dislocation of joint of hand (disorder)	SNOMED
129161004	Traumatic dislocation of lumbosacral joint (disorder)	SNOMED
129162006	Closed traumatic dislocation of lumbosacral joint (disorder)	SNOMED
129163001	Open dislocation of lumbosacral joint (disorder)	SNOMED
129164007	Traumatic dislocation of sacrococcygeal joint (disorder)	SNOMED
129165008	Traumatic dislocation of joint of thoracic vertebra (disorder)	SNOMED
129166009	Traumatic dislocation of joint of lumbar vertebra (disorder)	SNOMED
13019000	Open posterior dislocation of proximal end of tibia (disorder)	SNOMED
13047001	Open fracture of base of metacarpal bone other than first metacarpal (disorder)	SNOMED
1317001	Injury of ovary without open wound into abdominal cavity (disorder)	SNOMED
13194006	Closed fracture of T7-T12 level with anterior cord syndrome (disorder)	SNOMED
13289004	Intracranial hemorrhage following injury with open intracranial wound AND loss of consciousness (disorder)	SNOMED
134291007	Multiple fractures (disorder)	SNOMED
134424008	Late effect of burn of upper limb (disorder)	SNOMED
13456001	Closed fracture of T1-T6 level with incomplete spinal cord lesion (disorder)	SNOMED
13463001	Open dislocation of fifth cervical vertebra (disorder)	SNOMED
13498003	Closed fracture of multiple cervical vertebrae without spinal cord injury (disorder)	SNOMED
13553006	Smith's dislocation (disorder)	SNOMED
13695006	Fracture of pubic rami (disorder)	SNOMED
1370007	Open fracture of metacarpal bone (disorder)	SNOMED
13752003	Brain injury with open intracranial wound AND loss of consciousness (disorder)	SNOMED
13891000	Major laceration of liver without open wound into abdominal cavity (disorder)	SNOMED
13975002	Open dislocation of glenohumeral joint (disorder)	SNOMED
1419004	Injury of prostate without open wound into abdominal cavity (disorder)	SNOMED
14434006	Cerebellar laceration with open intracranial wound AND no loss of consciousness (disorder)	SNOMED
14457000	Open fracture of larynx (disorder)	SNOMED
14493003	Closed fracture of T1-T6 level with anterior cord syndrome (disorder)	SNOMED
14505003	Open fracture of middle AND/OR proximal phalanx of finger (disorder)	SNOMED
14546008	Late effect of poisoning due to drug, medicinal AND/OR biological substance (disorder)	SNOMED
14584002	Closed fracture of sacrum AND/OR coccyx with spinal cord injury (disorder)	SNOMED
14675005	Fracture of seven ribs (disorder)	SNOMED
14741001	Closed posterior dislocation of proximal end of tibia (disorder)	SNOMED
14817008	Late effect of injury (disorder)	SNOMED
14916000	Fracture of trapezoidal bone of wrist (disorder)	SNOMED
14950009	Fracture of six ribs (disorder)	SNOMED
15151004	Injury of liver with open wound into abdominal cavity (disorder)	SNOMED
15271003	Late effect of burn of wrist AND/OR hand (disorder)	SNOMED
15385006	Closed fracture of medial malleolus (disorder)	SNOMED
1544005	Open dislocation of knee (disorder)	SNOMED
15474008	Open fracture of pelvis (disorder)	SNOMED
15574005	Fracture of foot (disorder)	SNOMED
15701003	Open fracture of second cervical vertebra without spinal cord injury (disorder)	SNOMED
15724005	Fracture of vertebral column without spinal cord injury (disorder)	SNOMED

157265008	Dislocation of hip joint (disorder)	SNOMED
15741007	Closed fracture of palate (disorder)	SNOMED
15929008	Multiple extreme injuries of abdominal organs without open wound into cavity (disorder)	SNOMED
16111009	Multiple fractures of upper limb with sternum (disorder)	SNOMED
16114001	Fracture of ankle (disorder)	SNOMED
16319002	Cortex contusion without open intracranial wound AND with concussion (disorder)	SNOMED
1658003	Closed fracture of acromial end of clavicle (disorder)	SNOMED
16695002	Open fracture of T1-T6 level with spinal cord injury (disorder)	SNOMED
16837005	Brain stem contusion with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
16950007	Fourth degree perineal laceration involving anal mucosa (disorder)	SNOMED
1705000	Closed fracture of base of neck of femur (disorder)	SNOMED
1708003	Open dislocation of clavicle (disorder)	SNOMED
171008	Injury of ascending right colon without open wound into abdominal cavity (disorder)	SNOMED
17169009	Cerebellar contusion without open intracranial wound AND with loss of consciousness (disorder)	SNOMED
17194005	Late effect of fracture of neck of femur (disorder)	SNOMED
17214002	Closed traumatic dislocation of lumbar vertebra (disorder)	SNOMED
17222009	Closed fracture of distal end of radius (disorder)	SNOMED
1734006	Fracture of vertebral column with spinal cord injury (disorder)	SNOMED
17367000	Open multiple fractures of upper AND lower limbs (disorder)	SNOMED
1739001	Fracture of occipital bone (disorder)	SNOMED
17414004	Contusion to heart (disorder)	SNOMED
17463000	Closed fracture of lumbar vertebra without spinal cord injury (disorder)	SNOMED
17498002	Cortex contusion without open intracranial wound AND with loss of consciousness (disorder)	SNOMED
17616007	Closed fracture of ilium (disorder)	SNOMED
17633000	Closed fracture of five ribs (disorder)	SNOMED
17667005	Intracranial hemorrhage following injury without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
17819003	Brain stem laceration without open intracranial wound AND with concussion (disorder)	SNOMED
18147000	Injury of colon with open wound into abdominal cavity (disorder)	SNOMED
18171007	Fracture of phalanx of finger (disorder)	SNOMED
18276007	Open multiple fractures of both upper limbs (disorder)	SNOMED
18296004	Injury of ovarian artery (disorder)	SNOMED
18336000	Open fracture of upper limb (disorder)	SNOMED
18531006	Brain stem laceration without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
18605003	Intracranial hemorrhage following injury with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
18685001	Late effect of internal injury to intra-abdominal organs (disorder)	SNOMED
18724009	Closed fracture of second metatarsal bone (disorder)	SNOMED
18960007	Closed fracture of T7-T12 level with incomplete spinal cord lesion (disorder)	SNOMED
19090007	Injury at C1-C4 level with complete lesion of spinal cord AND without bone injury (disorder)	SNOMED
19210000	Brain stem laceration with open intracranial wound AND no loss of consciousness (disorder)	SNOMED
19233004	Cerebellar contusion with open intracranial wound AND loss of consciousness (disorder)	SNOMED
19234005	Late effect of foreign body in orifice (disorder)	SNOMED
19241004	Traumatic open dislocation of interphalangeal joint of hand (disorder)	SNOMED
19259001	Closed fracture of upper end of radius AND ulna (disorder)	SNOMED
19491003	Injury of nose (disorder)	SNOMED
195160000	Intracranial subarachnoid hemorrhage from vertebral artery (disorder)	SNOMED
19652000	Open fracture of femoral condyle of femur (disorder)	SNOMED

19856004	Late effect of burns of eye, face, head AND/OR neck (disorder)	SNOMED
1988005	Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk (disorder)	SNOMED
19936001	Injury of gallbladder without open wound into abdominal cavity (disorder)	SNOMED
20026002	Open dislocation of proximal end of metacarpal bone of wrist (disorder)	SNOMED
20100009	Closed fracture of intracapsular section of femur (disorder)	SNOMED
2012002	Fracture of lunate bone of wrist (disorder)	SNOMED
20121009	Closed fracture of seven ribs (disorder)	SNOMED
20132009	Closed traumatic dislocation of fourth cervical vertebra (disorder)	SNOMED
20158009	Open fracture of ramus of mandible (disorder)	SNOMED
20167009	Cortex laceration without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
20213006	Injury of spleen without open wound into abdominal cavity (disorder)	SNOMED
20274005	Fracture of one rib (disorder)	SNOMED
20276007	Subarachnoid hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND without return to pre-existing conscious level (disorder)	SNOMED
202974002	Subluxation of peroneal tendon (disorder)	SNOMED
20341008	Injury of kidney without open wound into abdominal cavity (disorder)	SNOMED
203709007	Subluxation complex (vertebral) (disorder)	SNOMED
20377001	Open fracture of C5-C7 level with incomplete spinal cord lesion (disorder)	SNOMED
20402005	Moderate laceration of liver with open wound into abdominal cavity (disorder)	SNOMED
20433007	Fracture of upper end of tibia (disorder)	SNOMED
20474007	Injury of multiple sites of pancreas without open wound into abdominal cavity (disorder)	SNOMED
20511007	Fracture of hand (disorder)	SNOMED
205254006	Radioulnar synostosis and dislocation of radial head (disorder)	SNOMED
2053005	Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis (disorder)	SNOMED
20580001	Injury of bronchus with open wound into thoracic cavity (disorder)	SNOMED
20594000	Open multiple fractures of lower limb with ribs AND sternum (disorder)	SNOMED
206209004	Fracture of clavicle due to birth trauma (disorder)	SNOMED
20714001	Multiple open fractures of skull AND/OR face without intracranial injury (disorder)	SNOMED
20736003	Closed posterior dislocation of distal end of femur (disorder)	SNOMED
207687004	Closed fracture vault of skull with intracranial injury (disorder)	SNOMED
207689001	Closed fracture of vault of skull with intracranial injury, with no loss of consciousness (disorder)	SNOMED
207690005	Closed fracture of vault of skull with intracranial injury, with less than 1 hour loss of consciousness (disorder)	SNOMED
207691009	Closed fracture of vault of skull with intracranial injury, with 1-24 hours loss of consciousness (disorder)	SNOMED
207692002	Closed fracture of vault of skull with intracranial injury, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
207693007	Closed fracture of vault of skull with intracranial injury, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
207696004	Open fracture vault of skull without intracranial injury (disorder)	SNOMED
207705002	Open fracture vault of skull with intracranial injury (disorder)	SNOMED
207707005	Open fracture of vault of skull with intracranial injury, with no loss of consciousness (disorder)	SNOMED
207708000	Open fracture of vault of skull with intracranial injury, with less than 1 hour loss of consciousness (disorder)	SNOMED
207709008	Open fracture of vault of skull with intracranial injury, with 1-24 hours loss of consciousness (disorder)	SNOMED
207710003	Open fracture of vault of skull with intracranial injury, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED

207711004	Open fracture of vault of skull with intracranial injury, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
207727006	Closed fracture of base of skull with intracranial injury, with no loss of consciousness (disorder)	SNOMED
207728001	Closed fracture of base of skull with intracranial injury, with less than 1 hour loss of consciousness (disorder)	SNOMED
207729009	Closed fracture of base of skull with intracranial injury, with 1-24 hours loss of consciousness (disorder)	SNOMED
207730004	Closed fracture of base of skull with intracranial injury, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
207731000	Closed fracture of base of skull with intracranial injury, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
207745006	Open fracture of base of skull with intracranial injury, with no loss of consciousness (disorder)	SNOMED
207746007	Open fracture of base of skull with intracranial injury, with less than 1 hour loss of consciousness (disorder)	SNOMED
207747003	Open fracture of base of skull with intracranial injury, with 1-24 hours loss of consciousness (disorder)	SNOMED
207748008	Open fracture of base of skull with intracranial injury, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
207749000	Open fracture of base of skull with intracranial injury, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
207753003	Fracture of mandible, closed (disorder)	SNOMED
207755005	Closed fracture of condylar process of mandible (disorder)	SNOMED
207757002	Closed fracture of coronoid process of mandible (disorder)	SNOMED
207759004	Closed fracture of mandible, angle of jaw (disorder)	SNOMED
207760009	Closed fracture of symphysis of body of mandible (disorder)	SNOMED
207763006	Closed fracture of multiple sites of mandible (disorder)	SNOMED
207767007	Open fracture of mandible, condylar process (disorder)	SNOMED
207768002	Open subcondylar fracture of mandible (disorder)	SNOMED
207769005	Open fracture of coronoid process of mandible (disorder)	SNOMED
207771005	Open fracture of mandible, angle of jaw (disorder)	SNOMED
207776000	Open fracture of multiple sites of mandible (disorder)	SNOMED
207782002	Open fracture of maxilla (disorder)	SNOMED
207785000	Fracture of skull and facial bones (disorder)	SNOMED
207787008	Fracture of orbital floor (disorder)	SNOMED
207788003	Fracture of malar and maxillary bones (disorder)	SNOMED
207794006	Fracture of alveolus, closed (disorder)	SNOMED
207798009	Fracture of alveolus, open (disorder)	SNOMED
207800002	Fracture of palate, open (disorder)	SNOMED
20784007	Internal injury of abdominal organs with open wound into cavity (disorder)	SNOMED
207881000	Multiple fractures involving skull and facial bones (disorder)	SNOMED
207884008	Fracture of neck and trunk (disorder)	SNOMED
207895002	Closed fracture atlas, isolated arch or articular process (disorder)	SNOMED
207896001	Closed fracture atlas, comminuted (disorder)	SNOMED
207897005	Closed fracture axis, odontoid process (disorder)	SNOMED
207898000	Closed fracture axis, spondylolysis (disorder)	SNOMED
207899008	Closed fracture axis, spinous process (disorder)	SNOMED
207900003	Closed fracture axis, transverse process (disorder)	SNOMED
207901004	Closed fracture axis, posterior arch (disorder)	SNOMED
207902006	Closed fracture axis, tricolumnar (disorder)	SNOMED
207903001	Closed fracture cervical vertebra, burst (disorder)	SNOMED
207904007	Closed fracture cervical vertebra, wedge (disorder)	SNOMED

207905008	Closed fracture cervical vertebra, spondylolysis (disorder)	SNOMED
207906009	Closed fracture cervical vertebra, spinous process (disorder)	SNOMED
207907000	Closed fracture cervical vertebra, transverse process (disorder)	SNOMED
207908005	Closed fracture cervical vertebra, posterior arch (disorder)	SNOMED
207909002	Closed fracture cervical vertebra, tricolumnar (disorder)	SNOMED
207910007	Multiple closed fractures of cervical vertebrae (disorder)	SNOMED
207921003	Open fracture atlas, isolated arch or articular process (disorder)	SNOMED
207922005	Open fracture atlas, comminuted (disorder)	SNOMED
207923000	Open fracture axis, odontoid process (disorder)	SNOMED
207924006	Open fracture axis, spondylolysis (disorder)	SNOMED
207925007	Open fracture axis, spinous process (disorder)	SNOMED
207926008	Open fracture axis, transverse process (disorder)	SNOMED
207927004	Open fracture axis, posterior arch (disorder)	SNOMED
207928009	Open fracture axis, tricolumnar (disorder)	SNOMED
207929001	Open fracture cervical vertebra, burst (disorder)	SNOMED
207930006	Open fracture cervical vertebra, wedge (disorder)	SNOMED
207931005	Open fracture cervical vertebra, spondylolysis (disorder)	SNOMED
207932003	Open fracture cervical vertebra, spinous process (disorder)	SNOMED
207933008	Open fracture cervical vertebra, transverse process (disorder)	SNOMED
207934002	Open fracture cervical vertebra, posterior arch (disorder)	SNOMED
207935001	Open fracture cervical vertebra, tricolumnar (disorder)	SNOMED
207936000	Multiple open fractures of cervical vertebrae (disorder)	SNOMED
207938004	Closed fracture thoracic vertebra (disorder)	SNOMED
207939007	Closed fracture thoracic vertebra, burst (disorder)	SNOMED
207940009	Closed fracture thoracic vertebra, wedge (disorder)	SNOMED
207941008	Closed fracture thoracic vertebra, spondylolysis (disorder)	SNOMED
207942001	Closed fracture thoracic vertebra, spinous process (disorder)	SNOMED
207943006	Closed fracture thoracic vertebra, transverse process (disorder)	SNOMED
207944000	Closed fracture thoracic vertebra, posterior arch (disorder)	SNOMED
207945004	Closed fracture thoracic vertebra, tricolumnar (disorder)	SNOMED
207949005	Open fracture thoracic vertebra (disorder)	SNOMED
207950005	Open fracture thoracic vertebra, burst (disorder)	SNOMED
207951009	Open fracture thoracic vertebra, wedge (disorder)	SNOMED
207952002	Open fracture thoracic vertebra, spondylolysis (disorder)	SNOMED
207953007	Open fracture thoracic vertebra, spinous process (disorder)	SNOMED
207954001	Open fracture thoracic vertebra, transverse process (disorder)	SNOMED
207955000	Open fracture thoracic vertebra, posterior arch (disorder)	SNOMED
207956004	Open fracture thoracic vertebra, tricolumnar (disorder)	SNOMED
207957008	Closed fracture lumbar vertebra (disorder)	SNOMED
207958003	Closed fracture lumbar vertebra, burst (disorder)	SNOMED
207959006	Closed fracture lumbar vertebra, wedge (disorder)	SNOMED
207960001	Closed fracture lumbar vertebra, spondylolysis (disorder)	SNOMED
207961002	Closed fracture lumbar vertebra, spinous process (disorder)	SNOMED
207962009	Closed fracture lumbar vertebra, transverse process (disorder)	SNOMED
207963004	Closed fracture lumbar vertebra, posterior arch (disorder)	SNOMED
207964005	Closed fracture lumbar vertebra, tricolumnar (disorder)	SNOMED
207965006	Open fracture lumbar vertebra (disorder)	SNOMED
207966007	Open fracture lumbar vertebra, burst (disorder)	SNOMED
207967003	Open fracture lumbar vertebra, wedge (disorder)	SNOMED
207968008	Open fracture lumbar vertebra, spondylolysis (disorder)	SNOMED
207969000	Open fracture lumbar vertebra, spinous process (disorder)	SNOMED

207970004	Open fracture lumbar vertebra, transverse process (disorder)	SNOMED
207971000	Open fracture lumbar vertebra, posterior arch (disorder)	SNOMED
207972007	Open fracture lumbar vertebra, tricolumnar (disorder)	SNOMED
207974008	Closed fracture sacrum (disorder)	SNOMED
207975009	Closed compression fracture sacrum (disorder)	SNOMED
207976005	Closed vertical fracture of sacrum (disorder)	SNOMED
207977001	Open fracture sacrum (disorder)	SNOMED
207978006	Open compression fracture sacrum (disorder)	SNOMED
207979003	Open vertical fracture of sacrum (disorder)	SNOMED
207980000	Closed fracture pelvis, coccyx (disorder)	SNOMED
207981001	Open fracture pelvis, coccyx (disorder)	SNOMED
207983003	Fracture of first cervical vertebra (disorder)	SNOMED
207984009	Fracture of second cervical vertebra (disorder)	SNOMED
207985005	Multiple fractures of cervical spine (disorder)	SNOMED
207986006	Fracture of lumbar spine and/or pelvis (disorder)	SNOMED
207993005	Multiple fractures of lumbar spine and/or pelvis (disorder)	SNOMED
207998001	Closed fracture of cervical spine with cord lesion (disorder)	SNOMED
208000003	Closed spinal fracture with complete cervical cord lesion, C1-4 (disorder)	SNOMED
208001004	Closed spinal fracture with anterior cervical cord lesion, C1-4 (disorder)	SNOMED
208002006	Closed spinal fracture with central cervical cord lesion, C1-4 (disorder)	SNOMED
208003001	Closed spinal fracture with posterior cervical cord lesion, C1-4 (disorder)	SNOMED
208006009	Closed spinal fracture with complete cervical cord lesion, C5-7 (disorder)	SNOMED
208007000	Closed spinal fracture with anterior cervical cord lesion, C5-7 (disorder)	SNOMED
208008005	Closed spinal fracture with central cervical cord lesion, C5-7 (disorder)	SNOMED
208009002	Closed spinal fracture with posterior cervical cord lesion, C5-7 (disorder)	SNOMED
208012004	Open fracture of cervical spine with spinal cord lesion (disorder)	SNOMED
208014003	Open spinal fracture with complete cervical cord lesion, C1-4 (disorder)	SNOMED
208015002	Open spinal fracture with anterior cervical cord lesion, C1-4 (disorder)	SNOMED
208016001	Open spinal fracture with central cervical cord lesion, C1-4 (disorder)	SNOMED
208017005	Open spinal fracture with posterior cervical cord lesion, C1-4 (disorder)	SNOMED
208020002	Open spinal fracture with complete cervical cord lesion, C5-7 (disorder)	SNOMED
208021003	Open spinal fracture with anterior cervical cord lesion, C5-7 (disorder)	SNOMED
208022005	Open spinal fracture with central cervical cord lesion, C5-7 (disorder)	SNOMED
208023000	Open spinal fracture with posterior cervical cord lesion, C5-7 (disorder)	SNOMED
208026008	Closed fracture of thoracic spine with spinal cord lesion (disorder)	SNOMED
208028009	Closed spinal fracture with complete thoracic cord lesion, T1-6 (disorder)	SNOMED
208029001	Closed spinal fracture with anterior thoracic cord lesion, T1-6 (disorder)	SNOMED
208030006	Closed spinal fracture with central thoracic cord lesion, T1-6 (disorder)	SNOMED
208031005	Closed spinal fracture with posterior thoracic cord lesion, T1-6 (disorder)	SNOMED
208034002	Closed spinal fracture with complete thoracic cord lesion, T7-12 (disorder)	SNOMED
208035001	Closed spinal fracture with anterior thoracic cord lesion, T7-12 (disorder)	SNOMED
208036000	Closed spinal fracture with central thoracic cord lesion, T7-12 (disorder)	SNOMED
208037009	Closed spinal fracture with posterior thoracic cord lesion, T7-12 (disorder)	SNOMED
208040009	Open fracture of thoracic spine with spinal cord lesion (disorder)	SNOMED
208042001	Open spinal fracture with complete thoracic cord lesion, T1-6 (disorder)	SNOMED
208043006	Open spinal fracture with anterior thoracic cord lesion, T1-6 (disorder)	SNOMED
208044000	Open spinal fracture with central thoracic cord lesion, T1-6 (disorder)	SNOMED
208045004	Open spinal fracture with posterior thoracic cord lesion, T1-6 (disorder)	SNOMED
208048002	Open spinal fracture with complete thoracic cord lesion, T7-12 (disorder)	SNOMED
208049005	Open spinal fracture with anterior thoracic cord lesion, T7-12 (disorder)	SNOMED
208050005	Open spinal fracture with central thoracic cord lesion, T7-12 (disorder)	SNOMED

208051009	Open spinal fracture with posterior thoracic cord lesion, T7-12 (disorder)	SNOMED
208054001	Closed fracture of lumbar spine with spinal cord lesion (disorder)	SNOMED
208056004	Closed spinal fracture with complete lumbar cord lesion (disorder)	SNOMED
208057008	Closed spinal fracture with anterior lumbar cord lesion (disorder)	SNOMED
208058003	Closed spinal fracture with central lumbar cord lesion (disorder)	SNOMED
208059006	Closed spinal fracture with posterior lumbar cord lesion (disorder)	SNOMED
208060001	Closed spinal fracture with cauda equina lesion (disorder)	SNOMED
208061002	Open fracture of lumbar spine with spinal cord lesion (disorder)	SNOMED
208063004	Open spinal fracture with complete lumbar cord lesion (disorder)	SNOMED
208064005	Open spinal fracture with anterior lumbar cord lesion (disorder)	SNOMED
208065006	Open spinal fracture with central lumbar cord lesion (disorder)	SNOMED
208066007	Open spinal fracture with posterior lumbar cord lesion (disorder)	SNOMED
208067003	Open spinal fracture with cauda equina lesion (disorder)	SNOMED
208069000	Closed fracture of sacrum with spinal cord lesion (disorder)	SNOMED
208071000	Closed fracture of sacrum with complete cauda equina lesion (disorder)	SNOMED
208076005	Open fracture of sacrum with spinal cord lesion (disorder)	SNOMED
208078006	Open fracture of sacrum with complete cauda equina lesion (disorder)	SNOMED
208082008	Closed fracture of coccyx with spinal cord lesion (disorder)	SNOMED
208084009	Closed fracture of coccyx with complete cauda equina lesion (disorder)	SNOMED
208088007	Open fracture of coccyx with spinal cord lesion (disorder)	SNOMED
208090008	Open fracture of coccyx with complete cauda equina lesion (disorder)	SNOMED
208097006	Fracture of rib(s), sternum, larynx and trachea (disorder)	SNOMED
208130009	Open fracture of hyoid bone (disorder)	SNOMED
208131008	Open fracture of thyroid cartilage (disorder)	SNOMED
208146001	Closed fracture acetabulum, anterior lip alone (disorder)	SNOMED
208147005	Closed fracture acetabulum, posterior lip alone (disorder)	SNOMED
208148000	Closed fracture acetabulum, anterior column (disorder)	SNOMED
208149008	Closed fracture acetabulum, posterior column (disorder)	SNOMED
208150008	Closed fracture acetabulum, floor (disorder)	SNOMED
208151007	Closed fracture acetabulum, double column transverse (disorder)	SNOMED
208155003	Open fracture acetabulum, anterior lip alone (disorder)	SNOMED
208156002	Open fracture acetabulum, posterior lip alone (disorder)	SNOMED
208157006	Open fracture acetabulum, anterior column (disorder)	SNOMED
208158001	Open fracture acetabulum, posterior column (disorder)	SNOMED
208159009	Open fracture acetabulum, floor (disorder)	SNOMED
208160004	Open fracture acetabulum, double column transverse (disorder)	SNOMED
208164008	Closed fracture pubis (disorder)	SNOMED
208165009	Closed fracture pelvis, single pubic ramus (disorder)	SNOMED
208166005	Closed fracture pelvis, multiple pubic rami - stable (disorder)	SNOMED
208168006	Closed fracture pelvis, multiple pubic rami - unstable (disorder)	SNOMED
208172005	Open fracture pelvis, single pubic ramus (disorder)	SNOMED
208173000	Open fracture pelvis, multiple pubic rami - stable (disorder)	SNOMED
208174006	Open fracture pelvis, multiple pubic rami - unstable (disorder)	SNOMED
208181004	Closed fracture pelvis, ischial tuberosity (disorder)	SNOMED
208182006	Closed fracture pelvis, anterior superior iliac spine (disorder)	SNOMED
208183001	Closed fracture pelvis, anterior inferior iliac spine (disorder)	SNOMED
208184007	Closed fracture pelvis, iliac wing (disorder)	SNOMED
208185008	Closed vertical fracture of ilium (disorder)	SNOMED
208186009	Closed fracture dislocation of sacroiliac joint (disorder)	SNOMED
208192003	Open fracture pelvis, ischial tuberosity (disorder)	SNOMED
208193008	Open fracture pelvis, anterior superior iliac spine (disorder)	SNOMED

208194002	Open fracture pelvis, anterior inferior iliac spine (disorder)	SNOMED
208195001	Open fracture pelvis, iliac wing (disorder)	SNOMED
208197009	Open vertical fracture of ilium (disorder)	SNOMED
208198004	Open fracture dislocation of sacroiliac joint (disorder)	SNOMED
208202002	Closed complete rupture pubic symphysis (disorder)	SNOMED
208203007	Closed complete rupture sacroiliac joint (disorder)	SNOMED
208204001	Open complete rupture of pelvic ring (disorder)	SNOMED
208205000	Open complete rupture pubic symphysis (disorder)	SNOMED
208206004	Open complete rupture of sacroiliac joint (disorder)	SNOMED
208207008	Traumatic rupture of symphysis pubis (disorder)	SNOMED
208210001	Fracture of ill-defined bones of trunk (disorder)	SNOMED
208211002	Closed fracture of ill-defined bone of trunk (disorder)	SNOMED
208212009	Open fracture of ill-defined bone of trunk (disorder)	SNOMED
208215006	Multiple fractures of thoracic spine (disorder)	SNOMED
208225001	Closed fracture scapula, coracoid (disorder)	SNOMED
208226000	Closed fracture scapula, glenoid (disorder)	SNOMED
208227009	Closed fracture scapula, blade (disorder)	SNOMED
208228004	Closed fracture scapula, spine (disorder)	SNOMED
208229007	Closed fracture scapula, neck (disorder)	SNOMED
208232005	Open fracture scapula, coracoid (disorder)	SNOMED
208233000	Open fracture scapula, glenoid (disorder)	SNOMED
208234006	Open fracture scapula, blade (disorder)	SNOMED
208235007	Open fracture scapula, spine (disorder)	SNOMED
208236008	Open fracture scapula, neck (disorder)	SNOMED
208240004	Closed fracture proximal humerus, neck (disorder)	SNOMED
208241000	Closed fracture of proximal humerus, anatomical neck (disorder)	SNOMED
208242007	Closed fracture proximal humerus, greater tuberosity (disorder)	SNOMED
208244008	Closed fracture of humerus, upper epiphysis (disorder)	SNOMED
208245009	Closed fracture proximal humerus, three part (disorder)	SNOMED
208246005	Closed fracture proximal humerus, four part (disorder)	SNOMED
208250003	Open fracture proximal humerus, neck (disorder)	SNOMED
208251004	Open fracture of proximal humerus, anatomical neck (disorder)	SNOMED
208253001	Open fracture proximal humerus, greater tuberosity (disorder)	SNOMED
208254007	Open fracture proximal humerus, head (disorder)	SNOMED
208255008	Open fracture of humerus, upper epiphysis (disorder)	SNOMED
208256009	Open fracture proximal humerus, three part (disorder)	SNOMED
208257000	Open fracture proximal humerus, four part (disorder)	SNOMED
208267005	Closed fracture distal humerus, lateral condyle (disorder)	SNOMED
208268000	Closed fracture distal humerus, medial condyle (disorder)	SNOMED
208270009	Closed fracture of distal humerus, trochlea (disorder)	SNOMED
208271008	Closed fracture distal humerus, lateral epicondyle (disorder)	SNOMED
208272001	Closed fracture distal humerus, capitellum (disorder)	SNOMED
208273006	Closed fracture distal humerus, bicondylar (T-Y fracture) (disorder)	SNOMED
208274000	Closed fracture of distal humerus, multiple (disorder)	SNOMED
208281007	Open fracture of distal humerus, trochlea (disorder)	SNOMED
208283005	Open fracture distal humerus, lateral epicondyle (disorder)	SNOMED
208284004	Open fracture distal humerus, capitellum (disorder)	SNOMED
208285003	Open fracture distal humerus, bicondylar (T-Y fracture) (disorder)	SNOMED
208286002	Open fracture of distal humerus, multiple (disorder)	SNOMED
208294009	Closed fracture olecranon, extra-articular (disorder)	SNOMED
208295005	Closed fracture of proximal ulna, comminuted (disorder)	SNOMED

208296006	Closed fracture proximal radius, comminuted (disorder)	SNOMED
208298007	Closed fracture olecranon, intra-articular (disorder)	SNOMED
208301006	Open fracture olecranon, extra-articular (disorder)	SNOMED
208303009	Open fracture proximal ulna, comminuted (disorder)	SNOMED
208304003	Open fracture proximal radius, comminuted (disorder)	SNOMED
208306001	Open fracture olecranon, intra-articular (disorder)	SNOMED
208309008	Closed fracture radius and ulna, middle (disorder)	SNOMED
208312006	Open fracture radius and ulna, middle (disorder)	SNOMED
208318005	Closed fracture of ulna, lower epiphysis (disorder)	SNOMED
208321007	Smith's fracture - closed (disorder)	SNOMED
208322000	Closed Galeazzi fracture (disorder)	SNOMED
208323005	Closed volar Barton's fracture (disorder)	SNOMED
208324004	Closed dorsal Barton's fracture (disorder)	SNOMED
208325003	Closed fracture radial styloid (disorder)	SNOMED
208326002	Closed fracture distal radius, intra-articular, die-punch (disorder)	SNOMED
208336005	Open fracture of ulna, styloid process (disorder)	SNOMED
208337001	Open fracture of ulna, lower epiphysis (disorder)	SNOMED
208340001	Smith's fracture - open (disorder)	SNOMED
208341002	Open Galeazzi fracture (disorder)	SNOMED
208342009	Open volar Barton's fracture (disorder)	SNOMED
208343004	Open dorsal Barton's fracture (disorder)	SNOMED
208344005	Open fracture radial styloid (disorder)	SNOMED
208345006	Open fracture distal radius, intra-articular, die-punch (disorder)	SNOMED
208369005	Closed fracture hamate, hook (disorder)	SNOMED
208370006	Closed fracture scaphoid, proximal pole (disorder)	SNOMED
208371005	Closed fracture scaphoid, waist, transverse (disorder)	SNOMED
208372003	Closed fracture scaphoid, waist, oblique (disorder)	SNOMED
208373008	Closed fracture scaphoid, waist, comminuted (disorder)	SNOMED
208374002	Closed fracture scaphoid, tuberosity (disorder)	SNOMED
208375001	Closed fracture carpal bones, multiple (disorder)	SNOMED
208379007	Open fracture hamate, hook (disorder)	SNOMED
208380005	Open fracture scaphoid, proximal pole (disorder)	SNOMED
208381009	Open fracture scaphoid, waist, transverse (disorder)	SNOMED
208382002	Open fracture scaphoid, waist, oblique (disorder)	SNOMED
208383007	Open fracture scaphoid, waist, comminuted (disorder)	SNOMED
208384001	Open fracture scaphoid, tuberosity (disorder)	SNOMED
208385000	Open fracture carpal bones, multiple (disorder)	SNOMED
208388003	Fracture at wrist and/or hand level (disorder)	SNOMED
208390002	Fracture of first metacarpal bone (disorder)	SNOMED
208393000	Fracture of metacarpal bone (disorder)	SNOMED
208394006	Closed fracture of metacarpal bone (disorder)	SNOMED
208396008	Closed fracture thumb metacarpal base, intra-articular, Bennett (disorder)	SNOMED
208397004	Closed fracture finger metacarpal base (disorder)	SNOMED
208399001	Closed fracture finger metacarpal neck (disorder)	SNOMED
208400008	Closed fracture finger metacarpal head (disorder)	SNOMED
208401007	Closed fracture finger metacarpal (disorder)	SNOMED
208402000	Closed fracture finger metacarpal, multiple (disorder)	SNOMED
208403005	Closed fracture of thumb metacarpal (disorder)	SNOMED
208404004	Closed fracture thumb metacarpal base, intra-articular, Rolando (disorder)	SNOMED
208405003	Closed fracture thumb metacarpal shaft (disorder)	SNOMED
208406002	Closed fracture thumb metacarpal neck (disorder)	SNOMED

208408001	Closed fracture thumb metacarpal head (disorder)	SNOMED
208413002	Open fracture thumb metacarpal base, intra-articular, Bennett (disorder)	SNOMED
208414008	Open fracture finger metacarpal base (disorder)	SNOMED
208416005	Open fracture finger metacarpal neck (disorder)	SNOMED
208417001	Open fracture finger metacarpal head (disorder)	SNOMED
208418006	Open fracture finger metacarpal (disorder)	SNOMED
208419003	Open fracture finger metacarpal, multiple (disorder)	SNOMED
208420009	Open fracture of thumb metacarpal (disorder)	SNOMED
208421008	Open fracture thumb metacarpal base, intra-articular, Rolando (disorder)	SNOMED
208422001	Open fracture thumb metacarpal shaft (disorder)	SNOMED
208423006	Open fracture thumb metacarpal neck (disorder)	SNOMED
208424000	Open fracture thumb metacarpal head (disorder)	SNOMED
208427007	Closed fracture of sesamoid bone of hand (disorder)	SNOMED
208428002	Open fracture of sesamoid bone of hand (disorder)	SNOMED
208430000	Closed fracture of one or more phalanges of hand (disorder)	SNOMED
208434009	Closed fracture thumb proximal phalanx (disorder)	SNOMED
208435005	Closed fracture thumb proximal phalanx, base (disorder)	SNOMED
208436006	Closed fracture thumb proximal phalanx, shaft (disorder)	SNOMED
208437002	Closed fracture thumb proximal phalanx, neck (disorder)	SNOMED
208438007	Closed fracture thumb proximal phalanx, head (disorder)	SNOMED
208439004	Closed fracture thumb distal phalanx (disorder)	SNOMED
208440002	Closed fracture thumb distal phalanx, base (disorder)	SNOMED
208441003	Closed fracture thumb distal phalanx, shaft (disorder)	SNOMED
208442005	Closed fracture thumb distal phalanx, tuft (disorder)	SNOMED
208443000	Closed fracture thumb distal phalanx, mallet (disorder)	SNOMED
208444006	Closed fracture finger proximal phalanx (disorder)	SNOMED
208445007	Closed fracture finger proximal phalanx, base (disorder)	SNOMED
208446008	Closed fracture finger proximal phalanx, shaft (disorder)	SNOMED
208447004	Closed fracture finger proximal phalanx, neck (disorder)	SNOMED
208448009	Closed fracture finger proximal phalanx, head (disorder)	SNOMED
208449001	Closed fracture finger proximal phalanx, multiple (disorder)	SNOMED
208450001	Closed fracture finger middle phalanx (disorder)	SNOMED
208451002	Closed fracture finger middle phalanx, base (disorder)	SNOMED
208452009	Closed fracture finger middle phalanx, shaft (disorder)	SNOMED
208453004	Closed fracture finger middle phalanx, neck (disorder)	SNOMED
208454005	Closed fracture finger middle phalanx, head (disorder)	SNOMED
208455006	Closed fracture finger middle phalanx, multiple (disorder)	SNOMED
208456007	Closed fracture finger distal phalanx, base (disorder)	SNOMED
208457003	Closed fracture finger distal phalanx, shaft (disorder)	SNOMED
208458008	Closed fracture finger distal phalanx, tuft (disorder)	SNOMED
208459000	Closed fracture finger distal phalanx, mallet (disorder)	SNOMED
208460005	Closed fracture finger distal phalanx, multiple (disorder)	SNOMED
208461009	Closed fractures of phalanx or phalanges, multiple sites (disorder)	SNOMED
208463007	Open fracture of one or more phalanges of hand (disorder)	SNOMED
208467008	Open fracture thumb proximal phalanx (disorder)	SNOMED
208468003	Open fracture thumb proximal phalanx, base (disorder)	SNOMED
208469006	Open fracture thumb proximal phalanx, shaft (disorder)	SNOMED
208470007	Open fracture thumb proximal phalanx, neck (disorder)	SNOMED
208471006	Open fracture thumb proximal phalanx, head (disorder)	SNOMED
208472004	Open fracture thumb distal phalanx (disorder)	SNOMED
208473009	Open fracture thumb distal phalanx, base (disorder)	SNOMED

208474003	Open fracture thumb distal phalanx, shaft (disorder)	SNOMED
208475002	Open fracture thumb distal phalanx, tuft (disorder)	SNOMED
208476001	Open fracture thumb distal phalanx, mallet (disorder)	SNOMED
208477005	Open fracture finger proximal phalanx (disorder)	SNOMED
208478000	Open fracture finger proximal phalanx, base (disorder)	SNOMED
208479008	Open fracture finger proximal phalanx, shaft (disorder)	SNOMED
208480006	Open fracture finger proximal phalanx, neck (disorder)	SNOMED
208481005	Open fracture finger proximal phalanx, head (disorder)	SNOMED
208482003	Open fracture finger proximal phalanx, multiple (disorder)	SNOMED
208483008	Open fracture finger middle phalanx (disorder)	SNOMED
208484002	Open fracture finger middle phalanx, base (disorder)	SNOMED
208485001	Open fracture finger middle phalanx, shaft (disorder)	SNOMED
208486000	Open fracture finger middle phalanx, neck (disorder)	SNOMED
208487009	Open fracture finger middle phalanx, head (disorder)	SNOMED
208488004	Open fracture finger middle phalanx, multiple (disorder)	SNOMED
208489007	Open fracture finger distal phalanx, base (disorder)	SNOMED
208490003	Open fracture finger distal phalanx, shaft (disorder)	SNOMED
208491004	Open fracture finger distal phalanx, tuft (disorder)	SNOMED
208492006	Open fracture finger distal phalanx, mallet (disorder)	SNOMED
208493001	Open fracture finger distal phalanx, multiple (disorder)	SNOMED
208494007	Open fracture of phalanx or phalanges, multiple sites (disorder)	SNOMED
208499002	Closed multiple fractures of hand bones (disorder)	SNOMED
208500006	Open multiple fractures of hand bones (disorder)	SNOMED
208502003	Ill-defined fractures of upper limb (disorder)	SNOMED
208503008	Closed ill-defined fractures of upper limb (disorder)	SNOMED
208505001	Open ill-defined fractures of upper limb (disorder)	SNOMED
208508004	Closed multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum (disorder)	SNOMED
208509007	Open multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum (disorder)	SNOMED
208510002	Multiple fractures of clavicle, scapula and humerus (disorder)	SNOMED
208513000	Multiple fractures of forearm (disorder)	SNOMED
208514006	Fractures involving multiple regions of both upper limbs (disorder)	SNOMED
208521006	Closed fracture proximal femur, transcervical (disorder)	SNOMED
208523009	Closed fracture proximal femur, transepiphyseal (disorder)	SNOMED
208524003	Closed fracture proximal femur, midcervical section (disorder)	SNOMED
208526001	Closed fracture of head of femur (disorder)	SNOMED
208528000	Closed fracture proximal femur, subcapital, Garden grade I (disorder)	SNOMED
208529008	Closed fracture proximal femur, subcapital, Garden grade II (disorder)	SNOMED
208530003	Closed fracture proximal femur, subcapital, Garden grade III (disorder)	SNOMED
208531004	Closed fracture proximal femur, subcapital, Garden grade IV (disorder)	SNOMED
208534007	Open fracture proximal femur, transcervical (disorder)	SNOMED
208536009	Open fracture proximal femur, transepiphyseal (disorder)	SNOMED
208537000	Open fracture proximal femur, midcervical section (disorder)	SNOMED
208540000	Open fracture proximal femur,subcapital, Garden grade unspec (disorder)	SNOMED
208541001	Open fracture proximal femur,subcapital, Garden grade I (disorder)	SNOMED
208542008	Open fracture proximal femur,subcapital, Garden grade II (disorder)	SNOMED
208543003	Open fracture proximal femur,subcapital, Garden grade III (disorder)	SNOMED
208544009	Open fracture proximal femur,subcapital, Garden grade IV (disorder)	SNOMED
208548007	Closed fracture of proximal femur, pertrochanteric (disorder)	SNOMED
208550004	Closed fracture proximal femur, intertrochanteric, two part (disorder)	SNOMED

208551000	Closed fracture proximal femur, subtrochanteric (disorder)	SNOMED
208552007	Closed fracture proximal femur, intertrochanteric, comminuted (disorder)	SNOMED
208555009	Open fracture of proximal femur, pertrochanteric (disorder)	SNOMED
208557001	Open fracture proximal femur, intertrochanteric, two part (disorder)	SNOMED
208558006	Open fracture proximal femur, subtrochanteric (disorder)	SNOMED
208559003	Open fracture proximal femur, intertrochanteric, comminuted (disorder)	SNOMED
208562000	Pertrochanteric fracture (disorder)	SNOMED
208578003	Closed fracture of lower epiphysis of femur (disorder)	SNOMED
208579006	Closed fracture distal femur, medial condyle (disorder)	SNOMED
208580009	Closed fracture distal femur, lateral condyle (disorder)	SNOMED
208581008	Closed fracture distal femur, bicondylar (T-Y fracture) (disorder)	SNOMED
208582001	Closed fracture distal femur, comminuted/intra-articular (disorder)	SNOMED
208587007	Open fracture of lower epiphysis of femur (disorder)	SNOMED
208588002	Open fracture distal femur, medial condyle (disorder)	SNOMED
208589005	Open fracture distal femur, lateral condyle (disorder)	SNOMED
208590001	Open fracture distal femur, bicondylar (T-Y fracture) (disorder)	SNOMED
208591002	Open fracture distal femur, comminuted/intra-articular (disorder)	SNOMED
208596007	Closed fracture patella, transverse (disorder)	SNOMED
208597003	Closed fracture patella, proximal pole (disorder)	SNOMED
208598008	Closed fracture patella, distal pole (disorder)	SNOMED
208600002	Closed fracture patella, vertical (disorder)	SNOMED
208601003	Closed fracture patella, comminuted (stellate) (disorder)	SNOMED
208602005	Open fracture patella, transverse (disorder)	SNOMED
208603000	Open fracture patella, proximal pole (disorder)	SNOMED
208604006	Open fracture patella, distal pole (disorder)	SNOMED
208605007	Open fracture patella, vertical (disorder)	SNOMED
208606008	Open fracture patella, comminuted (stellate) (disorder)	SNOMED
208610006	Closed fracture proximal tibia, medial condyle (plateau) (disorder)	SNOMED
208611005	Closed fracture proximal tibia, lateral condyle (plateau) (disorder)	SNOMED
208612003	Closed fracture proximal tibia, bicondylar (disorder)	SNOMED
208613008	Closed fracture spine, tibia (disorder)	SNOMED
208614002	Closed fracture tubercle, tibia (disorder)	SNOMED
208615001	Closed fracture fibula, neck (disorder)	SNOMED
208619007	Open fracture proximal tibia, medial condyle (plateau) (disorder)	SNOMED
208620001	Open fracture proximal tibia, lateral condyle (plateau) (disorder)	SNOMED
208621002	Open fracture proximal tibia, bicondylar (disorder)	SNOMED
208622009	Open fracture spine, tibia (disorder)	SNOMED
208623004	Open fracture tubercle, tibia (disorder)	SNOMED
208624005	Open fracture fibula, head (disorder)	SNOMED
208625006	Open fracture fibula, neck (disorder)	SNOMED
208627003	Closed fracture of tibia or fibula, shaft (disorder)	SNOMED
208629000	Closed fracture of tibia and fibula, shaft (disorder)	SNOMED
208631009	Open fracture of tibia and/or fibula, shaft (disorder)	SNOMED
208632002	Open fracture of tibia and fibula, shaft (disorder)	SNOMED
208634001	Closed fracture distal tibia (disorder)	SNOMED
208635000	Closed fracture distal tibia, extra-articular (disorder)	SNOMED
208636004	Closed fracture distal tibia, intra-articular (disorder)	SNOMED
208637008	Open fracture distal tibia (disorder)	SNOMED
208638003	Open fracture distal tibia, extra-articular (disorder)	SNOMED
208639006	Open fracture distal tibia, intra-articular (disorder)	SNOMED
208657007	Closed fracture ankle, lateral malleolus, low (disorder)	SNOMED

208658002	Closed fracture ankle, lateral malleolus, high (disorder)	SNOMED
208659005	Open fracture ankle, lateral malleolus, low (disorder)	SNOMED
208660000	Open fracture ankle, lateral malleolus, high (disorder)	SNOMED
208662008	Closed fracture ankle, bimalleolar, low fibular fracture (disorder)	SNOMED
208663003	Closed fracture ankle, bimalleolar, high fibular fracture (disorder)	SNOMED
208664009	Open fracture ankle, bimalleolar, low fibular fracture (disorder)	SNOMED
208665005	Open fracture ankle, bimalleolar, high fibular fracture (disorder)	SNOMED
208666006	Closed fracture ankle, trimalleolar, low fibular fracture (disorder)	SNOMED
208667002	Closed fracture ankle, trimalleolar, high fibular fracture (disorder)	SNOMED
208668007	Open fracture ankle, trimalleolar, low fibular fracture (disorder)	SNOMED
208669004	Open fracture ankle, trimalleolar, high fibular fracture (disorder)	SNOMED
208677000	Closed fracture calcaneus, extra-articular (disorder)	SNOMED
208678005	Closed fracture calcaneus, intra-articular (disorder)	SNOMED
208679002	Open fractures calcaneus, extra-articular (disorder)	SNOMED
208680004	Open fractures calcaneus, intra-articular (disorder)	SNOMED
208684008	Closed fracture talus, head (disorder)	SNOMED
208685009	Closed fracture talus, neck (disorder)	SNOMED
208686005	Closed fracture talus, body (disorder)	SNOMED
208687001	Closed fracture metatarsal base (disorder)	SNOMED
208688006	Closed fracture metatarsal shaft (disorder)	SNOMED
208689003	Closed fracture metatarsal neck (disorder)	SNOMED
208690007	Closed fracture metatarsal head (disorder)	SNOMED
208691006	Closed fracture metatarsal, multiple (disorder)	SNOMED
208692004	Closed tarsal fractures, multiple (disorder)	SNOMED
208696001	Open fracture talus, head (disorder)	SNOMED
208697005	Open fracture talus, neck (disorder)	SNOMED
208698000	Open fracture talus, body (disorder)	SNOMED
208699008	Open fracture metatarsal base (disorder)	SNOMED
208700009	Open fracture metatarsal shaft (disorder)	SNOMED
208701008	Open fracture metatarsal neck (disorder)	SNOMED
208702001	Open fracture metatarsal head (disorder)	SNOMED
208703006	Open fracture metatarsal, multiple (disorder)	SNOMED
208704000	Open tarsal fractures, multiple (disorder)	SNOMED
208710000	Closed fracture proximal phalanx, toe (disorder)	SNOMED
208711001	Closed fracture middle phalanx, toe (disorder)	SNOMED
208712008	Closed fracture distal phalanx, toe (disorder)	SNOMED
208713003	Closed fracture multiple phalanges, toe (disorder)	SNOMED
208715005	Open fracture proximal phalanx, toe (disorder)	SNOMED
208716006	Open fracture middle phalanx, toe (disorder)	SNOMED
208717002	Open fracture distal phalanx, toe (disorder)	SNOMED
208718007	Open fracture multiple phalanges, toe (disorder)	SNOMED
208719004	Fracture of great toe (disorder)	SNOMED
208731002	Multiple fractures of femur (disorder)	SNOMED
208732009	Multiple fractures of lower leg (disorder)	SNOMED
208733004	Multiple fractures of foot (disorder)	SNOMED
208748005	Open dislocation of jaw (disorder)	SNOMED
208749002	Closed subluxation jaw (disorder)	SNOMED
208750002	Open subluxation jaw (disorder)	SNOMED
208754006	Closed traumatic dislocation of shoulder (disorder)	SNOMED
208759001	Closed traumatic dislocation acromioclavicular joint (disorder)	SNOMED
208766000	Open traumatic dislocation shoulder joint, anterior (sub-coracoid) (disorder)	SNOMED

208768004	Open traumatic dislocation shoulder joint, inferior (infra-glenoid) (disorder)	SNOMED
208769007	Open traumatic dislocation acromioclavicular joint (disorder)	SNOMED
208774004	Closed traumatic subluxation shoulder joint (disorder)	SNOMED
208775003	Closed traumatic subluxation acromioclavicular joint (disorder)	SNOMED
208778001	Open traumatic subluxation shoulder joint (disorder)	SNOMED
208779009	Open traumatic subluxation acromioclavicular joint (disorder)	SNOMED
208782004	Dislocation or subluxation of elbow (disorder)	SNOMED
208785002	Closed traumatic dislocation elbow joint, anterior (disorder)	SNOMED
208786001	Closed traumatic dislocation elbow joint, posterior (disorder)	SNOMED
208787005	Closed traumatic dislocation elbow joint, medial (disorder)	SNOMED
208788000	Closed traumatic dislocation elbow joint, lateral (disorder)	SNOMED
208789008	Closed traumatic dislocation elbow joint, divergent (disorder)	SNOMED
208790004	Closed traumatic dislocation superior radioulnar joint (disorder)	SNOMED
208795009	Open traumatic dislocation elbow joint, anterior (disorder)	SNOMED
208796005	Open traumatic dislocation elbow joint, posterior (disorder)	SNOMED
208797001	Open traumatic dislocation elbow joint, medial (disorder)	SNOMED
208798006	Open traumatic dislocation elbow joint, lateral (disorder)	SNOMED
208799003	Open traumatic dislocation elbow joint, divergent (disorder)	SNOMED
208800004	Open traumatic dislocation superior radioulnar joint (disorder)	SNOMED
208803002	Closed traumatic subluxation of elbow (disorder)	SNOMED
208805009	Closed traumatic subluxation superior radioulnar joint (disorder)	SNOMED
208806005	Open traumatic subluxation of elbow (disorder)	SNOMED
208808006	Open traumatic subluxation superior radioulnar joint (disorder)	SNOMED
208811007	Dislocation or subluxation of wrist (disorder)	SNOMED
208815003	Closed traumatic dislocation of radiocarpal joint (disorder)	SNOMED
208816002	Closed traumatic dislocation midcarpal joint (disorder)	SNOMED
208818001	Closed traumatic dislocation proximal metacarpal (disorder)	SNOMED
208819009	Closed traumatic dislocation lunate (volar) (disorder)	SNOMED
208820003	Closed traumatic dislocation perilunate (dorsal) (disorder)	SNOMED
208826009	Open traumatic dislocation distal radioulnar joint (disorder)	SNOMED
208827000	Open traumatic dislocation of radiocarpal joint (disorder)	SNOMED
208828005	Open traumatic dislocation midcarpal joint (disorder)	SNOMED
208829002	Open traumatic dislocation carpometacarpal joint (disorder)	SNOMED
208830007	Open traumatic dislocation proximal metacarpal (disorder)	SNOMED
208831006	Open traumatic dislocation lunate (volar) (disorder)	SNOMED
208832004	Open traumatic dislocation perilunate (dorsal) (disorder)	SNOMED
208836001	Closed traumatic subluxation of the wrist (disorder)	SNOMED
208838000	Closed traumatic subluxation distal radioulnar joint (disorder)	SNOMED
208839008	Closed traumatic subluxation radiocarpal joint (disorder)	SNOMED
208840005	Closed traumatic subluxation midcarpal joint (disorder)	SNOMED
208842002	Closed traumatic subluxation carpometacarpal joint (disorder)	SNOMED
208843007	Closed traumatic subluxation lunate (volar) (disorder)	SNOMED
208844001	Closed traumatic subluxation perilunate (dorsal) (disorder)	SNOMED
208846004	Open traumatic subluxation of the wrist (disorder)	SNOMED
208848003	Open traumatic subluxation distal radioulnar joint (disorder)	SNOMED
208849006	Open traumatic subluxation radiocarpal joint (disorder)	SNOMED
208850006	Open traumatic subluxation midcarpal joint (disorder)	SNOMED
208851005	Open traumatic subluxation carpometacarpal joint (disorder)	SNOMED
208852003	Open traumatic subluxation lunate (volar) (disorder)	SNOMED
208853008	Open traumatic subluxation perilunate (dorsal) (disorder)	SNOMED
208857009	Closed traumatic dislocation digit (disorder)	SNOMED

208859007	Closed traumatic dislocation, metacarpophalangeal joint (disorder)	SNOMED
208860002	Closed traumatic interphalangeal dislocation (disorder)	SNOMED
208861003	Closed traumatic dislocation, distal interphalangeal joint (disorder)	SNOMED
208862005	Closed traumatic dislocation, proximal interphalangeal joint (disorder)	SNOMED
208864006	Closed traumatic dislocation multiple digits (disorder)	SNOMED
208866008	Open traumatic dislocation digit (disorder)	SNOMED
208869001	Open traumatic dislocation metacarpophalangeal joint (disorder)	SNOMED
208870000	Open traumatic interphalangeal dislocation (disorder)	SNOMED
208871001	Open traumatic dislocation, distal interphalangeal joint (disorder)	SNOMED
208872008	Open traumatic dislocation, proximal interphalangeal joint (disorder)	SNOMED
208873003	Open traumatic dislocation, interphalangeal joint, thumb (disorder)	SNOMED
208874009	Open traumatic dislocation multiple digits (disorder)	SNOMED
208876006	Closed traumatic subluxation digit (disorder)	SNOMED
208878007	Closed traumatic subluxation, metacarpophalangeal joint (disorder)	SNOMED
208879004	Closed traumatic subluxation, distal interphalangeal joint (disorder)	SNOMED
208880001	Closed traumatic subluxation, proximal interphalangeal joint (disorder)	SNOMED
208881002	Closed traumatic subluxation, interphalangeal joint of thumb (disorder)	SNOMED
208882009	Closed traumatic subluxation multiple digits (disorder)	SNOMED
208883004	Open traumatic subluxation digit (disorder)	SNOMED
208885006	Open traumatic subluxation, metacarpophalangeal joint (disorder)	SNOMED
208886007	Open traumatic subluxation, interphalangeal joint thumb (disorder)	SNOMED
208887003	Open traumatic subluxation, distal interphalangeal joint (disorder)	SNOMED
208888008	Open traumatic subluxation, proximal interphalangeal joint (disorder)	SNOMED
208889000	Open traumatic subluxation multiple digits (disorder)	SNOMED
208892001	Closed traumatic dislocation of hip (disorder)	SNOMED
208894000	Closed traumatic dislocation hip joint, posterior (disorder)	SNOMED
208895004	Closed traumatic obturator dislocation of hip (disorder)	SNOMED
208896003	Closed traumatic dislocation hip joint, anterior (disorder)	SNOMED
208900000	Open traumatic dislocation hip joint, posterior (disorder)	SNOMED
208901001	Open traumatic obturator dislocation of hip (disorder)	SNOMED
208902008	Open traumatic dislocation hip joint, anterior (disorder)	SNOMED
208904009	Closed traumatic subluxation hip joint (disorder)	SNOMED
208906006	Closed traumatic subluxation hip joint, posterior (disorder)	SNOMED
208907002	Closed traumatic subluxation hip joint, anterior (disorder)	SNOMED
208908007	Open traumatic subluxation hip joint (disorder)	SNOMED
208910009	Open traumatic subluxation hip joint, posterior (disorder)	SNOMED
208911008	Open traumatic subluxation hip joint, anterior (disorder)	SNOMED
208929003	Closed traumatic dislocation of patellofemoral joint (disorder)	SNOMED
208930008	Closed traumatic dislocation patellofemoral joint, lateral (disorder)	SNOMED
208931007	Closed traumatic dislocation patellofemoral joint, medial (disorder)	SNOMED
208932000	Open traumatic dislocation of patellofemoral joint (disorder)	SNOMED
208933005	Open traumatic dislocation patellofemoral joint, lateral (disorder)	SNOMED
208934004	Open traumatic dislocation patellofemoral joint, medial (disorder)	SNOMED
208937006	Closed traumatic dislocation knee joint, anterior (disorder)	SNOMED
208938001	Closed traumatic dislocation knee joint, posterior (disorder)	SNOMED
208939009	Closed traumatic dislocation knee joint, medial (disorder)	SNOMED
208940006	Closed traumatic dislocation knee joint, lateral (disorder)	SNOMED
208941005	Closed traumatic dislocation knee joint, rotatory (disorder)	SNOMED
208942003	Closed traumatic dislocation, head of fibula (disorder)	SNOMED
208946000	Open traumatic dislocation knee joint, anterior (disorder)	SNOMED
208947009	Open traumatic dislocation knee joint, posterior (disorder)	SNOMED

208948004	Open traumatic dislocation knee joint, medial (disorder)	SNOMED
208949007	Open traumatic dislocation knee joint, lateral (disorder)	SNOMED
208950007	Open traumatic dislocation knee joint, rotatory (disorder)	SNOMED
208951006	Open traumatic dislocation, head of fibula (disorder)	SNOMED
208953009	Closed traumatic subluxation patellofemoral joint (disorder)	SNOMED
208954003	Closed traumatic subluxation patellofemoral joint, lateral (disorder)	SNOMED
208955002	Closed traumatic subluxation patellofemoral joint, medial (disorder)	SNOMED
208956001	Open traumatic subluxation patellofemoral joint (disorder)	SNOMED
208957005	Open traumatic subluxation patellofemoral joint, lateral (disorder)	SNOMED
208958000	Open traumatic subluxation patellofemoral joint, medial (disorder)	SNOMED
208959008	Closed traumatic subluxation knee joint (disorder)	SNOMED
208961004	Closed traumatic subluxation knee joint, anterior (disorder)	SNOMED
208962006	Closed traumatic subluxation knee joint, posterior (disorder)	SNOMED
208963001	Closed traumatic subluxation knee joint, medial (disorder)	SNOMED
208964007	Closed traumatic subluxation knee joint, lateral (disorder)	SNOMED
208965008	Closed traumatic subluxation knee joint, rotatory (disorder)	SNOMED
208966009	Closed traumatic subluxation, head of fibula (disorder)	SNOMED
208967000	Open traumatic subluxation knee joint (disorder)	SNOMED
208970001	Open traumatic subluxation knee joint, anterior (disorder)	SNOMED
208971002	Open traumatic subluxation knee joint, posterior (disorder)	SNOMED
208972009	Open traumatic subluxation knee joint, medial (disorder)	SNOMED
208973004	Open traumatic subluxation knee joint, lateral (disorder)	SNOMED
208974005	Open traumatic subluxation knee joint, rotatory (disorder)	SNOMED
208975006	Open traumatic subluxation, head of fibula (disorder)	SNOMED
208977003	Injury to multiple structures of knee (disorder)	SNOMED
208981003	Closed traumatic dislocation ankle joint (disorder)	SNOMED
208983000	Closed traumatic subluxation ankle joint (disorder)	SNOMED
208984006	Open traumatic subluxation ankle joint (disorder)	SNOMED
208986008	Dislocation or subluxation of foot (disorder)	SNOMED
208990000	Brain stem laceration without open intracranial wound (disorder)	SNOMED
208990005	Closed traumatic dislocation, midtarsal joint (disorder)	SNOMED
208993007	Closed traumatic dislocation, metatarsophalangeal joint, single (disorder)	SNOMED
208994001	Closed traumatic dislocation toe, interphalangeal joint, single (disorder)	SNOMED
208995000	Closed traumatic dislocation, metatarsophalangeal joint, multiple (disorder)	SNOMED
208996004	Closed traumatic dislocation toe, interphalangeal joint, multiple (disorder)	SNOMED
208997008	Closed traumatic dislocation, pantalar (disorder)	SNOMED
208998003	Closed traumatic dislocation, subtalar joint (disorder)	SNOMED
209000008	Open traumatic dislocation of foot (disorder)	SNOMED
209003005	Open traumatic dislocation of midtarsal joint (disorder)	SNOMED
209004004	Open traumatic dislocation of tarsometatarsal joint (disorder)	SNOMED
209006002	Open traumatic dislocation, metatarsophalangeal joint, single (disorder)	SNOMED
209007006	Open traumatic dislocation toe, interphalangeal joint, single (disorder)	SNOMED
209008001	Open traumatic dislocation, metatarsophalangeal joint, multiple (disorder)	SNOMED
209010004	Open traumatic dislocation, pantalar (disorder)	SNOMED
209011000	Open traumatic dislocation, subtalar joint (disorder)	SNOMED
209013002	Closed traumatic subluxation, foot (disorder)	SNOMED
209016005	Closed traumatic subluxation, midtarsal joint (disorder)	SNOMED
209017001	Closed traumatic subluxation of tarsometatarsal joint (disorder)	SNOMED
209018006	Closed traumatic subluxation, metatarsophalangeal joint, single (disorder)	SNOMED
209019003	Closed traumatic subluxation toe, interphalangeal joint, single (disorder)	SNOMED
209020009	Closed traumatic subluxation, metatarsophalangeal joint, multiple (disorder)	SNOMED

209021008	Closed traumatic subluxation toe, interphalangeal joint, multiple (disorder)	SNOMED
209022001	Closed traumatic subluxation, pantalar (disorder)	SNOMED
209023006	Closed traumatic subluxation, subtalar joint (disorder)	SNOMED
209024000	Open traumatic subluxation, foot (disorder)	SNOMED
209027007	Open traumatic subluxation, midtarsal joint (disorder)	SNOMED
209028002	Open traumatic subluxation of tarsometatarsal joint (disorder)	SNOMED
209029005	Open traumatic subluxation, metatarsophalangeal joint, single (disorder)	SNOMED
209030000	Open traumatic subluxation toe, interphalangeal joint, single (disorder)	SNOMED
209031001	Open traumatic subluxation, metatarsophalangeal joint, multiple (disorder)	SNOMED
209032008	Open traumatic subluxation toe, interphalangeal joint, multiple (disorder)	SNOMED
209033003	Open traumatic subluxation, pantalar (disorder)	SNOMED
209034009	Open traumatic subluxation, subtalar joint (disorder)	SNOMED
209037002	Closed dislocation cervical spine (disorder)	SNOMED
209046008	Closed dislocation C7/T1 (disorder)	SNOMED
209048009	Closed spinal dislocation with complete cervical cord lesion (disorder)	SNOMED
209049001	Closed spinal dislocation with anterior cervical cord lesion (disorder)	SNOMED
209050001	Closed spinal dislocation with central cervical cord lesion (disorder)	SNOMED
209051002	Closed spinal dislocation with posterior cervical cord lesion (disorder)	SNOMED
209052009	Closed dislocation of multiple cervical vertebrae (disorder)	SNOMED
209054005	Open dislocation of cervical spine (disorder)	SNOMED
209064001	Open dislocation C7/T1 (disorder)	SNOMED
209066004	Open spinal dislocation with complete cervical cord lesion (disorder)	SNOMED
209067008	Open spinal dislocation with anterior cervical cord lesion (disorder)	SNOMED
209068003	Open spinal dislocation with central cervical cord lesion (disorder)	SNOMED
209069006	Open spinal dislocation with posterior cervical cord lesion (disorder)	SNOMED
209071006	Open dislocation of multiple cervical vertebrae (disorder)	SNOMED
209073009	Closed dislocation of thoracic and/or lumbar spine (disorder)	SNOMED
209074003	Closed dislocation lumbar spine (disorder)	SNOMED
209075002	Closed dislocation thoracic spine (disorder)	SNOMED
209077005	Closed spinal dislocation with complete thoracic cord lesion (disorder)	SNOMED
209078000	Closed spinal dislocation with anterior thoracic cord lesion (disorder)	SNOMED
209079008	Closed spinal dislocation with central thoracic cord lesion (disorder)	SNOMED
209080006	Closed spinal dislocation with posterior thoracic cord lesion (disorder)	SNOMED
209082003	Closed spinal dislocation with complete lumbar cord lesion (disorder)	SNOMED
209083008	Closed spinal dislocation with anterior lumbar cord lesion (disorder)	SNOMED
209084002	Closed spinal dislocation with central lumbar cord lesion (disorder)	SNOMED
209085001	Closed spinal dislocation with posterior lumbar cord lesion (disorder)	SNOMED
209086000	Closed spinal dislocation with cauda equina lesion (disorder)	SNOMED
209088004	Open dislocation of thoracic and/or lumbar spine (disorder)	SNOMED
209090003	Open dislocation thoracic spine (disorder)	SNOMED
209092006	Open spinal dislocation with complete thoracic cord lesion (disorder)	SNOMED
209093001	Open spinal dislocation with anterior thoracic cord lesion (disorder)	SNOMED
209094007	Open spinal dislocation with central thoracic cord lesion (disorder)	SNOMED
209095008	Open spinal dislocation with posterior thoracic cord lesion (disorder)	SNOMED
209097000	Open spinal dislocation with complete lumbar cord lesion (disorder)	SNOMED
209098005	Open spinal dislocation with anterior lumbar cord lesion (disorder)	SNOMED
209100005	Open spinal dislocation with central lumbar cord lesion (disorder)	SNOMED
209101009	Open spinal dislocation with posterior lumbar cord lesion (disorder)	SNOMED
209102002	Open spinal dislocation with cauda equina lesion (disorder)	SNOMED
209117003	Closed traumatic dislocation sternoclavicular joint (disorder)	SNOMED
209118008	Closed traumatic dislocation, sternoclavicular joint, anterior (disorder)	SNOMED

209119000	Closed traumatic dislocation, sternoclavicular joint, posterior (disorder)	SNOMED
209120006	Closed traumatic dislocation laryngeal cartilage (disorder)	SNOMED
209121005	Closed traumatic dislocation costovertebral joint (disorder)	SNOMED
209122003	Closed traumatic dislocation of costochondral joint (disorder)	SNOMED
209127009	Open traumatic dislocation sternoclavicular joint (disorder)	SNOMED
209128004	Open traumatic dislocation, sternoclavicular joint, anterior (disorder)	SNOMED
209129007	Open traumatic dislocation, sternoclavicular joint, posterior (disorder)	SNOMED
209131003	Open traumatic dislocation costovertebral joint (disorder)	SNOMED
209134006	Closed subluxation cervical spine (disorder)	SNOMED
209136008	Closed subluxation atlanto-occipital joint (disorder)	SNOMED
209137004	Closed subluxation atlantoaxial joint (disorder)	SNOMED
209138009	Closed subluxation C2/C3 (disorder)	SNOMED
209139001	Closed subluxation C3/C4 (disorder)	SNOMED
209140004	Closed subluxation C4/C5 (disorder)	SNOMED
209141000	Closed subluxation C5/C6 (disorder)	SNOMED
209142007	Closed subluxation C6/C7 (disorder)	SNOMED
209143002	Closed subluxation C7/T1 (disorder)	SNOMED
209145009	Closed spinal subluxation with complete cervical cord lesion (disorder)	SNOMED
209146005	Closed spinal subluxation with anterior cervical cord lesion (disorder)	SNOMED
209147001	Closed spinal subluxation with central cervical cord lesion (disorder)	SNOMED
209148006	Closed spinal subluxation with posterior cervical cord lesion (disorder)	SNOMED
209149003	Closed subluxation of multiple cervical vertebrae (disorder)	SNOMED
209151004	Open subluxation cervical spine (disorder)	SNOMED
209153001	Open subluxation atlanto-occipital joint (disorder)	SNOMED
209154007	Open subluxation atlantoaxial joint (disorder)	SNOMED
209155008	Open subluxation C2/C3 (disorder)	SNOMED
209156009	Open subluxation C3/C4 (disorder)	SNOMED
209157000	Open subluxation C4/C5 (disorder)	SNOMED
209158005	Open subluxation C5/C6 (disorder)	SNOMED
209159002	Open subluxation C6/C7 (disorder)	SNOMED
209160007	Open subluxation C7/T1 (disorder)	SNOMED
209162004	Open spinal subluxation with complete cervical cord lesion (disorder)	SNOMED
209163009	Open spinal subluxation with anterior cervical cord lesion (disorder)	SNOMED
209164003	Open spinal subluxation with central cervical cord lesion (disorder)	SNOMED
209165002	Open spinal subluxation with posterior cervical cord lesion (disorder)	SNOMED
209166001	Open subluxation of multiple cervical vertebrae (disorder)	SNOMED
209168000	Closed subluxation of thoracic and/or lumbar spine (disorder)	SNOMED
209169008	Closed subluxation lumbar spine (disorder)	SNOMED
209170009	Closed subluxation thoracic spine (disorder)	SNOMED
209173006	Closed spinal subluxation with complete thoracic cord lesion (disorder)	SNOMED
209174000	Closed spinal subluxation with anterior thoracic cord lesion (disorder)	SNOMED
209175004	Closed spinal subluxation with central thoracic cord lesion (disorder)	SNOMED
209176003	Closed spinal subluxation with posterior thoracic cord lesion (disorder)	SNOMED
209178002	Closed spinal subluxation with complete lumbar cord lesion (disorder)	SNOMED
209179005	Closed spinal subluxation with anterior lumbar cord lesion (disorder)	SNOMED
209180008	Closed spinal subluxation with central lumbar cord lesion (disorder)	SNOMED
209181007	Closed spinal subluxation with posterior lumbar cord lesion (disorder)	SNOMED
209182000	Closed spinal subluxation with cauda equina lesion (disorder)	SNOMED
209184004	Open subluxation of thoracic and/or lumbar vertebra (disorder)	SNOMED
209185003	Open subluxation lumbar spine (disorder)	SNOMED
209186002	Open subluxation thoracic spine (disorder)	SNOMED

209188001	Open spinal subluxation with complete thoracic cord lesion (disorder)	SNOMED
209189009	Open spinal subluxation with anterior thoracic cord lesion (disorder)	SNOMED
209190000	Open spinal subluxation with central thoracic cord lesion (disorder)	SNOMED
209191001	Open spinal subluxation with posterior thoracic cord lesion (disorder)	SNOMED
209193003	Open spinal subluxation with complete lumbar cord lesion (disorder)	SNOMED
209194009	Open spinal subluxation with anterior lumbar cord lesion (disorder)	SNOMED
209195005	Open spinal subluxation with central lumbar cord lesion (disorder)	SNOMED
209196006	Open spinal subluxation with posterior lumbar cord lesion (disorder)	SNOMED
209197002	Open spinal subluxation with cauda equina lesion (disorder)	SNOMED
209201002	Closed subluxation of coccyx (disorder)	SNOMED
209202009	Closed subluxation of sacrum (disorder)	SNOMED
209206007	Open subluxation of coccyx (disorder)	SNOMED
209208008	Open subluxation of sacrum (disorder)	SNOMED
209211009	Closed traumatic subluxation of sternum (disorder)	SNOMED
209212002	Closed traumatic subluxation of pelvis (disorder)	SNOMED
209213007	Closed traumatic subluxation sternoclavicular joint (disorder)	SNOMED
209214001	Closed traumatic subluxation, sternoclavicular joint, anterior (disorder)	SNOMED
209215000	Closed traumatic subluxation, sternoclavicular joint, posterior (disorder)	SNOMED
209216004	Closed traumatic subluxation laryngeal cartilage (disorder)	SNOMED
209217008	Closed traumatic subluxation costovertebral joint (disorder)	SNOMED
209218003	Closed traumatic subluxation of costochondral joint (disorder)	SNOMED
209221001	Open traumatic subluxation of sternum (disorder)	SNOMED
209222008	Open traumatic subluxation of pelvis (disorder)	SNOMED
209223003	Open traumatic subluxation sternoclavicular joint (disorder)	SNOMED
209224009	Open traumatic subluxation, sternoclavicular joint, anterior (disorder)	SNOMED
209225005	Open traumatic subluxation, sternoclavicular joint, posterior (disorder)	SNOMED
209226006	Open traumatic subluxation laryngeal cartilage (disorder)	SNOMED
209227002	Open traumatic subluxation costovertebral joint (disorder)	SNOMED
209228007	Open traumatic subluxation of costochondral joint (disorder)	SNOMED
209236003	Fracture dislocation or subluxation of shoulder (disorder)	SNOMED
209238002	Closed fracture dislocation shoulder joint (disorder)	SNOMED
209239005	Closed fracture dislocation acromioclavicular joint (disorder)	SNOMED
209242004	Open fracture dislocation shoulder joint (disorder)	SNOMED
209243009	Open fracture dislocation acromioclavicular joint (disorder)	SNOMED
209244003	Closed fracture subluxation shoulder (disorder)	SNOMED
209245002	Closed fracture subluxation shoulder joint (disorder)	SNOMED
209246001	Closed fracture subluxation acromioclavicular joint (disorder)	SNOMED
209248000	Open fracture subluxation shoulder joint (disorder)	SNOMED
209249008	Open fracture subluxation acromioclavicular joint (disorder)	SNOMED
209250008	Fracture dislocation or subluxation elbow (disorder)	SNOMED
209252000	Closed fracture dislocation elbow joint (disorder)	SNOMED
209253005	Closed fracture dislocation superior radioulnar joint (disorder)	SNOMED
209255003	Open fracture dislocation elbow joint (disorder)	SNOMED
209256002	Open fracture dislocation superior radioulnar joint (disorder)	SNOMED
209257006	Closed fracture subluxation elbow (disorder)	SNOMED
209258001	Closed fracture subluxation elbow joint (disorder)	SNOMED
209259009	Closed fracture subluxation superior radioulnar joint (disorder)	SNOMED
209261000	Open fracture subluxation elbow joint (disorder)	SNOMED
209262007	Open fracture subluxation superior radioulnar joint (disorder)	SNOMED
209263002	Fracture dislocation or subluxation of wrist (disorder)	SNOMED
209264008	Closed fracture dislocation of wrist (disorder)	SNOMED

209265009	Closed fracture dislocation distal radioulnar joint (disorder)	SNOMED
209266005	Closed fracture dislocation radiocarpal joint (disorder)	SNOMED
209267001	Closed fracture dislocation midcarpal (disorder)	SNOMED
209268006	Closed fracture dislocation, carpometacarpal joint (disorder)	SNOMED
209269003	Closed fracture dislocation lunate (volar) (disorder)	SNOMED
209270002	Closed fracture dislocation perilunate (dorsal) (disorder)	SNOMED
209271003	Closed fracture dislocation perilunate transscaphoid (disorder)	SNOMED
209273000	Open fracture dislocation wrist (disorder)	SNOMED
209274006	Open fracture dislocation, distal radioulnar joint (disorder)	SNOMED
209276008	Open fracture dislocation radiocarpal joint (disorder)	SNOMED
209277004	Open fracture dislocation midcarpal (disorder)	SNOMED
209278009	Open fracture dislocation carpometacarpal joint (disorder)	SNOMED
209279001	Open fracture dislocation lunate (volar) (disorder)	SNOMED
209280003	Open fracture dislocation perilunate (dorsal) (disorder)	SNOMED
209281004	Open fracture dislocation perilunate transscaphoid (disorder)	SNOMED
209283001	Closed fracture subluxation of the wrist (disorder)	SNOMED
209284007	Closed fracture subluxation, distal radioulnar joint (disorder)	SNOMED
209285008	Closed fracture subluxation radiocarpal joint (disorder)	SNOMED
209286009	Closed fracture subluxation midcarpal (disorder)	SNOMED
209287000	Closed fracture subluxation, carpometacarpal joint (disorder)	SNOMED
209288005	Closed fracture subluxation lunate (volar) (disorder)	SNOMED
209289002	Closed fracture subluxation perilunate (dorsal) (disorder)	SNOMED
209290006	Closed fracture subluxation perilunate transscaphoid (disorder)	SNOMED
209292003	Open fracture subluxation of the wrist (disorder)	SNOMED
209293008	Open fracture subluxation, distal radioulnar joint (disorder)	SNOMED
209294002	Open fracture subluxation radiocarpal joint (disorder)	SNOMED
209295001	Open fracture subluxation midcarpal (disorder)	SNOMED
209296000	Open fracture subluxation, carpometacarpal joint (disorder)	SNOMED
209297009	Open fracture subluxation lunate (volar) (disorder)	SNOMED
209298004	Open fracture subluxation perilunate (dorsal) (disorder)	SNOMED
209299007	Open fracture subluxation perilunate transscaphoid (disorder)	SNOMED
209301000	Fracture dislocation/subluxation finger/thumb (disorder)	SNOMED
209302007	Closed fracture dislocation digit (disorder)	SNOMED
209304008	Closed fracture dislocation, metacarpophalangeal joint (disorder)	SNOMED
209306005	Closed fracture dislocation, distal interphalangeal joint (disorder)	SNOMED
209307001	Closed fracture dislocation, proximal interphalangeal joint (disorder)	SNOMED
209308006	Closed fracture dislocation, interphalangeal joint thumb (disorder)	SNOMED
209309003	Closed fracture dislocation multiple digits (disorder)	SNOMED
209310008	Open fracture dislocation digit (disorder)	SNOMED
209312000	Open fracture dislocation, metacarpophalangeal joint (disorder)	SNOMED
209314004	Open fracture dislocation, distal interphalangeal joint (disorder)	SNOMED
209315003	Open fracture dislocation, proximal interphalangeal joint (disorder)	SNOMED
209316002	Open fracture dislocation, interphalangeal joint thumb (disorder)	SNOMED
209317006	Open fracture dislocation multiple digits (disorder)	SNOMED
209318001	Closed fracture subluxation digit (disorder)	SNOMED
209320003	Closed fracture subluxation, metacarpophalangeal joint (disorder)	SNOMED
209322006	Closed fracture subluxation, distal interphalangeal joint (disorder)	SNOMED
209323001	Closed fracture subluxation, proximal interphalangeal joint (disorder)	SNOMED
209324007	Closed fracture subluxation, interphalangeal joint thumb (disorder)	SNOMED
209325008	Closed fracture subluxation multiple digits (disorder)	SNOMED
209326009	Open fracture subluxation digit (disorder)	SNOMED

209328005	Open fracture subluxation, metacarpophalangeal joint (disorder)	SNOMED
209330007	Open fracture subluxation, distal interphalangeal joint (disorder)	SNOMED
209331006	Open fracture subluxation, proximal interphalangeal joint (disorder)	SNOMED
209332004	Open fracture subluxation, interphalangeal joint thumb (disorder)	SNOMED
209333009	Open fracture subluxation multiple digits (disorder)	SNOMED
209335002	Closed fracture dislocation, hip joint (disorder)	SNOMED
209336001	Open fracture dislocation, hip joint (disorder)	SNOMED
209337005	Closed fracture subluxation, hip joint (disorder)	SNOMED
209338000	Open fracture subluxation, hip joint (disorder)	SNOMED
209339008	Fracture dislocation or subluxation knee (disorder)	SNOMED
209340005	Closed fracture dislocation, knee joint (disorder)	SNOMED
209341009	Open fracture dislocation, knee joint (disorder)	SNOMED
209342002	Closed fracture subluxation, knee joint (disorder)	SNOMED
209343007	Open fracture subluxation, knee joint (disorder)	SNOMED
209344001	Closed fracture dislocation, patellofemoral joint (disorder)	SNOMED
209345000	Open fracture dislocation, patellofemoral joint (disorder)	SNOMED
209346004	Closed fracture subluxation, patellofemoral joint (disorder)	SNOMED
209347008	Open fracture subluxation, patellofemoral joint (disorder)	SNOMED
209348003	Fracture dislocation or subluxation ankle (disorder)	SNOMED
209349006	Closed fracture dislocation, ankle joint (disorder)	SNOMED
209350006	Open fracture dislocation, ankle joint (disorder)	SNOMED
209351005	Closed fracture subluxation, ankle joint (disorder)	SNOMED
209352003	Open fracture subluxation, ankle joint (disorder)	SNOMED
209353008	Fracture dislocation or subluxation foot (disorder)	SNOMED
209354002	Closed fracture dislocation foot (disorder)	SNOMED
209355001	Closed fracture dislocation, subtalar joint (disorder)	SNOMED
209356000	Closed fracture dislocation, midtarsal joint (disorder)	SNOMED
209357009	Closed fracture dislocation, tarsometatarsal joint (disorder)	SNOMED
209358004	Closed fracture dislocation, metatarsophalangeal joint, single (disorder)	SNOMED
209359007	Closed fracture dislocation, interphalangeal joint, single toe (disorder)	SNOMED
209360002	Closed fracture dislocation, metatarsophalangeal joint, multiple (disorder)	SNOMED
209361003	Closed fracture dislocation, interphalangeal joint, multiple toes (disorder)	SNOMED
209362005	Open fracture dislocation, foot (disorder)	SNOMED
209363000	Open fracture dislocation, subtalar joint (disorder)	SNOMED
209364006	Open fracture dislocation, midtarsal joint (disorder)	SNOMED
209365007	Open fracture dislocation, tarsometatarsal joint (disorder)	SNOMED
209366008	Open fracture dislocation, metatarsophalangeal joint, single (disorder)	SNOMED
209367004	Open fracture dislocation, interphalangeal joint, single toe (disorder)	SNOMED
209368009	Open fracture dislocation, metatarsophalangeal joint, multiple (disorder)	SNOMED
209369001	Open fracture dislocation, interphalangeal joint, multiple toes (disorder)	SNOMED
209370000	Closed fracture subluxation, foot (disorder)	SNOMED
209371001	Closed fracture subluxation, subtalar joint (disorder)	SNOMED
209372008	Closed fracture subluxation, midtarsal joint (disorder)	SNOMED
209373003	Closed fracture subluxation, tarsometatarsal joint (disorder)	SNOMED
209374009	Closed fracture subluxation, metatarsophalangeal joint, single (disorder)	SNOMED
209375005	Closed fracture subluxation, interphalangeal joint, single toe (disorder)	SNOMED
209377002	Closed fracture subluxation, metatarsophalangeal joint, multiple (disorder)	SNOMED
209378007	Closed fracture subluxation, interphalangeal joint, multiple toes (disorder)	SNOMED
209379004	Open fracture subluxation, foot (disorder)	SNOMED
209380001	Open fracture subluxation, subtalar joint (disorder)	SNOMED
209381002	Open fracture subluxation, midtarsal joint (disorder)	SNOMED

209382009	Open fracture subluxation, tarsometatarsal joint (disorder)	SNOMED
209383004	Open fracture subluxation, metatarsophalangeal joint, single (disorder)	SNOMED
209384005	Open fracture subluxation, interphalangeal joint, single toe (disorder)	SNOMED
209385006	Open fracture subluxation, metatarsophalangeal joint, multiple (disorder)	SNOMED
209386007	Open fracture subluxation, interphalangeal joint, multiple toes (disorder)	SNOMED
209390009	Closed fracture dislocation of pelvis (disorder)	SNOMED
209391008	Closed fracture dislocation sternoclavicular joint, anterior (disorder)	SNOMED
209392001	Closed fracture dislocation sternoclavicular joint, posterior (disorder)	SNOMED
209394000	Open fracture dislocation of sternum (disorder)	SNOMED
209395004	Open fracture dislocation of pelvis (disorder)	SNOMED
209396003	Open fracture dislocation sternoclavicular joint, anterior (disorder)	SNOMED
209397007	Open fracture dislocation sternoclavicular joint, posterior (disorder)	SNOMED
209399005	Closed fracture subluxation of sternum (disorder)	SNOMED
209400003	Closed fracture subluxation of pelvis (disorder)	SNOMED
209401004	Closed fracture subluxation sternoclavicular joint, anterior (disorder)	SNOMED
209402006	Closed fracture subluxation sternoclavicular joint, posterior (disorder)	SNOMED
209404007	Open fracture subluxation of sternum (disorder)	SNOMED
209405008	Open fracture subluxation of pelvis (disorder)	SNOMED
209406009	Open fracture subluxation sternoclavicular joint, anterior (disorder)	SNOMED
209407000	Open fracture subluxation sternoclavicular joint, posterior (disorder)	SNOMED
209827006	Concussion with less than 1 hour loss of consciousness (disorder)	SNOMED
209828001	Concussion with 1-24 hours loss of consciousness (disorder)	SNOMED
209829009	Concussion with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
209830004	Concussion with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
209834008	Closed cerebral contusion (disorder)	SNOMED
209843004	Open cerebral contusion (disorder)	SNOMED
209845006	Cortex contusion with open intracranial wound, with no loss of consciousness (disorder)	SNOMED
209847003	Cortex contusion with open intracranial wound, with less than 1 hour loss of consciousness (disorder)	SNOMED
209848008	Cortex contusion with open intracranial wound, with 1-24 hours loss of consciousness (disorder)	SNOMED
209849000	Cortex contusion with open intracranial wound, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
209850000	Cortex contusion with open intracranial wound, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
209864000	Cortex laceration with open intracranial wound, with no loss of consciousness (disorder)	SNOMED
209865004	Cortex laceration with open intracranial wound, with less than 1 hour loss of consciousness (disorder)	SNOMED
209866003	Cortex laceration with open intracranial wound, with 1-24 hours loss of consciousness (disorder)	SNOMED
209867007	Cortex laceration with open intracranial wound, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
209868002	Cortex laceration with open intracranial wound, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
209871005	Closed hindbrain contusion (disorder)	SNOMED
209881009	Open hindbrain contusion (disorder)	SNOMED
209883007	Hind brain contusion with open intracranial wound, with no loss of consciousness (disorder)	SNOMED
209884001	Hind brain contusion with open intracranial wound, with less than 1 hour loss of consciousness (disorder)	SNOMED
209885000	Hind brain contusion with open intracranial wound, with 1-24 hours loss of consciousness (disorder)	SNOMED

209886004	Hind brain contusion with open intracranial wound, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
209887008	Hind brain contusion with open intracranial wound, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
209900006	Hind brain laceration with open intracranial wound (disorder)	SNOMED
209902003	Hind brain laceration with open intracranial wound, with no loss of consciousness (disorder)	SNOMED
209903008	Hind brain laceration with open intracranial wound, with less than 1 hour loss of consciousness (disorder)	SNOMED
209904002	Hind brain laceration with open intracranial wound, with 1-24 hours loss of consciousness (disorder)	SNOMED
209905001	Hind brain laceration with open intracranial wound, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
209906000	Hind brain laceration with open intracranial wound, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
209920007	Brain contusion with open intracranial wound, with no loss of consciousness (disorder)	SNOMED
209921006	Brain contusion with open intracranial wound, with more than 1 hour loss of consciousness (disorder)	SNOMED
209922004	Brain contusion with open intracranial wound, with 1-24 hours loss of consciousness (disorder)	SNOMED
209923009	Brain contusion with open intracranial wound, with more than 24 hours loss of consciousness and return to pre-existing conscious level (disorder)	SNOMED
209924003	Brain contusion with open intracranial wound, with more than 24 hours loss of consciousness without return to pre-existing conscious level (disorder)	SNOMED
209940000	Subarachnoid hemorrhage following injury with open intracranial wound, with no loss of consciousness (disorder)	SNOMED
209956005	Open traumatic subdural intracranial hemorrhage (disorder)	SNOMED
209958006	Subdural hemorrhage following injury with open intracranial wound, with no loss of consciousness (disorder)	SNOMED
209978003	Extradural hemorrhage following injury with open intracranial wound, with no loss of consciousness (disorder)	SNOMED
209987007	Traumatic subdural intracranial hemorrhage (disorder)	SNOMED
210038008	Focal brain injury (disorder)	SNOMED
210039000	Intracranial injury with prolonged coma (disorder)	SNOMED
210051003	Injury to heart and lung (disorder)	SNOMED
210052005	Heart injury, closed (disorder)	SNOMED
210060006	Heart injury, open (disorder)	SNOMED
210063008	Heart laceration with open wound into thorax, without penetration of heart chambers (disorder)	SNOMED
210064002	Heart laceration with open wound into thorax, with penetration of heart chambers (disorder)	SNOMED
210067009	Closed injury of lung (disorder)	SNOMED
210073005	Open injury of lung (disorder)	SNOMED
210076002	Lung laceration with open wound into thorax (disorder)	SNOMED
210078001	Injury of heart with hemopericardium (disorder)	SNOMED
210083009	Closed injury of diaphragm (disorder)	SNOMED
210084003	Open injury of diaphragm (disorder)	SNOMED
210086001	Closed injury of bronchus (disorder)	SNOMED
210087005	Closed injury of esophagus (disorder)	SNOMED
210088000	Closed injury of pleura (disorder)	SNOMED
210089008	Closed injury of thymus (disorder)	SNOMED
210093002	Open injury of bronchus (disorder)	SNOMED
210094008	Open injury of pleura (disorder)	SNOMED
210095009	Open injury of thymus (disorder)	SNOMED
210104002	Multiple injuries of intrathoracic organs (disorder)	SNOMED

210106000	Multiple intrathoracic organ injury with open wound into cavity (disorder)	SNOMED
210114006	Injury of small intestine with open wound into abdominal cavity (disorder)	SNOMED
210116008	Injury of duodenum with open wound into abdominal cavity (disorder)	SNOMED
210128000	Colon or rectum injury with open wound into cavity (disorder)	SNOMED
210130003	Injury of ascending right colon with open wound into abdominal cavity (disorder)	SNOMED
210131004	Injury of transverse colon with open wound into abdominal cavity (disorder)	SNOMED
210132006	Injury of descending left colon with open wound into abdominal cavity (disorder)	SNOMED
210133001	Sigmoid colon injury with open wound into cavity (disorder)	SNOMED
210135008	Multiple injuries to colon or rectum with open wound into cavity (disorder)	SNOMED
210150004	Closed injury of pancreas (disorder)	SNOMED
210155009	Injury of head of pancreas with open wound into abdominal cavity (disorder)	SNOMED
210156005	Pancreas body injury with open wound into cavity (disorder)	SNOMED
210157001	Injury of tail of pancreas with open wound into abdominal cavity (disorder)	SNOMED
210159003	Injury of appendix with open wound into abdominal cavity (disorder)	SNOMED
210160008	Injury to pancreas - open (disorder)	SNOMED
210173007	Liver hematoma and contusion with open wound into cavity (disorder)	SNOMED
210174001	Liver minor laceration with open wound into cavity (disorder)	SNOMED
210175000	Liver moderate laceration with open wound into cavity (disorder)	SNOMED
210176004	Liver major laceration with open wound into cavity (disorder)	SNOMED
210180009	Closed injury of spleen (disorder)	SNOMED
210188002	Open injury of spleen (disorder)	SNOMED
210191002	Spleen capsular tear without major disruption of parenchyma, with open wound into cavity (disorder)	SNOMED
210192009	Spleen laceration extending into parenchyma with open wound into cavity (disorder)	SNOMED
210197003	Closed injury of kidney (disorder)	SNOMED
210203000	Open injury of kidney (disorder)	SNOMED
210205007	Kidney hematoma without rupture of capsule, with open wound into cavity (disorder)	SNOMED
210206008	Kidney laceration with open wound into cavity (disorder)	SNOMED
210213008	Closed injury of urethra (disorder)	SNOMED
210216000	Open injury of bladder (disorder)	SNOMED
210217009	Open injury of urethra (disorder)	SNOMED
210220001	Injury of ureter with open wound into abdominal cavity (disorder)	SNOMED
210221002	Closed injury of uterus (disorder)	SNOMED
210222009	Open injury of uterus (disorder)	SNOMED
210229000	Injury of multiple pelvic organs (disorder)	SNOMED
210241007	Fallopian tube injury with open wound into cavity (disorder)	SNOMED
210242000	Injury of ovary with open wound into abdominal cavity (disorder)	SNOMED
210243005	Injury of prostate with open wound into abdominal cavity (disorder)	SNOMED
210244004	Injury of seminal vesicle with open wound into abdominal cavity (disorder)	SNOMED
210245003	Injury of vas deferens with open wound into abdominal cavity (disorder)	SNOMED
210260000	Injury of adrenal gland with open wound into abdominal cavity (disorder)	SNOMED
210262008	Peritoneum injury with open wound into cavity (disorder)	SNOMED
210263003	Retroperitoneum injury with open wound into cavity (disorder)	SNOMED
210272006	Injury of intra-abdominal organ(s) with pelvic organ(s) (disorder)	SNOMED
210679005	Severe multi tissue damage hip or thigh (disorder)	SNOMED
210680008	Massive multi tissue damage hip or thigh (disorder)	SNOMED
210706009	Multiple injuries of ankle and/or foot (disorder)	SNOMED
210782008	Multiple head and neck blood vessel injury (disorder)	SNOMED
210915008	Late effects of injury, poisoning, toxic effects and other external causes (disorder)	SNOMED
210916009	Late effect of musculoskeletal and connective tissue injuries (disorder)	SNOMED
210931000	Late effect of open wound of head, neck and trunk (disorder)	SNOMED

210937001	Late effect of burn of wrist and hand (disorder)	SNOMED
210942009	Late effect of nervous system injury (disorder)	SNOMED
210950000	Late effect of injury to blood vessel of head, neck and extremities (disorder)	SNOMED
210951001	Late effect of injury to vessel of thorax, abdomen and pelvis (disorder)	SNOMED
210952008	Late effect of specified trauma complication (disorder)	SNOMED
210953003	Sequelae of superficial injury of head (disorder)	SNOMED
210954009	Sequelae of open wound of head (disorder)	SNOMED
210955005	Sequelae of injury of eye and orbit (disorder)	SNOMED
210957002	Sequelae of open wound of upper limb (disorder)	SNOMED
210958007	Sequelae of fracture at wrist and hand level (disorder)	SNOMED
210959004	Sequelae of dislocation, sprain and strain of upper limb (disorder)	SNOMED
210960009	Sequelae of injury of muscle and tendon of upper limb (disorder)	SNOMED
210961008	Sequelae of crushing injury and traumatic amputation of upper limb (disorder)	SNOMED
210962001	Sequelae of injuries of lower limb (disorder)	SNOMED
210963006	Sequelae of open wound of lower limb (disorder)	SNOMED
210964000	Sequelae of dislocation, sprain and strain of lower limb (disorder)	SNOMED
210965004	Sequelae of injury of muscle and tendon of lower limb (disorder)	SNOMED
210966003	Sequelae of crushing injury and traumatic amputation of lower limb (disorder)	SNOMED
210967007	Sequelae of fracture of femur (disorder)	SNOMED
210973008	Sequelae of burns, corrosions and frostbite (disorder)	SNOMED
210974002	Sequelae of burn, corrosion and frostbite of trunk (disorder)	SNOMED
210975001	Sequelae of burn, corrosion and frostbite of lower limb (disorder)	SNOMED
210976000	Sequelae of burn and corrosion classifiable only according to extent of body surface involved (disorder)	SNOMED
212169004	Thoracic cord injury without spinal bone injury (disorder)	SNOMED
212171004	Complete thoracic cord injury, without bony injury, T1-6 (disorder)	SNOMED
212172006	Anterior thoracic cord injury, without bony injury, T1-6 (disorder)	SNOMED
212173001	Central thoracic cord injury, without bony injury, T1-6 (disorder)	SNOMED
212174007	Posterior thoracic cord injury without bony injury, T1-6 (disorder)	SNOMED
212177000	Complete thoracic cord injury, without bony injury, T7-12 (disorder)	SNOMED
212178005	Anterior thoracic cord injury, without bony injury, T7-12 (disorder)	SNOMED
212179002	Central thoracic cord injury, without bony injury, T7-12 (disorder)	SNOMED
212180004	Posterior thoracic cord injury without bony injury, T7-12 (disorder)	SNOMED
212183002	Lumbar cord injury without spinal bone injury (disorder)	SNOMED
212185009	Complete lumbar cord injury without bony injury (disorder)	SNOMED
212186005	Anterior lumbar cord injury without bony injury (disorder)	SNOMED
212187001	Central lumbar cord injury without bony injury (disorder)	SNOMED
212188006	Posterior lumbar cord injury without bony injury (disorder)	SNOMED
212190007	Sacral cord injury without bony injury (disorder)	SNOMED
212194003	Spinal cord injury of multiple sites without spinal bone injury (disorder)	SNOMED
212197005	Cervical nerve root injury - C1 (disorder)	SNOMED
212198000	Cervical nerve root injury - C2 (disorder)	SNOMED
212199008	Cervical nerve root injury - C3 (disorder)	SNOMED
212200006	Cervical nerve root injury - C4 (disorder)	SNOMED
212201005	Cervical nerve root injury - C5 (disorder)	SNOMED
212202003	Cervical nerve root injury - C6 (disorder)	SNOMED
212203008	Cervical nerve root injury - C7 (disorder)	SNOMED
212205001	Cervical nerve root injury - C8 (disorder)	SNOMED
212206000	Thoracic nerve root injury - T1 (disorder)	SNOMED
212207009	Thoracic nerve root injury - T2 (disorder)	SNOMED
212208004	Thoracic nerve root injury - T3 (disorder)	SNOMED

212209007	Thoracic nerve root injury - T4 (disorder)	SNOMED
212210002	Thoracic nerve root injury - T5 (disorder)	SNOMED
212211003	Thoracic nerve root injury - T6 (disorder)	SNOMED
212212005	Thoracic nerve root injury - T7 (disorder)	SNOMED
212213000	Thoracic nerve root injury - T8 (disorder)	SNOMED
212214006	Thoracic nerve root injury - T9 (disorder)	SNOMED
212215007	Thoracic nerve root injury - T10 (disorder)	SNOMED
212216008	Thoracic nerve root injury - T11 (disorder)	SNOMED
212217004	Thoracic nerve root injury - T12 (disorder)	SNOMED
212218009	Lumbar nerve root injury - L1 (disorder)	SNOMED
212219001	Lumbar nerve root injury - L2 (disorder)	SNOMED
212220007	Lumbar nerve root injury - L3 (disorder)	SNOMED
212221006	Lumbar nerve root injury - L4 (disorder)	SNOMED
212222004	Lumbar nerve root injury - L5 (disorder)	SNOMED
212223009	Sacral nerve root injury - S1 (disorder)	SNOMED
212224003	Sacral nerve root injury - S2 (disorder)	SNOMED
212225002	Sacral nerve root injury - S3 (disorder)	SNOMED
212226001	Sacral nerve root injury - S4 (disorder)	SNOMED
212227005	Sacral nerve root injury - S5 (disorder)	SNOMED
212247002	Lateral cutaneous branch T12 injury (disorder)	SNOMED
212296007	Closed injury, intercostobrachial nerve (disorder)	SNOMED
212380006	Compartment syndrome of upper arm (disorder)	SNOMED
212381005	Compartment syndrome of forearm (disorder)	SNOMED
212382003	Compartment syndrome of hand (disorder)	SNOMED
212383008	Compartment syndrome, buttock (disorder)	SNOMED
212384002	Compartment syndrome of thigh (disorder)	SNOMED
212385001	Compartment syndrome of lower limb (disorder)	SNOMED
212386000	Compartment syndrome of foot (disorder)	SNOMED
212399002	Injury of muscle and tendon at neck level (disorder)	SNOMED
212400009	Scalp injury (disorder)	SNOMED
212421009	Injury of multiple muscles and tendons at shoulder and upper arm level (disorder)	SNOMED
212451003	Injury of muscle and tendon of head (disorder)	SNOMED
212456008	Injury of muscle and tendon at thorax level (disorder)	SNOMED
212467009	Injury of muscle and tendon at hip and thigh level (disorder)	SNOMED
212469007	Injury of multiple muscles and tendons at hip and thigh level (disorder)	SNOMED
212470008	Injury of muscle and tendon at lower leg level (disorder)	SNOMED
212471007	Injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level (disorder)	SNOMED
212472000	Injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level (disorder)	SNOMED
212473005	Injury of multiple muscles and tendons at lower leg level (disorder)	SNOMED
212483009	Multiple injuries of head (disorder)	SNOMED
212486001	Multiple injuries of neck (disorder)	SNOMED
212489008	Injury of multiple intra-abdominal organs (disorder)	SNOMED
213346004	Fractures involving multiple body regions (disorder)	SNOMED
213347008	Fractures involving head with neck (disorder)	SNOMED
213350006	Fractures involving thorax with lower back and pelvis (disorder)	SNOMED
213351005	Fractures involving multiple regions of one upper limb (disorder)	SNOMED
213354002	Fractures involving multiple regions of one lower limb (disorder)	SNOMED
213355001	Fractures involving multiple regions of both lower limbs (disorder)	SNOMED
213358004	Fractures involving multiple regions of upper limb(s) with lower limb(s) (disorder)	SNOMED
213361003	Fractures involving thorax with lower back and pelvis with limb(s) (disorder)	SNOMED
213375005	Crushing injuries of thorax with abdomen, lower back and pelvis with limb(s) (disorder)	SNOMED

213387003	Injuries of intrathoracic organs with intra-abdominal and pelvic organs (disorder)	SNOMED
21351003	Fracture of phalanx of foot (disorder)	SNOMED
21369007	Late effect of musculoskeletal AND/OR connective tissue injuries (disorder)	SNOMED
21419000	Closed fracture of medial condyle of humerus (disorder)	SNOMED
21454007	Subarachnoid intracranial hemorrhage (disorder)	SNOMED
21573009	Closed fracture of seventh cervical vertebra without spinal cord injury (disorder)	SNOMED
21580006	Hematoma AND contusion of liver with open wound into abdominal cavity (disorder)	SNOMED
21698002	Open fracture of phalanx of finger (disorder)	SNOMED
21763005	Injury of teeth (disorder)	SNOMED
21835004	Late effect of burn (disorder)	SNOMED
21867001	Fracture of upper end of fibula (disorder)	SNOMED
21949009	Closed traumatic dislocation of interphalangeal joint of toe (disorder)	SNOMED
21978005	Open fracture of C1-C4 level with anterior cord syndrome (disorder)	SNOMED
22000002	Open fracture of three ribs (disorder)	SNOMED
2202000	Open posterior dislocation of distal end of femur (disorder)	SNOMED
22025006	Volkmann's ischemic contracture following injury (disorder)	SNOMED
22095002	Injury of adrenal gland without open wound into abdominal cavity (disorder)	SNOMED
22225000	Open fracture of multiple bones of lower limb (disorder)	SNOMED
22234005	Open fracture of shaft of tibia (disorder)	SNOMED
22383006	Closed fracture of vault of skull with cerebral laceration AND/OR contusion (disorder)	SNOMED
22564003	Early complication of trauma (disorder)	SNOMED
22682006	Open lateral dislocation of proximal end of tibia (disorder)	SNOMED
22693008	Brain injury without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
22713002	Closed fracture of middle AND/OR proximal phalanx of finger (disorder)	SNOMED
22724000	Injury of urethra (disorder)	SNOMED
22802006	Closed pertrochanteric fracture (disorder)	SNOMED
22819008	Laceration of brain with open intracranial wound (disorder)	SNOMED
22825007	Cerebellar contusion with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
22897006	Traumatic pneumothorax with open wound into thorax (disorder)	SNOMED
22911007	Closed traumatic dislocation of joint of shoulder region (disorder)	SNOMED
2295008	Closed fracture of upper end of forearm (disorder)	SNOMED
22973003	Closed fracture of vertebral column with spinal cord injury (disorder)	SNOMED
23020007	Open fracture of intermediate cuneiform bone of foot (disorder)	SNOMED
23026001	Brain stem contusion with open intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
23039002	Multiple fractures of upper limb with sternum AND ribs (disorder)	SNOMED
23055009	Fracture of glenoid cavity AND neck of scapula (disorder)	SNOMED
230614002	Injury of cauda equina (disorder)	SNOMED
23123006	Late effect of fracture of upper extremities (disorder)	SNOMED
231813003	Injury to eyelid (disorder)	SNOMED
232265009	Traumatic ossicular dislocation (disorder)	SNOMED
232277004	Longitudinal fracture of temporal bone (disorder)	SNOMED
232278009	Transverse fracture of temporal bone (disorder)	SNOMED
232279001	Complex fracture of temporal bone (disorder)	SNOMED
23283004	Open fracture of T1-T6 level with incomplete spinal cord lesion (disorder)	SNOMED
23368007	Injury of uterus without open wound into abdominal cavity (disorder)	SNOMED
233975007	Fulminant fat embolism syndrome (disorder)	SNOMED
23406007	Fracture of upper limb (disorder)	SNOMED
235627001	Traumatic rupture of esophagus (disorder)	SNOMED

235698003	Traumatic perforation of duodenum (disorder)	SNOMED
235887001	Rupture of liver (disorder)	SNOMED
23589004	Injury of spleen (disorder)	SNOMED
23611004	Open fracture of mandible (disorder)	SNOMED
236431008	Traumatic anuria - crush syndrome (disorder)	SNOMED
23658007	Late effect of injury to peripheral nerve of shoulder girdle AND/OR upper limb (disorder)	SNOMED
2366001	Late effect of dislocation (disorder)	SNOMED
23697004	Crush syndrome (disorder)	SNOMED
237090005	Cervical laceration (disorder)	SNOMED
23713006	Contusion of cerebral cortex (disorder)	SNOMED
23741005	Open fracture of shaft of humerus (disorder)	SNOMED
237573009	Injury of thyroid gland (disorder)	SNOMED
237660002	Injury of parathyroid gland (disorder)	SNOMED
23813004	Open fracture of proximal end of radius (disorder)	SNOMED
23900009	Closed fracture of upper end of tibia (disorder)	SNOMED
239750008	Neuromuscular subluxation of joint (disorder)	SNOMED
239755003	Neuromuscular dislocation of joint (disorder)	SNOMED
239756002	Neuromuscular dislocation of the hip joint (disorder)	SNOMED
240037007	Tendon injury (disorder)	SNOMED
240127000	Muscle sheath hernia (disorder)	SNOMED
	Multiple closed fractures of skull AND/OR face with subarachnoid, subdural AND/OR extradural hemorrhage (disorder)	SNOMED
24056002	Fracture of base of skull (disorder)	SNOMED
24179004	Hematoma AND contusion of liver without open wound into abdominal cavity (disorder)	SNOMED
241989005	Lymphatic decompression injury (disorder)	SNOMED
242007009	Blast injury to intestines (disorder)	SNOMED
24212007	Closed fracture of intermediate cuneiform bone of foot (disorder)	SNOMED
24300005	Injury of lumbar nerve roots (disorder)	SNOMED
24350003	Injury of lung without open wound into thorax (disorder)	SNOMED
24380008	Injury at T1-T6 level with posterior cord syndrome AND without bone injury (disorder)	SNOMED
24392008	Injury at C1-C4 level with spinal cord injury AND without bone injury (disorder)	SNOMED
24424003	Closed fracture of phalanx of finger (disorder)	SNOMED
24850009	Injury of ureter (disorder)	SNOMED
24948002	Open fracture of calcaneus (disorder)	SNOMED
25110002	Injury of multiple sites in colon AND/OR rectum with open wound into abdominal cavity (disorder)	SNOMED
25185004	Cerebellar contusion with open intracranial wound AND no loss of consciousness (disorder)	SNOMED
25331007	Injury at T7-T12 level with spinal cord injury AND without bone injury (disorder)	SNOMED
25345001	Perforation of gallbladder (disorder)	SNOMED
25415003	Closed fracture of femur (disorder)	SNOMED
25420003	Injury of multiple sites of pancreas with open wound into abdominal cavity (disorder)	SNOMED
25424007	Fracture of frontal bone (disorder)	SNOMED
25427000	Multiple fractures of both lower limbs (disorder)	SNOMED
25529004	Open fracture of distal end of radius (disorder)	SNOMED
25554004	Major laceration of liver with open wound into abdominal cavity (disorder)	SNOMED
25586009	Open dislocation of distal end of fibula (disorder)	SNOMED
	Cortex laceration without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
25689009	Closed bimalleolar fracture (disorder)	SNOMED
25899002	Shepherd's fracture (disorder)	SNOMED
26176009	Thumb injury (disorder)	SNOMED
262520005	Thumb injury (disorder)	SNOMED

262521009	Spinal injury (disorder)	SNOMED
262522002	Injury of cervical spine (disorder)	SNOMED
262525000	Chest injury (disorder)	SNOMED
262626005	Injury of natural orifice (disorder)	SNOMED
262675006	Fractured hyoid bone (disorder)	SNOMED
262683000	Blast injury to internal organs (disorder)	SNOMED
262687004	Cerebellar laceration and contusion (disorder)	SNOMED
262688009	Cortex laceration and contusion (disorder)	SNOMED
262689001	Contusion of cerebrum (disorder)	SNOMED
262691009	Laceration of cerebrum (disorder)	SNOMED
262692002	Burst lobe of brain (disorder)	SNOMED
262693007	Diffuse brain injury (disorder)	SNOMED
262696004	Contusion of spinal cord (disorder)	SNOMED
262697008	Contusion of cervical cord (disorder)	SNOMED
262700007	Contusion of sacral cord (disorder)	SNOMED
262705002	Laceration of spinal cord (disorder)	SNOMED
262706001	Laceration of cervical cord (disorder)	SNOMED
262707005	Laceration of thoracic cord (disorder)	SNOMED
262708000	Laceration of lumbar cord (disorder)	SNOMED
262709008	Laceration of sacral cord (disorder)	SNOMED
262710003	Transection of spinal cord (disorder)	SNOMED
262711004	Transection of cervical cord (disorder)	SNOMED
262712006	Transection of thoracic cord (disorder)	SNOMED
262713001	Transection of lumbar cord (disorder)	SNOMED
262714007	Transection of sacral cord (disorder)	SNOMED
262717000	Injury of vertebral artery (disorder)	SNOMED
262718005	Traumatic spinal cord hemorrhage (disorder)	SNOMED
262719002	Traumatic spinal subarachnoid hemorrhage (disorder)	SNOMED
262724004	Transection of cervical nerve root (disorder)	SNOMED
262725003	Transection of thoracic nerve root (disorder)	SNOMED
262726002	Transection of lumbar nerve root (disorder)	SNOMED
262727006	Transection of sacral nerve root (disorder)	SNOMED
262729009	Partial division of cervical nerve root (disorder)	SNOMED
262730004	Partial division of thoracic nerve root (disorder)	SNOMED
262731000	Partial division of lumbar nerve root (disorder)	SNOMED
262732007	Partial division of sacral nerve root (disorder)	SNOMED
262734008	Contusion of cervical nerve root (disorder)	SNOMED
262735009	Contusion of thoracic nerve root (disorder)	SNOMED
262736005	Contusion of lumbar nerve root (disorder)	SNOMED
262737001	Contusion of sacral nerve root (disorder)	SNOMED
262740001	Traction injury of cervical nerve root (disorder)	SNOMED
262741002	Traction injury of thoracic nerve root (disorder)	SNOMED
262742009	Traction injury of lumbar nerve root (disorder)	SNOMED
262743004	Traction injury of sacral nerve root (disorder)	SNOMED
262745006	Avulsion of cervical nerve root (disorder)	SNOMED
262746007	Avulsion of thoracic nerve root (disorder)	SNOMED
262747003	Avulsion of lumbar nerve root (disorder)	SNOMED
262748008	Avulsion of sacral nerve root (disorder)	SNOMED
262768002	Fragmentation of salivary gland (disorder)	SNOMED
262775001	Fragmentation of thyroid gland (disorder)	SNOMED
262778004	Fragmentation of parathyroid gland (disorder)	SNOMED

262780005	Laceration of thymus (disorder)	SNOMED
262782002	Laceration of heart (disorder)	SNOMED
262783007	Injury of pleura, lung or bronchus (disorder)	SNOMED
262784001	Contusion of lung (disorder)	SNOMED
262785000	Laceration of lung (disorder)	SNOMED
262787008	Injury of diaphragm (disorder)	SNOMED
262788003	Injury of thoracic duct (disorder)	SNOMED
262791003	Contusion of esophagus (disorder)	SNOMED
262792005	Serosal tear of esophagus (disorder)	SNOMED
262793000	Laceration of esophagus (disorder)	SNOMED
262795007	Capsular tear of liver (disorder)	SNOMED
262799001	Contusion of liver (disorder)	SNOMED
262801003	Delayed rupture of liver (disorder)	SNOMED
262802005	Laceration of liver (disorder)	SNOMED
262803000	Transection of liver (disorder)	SNOMED
262804006	Injury of biliary tree (disorder)	SNOMED
262805007	Injury of gallbladder (disorder)	SNOMED
262806008	Gallbladder injury with open wound into cavity (disorder)	SNOMED
262807004	Gallbladder injury without open wound into cavity (disorder)	SNOMED
262809001	Contusion of gallbladder (disorder)	SNOMED
262810006	Laceration of gallbladder (disorder)	SNOMED
262811005	Bile duct injury with open wound into cavity (disorder)	SNOMED
262812003	Bile duct injury without open wound into cavity (disorder)	SNOMED
262813008	Laceration of bile duct (disorder)	SNOMED
262815001	Contusion of bile duct (disorder)	SNOMED
262816000	Transection of bile duct (disorder)	SNOMED
262820001	Contusion of spleen (disorder)	SNOMED
262821002	Avulsion of spleen (disorder)	SNOMED
262822009	Laceration of spleen (disorder)	SNOMED
262823004	Capsular tear of spleen (disorder)	SNOMED
262824005	Transection of spleen (disorder)	SNOMED
262827003	Contusion of pancreas (disorder)	SNOMED
262828008	Transection of pancreas (disorder)	SNOMED
262829000	Laceration of pancreas parenchyma (disorder)	SNOMED
262830005	Pancreatic duct injury (disorder)	SNOMED
262831009	Injury of adrenal gland (disorder)	SNOMED
262833007	Contusion of adrenal gland (disorder)	SNOMED
262834001	Laceration of adrenal gland (disorder)	SNOMED
262835000	Transection of adrenal gland (disorder)	SNOMED
262836004	Fragmentation of adrenal gland (disorder)	SNOMED
262845003	Contusion of duodenum (disorder)	SNOMED
262849009	Serosal tear of duodenum (disorder)	SNOMED
262850009	Laceration of duodenum (disorder)	SNOMED
262851008	Transection of duodenum (disorder)	SNOMED
262853006	Contusion of small intestine (disorder)	SNOMED
262854000	Serosal tear of small intestine (disorder)	SNOMED
262855004	Laceration of small intestine (disorder)	SNOMED
262856003	Delayed perforation of small intestine (disorder)	SNOMED
262857007	Transection of small intestine (disorder)	SNOMED
262859005	Contusion of appendix (disorder)	SNOMED
262860000	Serosal tear of appendix (disorder)	SNOMED

262862008	Laceration of appendix (disorder)	SNOMED
262863003	Transection of appendix (disorder)	SNOMED
262864009	Injury of cecum (disorder)	SNOMED
262866006	Contusion of cecum (disorder)	SNOMED
262867002	Serosal tear of cecum (disorder)	SNOMED
262868007	Delayed perforation of cecum (disorder)	SNOMED
262869004	Laceration of cecum (disorder)	SNOMED
262871004	Contusion of colon (disorder)	SNOMED
262872006	Serosal tear of colon (disorder)	SNOMED
262873001	Laceration of colon (disorder)	SNOMED
262874007	Delayed perforation of colon (disorder)	SNOMED
262875008	Transection of colon (disorder)	SNOMED
262877000	Contusion of rectum (disorder)	SNOMED
262878005	Serosal tear of rectum (disorder)	SNOMED
262879002	Laceration of rectum (disorder)	SNOMED
262881000	Transection of rectum (disorder)	SNOMED
262882007	Injury of mesentery (disorder)	SNOMED
262883002	Contusion of mesentery (disorder)	SNOMED
262884008	Laceration of mesentery (disorder)	SNOMED
262885009	Mesenteric tear (disorder)	SNOMED
262886005	Injury of omentum (disorder)	SNOMED
262887001	Contusion of omentum (disorder)	SNOMED
262888006	Laceration of omentum (disorder)	SNOMED
262889003	Omental tear (disorder)	SNOMED
262893009	Laceration of kidney (disorder)	SNOMED
262897005	Transection of ureter (disorder)	SNOMED
262898000	Injury to ureteric wall (disorder)	SNOMED
262900003	Disruption of pelviureteric junction (disorder)	SNOMED
262907000	Traumatic rupture of bladder (disorder)	SNOMED
262911006	Injury of bladder neck (disorder)	SNOMED
262912004	Injury of male urethra (disorder)	SNOMED
262913009	Traumatic rupture of male urethra (disorder)	SNOMED
262914003	Partial rupture of male urethra (disorder)	SNOMED
262915002	Complete rupture of male urethra (disorder)	SNOMED
262916001	Injury of female urethra (disorder)	SNOMED
262918000	Contusion of vas deferens (disorder)	SNOMED
262919008	Laceration of vas deferens (disorder)	SNOMED
262920002	Transection of vas deferens (disorder)	SNOMED
262926008	Laceration of ovary (disorder)	SNOMED
262928009	Crushing of ovary (disorder)	SNOMED
262931005	Transection of fallopian tube (disorder)	SNOMED
262932003	Crushing of fallopian tube (disorder)	SNOMED
262933008	Injury of cervix (disorder)	SNOMED
262952002	Traumatic intracranial subdural hematoma (disorder)	SNOMED
262955000	Traumatic intracranial subarachnoid hemorrhage (disorder)	SNOMED
263004001	Fracture dislocations and fracture subluxations (disorder)	SNOMED
263009006	Dislocation of sternoclavicular joint (disorder)	SNOMED
263010001	Dislocation of costovertebral joint (disorder)	SNOMED
263011002	Dislocation of sternocostal joint (disorder)	SNOMED
263012009	Dislocation of symphysis pubis (disorder)	SNOMED
263013004	Dislocation of joint of spine (disorder)	SNOMED

263014005	Dislocation of atlanto-occipital joint (disorder)	SNOMED
263015006	Dislocation of atlantoaxial joint (disorder)	SNOMED
263017003	Dislocation of joint of upper limb (disorder)	SNOMED
263019000	Dislocation of acromioclavicular joint (disorder)	SNOMED
263020006	Dislocation of scapulothoracic joint (disorder)	SNOMED
263021005	Anterior dislocation of shoulder joint (disorder)	SNOMED
263022003	Posterior dislocation of shoulder joint (disorder)	SNOMED
263023008	Dislocation of radial head (disorder)	SNOMED
263024002	Dislocation of radiocarpal joint (disorder)	SNOMED
263025001	Dislocation of midcarpal joint (disorder)	SNOMED
263026000	Dislocation of perilunate joint (disorder)	SNOMED
263027009	Dislocation of distal radioulnar joint (disorder)	SNOMED
263028004	Dislocation of joint of lower limb (disorder)	SNOMED
263029007	Dislocation of patellofemoral joint (disorder)	SNOMED
263030002	Dislocation of toe joint (disorder)	SNOMED
263031003	Subluxation of joint (disorder)	SNOMED
263034006	Subluxation of costovertebral joint (disorder)	SNOMED
263035007	Subluxation of costochondral joint (disorder)	SNOMED
263036008	Subluxation of sternocostal joint (disorder)	SNOMED
263037004	Subluxation of sacroiliac joint (disorder)	SNOMED
263038009	Subluxation of symphysis pubis (disorder)	SNOMED
263039001	Subluxation of joint of spine (disorder)	SNOMED
263040004	Subluxation of joint of cervical spine (disorder)	SNOMED
263041000	Subluxation of atlanto-occipital joint (disorder)	SNOMED
263042007	Subluxation of atlantoaxial joint (disorder)	SNOMED
263043002	Subluxation of joint of thoracic spine (disorder)	SNOMED
263044008	Subluxation of joint of lumbar spine (disorder)	SNOMED
263045009	Subluxation of sacrum (disorder)	SNOMED
263046005	Subluxation of coccyx (disorder)	SNOMED
263047001	Subluxation of joint of upper limb (disorder)	SNOMED
263048006	Subluxation of sternoclavicular joint (disorder)	SNOMED
263049003	Subluxation of acromioclavicular joint (disorder)	SNOMED
263050003	Subluxation of scapulothoracic joint (disorder)	SNOMED
263051004	Subluxation of shoulder joint (disorder)	SNOMED
263052006	Subluxation of elbow joint (disorder)	SNOMED
263053001	Subluxation of wrist joint (disorder)	SNOMED
263054007	Subluxation of finger (disorder)	SNOMED
263055008	Subluxation of thumb (disorder)	SNOMED
263056009	Subluxation of joint of lower limb (disorder)	SNOMED
263057000	Subluxation of hip joint (disorder)	SNOMED
263058005	Subluxation of knee joint (disorder)	SNOMED
263059002	Subluxation of patellofemoral joint (disorder)	SNOMED
263060007	Subluxation of ankle joint (disorder)	SNOMED
263061006	Subluxation of foot joint (disorder)	SNOMED
263062004	Subluxation of toe joint (disorder)	SNOMED
263063009	Fracture dislocation of joint (disorder)	SNOMED
263064003	Fracture dislocation of temporomandibular joint (disorder)	SNOMED
263065002	Fracture dislocation of costovertebral joint (disorder)	SNOMED
263066001	Fracture dislocation of sacroiliac joint (disorder)	SNOMED
263067005	Fracture dislocation of symphysis pubis (disorder)	SNOMED
263068000	Fracture dislocation of spine (disorder)	SNOMED

263069008	Fracture dislocation of cervical spine (disorder)	SNOMED
263070009	Hangman's fracture (disorder)	SNOMED
263071008	Fracture dislocation of thoracic spine (disorder)	SNOMED
263072001	Fracture dislocation of lumbar spine (disorder)	SNOMED
263073006	Fracture dislocation of joint of upper limb (disorder)	SNOMED
263074000	Fracture dislocation of sternoclavicular joint (disorder)	SNOMED
263075004	Fracture dislocation of acromioclavicular joint (disorder)	SNOMED
263076003	Fracture dislocation of scapulothoracic joint (disorder)	SNOMED
263077007	Fracture dislocation of shoulder joint (disorder)	SNOMED
263078002	Fracture dislocation of elbow joint (disorder)	SNOMED
263079005	Fracture dislocation of wrist joint (disorder)	SNOMED
263080008	Fracture dislocation of radiocarpal joint (disorder)	SNOMED
263081007	Fracture dislocation of midcarpal joint (disorder)	SNOMED
263082000	Fracture dislocation of lunate (disorder)	SNOMED
263083005	Fracture dislocation of perilunate joint (disorder)	SNOMED
263084004	Fracture dislocation of finger or thumb (disorder)	SNOMED
263085003	Fracture dislocation of finger (disorder)	SNOMED
263086002	Fracture dislocation of thumb (disorder)	SNOMED
263087006	Fracture dislocation of joint of lower limb (disorder)	SNOMED
263088001	Fracture dislocation of hip joint (disorder)	SNOMED
263089009	Fracture dislocation of knee joint (disorder)	SNOMED
263090000	Fracture dislocation of patellofemoral joint (disorder)	SNOMED
263091001	Fracture dislocation of ankle joint (disorder)	SNOMED
263092008	Fracture dislocation of foot joint (disorder)	SNOMED
263093003	Fracture dislocation of toe joint (disorder)	SNOMED
263094009	Fracture subluxation of joint (disorder)	SNOMED
263095005	Fracture subluxation of sacroiliac joint (disorder)	SNOMED
263096006	Fracture subluxation of symphysis pubis (disorder)	SNOMED
263097002	Fracture subluxation of sternoclavicular joint (disorder)	SNOMED
263098007	Fracture subluxation of shoulder joint (disorder)	SNOMED
263099004	Fracture subluxation of acromioclavicular joint (disorder)	SNOMED
263100007	Fracture subluxation of elbow joint (disorder)	SNOMED
263101006	Fracture subluxation of superior radioulnar joint (disorder)	SNOMED
263102004	Fracture subluxation of wrist (disorder)	SNOMED
263103009	Fracture subluxation of distal radioulnar joint (disorder)	SNOMED
263104003	Fracture subluxation of radiocarpal joint (disorder)	SNOMED
263105002	Fracture subluxation of joint of hand (disorder)	SNOMED
263106001	Fracture subluxation of midcarpal joint (disorder)	SNOMED
263108000	Fracture subluxation of lunate (disorder)	SNOMED
263109008	Fracture subluxation of perilunate joint (disorder)	SNOMED
263110003	Fracture subluxation of finger (disorder)	SNOMED
263111004	Fracture subluxation of thumb (disorder)	SNOMED
263112006	Fracture subluxation of joint of lower limb (disorder)	SNOMED
263113001	Fracture subluxation of knee joint (disorder)	SNOMED
263114007	Fracture subluxation of patellofemoral joint (disorder)	SNOMED
263115008	Fracture subluxation of ankle joint (disorder)	SNOMED
263116009	Fracture subluxation of joint of foot (disorder)	SNOMED
263117000	Fracture subluxation of interphalangeal joint of toe (disorder)	SNOMED
263126002	Ligament injury (disorder)	SNOMED
263148008	Sphenoid sinus fracture (disorder)	SNOMED
263149000	Cribriform plate fracture (disorder)	SNOMED

263150000	Petrous bone fracture (disorder)	SNOMED
263151001	Fracture of upper jaw, closed (disorder)	SNOMED
263152008	Multiple face fractures (disorder)	SNOMED
263153003	Fracture of frontonasothmoidal complex (disorder)	SNOMED
263154009	Fracture of frontonasothmoidal complex with increased intercanthal distance (disorder)	SNOMED
263155005	Fracture of midfacial bones (disorder)	SNOMED
263156006	Fracture of maxilla (disorder)	SNOMED
263157002	Fracture of maxillary alveolar bone (disorder)	SNOMED
263158007	Total fracture of maxillary alveolus (disorder)	SNOMED
263159004	Partial fracture of maxillary alveolus (disorder)	SNOMED
263160009	Fracture of maxillary tuberosity (disorder)	SNOMED
263161008	Fracture of maxillary alveolar socket wall (disorder)	SNOMED
263162001	Comminuted fracture of maxillary alveolar bone (disorder)	SNOMED
263163006	Fracture of zygomatic complex (disorder)	SNOMED
263164000	Fracture of zygoma (disorder)	SNOMED
263165004	Fracture of zygomatic process (disorder)	SNOMED
263166003	Fracture of palatal process (disorder)	SNOMED
263167007	Blow out fracture of orbit (disorder)	SNOMED
263168002	Fracture of medial wall of orbit (disorder)	SNOMED
263169005	Fracture of lateral wall of orbit (disorder)	SNOMED
263170006	Fracture of supraorbital rim (disorder)	SNOMED
263171005	Fractured nasal bones (disorder)	SNOMED
263172003	Fracture of mandible (disorder)	SNOMED
263173008	Comminuted fracture of mandibular alveolar bone (disorder)	SNOMED
263174002	Fracture of mandibular alveolar socket wall (disorder)	SNOMED
263175001	Fracture of mandible involving dental socket (disorder)	SNOMED
263176000	Fracture of edentulous mandible (disorder)	SNOMED
263177009	Bilateral fracture of condylar head and midline fracture of mandible (disorder)	SNOMED
263178004	Fracture of transverse process of spine without spinal cord lesion (disorder)	SNOMED
263179007	Fracture of transverse process of spine with spinal cord lesion (disorder)	SNOMED
263180005	Jefferson fracture (disorder)	SNOMED
263188003	Open fracture of atlas without spinal cord lesion (disorder)	SNOMED
263189006	Open fracture of axis without spinal cord lesion (disorder)	SNOMED
263191003	Fracture of neck of humerus (disorder)	SNOMED
263192005	Fracture of distal end of humerus (disorder)	SNOMED
263193000	Supracondylar fracture of humerus (disorder)	SNOMED
263195007	Fracture of proximal end of radius (disorder)	SNOMED
263196008	Fracture of radial head (disorder)	SNOMED
263197004	Fracture of radial neck (disorder)	SNOMED
263198009	Fracture of shaft of radius (disorder)	SNOMED
263199001	Fracture of distal end of radius (disorder)	SNOMED
263200003	Volar Barton's fracture (disorder)	SNOMED
263201004	Dorsal Barton's fracture (disorder)	SNOMED
263203001	Fracture of proximal end of ulna (disorder)	SNOMED
263204007	Fracture of shaft of ulna (disorder)	SNOMED
263205008	Fracture of distal end of ulna (disorder)	SNOMED
263206009	Fracture of proximal end of radius and ulna (disorder)	SNOMED
263207000	Fracture of shaft of radius and/or ulna (disorder)	SNOMED
263208005	Fracture of distal end of radius and ulna (disorder)	SNOMED
263209002	Fracture of base of fifth metacarpal (disorder)	SNOMED
263210007	Fracture of neck of fifth metacarpal (disorder)	SNOMED

263211006	Fracture of sesamoid bone of hand (disorder)	SNOMED
263216001	Vertical fracture of ilium (disorder)	SNOMED
263217005	Fracture of iliac crest (disorder)	SNOMED
263218000	Fracture of single pubic ramus (disorder)	SNOMED
263219008	Fracture of multiple pubic rami (disorder)	SNOMED
263220002	Fracture of ischium (disorder)	SNOMED
263221003	Fracture of ischial tuberosity (disorder)	SNOMED
263222005	Multiple pelvic fractures (disorder)	SNOMED
263225007	Fracture of proximal end of femur (disorder)	SNOMED
263226008	Subcapital fracture of neck of femur (disorder)	SNOMED
263227004	Midcervical fracture of neck of femur (disorder)	SNOMED
263228009	Basicervical fracture of neck of femur (disorder)	SNOMED
263229001	Subtrochanteric fracture of femur (disorder)	SNOMED
263231005	Open fracture of base of neck of femur (disorder)	SNOMED
263232003	Fracture of distal end of femur (disorder)	SNOMED
263233008	Closed fracture of femur, distal end (disorder)	SNOMED
263234002	Open fracture of femur, distal end (disorder)	SNOMED
263235001	Supracondylar fracture femur (disorder)	SNOMED
263236000	Fracture of femoral condyle (disorder)	SNOMED
263237009	Closed fracture of tibial tuberosity (disorder)	SNOMED
263238004	Open fracture of tibial tuberosity (disorder)	SNOMED
263239007	Open fracture of tibial condyles (disorder)	SNOMED
263240009	Pilon fracture (disorder)	SNOMED
263241008	Tilleau fracture (disorder)	SNOMED
263242001	Fracture of distal end of fibula (disorder)	SNOMED
263244000	Bimalleolar fracture of ankle (disorder)	SNOMED
263245004	Fracture of tarsal bone (disorder)	SNOMED
263246003	Fracture of talus (disorder)	SNOMED
263247007	Fracture of calcaneus (disorder)	SNOMED
263248002	Fracture of navicular (disorder)	SNOMED
263249005	Fracture of cuboid (disorder)	SNOMED
263250005	Fracture of bone of forefoot (disorder)	SNOMED
263251009	Metatarsal bone fracture (disorder)	SNOMED
263252002	Fracture of base of fifth metatarsal (disorder)	SNOMED
263253007	March fracture (disorder)	SNOMED
263256004	Multiple fractures of sternum (disorder)	SNOMED
263257008	Costal cartilage injury (disorder)	SNOMED
263262009	Rectus abdominis compartment syndrome (disorder)	SNOMED
263263004	Compartment syndrome of neck (disorder)	SNOMED
263264005	Compartment syndrome of upper limb (disorder)	SNOMED
263265006	Triceps surae compartment syndrome (disorder)	SNOMED
263266007	Extensor compartment syndrome of forearm (disorder)	SNOMED
263267003	Posterior tibial compartment syndrome (disorder)	SNOMED
263268008	Lateral peroneal compartment syndrome (disorder)	SNOMED
263269000	Compartment syndrome of lower leg (disorder)	SNOMED
263274008	Injury of periodontal tissue (disorder)	SNOMED
26442006	Closed fracture of shaft of femur (disorder)	SNOMED
264534009	Hypothalamic injury (disorder)	SNOMED
2651006	Closed traumatic dislocation of elbow joint (disorder)	SNOMED
26646003	Open fracture of cuboid bone of foot (disorder)	SNOMED
26738009	Spinal cord injury without spinal bone injury (disorder)	SNOMED

269057007	Fracture of malar or maxillary bones, open (disorder)	SNOMED
269061001	Fracture of vertebra without spinal cord lesion (disorder)	SNOMED
269062008	Closed fracture of cervical spine (disorder)	SNOMED
269063003	Closed fracture atlas (disorder)	SNOMED
269064009	Closed fracture axis (disorder)	SNOMED
269065005	Closed fracture of third cervical vertebra (disorder)	SNOMED
269066006	Closed fracture of fourth cervical vertebra (disorder)	SNOMED
269067002	Closed fracture of fifth cervical vertebra (disorder)	SNOMED
269068007	Closed fracture of sixth cervical vertebra (disorder)	SNOMED
269069004	Closed fracture of seventh cervical vertebra (disorder)	SNOMED
269070003	Open fracture of cervical spine (disorder)	SNOMED
269071004	Open fracture atlas (disorder)	SNOMED
269072006	Open fracture axis (disorder)	SNOMED
269073001	Open fracture of third cervical vertebra (disorder)	SNOMED
269074007	Open fracture of fourth cervical vertebra (disorder)	SNOMED
269075008	Open fracture of fifth cervical vertebra (disorder)	SNOMED
269076009	Open fracture of sixth cervical vertebra (disorder)	SNOMED
269077000	Open fracture of seventh cervical vertebra (disorder)	SNOMED
269078005	Fracture of spine with spinal cord lesion (disorder)	SNOMED
269080004	Closed fracture of the distal humerus (disorder)	SNOMED
269080008	Open bimalleolar fracture (disorder)	SNOMED
269081000	Open fracture of the distal humerus (disorder)	SNOMED
269083002	Closed Colles' fracture (disorder)	SNOMED
269090007	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum (disorder)	SNOMED
269100000	Fracture of one or more tarsal and metatarsal bones (disorder)	SNOMED
269103003	Dislocations and subluxations (disorder)	SNOMED
269105005	Dislocation or subluxation of shoulder (disorder)	SNOMED
269106006	Closed traumatic dislocation shoulder joint, anterior (sub-coracoid) (disorder)	SNOMED
269107002	Closed traumatic dislocation shoulder joint, posterior (disorder)	SNOMED
269108007	Closed traumatic dislocation shoulder joint, inferior (infra-glenoid) (disorder)	SNOMED
269111008	Dislocation or subluxation of finger or thumb (disorder)	SNOMED
269112001	Dislocation or subluxation of knee (disorder)	SNOMED
269114000	Dislocation or subluxation of ankle (disorder)	SNOMED
269115004	Closed dislocation atlanto-occipital joint (disorder)	SNOMED
269116003	Closed dislocation atlantoaxial joint (disorder)	SNOMED
269117007	Closed dislocation C2/C3 (disorder)	SNOMED
269118002	Closed dislocation C3/C4 (disorder)	SNOMED
269119005	Closed dislocation C4/C5 (disorder)	SNOMED
269120004	Closed dislocation C5/C6 (disorder)	SNOMED
269121000	Closed dislocation C6/C7 (disorder)	SNOMED
269122007	Open dislocation atlanto-occipital joint (disorder)	SNOMED
269123002	Open dislocation atlantoaxial joint (disorder)	SNOMED
269124008	Open dislocation C2/C3 (disorder)	SNOMED
269125009	Open dislocation C3/C4 (disorder)	SNOMED
269126005	Open dislocation C4/C5 (disorder)	SNOMED
269127001	Open dislocation C5/C6 (disorder)	SNOMED
269128006	Open dislocation C6/C7 (disorder)	SNOMED
269129003	Closed dislocation of sacrum (disorder)	SNOMED
269144002	Cerebral laceration and contusion (disorder)	SNOMED
269151006	Internal injury of chest, abdomen and pelvis (disorder)	SNOMED
269160003	Closed injury of bladder (disorder)	SNOMED

269187004	Late effect of skin and subcutaneous tissue injury (disorder)	SNOMED
269188009	Late effect of burn of arm, leg and foot (disorder)	SNOMED
269191009	Late effect of medical and surgical care complication (disorder)	SNOMED
26938002	Open intertrochanteric fracture (disorder)	SNOMED
269406001	Post-traumatic wound infection (disorder)	SNOMED
27094009	Skellern's fracture (disorder)	SNOMED
271576001	Galeazzi fracture dislocation (disorder)	SNOMED
271577005	Fracture of shaft of tibia and fibula (disorder)	SNOMED
27158007	Injury of thymus gland (disorder)	SNOMED
271963003	Fracture of iliac wing (disorder)	SNOMED
274153008	Fracture of cervical spine - no cord lesion (disorder)	SNOMED
274154002	Fracture of thoracic spine without spinal cord lesion (disorder)	SNOMED
274155001	Fracture of lumbar spine - no cord lesion (disorder)	SNOMED
274156000	Fracture of cervical spine with cord lesion (disorder)	SNOMED
274157009	Fracture of thoracic spine with cord lesion (disorder)	SNOMED
274158004	Fracture of lumbar spine with cord lesion (disorder)	SNOMED
274160002	Fracture of phalanx of thumb (disorder)	SNOMED
274164006	Minor head injury (disorder)	SNOMED
274174009	Tendon injury - upper limb (disorder)	SNOMED
274175005	Tendon injury - lower limb (disorder)	SNOMED
27477003	Fracture of face bones (disorder)	SNOMED
275272006	Brain damage - traumatic (disorder)	SNOMED
275320004	Injury of nail (disorder)	SNOMED
275329003	Dislocation of radius - distal (disorder)	SNOMED
275331007	Dislocation of tibia, distal end (disorder)	SNOMED
275332000	Dislocation of fibula, distal end (disorder)	SNOMED
275333005	Dislocation of talus (disorder)	SNOMED
275337006	Shoulder fracture - open (disorder)	SNOMED
275338001	Closed subcapital fracture of femur (disorder)	SNOMED
275339009	Open subcapital fracture of femur (disorder)	SNOMED
275340006	Closed fracture of greater trochanter of femur (disorder)	SNOMED
275341005	Closed fracture of lesser trochanter of femur (disorder)	SNOMED
275342003	Open fracture of lesser trochanter of femur (disorder)	SNOMED
275343008	Open fracture of greater trochanter of femur (disorder)	SNOMED
275361004	Tentorial laceration (disorder)	SNOMED
275362006	Falx laceration (disorder)	SNOMED
275380002	Internal pelvic injury (disorder)	SNOMED
275382005	Cerebral trauma (disorder)	SNOMED
275430007	Vaginal muscle tear (disorder)	SNOMED
27644009	Closed fracture of base of skull without intracranial injury (disorder)	SNOMED
276464002	Injury of anus (disorder)	SNOMED
277326006	Spinal cord rupture (disorder)	SNOMED
278488007	Traumatic transection of esophagus (disorder)	SNOMED
278537006	Fracture of distal end of tibia (disorder)	SNOMED
279057008	Psoas compartment syndrome (disorder)	SNOMED
	Brain injury with open intracranial wound AND prolonged loss of consciousness (more than 24 hours)	
27923006	AND return to pre-existing conscious level (disorder)	SNOMED
27937002	Open fracture of T7-T12 level with anterior cord syndrome (disorder)	SNOMED
28012007	Closed fracture of shaft of tibia (disorder)	SNOMED
28048009	Subarachnoid hemorrhage following injury without open intracranial wound (disorder)	SNOMED
28078000	Closed fracture of shaft of bone of forearm (disorder)	SNOMED

28081005	Open fracture of multiple ribs (disorder)	SNOMED
281502009	Luxatio erecta (disorder)	SNOMED
281503004	Dislocation of carpometacarpal joint (disorder)	SNOMED
281504005	Lateral patellofemoral dislocation (disorder)	SNOMED
281506007	Dislocation of subtalar joint (disorder)	SNOMED
281513007	Transscaphoid-perilunate fracture dislocation (disorder)	SNOMED
281514001	Transscaphoid-capitate-perilunate fracture dislocation (disorder)	SNOMED
281515000	Transscaphoid-capitate-hamate-triquetral-perilunate fracture dislocation (disorder)	SNOMED
281516004	Transstyloid-perilunate fracture dislocation (disorder)	SNOMED
281517008	Transstyloid-scaphoid-perilunate fracture dislocation (disorder)	SNOMED
281518003	Volar transscaphoid-lunate fracture dislocation (disorder)	SNOMED
281519006	Fracture subluxation of joint of upper limb (disorder)	SNOMED
281525005	Fracture of the lateral humeral epicondyle (disorder)	SNOMED
281526006	Fracture of the medial humeral epicondyle (disorder)	SNOMED
281527002	Fracture of radial styloid (disorder)	SNOMED
281528007	Fracture of olecranon (disorder)	SNOMED
281529004	Fracture of coronoid process of ulna (disorder)	SNOMED
281530009	Fracture of ulnar styloid (disorder)	SNOMED
281531008	Fracture of medial malleolus (disorder)	SNOMED
281532001	Fracture of posterior malleolus (disorder)	SNOMED
281533006	Fracture of head of fibula (disorder)	SNOMED
281534000	Fracture of neck of fibula (disorder)	SNOMED
281535004	Fracture of lateral malleolus (disorder)	SNOMED
281536003	Fracture of cuneiform (disorder)	SNOMED
28155008	Extradural hemorrhage following injury with open intracranial wound AND concussion (disorder)	SNOMED
28156009	Brain injury with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
281843000	Fracture of tibial spine (disorder)	SNOMED
28188001	Brain injury with open intracranial wound (disorder)	SNOMED
281907005	Fracture dislocation of thoracolumbar junction (disorder)	SNOMED
281908000	Fracture dislocation of cervicothoracic junction (disorder)	SNOMED
281909008	Fracture dislocation of lumbosacral junction (disorder)	SNOMED
281910003	Fracture of odontoid peg (disorder)	SNOMED
281911004	Teardrop fracture of cervical vertebra (disorder)	SNOMED
281912006	Wedge fracture of cervical vertebra (disorder)	SNOMED
281913001	Crush fracture of cervical vertebra (disorder)	SNOMED
281914007	Burst fracture of cervical vertebra (disorder)	SNOMED
281915008	Fracture of pedicle of cervical vertebra (disorder)	SNOMED
281916009	Fracture of transverse process of cervical vertebra (disorder)	SNOMED
281917000	Fracture of lamina of cervical vertebra (disorder)	SNOMED
281918005	Fracture of spinous process of cervical vertebra (disorder)	SNOMED
281919002	Two column fracture of cervical vertebra (disorder)	SNOMED
281920008	Three column fracture of cervical vertebra (disorder)	SNOMED
281921007	Teardrop fracture of thoracic vertebra (disorder)	SNOMED
281922000	Wedge fracture of thoracic vertebra (disorder)	SNOMED
281923005	Crush fracture of thoracic vertebra (disorder)	SNOMED
281924004	Burst fracture of thoracic vertebra (disorder)	SNOMED
281925003	Fracture of pedicle of thoracic vertebra (disorder)	SNOMED
281926002	Fracture of transverse process of thoracic vertebra (disorder)	SNOMED
281927006	Fracture of lamina of thoracic vertebra (disorder)	SNOMED
281928001	Fracture of spinous process of thoracic vertebra (disorder)	SNOMED

281929009	Two column fracture of thoracic vertebra (disorder)	SNOMED
281930004	Three column fracture of thoracic vertebra (disorder)	SNOMED
281931000	Teardrop fracture of lumbar vertebra (disorder)	SNOMED
281932007	Wedge fracture of lumbar vertebra (disorder)	SNOMED
281933002	Crush fracture of lumbar vertebra (disorder)	SNOMED
281934008	Burst fracture of lumbar vertebra (disorder)	SNOMED
281935009	Fracture of pedicle of lumbar vertebra (disorder)	SNOMED
281936005	Fracture of transverse process of lumbar vertebra (disorder)	SNOMED
281937001	Fracture of lamina of lumbar vertebra (disorder)	SNOMED
281938006	Fracture of spinous process of lumbar vertebra (disorder)	SNOMED
281940001	Two column fracture of lumbar vertebra (disorder)	SNOMED
281941002	Three column fracture of lumbar vertebra (disorder)	SNOMED
282007005	Gastrointestinal and digestive injury (disorder)	SNOMED
282050000	Injury of jejunum (disorder)	SNOMED
282051001	Injury of ileum (disorder)	SNOMED
282053003	Contusion of jejunum (disorder)	SNOMED
282055005	Transection of jejunum (disorder)	SNOMED
282059004	Laceration of jejunum (disorder)	SNOMED
282062001	Serosal tear of jejunum (disorder)	SNOMED
282063006	Delayed perforation of jejunum (disorder)	SNOMED
282064000	Contusion of ileum (disorder)	SNOMED
282066003	Laceration of ileum (disorder)	SNOMED
282070006	Transection of ileum (disorder)	SNOMED
282072003	Delayed perforation of ileum (disorder)	SNOMED
282076000	Contusion of anus (disorder)	SNOMED
282077009	Laceration of anus (disorder)	SNOMED
282085000	Serosal tear of ileum (disorder)	SNOMED
282429000	Avulsion of liver (disorder)	SNOMED
282430005	Tear of gallbladder (disorder)	SNOMED
282431009	Transection of gallbladder (disorder)	SNOMED
282432002	Bile duct tear (disorder)	SNOMED
282434001	Avulsion of gallbladder (disorder)	SNOMED
282438003	Avulsion of pancreas (disorder)	SNOMED
282439006	Tear of pancreas (disorder)	SNOMED
282446002	Injury of lower respiratory tract (disorder)	SNOMED
282447006	Injury of nasal septum (disorder)	SNOMED
282448001	Injury of sinus (disorder)	SNOMED
282463003	Laceration of bronchus (disorder)	SNOMED
282723003	Contusion of bronchus (disorder)	SNOMED
282725005	Transection of bronchus (disorder)	SNOMED
282745002	Injury by mechanism (disorder)	SNOMED
282749008	Head and neck injury (disorder)	SNOMED
282751007	Injury of back of head (disorder)	SNOMED
282752000	Injury of eye region (disorder)	SNOMED
282754004	Gum injury (disorder)	SNOMED
282755003	Injury of forehead (disorder)	SNOMED
282756002	Jaw injury (disorder)	SNOMED
282757006	Cheek injury (disorder)	SNOMED
282758001	Chin injury (disorder)	SNOMED
282759009	Injury of back of neck (disorder)	SNOMED
282762007	Fingernail injury (disorder)	SNOMED

282763002	Knuckle injury (disorder)	SNOMED
282764008	Injury of coccyx (disorder)	SNOMED
282765009	Upper back injury (disorder)	SNOMED
282766005	Lower back injury (disorder)	SNOMED
282771003	Pelvic injury (disorder)	SNOMED
282773000	Injury of patella (disorder)	SNOMED
282783001	Injury of tongue (disorder)	SNOMED
282784007	Spinal cord syndrome (disorder)	SNOMED
282785008	Anterior cord syndrome (disorder)	SNOMED
282786009	Posterior cord syndrome (disorder)	SNOMED
282787000	Central cord syndrome (disorder)	SNOMED
28359007	Closed fracture of head of fibula (disorder)	SNOMED
283905005	Avulsion of kidney (disorder)	SNOMED
283906006	Contusion of ureter (disorder)	SNOMED
283908007	Laceration of ureter (disorder)	SNOMED
283909004	Cut of ureter (disorder)	SNOMED
283915004	Contusion of bladder (disorder)	SNOMED
283916003	Laceration of bladder (disorder)	SNOMED
283918002	Contusion of urethra (disorder)	SNOMED
283920004	Transection of urethra (disorder)	SNOMED
283922007	Laceration of urethra (disorder)	SNOMED
283928006	Contusion of prostate (disorder)	SNOMED
283930008	Laceration of prostate (disorder)	SNOMED
283937006	Contusion of seminal vesicle (disorder)	SNOMED
283939009	Laceration of seminal vesicle (disorder)	SNOMED
283940006	Rupture of seminal vesicle (disorder)	SNOMED
283942003	Rupture of vas deferens (disorder)	SNOMED
283956001	Contusion of ovary (disorder)	SNOMED
283957005	Contusion of fallopian tube (disorder)	SNOMED
283959008	Laceration of fallopian tube (disorder)	SNOMED
283961004	Contusion of uterus (disorder)	SNOMED
283963001	Laceration of uterus (disorder)	SNOMED
283964007	Contusion of cervix (disorder)	SNOMED
283979000	Crush injury of liver (disorder)	SNOMED
283980002	Crushing injury of pancreas (disorder)	SNOMED
28398002	Fat embolism as early complication of trauma (disorder)	SNOMED
283981003	Crushing injury of spleen (disorder)	SNOMED
283985007	Lymphoreticular injury (disorder)	SNOMED
283998003	Lymph node injury (disorder)	SNOMED
283999006	Sensory organ injury (disorder)	SNOMED
284000008	Endocrine injury (disorder)	SNOMED
2840008	Open fracture of vault of skull with cerebral laceration AND/OR contusion (disorder)	SNOMED
284003005	Bone injury (disorder)	SNOMED
284005003	Abdominal cavity injury (disorder)	SNOMED
284006002	Injury of thoracic cavity (disorder)	SNOMED
28425007	Closed fracture of vertebral column without spinal cord injury (disorder)	SNOMED
284346004	Injury of body cavity structure (disorder)	SNOMED
285234008	Sequelae of injuries of head (disorder)	SNOMED
285235009	Sequelae of injuries of neck and trunk (disorder)	SNOMED
285236005	Sequelae of injuries of upper limb (disorder)	SNOMED
285239003	Sequelae of burn, corrosion and frostbite of upper limb (disorder)	SNOMED

285668009	Injury of nasal cavity (disorder)	SNOMED
28576007	Open fracture of femur (disorder)	SNOMED
285806007	Oral cavity, dental and salivary gland injury (disorder)	SNOMED
285807003	Injury of anal canal (disorder)	SNOMED
285808008	Injury of peritoneum (disorder)	SNOMED
285830009	Injury of pericardium (disorder)	SNOMED
285834000	Injury of broad ligament (disorder)	SNOMED
287093006	Dislocated knee with medial meniscus tear (disorder)	SNOMED
287094000	Dislocated knee with lateral meniscus tear (disorder)	SNOMED
287096003	Multiple dislocations (disorder)	SNOMED
287101003	Injury to colon/rectum (disorder)	SNOMED
287154000	Spinal cord/nerve root injury (disorder)	SNOMED
28753006	Closed fracture of first cervical vertebra without spinal cord injury (disorder)	SNOMED
288280006	Fracture sacrum/coccyx - no cord lesion (disorder)	SNOMED
288281005	Fracture sacrum/coccyx with cord lesion (disorder)	SNOMED
288282003	Fracture of larynx and/or trachea (disorder)	SNOMED
288283008	Open wounds with trauma - late effects (disorder)	SNOMED
29014003	Open fracture of carpal bone (disorder)	SNOMED
29045004	Closed Monteggia's fracture (disorder)	SNOMED
29264003	Closed fracture of base of skull with subarachnoid, subdural AND/OR extradural hemorrhage (disorder)	SNOMED
295723007	Fractured laryngeal cartilage (disorder)	SNOMED
29635000	Subdural hemorrhage following injury with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
29691006	Injury of multiple sites in colon AND/OR rectum without open wound into abdominal cavity (disorder)	SNOMED
297130008	Fracture of proximal phalanx of finger (disorder)	SNOMED
297131007	Fracture of middle phalanx of finger (disorder)	SNOMED
297132000	Fracture distal phalanx of thumb (disorder)	SNOMED
297133005	Fracture proximal phalanx of thumb (disorder)	SNOMED
297158000	Fracture of mandibular alveolus (disorder)	SNOMED
2973002	Pelvic organ injury without open wound into abdominal cavity (disorder)	SNOMED
29749002	Closed fracture of scapula (disorder)	SNOMED
29807001	Brain stem contusion without open intracranial wound AND with loss of consciousness (disorder)	SNOMED
29818001	Closed traumatic dislocation of metacarpophalangeal joint of finger (disorder)	SNOMED
29880001	Injury of rectum with open wound into abdominal cavity (disorder)	SNOMED
2999009	Injury of ear (disorder)	SNOMED
299965004	Compression of thoracic nerve root (disorder)	SNOMED
30031007	Cerebellar laceration without open intracranial wound (disorder)	SNOMED
30060003	Duverney's fracture (disorder)	SNOMED
301032005	Fracture of superior pubic ramus (disorder)	SNOMED
301033000	Fracture of inferior pubic ramus (disorder)	SNOMED
301034006	Fracture of greater trochanter (disorder)	SNOMED
301035007	Subluxation of metatarsal (disorder)	SNOMED
301757009	Central fracture dislocation acetabulum (disorder)	SNOMED
3019000	Closed anterior dislocation of elbow (disorder)	SNOMED
302034009	Fracture subluxation of hip joint (disorder)	SNOMED
302035005	Closed fracture dislocation of metatarsophalangeal joint (disorder)	SNOMED
302036006	Closed fracture dislocation of interphalangeal joint of toe (disorder)	SNOMED
302037002	Open fracture dislocation of metatarsophalangeal joint (disorder)	SNOMED

302038007	Open fracture dislocation of interphalangeal joint of toe (disorder)	SNOMED
302222008	Elbow fracture - closed (disorder)	SNOMED
302232001	Elbow fracture - open (disorder)	SNOMED
302964004	Dislocation of temporomandibular joint (disorder)	SNOMED
30371007	Open fracture of base of skull with cerebral laceration AND contusion (disorder)	SNOMED
304236004	Lifting and handling injury (disorder)	SNOMED
30489009	Open fracture of intracapsular section of femur (disorder)	SNOMED
30632004	Closed fracture of triquetral bone of wrist (disorder)	SNOMED
307131005	Mallory-Weiss tear (disorder)	SNOMED
307137009	Anterior wedge fracture of vertebra (disorder)	SNOMED
307171000	Fracture dislocation of carpometacarpal joint (disorder)	SNOMED
307172007	Fracture dislocation distal radioulnar joint (disorder)	SNOMED
307178006	Comminuted fracture of patella (disorder)	SNOMED
307218005	Traumatic perforation of esophagus (disorder)	SNOMED
307712005	Open Barton's fracture (disorder)	SNOMED
307713000	Closed Barton's fracture (disorder)	SNOMED
307727005	Open fracture of distal fibula (disorder)	SNOMED
308153009	Closed fracture of distal fibula (disorder)	SNOMED
30858001	Cerebellar laceration with open intracranial wound (disorder)	SNOMED
30905007	Closed supracondylar fracture of femur (disorder)	SNOMED
30943005	Open fracture of sacrum AND/OR coccyx without spinal cord injury (disorder)	SNOMED
309464009	Elbow fracture (disorder)	SNOMED
31033002	Closed fracture of T1-T6 level with posterior cord syndrome (disorder)	SNOMED
31062001	Open fracture of thoracic vertebra without spinal cord injury (disorder)	SNOMED
31103006	Open fracture of first metatarsal bone (disorder)	SNOMED
31110000	Injury of ovarian vein (disorder)	SNOMED
311408004	Closed flail chest (disorder)	SNOMED
311409007	Open flail chest (disorder)	SNOMED
311814002	Closed multiple fractures of thoracic spine (disorder)	SNOMED
311815001	Open multiple fracture of thoracic spine (disorder)	SNOMED
311816000	Closed multiple fractures of clavicle and/or scapula and/or humerus (disorder)	SNOMED
311817009	Open multiple fractures of clavicle and/or scapula and/or humerus (disorder)	SNOMED
311819007	Closed fractures involving multiple regions of both upper limbs (disorder)	SNOMED
311820001	Open fractures involving multiple regions of both upper limbs (disorder)	SNOMED
311821002	Closed fracture of great toe (disorder)	SNOMED
311822009	Open fracture of great toe (disorder)	SNOMED
311825006	Traumatic cerebral edema without open intracranial wound (disorder)	SNOMED
311826007	Traumatic cerebral edema with open intracranial wound (disorder)	SNOMED
311827003	Intracranial injury with prolonged coma without open wound (disorder)	SNOMED
311829000	Intracranial injury with prolonged coma with open wound (disorder)	SNOMED
311831009	Open heart injury with hemopericardium (disorder)	SNOMED
311842000	Injury of multiple pelvic organs without open wound into cavity (disorder)	SNOMED
311844004	Injury of multiple pelvic organs with open wound into cavity (disorder)	SNOMED
311847006	Closed fractures involving head with neck (disorder)	SNOMED
311848001	Open fractures involving head with neck (disorder)	SNOMED
311849009	Closed fractures involving multiple regions of one upper limb (disorder)	SNOMED
311850009	Open fractures involving multiple regions of one upper limb (disorder)	SNOMED
311852001	Closed fractures involving multiple regions of both lower limbs (disorder)	SNOMED
311853006	Open fractures involving multiple regions of both lower limbs (disorder)	SNOMED
311857007	Closed fractures involving multiple regions upper with lower limb (disorder)	SNOMED
311859005	Open fracture involving multiple regions upper with lower limbs (disorder)	SNOMED

311862008	Closed fracture involving thorax wth lower back and pelvis and limbs (disorder)	SNOMED
311864009	Open fracture involving thorax wth lower back and pelvis and limbs (disorder)	SNOMED
31187005	Closed fracture of zygomatic arch (disorder)	SNOMED
3119002	Brain stem laceration with open intracranial wound AND loss of consciousness (disorder)	SNOMED
31235003	Closed fracture of C5-C7 level with anterior cord syndrome (disorder)	SNOMED
312660000	Late effect of fracture of cervical vertebra (disorder)	SNOMED
312661001	Late effect of fracture of thoracic vertebra (disorder)	SNOMED
312662008	Late effect of fracture of lumbar vertebra (disorder)	SNOMED
312786001	Spinal subluxation with cervical cord lesion (disorder)	SNOMED
312787005	Spinal subluxation with thoracic cord lesion (disorder)	SNOMED
312788000	Spinal subluxation with lumbar cord lesion (disorder)	SNOMED
312792007	Spinal subluxation with cauda equina lesion (disorder)	SNOMED
312837005	Spinal dislocation with cervical cord lesion (disorder)	SNOMED
312838000	Spinal dislocation with thoracic cord lesion (disorder)	SNOMED
312839008	Spinal dislocation with lumbar cord lesion (disorder)	SNOMED
312844001	Dislocation of metacarpophalangeal joint (disorder)	SNOMED
312847008	Muscle and tendon injury (disorder)	SNOMED
314195000	Dislocation of cervical facet joint (disorder)	SNOMED
314197008	Dislocation of thoracic facet joint (disorder)	SNOMED
314198003	Dislocation of lumbar facet joint (disorder)	SNOMED
314661000	Moderate head injury (disorder)	SNOMED
314662007	Major head injury (disorder)	SNOMED
314664008	Dislocation of hand joint (disorder)	SNOMED
314667001	Burst fracture of vertebra (disorder)	SNOMED
314668006	Wedge fracture of vertebra (disorder)	SNOMED
315643003	Dupuytren's fracture dislocation ankle (disorder)	SNOMED
316358009	Injury of lung (disorder)	SNOMED
31693001	Fracture of two ribs (disorder)	SNOMED
31882001	Closed fracture of T1-T6 level with spinal cord injury (disorder)	SNOMED
31975004	Fracture of navicular bone of wrist (disorder)	SNOMED
31978002	Fracture of tibia (disorder)	SNOMED
31984004	Closed fracture of bones of trunk (disorder)	SNOMED
320934008	Injury of esophagus (disorder)	SNOMED
32106001	Cortex contusion without open intracranial wound (disorder)	SNOMED
32144005	Traumatic anuria (disorder)	SNOMED
3217005	Open dislocation of sixth cervical vertebra (disorder)	SNOMED
3228009	Closed fracture of shaft of radius (disorder)	SNOMED
32311009	Closed fracture of base of thumb (disorder)	SNOMED
32415004	Cerebellar contusion without open intracranial wound AND with concussion (disorder)	SNOMED
32497008	Fracture of larynx (disorder)	SNOMED
32734003	Crushing injury of multiple sites of trunk (disorder)	SNOMED
32805004	Fractures of multiple bones of lower limb (disorder)	SNOMED
3291007	Closed fracture of two ribs (disorder)	SNOMED
32988004	Open fracture of multiple sites of phalanges of hand (disorder)	SNOMED
33041006	Closed fracture of proximal end of ulna (disorder)	SNOMED
33072005	Traumatic hemothorax with open wound into thorax (disorder)	SNOMED
	Cerebellar contusion without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
33117006		SNOMED
33118001	Closed fracture of acetabulum (disorder)	SNOMED
33141009	Open fracture of upper end of forearm (disorder)	SNOMED
33147008	Open fracture of C1-C4 level with posterior cord syndrome (disorder)	SNOMED

33173003	Closed fracture of clavicle (disorder)	SNOMED
33192001	Closed fracture of lower end of radius AND ulna (disorder)	SNOMED
3331008	Open fracture of neck of metacarpal bone (disorder)	SNOMED
33332005	Brain injury without open intracranial wound AND with concussion (disorder)	SNOMED
33358005	Closed traumatic dislocation of sternum (disorder)	SNOMED
33737001	Fracture of rib (disorder)	SNOMED
3381004	Open fracture of talus (disorder)	SNOMED
33829000	Closed multiple fractures of upper limb with sternum (disorder)	SNOMED
33908005	Injury of peritoneum without open wound into abdominal cavity (disorder)	SNOMED
33931005	Injury of lip (disorder)	SNOMED
33955000	Closed traumatic dislocation of clavicle (disorder)	SNOMED
340036002	Fracture of hand except finger (disorder)	SNOMED
34047002	Injury of multiple intrathoracic organs without open wound into cavity (disorder)	SNOMED
	Subdural hemorrhage following injury without open intracranial wound AND with loss of consciousness (disorder)	SNOMED
34135005		SNOMED
342070009	Closed fracture of foot (disorder)	SNOMED
3421000	Open fracture of orbital floor (blow-out) (disorder)	SNOMED
34262005	Fourth degree perineal laceration involving rectal mucosa (disorder)	SNOMED
34268009	Closed fracture of lateral malleolus (disorder)	SNOMED
34432001	Wagstaffe's fracture (disorder)	SNOMED
3446000	Open fracture of T7-T12 level with spinal cord injury (disorder)	SNOMED
	Intracranial hemorrhage following injury with intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
34501004		SNOMED
34565006	Closed anterior dislocation of humerus (disorder)	SNOMED
34578006	Open Monteggia's fracture (disorder)	SNOMED
34622000	Temporomandibular subluxation (disorder)	SNOMED
34649000	Closed fracture of malar AND/OR maxillary bones (disorder)	SNOMED
34656006	Open fracture of hamate bone of wrist (disorder)	SNOMED
34663006	Contusion of brain (disorder)	SNOMED
	Cerebellar laceration without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
34751006		SNOMED
34798003	Injury of liver without open wound into abdominal cavity (disorder)	SNOMED
34813004	Fracture of posterior fossa (disorder)	SNOMED
34873006	Open dislocation of wrist (disorder)	SNOMED
34996005	Open fracture of fifth cervical vertebra without spinal cord injury (disorder)	SNOMED
35106007	Closed traumatic dislocation of knee joint (disorder)	SNOMED
35160004	Multiple open traumatic dislocations of upper arm (disorder)	SNOMED
35171003	Open dislocation of talus (disorder)	SNOMED
35403005	Closed fracture of C5-C7 level with posterior cord syndrome (disorder)	SNOMED
3542000	Laceration extending into parenchyma of spleen with open wound into abdominal cavity (disorder)	SNOMED
35442005	Closed fracture of lower end of forearm (disorder)	SNOMED
	Subarachnoid hemorrhage following injury without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
35672006		SNOMED
357009	Closed fracture of trapezoidal bone of wrist (disorder)	SNOMED
35790004	Injury of retroperitoneum without open wound into abdominal cavity (disorder)	SNOMED
35899005	Pott's fracture (disorder)	SNOMED
359817006	Closed fracture of hip (disorder)	SNOMED
359820003	Closed fracture of neck of femur (disorder)	SNOMED
359823001	Dupuytren's fracture of radius (disorder)	SNOMED
361118003	Open fracture of hip (disorder)	SNOMED

361119006	Open fracture of neck of femur (disorder)	SNOMED
36127009	Fracture of pubis (disorder)	SNOMED
363182001	Injury of cartilage (disorder)	SNOMED
363183006	Injury of lymphatic system (disorder)	SNOMED
363331007	Traumatic injury of immune system (disorder)	SNOMED
3640000	Late effect of traumatic amputation (disorder)	SNOMED
36417005	Closed fracture of ischium (disorder)	SNOMED
36539009	Late effect of injury to cranial nerve (disorder)	SNOMED
36716000	Brain stem contusion without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
367527001	Open fracture of foot (disorder)	SNOMED
36758002	Late effect of fracture of lower extremities (disorder)	SNOMED
36778005	Fracture of distal phalanx of finger (disorder)	SNOMED
36822000	Cortex contusion without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
36838006	Spinal cord injury of thoracic region without bone injury (disorder)	SNOMED
36924003	Closed fracture of metatarsal bone (disorder)	SNOMED
36991002	Closed fracture of upper limb (disorder)	SNOMED
37027003	Le Fort's fracture, type III (disorder)	SNOMED
371050006	Traumatic intracranial subdural hematoma with brief loss of consciousness (disorder)	SNOMED
371065007	Fracture with foreign body (disorder)	SNOMED
371128008	Occupational injury (disorder)	SNOMED
371161001	Open fracture of skull (disorder)	SNOMED
371162008	Closed fracture of skull (disorder)	SNOMED
37134004	Intracranial hemorrhage following injury without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
371561008	Injury of thoracic nerve root (disorder)	SNOMED
371712009	Injury as a result of positioning (disorder)	SNOMED
37174005	Closed fracture of hamate bone of wrist (disorder)	SNOMED
373410009	Open traumatic dislocation of joint (disorder)	SNOMED
373716002	Closed fracture involving joint (disorder)	SNOMED
37418005	Multiple fractures of hand bones (disorder)	SNOMED
37449000	Open fracture of ulna (disorder)	SNOMED
37490002	Open multiple fractures of both lower limbs (disorder)	SNOMED
3759007	Injury of heart with open wound into thorax (disorder)	SNOMED
37619006	Open multiple fractures of lower limb AND ribs (disorder)	SNOMED
37633006	Closed fracture of lunate bone of wrist (disorder)	SNOMED
37655003	Late effect of fracture of skull AND/OR face bones (disorder)	SNOMED
37798005	Injury of Fallopian tube without open wound into abdominal cavity (disorder)	SNOMED
38170003	Open fracture of vertebral column without spinal cord injury (disorder)	SNOMED
38278003	Injury at C5-C7 level with central cord syndrome AND without bone injury (disorder)	SNOMED
38301007	Closed traumatic dislocation of joint of thumb (disorder)	SNOMED
38306002	Stellate laceration of liver with open wound into abdominal cavity (disorder)	SNOMED
38372004	Injury of eyebrow (disorder)	SNOMED
38404000	Open fracture of acromial process of scapula (disorder)	SNOMED
38532007	Late effect of open wound of head, neck AND/OR trunk (disorder)	SNOMED
385424001	Injury of connective tissue (disorder)	SNOMED
38556006	Closed traumatic dislocation of joint of wrist (disorder)	SNOMED
38567007	Fracture of orbital roof (disorder)	SNOMED
3859001	Late effect of open wound of extremities without tendon injury (disorder)	SNOMED

	Brain stem contusion without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
38761006		
38972005	Injury of sigmoid colon without open wound into abdominal cavity (disorder)	SNOMED
39020005	Brain injury, without skull fracture (disorder)	SNOMED
3903005	Traumatic pneumothorax without open wound into thorax (disorder)	SNOMED
390986009	Torus fracture of radius (disorder)	SNOMED
3913002	Injury of gastrointestinal tract with open wound into abdominal cavity (disorder)	SNOMED
39131004	Injury of heart without open wound into thorax (disorder)	SNOMED
39335003	Closed fracture of four ribs (disorder)	SNOMED
39400004	Injury of liver (disorder)	SNOMED
39408006	Closed fracture of innominate bone (disorder)	SNOMED
397813008	Airway trauma (disorder)	SNOMED
398313001	Vocal cord trauma (disorder)	SNOMED
39881005	Injury at C5-C7 level with complete lesion of spinal cord AND without bone injury (disorder)	SNOMED
399240007	Closed fracture of superior maxilla (disorder)	SNOMED
39993000	Open fracture of shaft of radius AND ulna (disorder)	SNOMED
40047007	Closed traumatic dislocation of sixth cervical vertebra (disorder)	SNOMED
40095003	Injury of kidney (disorder)	SNOMED
	Subdural hemorrhage following injury without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
40135004		
	Cortex contusion without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
40286002		
40521006	Contusion to heart with open wound into thorax (disorder)	SNOMED
405550001	Trauma to aortic valve (disorder)	SNOMED
405551002	Trauma to mitral valve (disorder)	SNOMED
405552009	Trauma to pulmonary valve (disorder)	SNOMED
405553004	Trauma to tricuspid valve (disorder)	SNOMED
405561009	Injury to ligament of cervical spine (disorder)	SNOMED
405572004	Flail sternum (disorder)	SNOMED
405754008	Cervical spinal cord injury (disorder)	SNOMED
405755009	Anterior cervical spinal cord injury, without injury to spinal bone, C1-4 (disorder)	SNOMED
405756005	Anterior cervical spinal cord injury, without spinal bone injury, C5-7 (disorder)	SNOMED
405757001	Central cervical cord injury, without spinal bony injury, C1-4 (disorder)	SNOMED
405758006	Central cervical cord injury, without spinal bony injury, C5-7 (disorder)	SNOMED
405759003	Cervical spinal cord injury without spinal bone injury (disorder)	SNOMED
405760008	Complete cervical cord injury, without spinal bone injury, C1-4 (disorder)	SNOMED
405761007	Complete cervical cord injury, without spinal bone injury, C5-7 (disorder)	SNOMED
405762000	Incomplete cervical spinal cord injury, unspecified, without spinal bone injury, C1-4 (disorder)	SNOMED
405763005	Incomplete cervical spinal cord injury, unspecified, without spinal bone injury, C5-7 (disorder)	SNOMED
405764004	Posterior cervical spinal cord injury without spinal bone injury, C5-7 (disorder)	SNOMED
405765003	Posterior cervical spinal cord injury, without spinal injury, C1-4 (disorder)	SNOMED
405766002	Unspecified cervical spinal cord injury, without spinal bone injury, C1-4 (disorder)	SNOMED
405817008	Fracture of phalanx of hand (disorder)	SNOMED
40613008	Open fracture of nasal bones (disorder)	SNOMED
40643005	Fracture of scapular body (disorder)	SNOMED
40795009	Injury at T1-T6 level with complete lesion of spinal cord AND without bone injury (disorder)	SNOMED
409765008	Closed dislocation of interphalangeal joint of thumb (disorder)	SNOMED
410045006	Closed traumatic dislocation of scapulothoracic joint (disorder)	SNOMED
410046007	Open traumatic dislocation of scapulothoracic joint (disorder)	SNOMED
410047003	Open dislocation of shoulder region (disorder)	SNOMED
410048008	Open traumatic dislocation of glenohumeral joint, posterior (disorder)	SNOMED

	Brain stem laceration with open intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
41025001		
41036008	Closed fracture of styloid process of ulna (disorder)	SNOMED
41061006	Closed traumatic dislocation of tarsometatarsal joint (disorder)	SNOMED
41078002	Open fracture of lumbar vertebra without spinal cord injury (disorder)	SNOMED
41133002	Closed fracture of T7-T12 level with posterior cord syndrome (disorder)	SNOMED
41191003	Open fracture of head of femur (disorder)	SNOMED
41222005	Brain stem laceration with open intracranial wound AND concussion (disorder)	SNOMED
41359009	Closed anterior dislocation of proximal end of tibia (disorder)	SNOMED
413875004	Closed fracture of head of humerus (disorder)	SNOMED
413876003	Closed fracture of lower leg (disorder)	SNOMED
413877007	Closed fracture of tibia AND fibula (disorder)	SNOMED
413878002	Closed, displaced fracture of nasal bone (disorder)	SNOMED
41392003	Closed multiple fractures of lower limb AND sternum (disorder)	SNOMED
414292006	Fracture of lower leg (disorder)	SNOMED
414293001	Fracture of tibia AND fibula (disorder)	SNOMED
41455002	Closed fracture of sacrum AND/OR coccyx with complete cauda equina lesion (disorder)	SNOMED
414942001	Open fracture of lower leg (disorder)	SNOMED
414943006	Open fracture of tibia AND fibula (disorder)	SNOMED
414944000	Open, displaced fracture of nasal bone (disorder)	SNOMED
41511005	Open fracture of distal phalanx of finger (disorder)	SNOMED
41547006	Injury of bronchus without open wound into thoracic cavity (disorder)	SNOMED
41608004	Closed fractures of tarsal AND metatarsal bones (disorder)	SNOMED
416143005	Closed traumatic subluxation, distal interphalangeal joint of finger (disorder)	SNOMED
416176009	Closed fracture dislocation, distal interphalangeal joint of finger (disorder)	SNOMED
416352009	Closed traumatic dislocation, distal interphalangeal joint of finger (disorder)	SNOMED
416511004	Closed traumatic subluxation of multiple digits of hand (disorder)	SNOMED
416568002	Open traumatic dislocation of multiple fingers (disorder)	SNOMED
416645004	Open fracture dislocation of joint of shoulder girdle (disorder)	SNOMED
416709006	Closed traumatic subluxation, proximal interphalangeal joint of digit of hand (disorder)	SNOMED
416833005	Closed fracture dislocation of joint of shoulder girdle (disorder)	SNOMED
416910005	Closed traumatic dislocation of digit of hand (disorder)	SNOMED
417039001	Fracture dislocation of joint of shoulder girdle (disorder)	SNOMED
417076003	Dislocation of shoulder joint (disorder)	SNOMED
417109008	Subluxation of radial head (disorder)	SNOMED
417202006	Closed traumatic subluxation of digit of hand (disorder)	SNOMED
417203001	Dislocation of joint of digit (disorder)	SNOMED
417349008	Closed fracture dislocation, proximal interphalangeal joint of digit of hand (disorder)	SNOMED
417474005	Closed fracture dislocation of digit of hand (disorder)	SNOMED
417558002	Dislocation of elbow joint (disorder)	SNOMED
417580004	Open fracture dislocation of digit of hand (disorder)	SNOMED
417613000	Open fracture-dislocation of multiple digits of hand (disorder)	SNOMED
417675000	Closed fracture dislocation of multiple digits of hand (disorder)	SNOMED
417746004	Traumatic injury (disorder)	SNOMED
41870008	Cortex laceration with open intracranial wound AND loss of consciousness (disorder)	SNOMED
418764009	Fracture of bone of head (disorder)	SNOMED
41972004	Fracture of shaft of clavicle (disorder)	SNOMED
41977005	Closed fracture of lateral cuneiform bone of foot (disorder)	SNOMED
42019003	Contusion of lung with open wound into thorax (disorder)	SNOMED
4208000	Closed multiple fractures of both lower limbs (disorder)	SNOMED
42109006	Closed multiple fractures of lower limb with ribs AND sternum (disorder)	SNOMED

42157000	Closed fracture of vertebral column (disorder)	SNOMED
42188001	Closed fracture of ankle (disorder)	SNOMED
42206007	Injury at T1-T6 level with anterior cord syndrome AND without bone injury (disorder)	SNOMED
42261000	Fracture of middle fossa (disorder)	SNOMED
42306005	Closed fracture of cuneiform bone of foot (disorder)	SNOMED
423125000	Closed fracture of bone (disorder)	SNOMED
424270008	Blunt injury to back (disorder)	SNOMED
42434002	Traumatic pneumothorax (disorder)	SNOMED
42438004	Late effect of injuries to skin AND/OR subcutaneous tissues (disorder)	SNOMED
42458003	Traumatic hemothorax (disorder)	SNOMED
424648000	Closed fracture of base of fifth metatarsal bone (disorder)	SNOMED
42479003	Injury of buttock (disorder)	SNOMED
424817005	Open fracture of base of fifth metatarsal (disorder)	SNOMED
425359009	Blunt injury (disorder)	SNOMED
42591009	Open fracture of trapezoidal bone of wrist (disorder)	SNOMED
4260009	Sacral spinal cord injury without bone injury (disorder)	SNOMED
42636007	Closed fracture of upper end of humerus (disorder)	SNOMED
426382004	Closed avulsion fracture of greater trochanter of femur (disorder)	SNOMED
426467005	Hutchinson's fracture (disorder)	SNOMED
426646004	Compression fracture of lumbar spine (disorder)	SNOMED
426679004	Closed avulsion fracture of anterior inferior iliac spine of pelvis (disorder)	SNOMED
42670008	Brain stem contusion with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
426962008	Closed fracture of acetabulum with dislocation of hip (disorder)	SNOMED
427207001	Abdominal compartment syndrome (disorder)	SNOMED
4273008	Closed posterior dislocation of elbow (disorder)	SNOMED
427509002	Closed Salter-Harris type I fracture of lower epiphysis of femur (disorder)	SNOMED
427584009	Closed Salter-Harris type II fracture of lower epiphysis of femur (disorder)	SNOMED
42760000	Open fracture of shaft of ulna (disorder)	SNOMED
427688003	Closed avulsion fracture of lesser trochanter of femur (disorder)	SNOMED
427740006	Anterior dislocation of sternoclavicular joint (disorder)	SNOMED
427766009	Late effect of burn of limb (disorder)	SNOMED
427773004	Open undisplaced fracture of nasal bone (disorder)	SNOMED
427803007	Closed fracture of scapular body (disorder)	SNOMED
427826000	Closed Salter-Harris type IV fracture of lower epiphysis of femur (disorder)	SNOMED
427904000	Closed undisplaced fracture of nasal bone (disorder)	SNOMED
427966000	Late effect of epidural hematoma due to trauma (disorder)	SNOMED
428000009	Multiple unstable closed lateral compression fractures of pelvis (disorder)	SNOMED
428018007	Open tongue-type intra-articular fracture of calcaneus (disorder)	SNOMED
428019004	Open fracture of bone of knee joint (disorder)	SNOMED
428020005	Closed osteochondral fracture of patella (disorder)	SNOMED
428099003	Closed fracture of base of skull (disorder)	SNOMED
428150004	Closed subluxation of radial head (disorder)	SNOMED
428151000	Closed fracture of bone of knee joint (disorder)	SNOMED
42818005	Closed fracture of navicular bone of wrist (disorder)	SNOMED
428213008	Late effect of subdural hematoma due to trauma (disorder)	SNOMED
428232002	Closed Salter-Harris type V fracture of lower epiphysis of femur (disorder)	SNOMED
428256003	Fracture of condyle of tibia (disorder)	SNOMED
428257007	Fracture of tibial plateau (disorder)	SNOMED
428258002	Open fracture of tarsal bone (disorder)	SNOMED
428357005	Closed Salter-Harris type III fracture of lower epiphysis of femur (disorder)	SNOMED

428512002	Multiple unstable closed vertical shear fractures of pelvis (disorder)	SNOMED
428514001	Closed fracture of sacrum without spinal cord injury (disorder)	SNOMED
428704007	Late effect of musculoskeletal strain (disorder)	SNOMED
428723000	Closed avulsion fracture of anterior superior iliac spine of pelvis (disorder)	SNOMED
428730006	Posterior dislocation of sternoclavicular joint (disorder)	SNOMED
428797006	Closed osteochondral fracture of proximal tibia (disorder)	SNOMED
428798001	Closed fracture of tibial plateau (disorder)	SNOMED
428799009	Rotatory subluxation of atlantoaxial joint (disorder)	SNOMED
429186005	Multiple closed anterior-posterior compression fractures of pelvis (disorder)	SNOMED
429194003	Displaced fracture of mandible (disorder)	SNOMED
429339004	Fracture of sesamoid bone (disorder)	SNOMED
429340002	Traumatic injury of skeletal muscle (disorder)	SNOMED
429341003	Dislocation of shoulder joint prosthesis (disorder)	SNOMED
429342005	Closed osteochondral fracture of distal femur (disorder)	SNOMED
42942008	Compression fracture of vertebral column (disorder)	SNOMED
429433004	Injury of soft tissue of face (disorder)	SNOMED
42945005	Open fracture of radius (disorder)	SNOMED
429552008	Multiple stable closed lateral compression fractures of pelvis (disorder)	SNOMED
429630006	Closed dislocation of radiocarpal joint (disorder)	SNOMED
429655000	Closed torus fracture of radius (disorder)	SNOMED
429656004	Late effect of traumatic injury to brain (disorder)	SNOMED
429664005	Fracture of posterior process of talus (disorder)	SNOMED
429766001	Closed fracture of triradiate cartilage and epiphysis of acetabulum (disorder)	SNOMED
430936000	Closed dislocation of perilunate joint (disorder)	SNOMED
430948002	Compression fracture of cervical spine (disorder)	SNOMED
430974008	Compartment syndrome of abdomen due to trauma (disorder)	SNOMED
430984009	Closed fracture of facial bone (disorder)	SNOMED
431010004	Late effect of radiation therapy (disorder)	SNOMED
431032008	Rotary subluxation of scaphoid joint of wrist (disorder)	SNOMED
431674004	Hematoma AND contusion of liver (disorder)	SNOMED
43262000	Subdural hemorrhage following injury with open intracranial wound AND concussion (disorder)	SNOMED
43295006	Closed fracture of humerus (disorder)	SNOMED
4332009	Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion (disorder)	SNOMED
43337002	Open fracture of alveolar border of body of mandible (disorder)	SNOMED
43405004	Open fracture of C5-C7 level with anterior cord syndrome (disorder)	SNOMED
4349002	Open fracture of multiple sites of metacarpus (disorder)	SNOMED
4354006	Open dislocation of scapula (disorder)	SNOMED
43756009	Traumatic rupture of spleen (disorder)	SNOMED
43767005	Closed fracture of pisiform bone of wrist (disorder)	SNOMED
43841005	Moderate laceration of liver without open wound into abdominal cavity (disorder)	SNOMED
43842003	Injury of lung with open wound into thorax (disorder)	SNOMED
438479005	Injury of ligament of knee (disorder)	SNOMED
438480008	Injury of nail bed of finger (disorder)	SNOMED
438771009	Injury of nail bed of thumb (disorder)	SNOMED
439022003	Traumatic injury due to assault (disorder)	SNOMED
439426005	Open fracture of medial epicondyle of humerus (disorder)	SNOMED
439987009	Open fracture of bone (disorder)	SNOMED
440366004	Closed fracture of the medial epicondyle of humerus (disorder)	SNOMED
44039000	Open fracture of five ribs (disorder)	SNOMED
440631005	Late effect of injury of testicle (disorder)	SNOMED

441496000	Transcondylar fracture of distal humerus (disorder)	SNOMED
441546003	Fracture of bone adjacent to prosthesis (disorder)	SNOMED
441886002	Injury of ligament of hand (disorder)	SNOMED
44237008	Open dislocation of coccyx (disorder)	SNOMED
442448003	Fracture of head of radius with dislocation of distal radioulnar joint and interosseous membrane disruption (disorder)	SNOMED
44264009	Traumatic dislocation of joint of cervical vertebra (disorder)	SNOMED
443286004	Closed traumatic subluxation of joint (disorder)	SNOMED
44333005	Open medial dislocation of proximal end of tibia (disorder)	SNOMED
443395009	Compression fracture (disorder)	SNOMED
44341005	Cortex laceration without open intracranial wound (disorder)	SNOMED
443786003	Injury while engaged in sports activity (disorder)	SNOMED
44434003	Closed fracture of thoracic spine with spinal cord injury (disorder)	SNOMED
444867009	Open fracture of vault of skull (disorder)	SNOMED
44504005	Open fracture of capitate bone of wrist (disorder)	SNOMED
445159008	Linear fracture of vault of skull (disorder)	SNOMED
445311003	Open fracture of distal tibia and distal fibula (disorder)	SNOMED
445410003	Closed fracture of distal tibia and distal fibula (disorder)	SNOMED
445493000	Closed fracture of vault of skull (disorder)	SNOMED
445711000	Injury of posterolateral corner of knee (disorder)	SNOMED
445733003	Open comminuted supracondylar fracture of femur (disorder)	SNOMED
445734009	Fracture of body of vertebra (disorder)	SNOMED
445779008	Traumatic injury of spinal cord at T7-T12 level (disorder)	SNOMED
445852002	Closed traumatic dislocation of joint (disorder)	SNOMED
445875009	Fracture of trochanter of femur (disorder)	SNOMED
445899009	Closed fracture of trochanter of femur (disorder)	SNOMED
44599007	Traumatic hemothorax without open wound into thorax (disorder)	SNOMED
446019002	Laceration of parenchyma of spleen (disorder)	SNOMED
446091003	Traumatic dislocation of interphalangeal joint of finger (disorder)	SNOMED
446121009	Traction injury of spleen (disorder)	SNOMED
446195009	Open depressed fracture of skull (disorder)	SNOMED
446200000	Traumatic dislocation of great toe (disorder)	SNOMED
446298003	Closed pilon fracture (disorder)	SNOMED
446390008	Traumatic injury of body of pancreas (disorder)	SNOMED
446391007	Traumatic injury of head of pancreas (disorder)	SNOMED
446392000	Traumatic injury of tail of pancreas (disorder)	SNOMED
446597007	Closed depressed fracture of skull (disorder)	SNOMED
446644006	Traumatic injury of spinal cord at T1-T6 level (disorder)	SNOMED
446835008	Traumatic injury of sacral spinal cord (disorder)	SNOMED
446979005	Open fracture of tibia (disorder)	SNOMED
446980008	Open fracture of tibial plateau (disorder)	SNOMED
446981007	Open pilon fracture (disorder)	SNOMED
44701004	Closed traumatic dislocations of multiple cervical vertebrae (disorder)	SNOMED
447016004	Open fracture of base of skull (disorder)	SNOMED
447017008	Open fracture of fibula (disorder)	SNOMED
447018003	Open fracture of lateral condyle of humerus (disorder)	SNOMED
447138000	Closed fracture of tarsal bone (disorder)	SNOMED
447139008	Closed fracture of tibia (disorder)	SNOMED
447259000	Traumatic injury of external genitalia (disorder)	SNOMED
447394009	Closed comminuted supracondylar fracture of femur (disorder)	SNOMED
447395005	Closed fracture of fibula (disorder)	SNOMED

447396006	Concussion injury of cerebrum (disorder)	SNOMED
447464004	Complete spinal cord injury at T7-T12 level (disorder)	SNOMED
447575003	Complete spinal cord injury at T1-T6 level (disorder)	SNOMED
4478002	Multiple fractures of upper AND lower limbs (disorder)	SNOMED
448355005	Greenstick fracture of distal radius (disorder)	SNOMED
448768004	Injury of bladder and urethra (disorder)	SNOMED
448788000	Open fracture of lumbar spine with incomplete lesion of lumbar spinal cord (disorder)	SNOMED
448838000	Closed extraarticular fracture of distal radius (disorder)	SNOMED
44916009	Le Fort's fracture, type II (disorder)	SNOMED
44932007	Open fracture of one rib (disorder)	SNOMED
45179004	Atlantoaxial subluxation (disorder)	SNOMED
45356009	Closed fracture of one rib (disorder)	SNOMED
45387006	Open dislocation of second cervical vertebra (disorder)	SNOMED
45455009	Multiple open fractures of lower end of femur (disorder)	SNOMED
45634004	Closed traumatic dislocation of carpometacarpal joint of wrist (disorder)	SNOMED
45659008	Subdural hemorrhage following injury with open intracranial wound AND loss of consciousness (disorder)	SNOMED
45665008	Multiple fractures of lower limb AND sternum (disorder)	SNOMED
45678008	Fracture of multiple bones of upper limb (disorder)	SNOMED
45696004	Open dislocation of metacarpophalangeal joint of thumb (disorder)	SNOMED
45833007	Open dislocation of navicular bone of foot (disorder)	SNOMED
45910007	Open fracture of rib (disorder)	SNOMED
46020007	Open fracture of cuneiform bone of foot (disorder)	SNOMED
46043003	Fracture of eight OR more ribs (disorder)	SNOMED
46272008	Open fracture of innominate bone (disorder)	SNOMED
46307004	Closed posterior dislocation of humerus (disorder)	SNOMED
46328008	Injury of ureter without open wound into abdominal cavity (disorder)	SNOMED
46357007	Open multiple fractures of upper end of radius (disorder)	SNOMED
46422008	Closed fracture of shaft of metacarpal bone (disorder)	SNOMED
46549005	Multiple spinal cord injuries without spinal bone injury (disorder)	SNOMED
4673003	Open fracture of lateral malleolus (disorder)	SNOMED
46758000	Open fracture of base of skull with subarachnoid, subdural AND/OR extradural hemorrhage (disorder)	SNOMED
46773004	Quervain's fracture (disorder)	SNOMED
46866001	Fracture of lower limb (disorder)	SNOMED
46931002	Closed traumatic dislocation of second cervical vertebra (disorder)	SNOMED
46948005	Open wound of cervical esophagus with complication (disorder)	SNOMED
46966000	Cerebral compression due to injury (disorder)	SNOMED
46995009	Closed fracture of C5-C7 level with spinal cord injury (disorder)	SNOMED
47233002	Open fracture of fifth metatarsal bone (disorder)	SNOMED
47402002	Open fracture of two ribs (disorder)	SNOMED
47450003	Brain injury without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
47462004	Brain injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
4750004	Open fracture of medial condyle of humerus (disorder)	SNOMED
47533003	Injury of tail of pancreas without open wound into abdominal cavity (disorder)	SNOMED
47648003	Open multiple fractures of upper limb with sternum (disorder)	SNOMED
47771009	Injury of gastrointestinal tract (disorder)	SNOMED
47848000	Closed fracture of condyle of tibia (disorder)	SNOMED
47864008	Open fracture of scapula (disorder)	SNOMED

4788002	Closed fracture of zygoma (disorder)	SNOMED
47979002	Cortex contusion without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
47983002	Cerebellar laceration without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
4807003	Open skull fracture without intracranial injury (disorder)	SNOMED
48125009	Injury of trunk (disorder)	SNOMED
48187004	Open fracture of ankle (disorder)	SNOMED
48303008	Stellate laceration of liver without open wound into abdominal cavity (disorder)	SNOMED
48407005	Le Fort's fracture (disorder)	SNOMED
48424004	Contusion of lung without open wound into thorax (disorder)	SNOMED
48466003	Fracture of vault of skull (disorder)	SNOMED
48518008	Subarachnoid hemorrhage following injury with open intracranial wound AND concussion (disorder)	SNOMED
48561006	Closed fracture of sternal end of clavicle (disorder)	SNOMED
48653005	Injury of appendix without open wound into abdominal cavity (disorder)	SNOMED
48752009	Closed fracture of hyoid bone (disorder)	SNOMED
48944001	Severe crushing injury of abdominal organs (disorder)	SNOMED
48956000	Open fracture of lumbar vertebra with spinal cord injury (disorder)	SNOMED
49011004	Internal injury of abdominal organs (disorder)	SNOMED
49055005	Closed traumatic dislocation of metatarsal joint (disorder)	SNOMED
49128003	Multiple fractures of skull (disorder)	SNOMED
49280002	Injury of multiple intra-abdominal organs with open wound into abdominal cavity (disorder)	SNOMED
49346003	Closed fracture of orbital floor (blow-out) (disorder)	SNOMED
49497005	Open fracture of T1-T6 level with anterior cord syndrome (disorder)	SNOMED
496002	Closed traumatic dislocation of third cervical vertebra (disorder)	SNOMED
49747005	Closed fracture of lumbar vertebra with spinal cord injury (disorder)	SNOMED
49822004	Closed traumatic dislocation of sacroiliac joint (disorder)	SNOMED
49880009	Late effect of crushing injury (disorder)	SNOMED
49891002	Closed traumatic dislocation of coccyx (disorder)	SNOMED
49898008	Secondary AND/OR recurrent hemorrhage as early complication of trauma (disorder)	SNOMED
50008003	Traumatic perforation of large intestine (disorder)	SNOMED
50087006	Open dislocation of third cervical vertebra (disorder)	SNOMED
50397009	Closed fracture of distal end of ulna (disorder)	SNOMED
50444002	Injury of diaphragm without open wound into cavity (disorder)	SNOMED
50448004	Fracture of vertebral column (disorder)	SNOMED
50531009	Open fracture of lower limb (disorder)	SNOMED
50655009	Fracture of coracoid process of scapula (disorder)	SNOMED
50657001	Temporomandibular luxation (disorder)	SNOMED
5073009	Brain stem laceration with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
50888000	Closed fracture of C1-C4 level with central cord syndrome (disorder)	SNOMED
50890004	Fracture of shaft of humerus (disorder)	SNOMED
51000003	Injury of multiple intra-abdominal organs without open wound into abdominal cavity (disorder)	SNOMED
51037009	Fracture of patella (disorder)	SNOMED
51101002	Cerebellar contusion without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
51155003	Closed multiple fractures of upper AND lower limbs (disorder)	SNOMED
5120006	Cortex laceration without open intracranial wound AND with concussion (disorder)	SNOMED
51258005	Open fracture of T7-T12 level with posterior cord syndrome (disorder)	SNOMED
51514006	Closed fracture of C1-C4 level with posterior cord syndrome (disorder)	SNOMED

51673001	Closed multiple fractures of both upper limbs (disorder)	SNOMED
51760006	Fracture of four ribs (disorder)	SNOMED
51879004	Closed medial dislocation of proximal end of tibia (disorder)	SNOMED
52011008	Injury of finger (disorder)	SNOMED
5202009	Brain injury with open intracranial wound AND concussion (disorder)	SNOMED
52087004	Injury of rectum without open wound into abdominal cavity (disorder)	SNOMED
52271005	Fracture of sphenoid bone (disorder)	SNOMED
52289006	Closed fracture of T1-T6 level with central cord syndrome (disorder)	SNOMED
52450003	Closed fracture of midcervical section of femur (disorder)	SNOMED
5251007	Subarachnoid hemorrhage following injury with open intracranial wound (disorder)	SNOMED
5256002	Injury of spleen with open wound into abdominal cavity (disorder)	SNOMED
52603002	Closed fracture of lower limb (disorder)	SNOMED
52622006	Closed fracture of fourth cervical vertebra without spinal cord injury (disorder)	SNOMED
52694000	Closed fracture of multiple sites of metacarpus (disorder)	SNOMED
52784000	Fracture of acromial end of clavicle (disorder)	SNOMED
52888005	Brain stem contusion without open intracranial wound (disorder)	SNOMED
52902005	Subdural hemorrhage following injury with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
52913008	Brain stem contusion with open intracranial wound AND no loss of consciousness (disorder)	SNOMED
52949009	Subcapsular hematoma of liver as birth trauma (disorder)	SNOMED
53256003	Open fracture of lunate bone of wrist (disorder)	SNOMED
53267002	Brain injury without open intracranial wound AND with loss of consciousness (disorder)	SNOMED
53429002	Cerebellar laceration with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
53441009	Closed multiple fractures of lower limb AND ribs (disorder)	SNOMED
53466008	Multiple open traumatic dislocations of joints of hand (disorder)	SNOMED
53627009	Closed fracture of radius AND ulna (disorder)	SNOMED
53730006	Cortex laceration without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
53792000	Closed fracture of shaft of ulna (disorder)	SNOMED
53810004	Injury at T1-T6 level with spinal cord injury AND without bone injury (disorder)	SNOMED
53868003	Closed fracture of C1-C4 level with anterior cord syndrome (disorder)	SNOMED
54013005	Closed fracture of first metatarsal bone (disorder)	SNOMED
54075005	Open fracture of medial cuneiform bone of foot (disorder)	SNOMED
54288002	Traumatic subcutaneous emphysema (disorder)	SNOMED
54317001	Open dislocation of lumbar vertebra (disorder)	SNOMED
54355006	Intracranial injury, without skull fracture (disorder)	SNOMED
54394007	Open dislocation of ankle (disorder)	SNOMED
54420005	Open dislocation of finger (disorder)	SNOMED
54441004	Fracture of shaft of femur (disorder)	SNOMED
54494008	Multiple fractures of both upper limbs (disorder)	SNOMED
54530004	Open fracture of medial malleolus (disorder)	SNOMED
54556006	Fracture of ulna (disorder)	SNOMED
54567007	Open fracture of surgical neck of humerus (disorder)	SNOMED
54637009	Brain stem contusion without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
54641008	Closed fracture of base of metacarpal bone other than first metacarpal (disorder)	SNOMED
54645004	Barton's fracture (disorder)	SNOMED
5470004	Cerebellar contusion with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
54748006	Open dislocation of thumb (disorder)	SNOMED
54957006	Open fracture of seventh cervical vertebra without spinal cord injury (disorder)	SNOMED

55126004	Closed traumatic dislocation of tarsal joint (disorder)	SNOMED
55600008	Injury at T7-T12 level with anterior cord syndrome AND without bone injury (disorder)	SNOMED
55702009	Laceration of brain without open intracranial wound (disorder)	SNOMED
55716004	Fracture of base of metacarpal bone other than first metacarpal (disorder)	SNOMED
55798004	Open fracture of base of skull without intracranial injury (disorder)	SNOMED
55874001	Fracture of neck of metacarpal bone (disorder)	SNOMED
55885004	Brain injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) with return to pre-existing conscious level (disorder)	SNOMED
55983005	Injury at T7-T12 level with complete lesion of spinal cord AND without bone injury (disorder)	SNOMED
56128006	Open fracture of tarsal AND metatarsal bones (disorder)	SNOMED
56299003	Closed fracture of glenoid cavity AND/OR neck of scapula (disorder)	SNOMED
56385004	Injury of gallbladder with open wound into abdominal cavity (disorder)	SNOMED
56472003	Injury of pleura (disorder)	SNOMED
56642004	Fracture of sternal end of clavicle (disorder)	SNOMED
56863004	Closed fracture of orbit (disorder)	SNOMED
56906005	Hematoma of kidney without rupture of capsule AND with open wound into abdominal cavity (disorder)	SNOMED
57012007	Brain stem contusion with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
5708009	Open fracture of zygomatic arch (disorder)	SNOMED
57099002	Cerebellar contusion with open intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
57114005	Closed fracture of trapezium bone of wrist (disorder)	SNOMED
57360002	Spinal cord injury to cervical region without bone injury (disorder)	SNOMED
57467003	Closed traumatic dislocation of distal radioulnar joint of wrist (disorder)	SNOMED
57577003	Fracture of three ribs (disorder)	SNOMED
57739006	Cerebellar contusion without open intracranial wound (disorder)	SNOMED
57771004	Injury of intestine without open wound into abdominal cavity (disorder)	SNOMED
57772006	Open fracture of third metatarsal bone (disorder)	SNOMED
57998008	Closed fracture of vault of skull with subarachnoid, subdural AND/OR extradural hemorrhage (disorder)	SNOMED
58007009	Closed multiple fractures of upper limb with ribs (disorder)	SNOMED
58020007	Closed skull fracture with subarachnoid, subdural AND/OR extradural hemorrhage (disorder)	SNOMED
58070005	Cortex laceration without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
58150001	Fracture of clavicle (disorder)	SNOMED
58154005	Open fracture of four ribs (disorder)	SNOMED
58189007	Injury of anterior neck (disorder)	SNOMED
58320001	Traumatic dislocation of knee joint (disorder)	SNOMED
58565006	Injury of head of pancreas without open wound into cavity (disorder)	SNOMED
58580000	Closed supracondylar fracture of humerus (disorder)	SNOMED
58722007	Moore's fracture (disorder)	SNOMED
58731007	Open multiple fractures of upper limb with ribs (disorder)	SNOMED
5886004	Cortex contusion without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
58919004	Open fracture of cervical vertebra without spinal cord injury (disorder)	SNOMED
5895007	Closed multiple fractures of upper end of radius (disorder)	SNOMED
59029004	Cortex contusion without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
59038002	Crushing injury of back (disorder)	SNOMED
5913000	Fracture of neck of femur (disorder)	SNOMED
59190009	Traumatic pneumothorax without open wound into thorax (disorder)	SNOMED

5949004	Open dislocation of tarsal joint (disorder)	SNOMED
59556008	Open fracture of upper end of fibula (disorder)	SNOMED
59561005	Brain stem laceration without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
59633005	Subarachnoid hemorrhage following injury with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
59639009	Closed fracture of upper end of fibula (disorder)	SNOMED
59648004	Extradural hemorrhage following injury with open intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
59748008	Cortex laceration with open intracranial wound (disorder)	SNOMED
59918000	Cerebellar laceration with open intracranial wound AND concussion (disorder)	SNOMED
59962009	Multiple closed fractures of pelvis with disruption of pelvic circle (disorder)	SNOMED
60214001	Open fracture of ilium (disorder)	SNOMED
60464005	Severe crushing injury of abdominal organs with open wound into cavity (disorder)	SNOMED
60546000	Cerebellar contusion without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
60667009	Closed fracture of rib (disorder)	SNOMED
60843004	Closed fracture of multiple bones of upper limb (disorder)	SNOMED
61014001	Laceration extending into parenchyma of spleen without open wound into abdominal cavity (disorder)	SNOMED
61041006	Multiple closed dislocations of back (disorder)	SNOMED
61202000	Open fracture of symphysis of body of mandible (disorder)	SNOMED
61386002	Open fracture of C1-C4 level with central cord syndrome (disorder)	SNOMED
6147005	Brain stem laceration with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
61474001	Injury of kidney with open wound into abdominal cavity (disorder)	SNOMED
6163002	Closed fracture of head of ulna (disorder)	SNOMED
61642003	Multiple open fractures of skull AND/OR face with subarachnoid, subdural AND/OR extradural hemorrhage (disorder)	SNOMED
61653009	Bennett's fracture (disorder)	SNOMED
61823004	Injury of pancreas (disorder)	SNOMED
62106007	Concussion with no loss of consciousness (disorder)	SNOMED
62125005	Closed fracture of epiphysis of femur (disorder)	SNOMED
62297002	Open fracture of third cervical vertebra without spinal cord injury (disorder)	SNOMED
62356006	Open supracondylar fracture of humerus (disorder)	SNOMED
62564004	Concussion with loss of consciousness (disorder)	SNOMED
63023005	Brain stem contusion without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
63141004	Closed traumatic dislocation of joint of foot (disorder)	SNOMED
63323000	Subdural hemorrhage following injury without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
6342009	Injury at C1-C4 level with central cord syndrome AND without bone injury (disorder)	SNOMED
63456003	Open anterior dislocation of proximal end of tibia (disorder)	SNOMED
63540005	Open anterior dislocation of distal end of femur (disorder)	SNOMED
63669006	Le Fort's fracture, type I (disorder)	SNOMED
63819001	Open fracture of T1-T6 level with central cord syndrome (disorder)	SNOMED
63903007	Incomplete spinal cord lesion at T7-T12 level without bone injury (disorder)	SNOMED
63948006	Open fracture of olecranon process of ulna (disorder)	SNOMED
63975004	Closed posterior dislocation of hip (disorder)	SNOMED
63978002	Late effect of toxic effects of nonmedical substances (disorder)	SNOMED
64042000	Injury of uterine vein (disorder)	SNOMED

64169002	Traumatic shock (disorder)	SNOMED
64213003	Closed anterior dislocation of distal end of femur (disorder)	SNOMED
64290004	Air embolism as early complication of trauma (disorder)	SNOMED
64306000	Fracture of spinous process of vertebra (disorder)	SNOMED
64323009	Complete disruption of kidney parenchyma without open wound into cavity (disorder)	SNOMED
64337000	Cerebellar laceration with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
64413001	Brain stem laceration with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
64438006	Closed traumatic dislocation of metatarsophalangeal joint (disorder)	SNOMED
64455005	Fracture of acetabulum (disorder)	SNOMED
64469005	Open fracture of sixth cervical vertebra without spinal cord injury (disorder)	SNOMED
64515006	Closed multiple fractures of upper limb with sternum AND ribs (disorder)	SNOMED
64569008	Closed fractures of multiple bones of lower limb (disorder)	SNOMED
64617008	Injury at T7-T12 level with central cord syndrome AND without bone injury (disorder)	SNOMED
64638002	Injury of hepatic vein (disorder)	SNOMED
64665009	Closed fracture of calcaneus (disorder)	SNOMED
64684007	Injury at T1-T6 level with central cord syndrome AND without bone injury (disorder)	SNOMED
64710004	Kienbock's dislocation (disorder)	SNOMED
64789007	Internal injury of abdominal organs without open wound into cavity (disorder)	SNOMED
64834002	Traumatic perforation of small intestine (disorder)	SNOMED
649002	Open fracture of distal end of ulna (disorder)	SNOMED
64902007	Closed fracture of olecranon process of ulna (disorder)	SNOMED
65071008	Injury of gastrointestinal tract without open wound into abdominal cavity (disorder)	SNOMED
65189006	Extradural hemorrhage following injury with open intracranial wound (disorder)	SNOMED
65324009	Minor laceration of liver without open wound into abdominal cavity (disorder)	SNOMED
65354004	Fracture of bones of trunk (disorder)	SNOMED
65491009	Open fracture of sacrum AND/OR coccyx with spinal cord injury (disorder)	SNOMED
65535000	Cerebellar laceration without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
65595002	Multiple fractures of upper limb with ribs (disorder)	SNOMED
65648007	Open fracture of superior maxilla (disorder)	SNOMED
65752003	Closed subcondylar fracture of mandible (disorder)	SNOMED
65759007	Injury of mouth (disorder)	SNOMED
65775005	Open fracture of upper end of radius AND ulna (disorder)	SNOMED
658009	Injury of colon without open wound into abdominal cavity (disorder)	SNOMED
65966004	Fracture of forearm (disorder)	SNOMED
65978000	Injury of chest wall (disorder)	SNOMED
66020004	Open fracture of C5-C7 level with posterior cord syndrome (disorder)	SNOMED
66023002	Closed dislocation of talus (disorder)	SNOMED
66112004	Closed fracture of sternum (disorder)	SNOMED
66158003	Closed fracture of C5-C7 level with incomplete spinal cord lesion (disorder)	SNOMED
66246007	Open fracture of shaft of radius (disorder)	SNOMED
6628008	Open fracture of shaft of femur (disorder)	SNOMED
66308002	Fracture of humerus (disorder)	SNOMED
66393002	Brain stem contusion with open intracranial wound AND loss of consciousness (disorder)	SNOMED
66483005	Open pertrochanteric fracture (disorder)	SNOMED
66517001	Closed fracture of body of mandible (disorder)	SNOMED
6666006	Subdural hemorrhage following injury without open intracranial wound AND with concussion (disorder)	SNOMED
66665007	Internal injury of pelvic organs (disorder)	SNOMED

66691008	Open fracture of bones of trunk (disorder)	SNOMED
66926007	Closed fracture of femoral condyle of femur (disorder)	SNOMED
66973001	Open fracture of lateral cuneiform bone of foot (disorder)	SNOMED
66976009	Intracranial hemorrhage following injury without intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
6698000	Closed trimalleolar fracture (disorder)	SNOMED
67016008	Injury at C1-C4 level with posterior cord syndrome AND without bone injury (disorder)	SNOMED
67130000	Open fracture of trapezium of wrist (disorder)	SNOMED
67378005	Brain stem laceration without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
67394003	Fracture of shaft of fibula (disorder)	SNOMED
67422008	Closed fracture of medial cuneiform bone of foot (disorder)	SNOMED
67447005	Injury of body of pancreas without open wound into abdominal cavity (disorder)	SNOMED
67730008	Closed Bennett's fracture (disorder)	SNOMED
67861006	Injury at C1-C4 level with anterior cord syndrome AND without bone injury (disorder)	SNOMED
68076002	Open fracture of navicular bone of wrist (disorder)	SNOMED
68152007	Injury of scapular region (disorder)	SNOMED
68360003	Closed fracture of multiple sites of phalanges of hand (disorder)	SNOMED
6836001	Injury of brachial plexus (disorder)	SNOMED
68650003	Fracture of five ribs (disorder)	SNOMED
68734002	Injury of small intestine without open wound into abdominal cavity (disorder)	SNOMED
68819003	Closed fracture of coronoid process of ulna (disorder)	SNOMED
68854005	Closed fracture of head of radius (disorder)	SNOMED
69029002	Open fracture of seven ribs (disorder)	SNOMED
69166006	Fracture of upper end of lower leg (disorder)	SNOMED
69178005	Subarachnoid hemorrhage following injury with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
69301007	Injury of axilla (disorder)	SNOMED
69425000	Open fracture of body of mandible (disorder)	SNOMED
69427008	Open fracture of head of radius (disorder)	SNOMED
69458009	Subarachnoid hemorrhage following injury without open intracranial wound AND with loss of consciousness (disorder)	SNOMED
6954003	Open fracture of condyle of humerus (disorder)	SNOMED
69593000	Open dislocation of fourth cervical vertebra (disorder)	SNOMED
69820004	Injury of optic chiasm (disorder)	SNOMED
69830008	Multiple closed fractures of lower end of femur (disorder)	SNOMED
69866009	Closed fracture of vault of skull without intracranial injury (disorder)	SNOMED
69875006	Cortex laceration with open intracranial wound AND concussion (disorder)	SNOMED
6990005	Fracture of shaft of tibia (disorder)	SNOMED
69913007	Late effect of internal injury to chest (disorder)	SNOMED
69916004	Fracture of base of thumb (disorder)	SNOMED
69976008	Open dislocation of metatarsal joint (disorder)	SNOMED
70092007	Contusion of kidney (disorder)	SNOMED
70204006	Closed fracture of fifth metatarsal bone (disorder)	SNOMED
70307002	Injury at C5-C7 level with anterior cord syndrome AND without bone injury (disorder)	SNOMED
70381003	Open dislocation of distal end of ulna (disorder)	SNOMED
70437005	Injury of interscapular region (disorder)	SNOMED
70686002	Brain stem laceration without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
71039006	Open fracture of shaft of clavicle (disorder)	SNOMED
71074007	Open skull fracture with subarachnoid, subdural AND/OR extradural hemorrhage (disorder)	SNOMED

71139009	Closed fracture of proximal end of radius (disorder)	SNOMED
71220005	Open fracture of pubis (disorder)	SNOMED
71266000	Open fracture of vault of skull with subarachnoid, subdural AND/OR extradural hemorrhage (disorder)	SNOMED
71456006	Closed fracture of larynx (disorder)	SNOMED
71555008	Closed fracture of ulna (disorder)	SNOMED
71620000	Fracture of femur (disorder)	SNOMED
71642004	Fracture of skull (disorder)	SNOMED
71790003	Open fracture of fourth metatarsal bone (disorder)	SNOMED
72117009	Multiple extreme injuries of abdominal organs (disorder)	SNOMED
72224003	Open fracture of shaft of metacarpal bone (disorder)	SNOMED
72332008	Injury of intestine with open wound into abdominal cavity (disorder)	SNOMED
72346008	Open fracture of multiple cervical vertebrae without spinal cord injury (disorder)	SNOMED
72435006	Open fracture of acromial end of clavicle (disorder)	SNOMED
72466000	Injury of suprarenal arteries (disorder)	SNOMED
72497001	Closed fracture of neck of radius (disorder)	SNOMED
72513001	Closed fracture of T7-T12 level with spinal cord injury (disorder)	SNOMED
72739001	Severe crushing injury of abdominal organs without open wound into cavity (disorder)	SNOMED
72758005	Injury of olfactory nerve (disorder)	SNOMED
72797002	Cerebellar contusion with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
72933006	Late effect of fracture of multiple bones (disorder)	SNOMED
73015009	Open fracture of navicular bone of foot (disorder)	SNOMED
73143002	Multiple closed fractures of skull AND/OR face with cerebral laceration AND/OR contusion (disorder)	SNOMED
73244003	Closed fracture of surgical neck of humerus (disorder)	SNOMED
73308006	Extradural hemorrhage following injury with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
73316002	Fracture of capitate bone of wrist (disorder)	SNOMED
73387003	Closed traumatic dislocation of proximal end of metacarpal bone of wrist (disorder)	SNOMED
7341005	Closed multiple fractures of upper end of ulna (disorder)	SNOMED
73413009	Cortex contusion with open intracranial wound AND concussion (disorder)	SNOMED
73439007	Subarachnoid hemorrhage following injury with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
7346000	Injury of inferior mesenteric vein (disorder)	SNOMED
73477001	Traumatic pneumothorax with open wound into thorax (disorder)	SNOMED
73825003	Crushing injury of buttock (disorder)	SNOMED
74177004	Multiple open dislocations of vertebral column (disorder)	SNOMED
74297002	Injury of cervical nerve roots (disorder)	SNOMED
74324004	Laceration of kidney without open wound into abdominal cavity (disorder)	SNOMED
74355005	Injury of stomach with open wound into abdominal cavity (disorder)	SNOMED
74360009	Open fracture of C5-C7 level with central cord syndrome (disorder)	SNOMED
74395007	Open fracture of phalanx of foot (disorder)	SNOMED
74465000	Fracture of trapezium of wrist (disorder)	SNOMED
74472004	Late effect of intracranial injury without skull fracture (disorder)	SNOMED
75137002	Closed traumatic dislocation of joint of finger (disorder)	SNOMED
7523003	Injury of thigh (disorder)	SNOMED
75308009	Closed fracture of navicular bone of foot (disorder)	SNOMED
75507000	Subarachnoid hemorrhage following injury with open intracranial wound AND loss of consciousness (disorder)	SNOMED
7551007	Closed fracture of neck of metacarpal bone (disorder)	SNOMED

75580000	Open dislocation of distal end of tibia (disorder)	SNOMED
75591007	Fracture of fibula (disorder)	SNOMED
75824002	Closed lateral dislocation of elbow (disorder)	SNOMED
7585008	Fracture of triquetral bone of wrist (disorder)	SNOMED
75857000	Fracture of radius AND ulna (disorder)	SNOMED
76103002	Open multiple fractures of upper limb with sternum AND ribs (disorder)	SNOMED
76174009	Closed fracture of alveolar border of body of mandible (disorder)	SNOMED
76179004	Injury at C5-C7 level with posterior cord syndrome AND without bone injury (disorder)	SNOMED
76374000	Multiple extreme injuries of abdominal organs with open wound into cavity (disorder)	SNOMED
76382000	Injury of vas deferens without open injury to abdominal cavity (disorder)	SNOMED
76418009	Concussion with mental confusion AND/OR disorientation without loss of consciousness (disorder)	SNOMED
76435008	Open fracture of C1-C4 level with spinal cord injury (disorder)	SNOMED
76542006	Fracture of frontal sinus (disorder)	SNOMED
76597001	Open Bennett's fracture (disorder)	SNOMED
76675006	Cerebellar laceration without open intracranial wound AND with concussion (disorder)	SNOMED
7669008	Closed traumatic dislocation of metacarpophalangeal joint of thumb (disorder)	SNOMED
76730004	Injury of bile duct without open wound into abdominal cavity (disorder)	SNOMED
76865005	Closed fracture of distal phalanx of finger (disorder)	SNOMED
7687006	Fracture of ilium (disorder)	SNOMED
76877000	Injury of diaphragm with open wound into cavity (disorder)	SNOMED
76890007	Laceration of lung without open wound into thorax (disorder)	SNOMED
76911006	Open fracture of ischium (disorder)	SNOMED
76974008	Fracture of multiple sites of phalanges of hand (disorder)	SNOMED
7711006	Cortex laceration without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
77165001	Injury of bladder (disorder)	SNOMED
77295000	Closed skull fracture without intracranial injury (disorder)	SNOMED
77493009	Fracture of pelvis (disorder)	SNOMED
77498000	Extradural hemorrhage following injury without open intracranial wound AND with concussion (disorder)	SNOMED
77505009	Open fracture of second metatarsal bone (disorder)	SNOMED
77546004	Open fracture of six ribs (disorder)	SNOMED
77551005	Open fracture of metatarsal bone (disorder)	SNOMED
77572008	Open multiple fractures of lower limb AND sternum (disorder)	SNOMED
77598002	Open fracture of acetabulum (disorder)	SNOMED
77768006	Intracranial hemorrhage following injury with open intracranial wound (disorder)	SNOMED
77803008	Closed fracture of shaft of fibula (disorder)	SNOMED
77890001	Late effect of burn of extremities, except wrist AND hand (disorder)	SNOMED
77940004	Hematoma of spleen without rupture of capsule AND with open wound into abdominal cavity (disorder)	SNOMED
78011002	Flail chest (disorder)	SNOMED
78028004	Brain stem contusion with open intracranial wound AND concussion (disorder)	SNOMED
78085003	Open fracture of T7-T12 level with incomplete spinal cord lesion (disorder)	SNOMED
78157002	Closed fracture of C5-C7 level with central cord syndrome (disorder)	SNOMED
78171005	Traumatic hemorrhage of liver (disorder)	SNOMED
7819003	Intracranial hemorrhage following injury with open intracranial wound AND no loss of consciousness (disorder)	SNOMED
78211006	Open fracture of thoracic spine with spinal cord injury (disorder)	SNOMED
78292000	Fracture of shaft of metacarpal bone (disorder)	SNOMED
78396000	Open dislocation of seventh cervical vertebra (disorder)	SNOMED

78477003	Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
78490005	Open fracture of proximal end of ulna (disorder)	SNOMED
78516000	Fracture of sternum (disorder)	SNOMED
78523004	Late effect of radiation (disorder)	SNOMED
78525006	Brain stem laceration without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
78687007	Closed fracture of cervical vertebra without spinal cord injury (disorder)	SNOMED
78757009	Intracranial hemorrhage following injury without open intracranial wound AND with concussion (disorder)	SNOMED
78849002	Closed traumatic dislocation of distal end of fibula (disorder)	SNOMED
78879009	Intracranial hemorrhage following injury with open intracranial wound AND concussion (disorder)	SNOMED
78914008	Laceration of brain (disorder)	SNOMED
78968003	Brain stem contusion with open intracranial wound (disorder)	SNOMED
78980006	Open fracture of lower end of forearm (disorder)	SNOMED
79125007	Open dislocation of first cervical vertebra (disorder)	SNOMED
7913001	Open fracture of triquetral bone of wrist (disorder)	SNOMED
79220008	Brain stem contusion without open intracranial wound AND with concussion (disorder)	SNOMED
79228001	Brain injury without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
79484004	Closed transcervical fracture of femur (disorder)	SNOMED
79546008	Closed fracture of three ribs (disorder)	SNOMED
79626009	Closed fracture of talus (disorder)	SNOMED
79763005	Closed traumatic dislocation of distal end of tibia (disorder)	SNOMED
79858001	Open fracture of shaft of bone of forearm (disorder)	SNOMED
79978005	Open supracondylar fracture of femur (disorder)	SNOMED
80090009	Open dislocation of metacarpophalangeal joint of finger (disorder)	SNOMED
80192004	Massive parenchymal disruption of spleen with open wound into abdominal cavity (disorder)	SNOMED
80350001	Late effect of contusion (disorder)	SNOMED
80411001	Open Colles' fracture (disorder)	SNOMED
80597004	Fracture of middle AND/OR proximal phalanx of finger (disorder)	SNOMED
80692000	Late effect of tendon injury (disorder)	SNOMED
80756009	Closed fracture of patella (disorder)	SNOMED
80767005	Closed fracture of condyle of humerus (disorder)	SNOMED
80980003	Open fracture of C5-C7 level with spinal cord injury (disorder)	SNOMED
81102000	Injury of back (disorder)	SNOMED
81193001	Pelvic organ injury with open wound into abdominal cavity (disorder)	SNOMED
81268009	Cerebellar contusion without open intracranial wound AND with moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
8135006	Traumatic closed dislocation of temporomandibular joint (disorder)	SNOMED
81371004	Concussion (disorder)	SNOMED
81412002	Cortex contusion with open intracranial wound AND loss of consciousness (disorder)	SNOMED
81425005	Closed fracture of sacrum AND/OR coccyx without spinal cord injury (disorder)	SNOMED
81442004	Closed fracture of cervical region with spinal cord injury (disorder)	SNOMED
81501004	Open fracture of first cervical vertebra without spinal cord injury (disorder)	SNOMED
81520002	Extradural hemorrhage following injury with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
81576005	Closed fracture of phalanx of foot (disorder)	SNOMED
81629009	Traumatic dislocation of temporomandibular joint (disorder)	SNOMED
81639003	Closed fracture of nasal bones (disorder)	SNOMED
81642009	Late effect of spinal cord injury (disorder)	SNOMED

81715004	Late effect of sprain AND/OR strain without tendon injury (disorder)	SNOMED
81813004	Closed medial dislocation of elbow (disorder)	SNOMED
8183009	Closed fracture of T7-T12 level with central cord syndrome (disorder)	SNOMED
81966000	Open fracture of radius AND ulna (disorder)	SNOMED
82065001	Fracture of carpal bone (disorder)	SNOMED
82271004	Injury of head (disorder)	SNOMED
82344002	Cerebellar contusion with open intracranial wound (disorder)	SNOMED
82419009	Open fracture of vertebral column (disorder)	SNOMED
82601009	Multiple closed fractures of skull AND/OR face without intracranial injury (disorder)	SNOMED
82637004	Cerebellar contusion without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
82640004	Stieda's fracture (disorder)	SNOMED
8281003	Injury of uterine artery (disorder)	SNOMED
8303001	Closed fracture of sixth cervical vertebra without spinal cord injury (disorder)	SNOMED
83209008	Injury of transverse colon without open wound into abdominal cavity (disorder)	SNOMED
83276000	Injury of uterus with open wound into abdominal cavity (disorder)	SNOMED
8328009	Late effect of injury to blood vessels of head, neck AND/OR extremities (disorder)	SNOMED
83385002	Fracture of parietal bone (disorder)	SNOMED
83401009	Open dislocation of interphalangeal joint of foot (disorder)	SNOMED
83635002	Fracture of transverse process of vertebra (disorder)	SNOMED
83716008	Traumatic spinal cord compression (disorder)	SNOMED
83969004	Fracture of temporal bone (disorder)	SNOMED
83991006	Incomplete spinal cord lesion at C5-C7 level without bone injury (disorder)	SNOMED
84030002	Fracture of pisiform bone of wrist (disorder)	SNOMED
84111004	Open fracture of zygoma (disorder)	SNOMED
84170006	Contusion of brain with open intracranial wound (disorder)	SNOMED
84320000	Open fracture of midcervical section of femur (disorder)	SNOMED
84338002	Laceration of heart with penetration of heart chambers (disorder)	SNOMED
8459005	Closed fracture of C1-C4 level with incomplete cord lesion (disorder)	SNOMED
84595002	Open multiple fractures of upper end of ulna (disorder)	SNOMED
84621006	Injury of esophagus with open wound into thoracic cavity (disorder)	SNOMED
84803006	Cerebellar laceration with open intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
84900008	Cerebellar laceration with open intracranial wound AND loss of consciousness (disorder)	SNOMED
84920009	Open dislocation of hip (disorder)	SNOMED
85262003	Open fracture of T1-T6 level with posterior cord syndrome (disorder)	SNOMED
85314006	Cerebellar laceration without open intracranial wound AND with no loss of consciousness (disorder)	SNOMED
85341001	Closed inferior dislocation of humerus (disorder)	SNOMED
85453003	Open dislocation of metatarsophalangeal joint (disorder)	SNOMED
85646001	Open dislocation of phalanx of foot (disorder)	SNOMED
85870004	Minor laceration of liver with open wound into abdominal cavity (disorder)	SNOMED
85922006	Fracture of hamate bone of wrist (disorder)	SNOMED
86006001	Massive parenchymal disruption of spleen without open wound into abdominal cavity (disorder)	SNOMED
86010003	Brain injury with open intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
86125000	Cerebellar contusion with open intracranial wound AND concussion (disorder)	SNOMED
86144007	Injury of seminal vesicle without open wound into abdominal cavity (disorder)	SNOMED
86175003	Injury of heart (disorder)	SNOMED
86182004	Extradural hemorrhage following injury with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED

86357008	Open fracture of coronoid process of ulna (disorder)	SNOMED
86449009	Nelaton's dislocation (disorder)	SNOMED
86488006	Brain injury with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) without return to pre-existing conscious level (disorder)	SNOMED
86559007	Closed fracture of ramus of mandible (disorder)	SNOMED
86704005	Fracture of anterior fossa (disorder)	SNOMED
86731008	Multiple open fractures of pelvis with disruption of pelvic circle (disorder)	SNOMED
86844009	Open fracture of upper end of humerus (disorder)	SNOMED
86899000	Closed traumatic dislocation of joint of toe (disorder)	SNOMED
87020000	Subarachnoid hemorrhage following injury without open intracranial wound AND with brief loss of consciousness (less than one hour) (disorder)	SNOMED
87040007	Dislocation of ear ossicles (disorder)	SNOMED
8704005	Fracture of acromial process of scapula (disorder)	SNOMED
87173003	Open fracture of epiphysis of femur (disorder)	SNOMED
87225004	Open fracture of sternum (disorder)	SNOMED
87253004	Subarachnoid hemorrhage following injury with open intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
87376003	Closed fracture of shaft of clavicle (disorder)	SNOMED
8758001	Closed traumatic dislocation of thoracic vertebra (disorder)	SNOMED
87592007	Multiple closed traumatic dislocations of joints of hand (disorder)	SNOMED
87804006	Closed fracture of fifth cervical vertebra without spinal cord injury (disorder)	SNOMED
87888006	Cortex contusion with open intracranial wound (disorder)	SNOMED
87894003	Open fracture of glenoid cavity AND/OR neck of scapula (disorder)	SNOMED
87900003	Injury of sacral nerve roots (disorder)	SNOMED
87905008	Gosselin's fracture (disorder)	SNOMED
88008005	Multiple open fractures of skull AND/OR face with cerebral laceration AND/OR contusion (disorder)	SNOMED
88116004	Open fracture of lower end of radius AND ulna (disorder)	SNOMED
88196000	Fracture of interligamentous part of clavicle (disorder)	SNOMED
8840000	Closed fracture of C1-C4 level with spinal cord injury (disorder)	SNOMED
88405003	Open fracture of T7-T12 level with central cord syndrome (disorder)	SNOMED
88533001	Late effect of injury to peripheral nerve of pelvic girdle AND/OR lower limb (disorder)	SNOMED
88651008	Closed skull fracture with cerebral laceration AND/OR contusion (disorder)	SNOMED
88743001	Open dislocation of vertebra (disorder)	SNOMED
88747000	Subarachnoid hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
88835002	Closed fracture of thyroid cartilage (disorder)	SNOMED
89130002	Closed traumatic dislocation of fifth cervical vertebra (disorder)	SNOMED
89161006	Open fracture of pisiform bone of wrist (disorder)	SNOMED
89294002	Open fracture of humerus (disorder)	SNOMED
8939001	Incomplete spinal cord lesion at C1-C4 level without bone injury (disorder)	SNOMED
89581003	Open dislocation of patella (disorder)	SNOMED
89636007	Closed fracture of six ribs (disorder)	SNOMED
89760000	Closed traumatic dislocation of pelvis (disorder)	SNOMED
89801006	Multiple traumatic closed dislocations of upper arm (disorder)	SNOMED
89820008	Closed intertrochanteric fracture (disorder)	SNOMED
89825003	Closed fracture of thoracic vertebra without spinal cord injury (disorder)	SNOMED
90070003	Traumatic pneumothorax (disorder)	SNOMED
90114000	Closed fracture of capitate bone of wrist (disorder)	SNOMED
9015001	Brain injury without open intracranial wound (disorder)	SNOMED

90165008	Subdural hemorrhage following injury with open intracranial wound AND moderate loss of consciousness (1-24 hours) (disorder)	SNOMED
90235006	Closed fracture of shaft of humerus (disorder)	SNOMED
90289008	Closed obturator dislocation of hip (disorder)	SNOMED
90338005	Open trimalleolar fracture (disorder)	SNOMED
90429009	Cerebellar laceration without open intracranial wound AND with loss of consciousness (disorder)	SNOMED
90460009	Injury of neck (disorder)	SNOMED
9048001	Open fracture of fourth cervical vertebra without spinal cord injury (disorder)	SNOMED
90584004	Spinal cord injury (disorder)	SNOMED
90768003	Contusion of brain without open intracranial wound (disorder)	SNOMED
90799002	Multiple fractures of lower limb with ribs AND sternum (disorder)	SNOMED
90863004	Closed fracture of eight OR more ribs (disorder)	SNOMED
90898001	Open skull fracture with cerebral laceration AND/OR contusion (disorder)	SNOMED
91012008	Repeated concussion of brain (disorder)	SNOMED
91037003	Closed fracture of pelvis (disorder)	SNOMED
91168001	Cerebellar laceration without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
91216000	Intracranial hemorrhage following injury with open intracranial wound AND prolonged loss of consciousness (more than 24 hours) AND return to pre-existing conscious level (disorder)	SNOMED
91296001	Open fracture of forearm (disorder)	SNOMED
91419009	Closed fracture of forearm (disorder)	SNOMED
91589002	Closed fracture of base of skull with cerebral laceration AND/OR contusion (disorder)	SNOMED
91631003	Open wound of cervical esophagus without complication (disorder)	SNOMED
91641000	Injury at T7-T12 level with posterior cord syndrome AND without bone injury (disorder)	SNOMED
9264002	Laceration of kidney with open wound into abdominal cavity (disorder)	SNOMED
9275003	Fracture of multiple sites of metacarpus (disorder)	SNOMED
9327005	Multiple fractures of lower limb AND ribs (disorder)	SNOMED
9341001	Late effect of fracture of spine AND/OR trunk without spinal cord lesion (disorder)	SNOMED
9344009	Open fracture of upper end of lower leg (disorder)	SNOMED
9468002	Closed fracture carpal bone (disorder)	SNOMED
9501009	Cerebellar laceration with open intracranial wound AND brief loss of consciousness (less than one hour) (disorder)	SNOMED
95306003	Traumatic perforation of pharynx (disorder)	SNOMED
95671001	Cervical nerve root compression (disorder)	SNOMED
95817008	Labyrinthine concussion (disorder)	SNOMED
95847005	Injury of muscle (disorder)	SNOMED
95850008	Depressed fracture of skull (disorder)	SNOMED
95851007	Fracture of orbit (disorder)	SNOMED
95852000	Metaphyseal fracture of bone of upper limb (disorder)	SNOMED
95853005	Metaphyseal fracture of bone of lower limb (disorder)	SNOMED
95854004	Pulled elbow (disorder)	SNOMED
9682006	Fracture of scapula (disorder)	SNOMED
9787009	Closed lateral dislocation of proximal end of tibia (disorder)	SNOMED
9808005	Closed fracture of cuboid bone of foot (disorder)	SNOMED
9966008	Fracture of neural arch (disorder)	SNOMED
9978007	Cortex laceration without open intracranial wound AND with loss of consciousness (disorder)	SNOMED